Published papers on

THERMOLOGY

or

TEMPERATURE MEASUREMENT

between 1989 and 2004



an index of publications computed by

Prof Kurt Ammer MD, PhD

6th Congress of the International Society of Skin Imaging. July4-6. 1999. Abstracts. Skin Research &Technology 1999, 5(2):121-159

Aarnoudse W. Van Den Berg P. Van De Vosse F. Geven M. Rutten M. Van Turnhout MFearon W. De Bruyne B. Pijls N. Myocardial Re- sistance Assessed by Guidewire-Based Pressure-Temperature Mea- surement: In Vitro Validation. Catheter Cardiovasc Intervent. 2004; 62(1): 56-63.

Abadia F, Ruiz Caballero JA, Batanero J. Diabetic foot examination. Anal Cir Card Cir Vasc. 2003; 9(1): 28-34.

Abati J, Arenas R, Catalán JRM, García FD. Anticlockwise P–T Path of Granulites from the Monte Castelo Gabbro (Órdenes Complex, NW Spain) J Petrol 2003; 44: 305 - 327.

Abbot NC, JS Beck, DK Harrison, SB WilsoN. Dynamic thermographic imaging for estimation of regional perfusion in the tuberculin reaction in healthy adults. Journal of Immunological Methods 1993,162:97-107.

Abdelraziq IR. Ultrasonic absorption in critical binary mixtur of perfluoromethylcyclohexane and carbon tetrachloride. Journal of the Acoustical Society of America 2000, 107(2): 788-792

Abe R, K.Nakayama, M.Takada. (Early detection and diagnosis of breast cancer) Gan To Kagaku Ryoho[Japanese Journal of Cancer and Chemotherapy] 1994, 21: 2713-2719.

Abella BS. Zhao D. Alvarado J. Hamann K. Vanden Hoek TL. Becker LB. Intra-arrest cooling improves outcomes in a murine cardiac arrest model. Circulation. 2004; 109(22): 2786-2791.

Aboagla EM, Terada T. Effects of egg yolk during the freezing step of cryopreservation on the viability of goat spermatozoa.. Theriogenology. 2004; 62(6):1160-72.

Abourashed EA. Validation and application of an HPTLC method for the determination of parthenolide in feverfew herbal products. J Planar Chromat - Modern Tlc. 2004; 17(5): 375-378.

Abraham MH. Martins F. Human skin permeation and partition: General linear free-energy relationship analyses. J Pharml Sci. 2004; 93(6): 1508-1523.

Abram NJ, Gagan MK, McCulloch MT, Chappell J, Hantoro WS. Coral Reef Death During the 1997 Indian Ocean Dipole Linked to Indonesian Wildfires. Science, 2003; 301: 952 - 955.

Abramov VA, GN MoskalenkO. Metody obsledovaniia detei so sliunnokamennoi bolezn'iu podnizhnecheliustnykh sliunnykh zhelez. (Methods for examining children with sialolithiasis of the submandibular glands) Stomatologiia 1995, 74: 65-66.

Abstracts des 11. Thermologischen Symposiums der Österreichischen Gesellschaft für Thermologie. ThermoMed 1998, 14: 27-36.

Accardo C, Dattena M, Pilichi S, Mara L, Chessa B, Cappai P. Effect of recombinant human FSH and LH on in vitro maturation of sheep oocytes; embryo development and viability. Anim Reprod Sci. 2004 Mar;81(1-2):77-86.

Ackerman AS, Kirkpatrick MP, Stevens DE, Toon OB. The impact of humidity above stratiform clouds on indirect aerosol climate forcing. Nature. 2004; 432(7020):1014-7.

Acosta MC, Peral A, Luna C, Pintor J, Belmonte C, Gallar J. Tear secretion induced by selective stimulation of corneal and conjunctival sensory nerve fibers. Invest Ophthalmol Vis Sci. 2004; 45(7): 2333-6.

Adair ER, Kelleherv SA, Cobb BL, Mylacraine KS. Physiological thermoregulatory responses of human volunteers exposed at two radio frequencies (450 and 2450 MHZ). In. Proceedings - 20th Annual International Conference - IEEE/EMBS, 1998, Hong Kong, p.3245

Adair ER, Cobb BL Mylacraine KS. Partial body exposure of human volunteers to 2450 Mhz pulsed or cw fields: similarities in physiological response. In. Proceedings of The First Joint BMES/EMBS Conference Serving Humanity, Advancing Technology, Atlanta, 1999, pp.1293

Adam D. Out of the kitchen. Nature. 2003; 421: 571-572.

Adams AK, Nelson RA, Bell EF, Egoavil CA. Use of infrared thermographic calorimetry to determine energy expenditure in preterm infants. American Journal of Clinical Nutrition 2000, 71 (4) 969-77

Adler A. Huang H. Wang Z. Conetta J. Levee E. Zhang X. Hintze TH. Endocardial endothelium in the avascular frog heart: Role for diffusion of NO incontrol of cardiac O2 consumption. Am J Physiol - Heart Circ Physiol. 2004; 287(156-1): H14-H21.

Afonin DN, Gordeev NA, Afonin PN. Prognosticheskaia znachimost' rezul'tatov izmereniia pronitsaemosti kapilliarov kozhi pri terminal'noi stadii ishemii nizhnikh konechnostei. (Prognostic significance of the results of measuring skin capillary permeability in the terminal stage of lower limb ischemia) Meditsinskaia Tekhnika, (4) 24-26.1995

Afshar S, Ferrier GA, Bao X, Chen L. Effect of the finite extinction ratio of an electro-optic modulator on the performance of distributed probe-pump Brillouin sensor systems. Opt Lett, 2003; 28(16): 1418-20.

Agarwal A, Gupta D. Warming the tracheal tube and kinking. Can J Anaesth. 2004;51(1):96.

Aghassi D, Gonzalez E, Anderson RR, Rajadhyaksha M, Gonzalez S. Elucidating the pulsed-dye laser treatment of sebaceous hyperplasia in vivo with real-time confocal scanning laser microscopy. J Am Acad Dermatol. 2000,43(1 Pt 1):49-53.

Aguilar G, Majaron B, Karapetian E, Lavernia EJ, Nelson JS. Experimental study of cryogen spray properties for application in dermatologic laser surgery. IEEE Trans Biomed Eng. 2003 ;50(7):863-9.

Aguilar G. Vu H. Nelson JS. Influence of angle between the nozzle and skin surface on the heat flux andoverall heat extraction during cryogen spray cooling. Phys Med Biol. 2004; 49(10): N147-N153.

Aguilar G. Wang G-X. Nelson JS. Dynamic behavior of cryogen spray cooling: Effects of spurt duration and spray distance. Lasers Surg Med. 2003; 32(2):152-159.

Aguilar G. Wang G-X. Nelson JS. Effect of spurt duration on the heart transfer dynamics during cryogen spray cooling. Phys Med Biol. 2003; 48(14):2169-2181.

Aguirre MH, Cánepa HR, Walsöe de Reca NE.Observation of CuPt and CuAu I-type ordered structure in HgCdTe grown by isothermal vapour phase epitaxy, J Crystal Growth, 2003; 254 (3-4): 353-359.

Ahcan U, Zorman P, Recek D, Ralca S, Majaron B. Port wine stain treatment with a dual-wavelength Nd:Yag laser and cryogen spray cooling: a pilot study. Lasers Surg Med. 2004; 34(2): 164-7.

Ahijevych K, Garrett BE. Menthol pharmacology and its potential impact on cigarette smoking behavior. Nicotine Tob Res. 2004 Feb;6 Suppl 1:S17-28.

Ahle NW, Burani JR, Sharp MW, Hamlet MP.Infrared thermographic measurement of circulatory compromise in trenchfoot-injured Argentine soldiers. Aviat Space Environ Med, 61(3): 247-20.1990

Ahmadov RS. Mammadov PZ. Prolonged epidural anesthesia in the complex treatment of frostbites during prereactive period. Azerbaid- zhanskii Meditsinskii Zhurnal. 2004;Issue 2: 116-119.

Ahmed M, Lobo SM, Weinstein J, Kruskal JB, Gazelle GS, Halpern EF, Afzal SK, Lenkinski RE,. Goldberg SN.Improved Coagulation with Saline Solution Pretreatment during Radiofrequency Tumor Ablation in a Canine Model J. Vasc. Interv. Radiol. 2002, 13: 717 - 724.

Ahmed MR. Gopinath D. Gomathi K. Sehgal PK. Jayakumar R. Alpha-Crystallin-Incorporated Collagen Matrices as an Aid for Dermal WoundHealing. J BioMed Materials Res Part B-Appl Biomaterials. 2004; I69(2): 241-248.

Ahn CY, WW.Shaw, K.Narayanan, DP.Gorczyca, S.Sinha, ND.Debruhl, LW.BassetT. Definitive diagnosis of breast implant rupture using magnetic resonance imaging.Plastic and Reconstructive Surgery 1993, 92: 681-691.

Ahn EK, Lee YC,Zhan H-Y.Correlation Between Pain Scale and Infrared Thermogram in Unilateral Pain Patients After Nerve Block. (abstract). J Korean Med Thermol 2002, 2(1):59

Ahn KS, J.HeO. Normal Thermograms of the Anterior Trunk. (abstract). Biomed Thermol 1995,15:14.

Ahn Y-H. Bae J-Y. Park S-M. Min K-S. Anaerobic digestion elu- triated phased treatment of piggery waste. Water Sci Technol. 2004; 49(5-6): 181-189.

Ahn Y-M. Clinical Significance of Thermal Differences Between the Right and Left Flanks.(abstract). Biomed Thermol 1995,15: 13.

Ahn Y-M. Clinical Significance of Thermal Differences Between the Right and Left Flanks.(abstract). Thermol Österr 1995, 5: 159.

Ahn Y-M. Thermography as an Evaluatuion Guide in the Pharmaco-Acupuncture Practice. (abstract). J Korean Med Thermol 2002, 2(1):71

Ahonen J. Salmenpera M. Brain injury after adult cardiac surgery. Acta Anaest Scand. 2004; 48(1): 4-19.

Aichele M, Chong SH, Baschnagel J, Fuchs M. Static properties of a simulated supercooled polymer melt: structure factors, monomer dis- tributions relative to the center of mass, and triple correlation functions.Phys Rev E Stat Nonlin Soft Matter Phys. 2004; 69(6 Pt 1):061801.

Aidietis A, Rucinskas K, Sirvydis V, Jurkuvenas P, Grebelis A, Marinskis G, Uzdavinys G. [Radiofrequency modified maze procedure with mitral valve surgery: mid-term follow-up results] Medicina (Kaunas). 2004;40 Suppl 1:1-6.

Aidulis D, Pegg DE, Hunt CJ, Goffin YA, Vanderkelen A, van Hoeck B, Santiago T, Ramos T, Gruys E, Voorhout W, Processing of ovine cardiac valve allografts: 1. Effects of preservation method on structure and mechanical properties. Cell & Tissue Bank 2003,3(2):79-89.

Aiello GM, Cubeddu M, Mura C, Soddu A. Yield response of sunflower to different irrigation regimes in southern Italy. Proceedings of the Irrigation Association Technical Conference, Irrigation Assoc, Silver Spring, 1998, p. 125-31

Aires F, Prigent C, Rossow WB. Neural network uncertainty assess- ment using Bayesian statistics: a remote sensing application. Neural Comput. 2004; 16(11):2415-58.

Aisien FA, Hymore FK, Ebewele RO, Potential application of recycled rubber in oil pollution control. Environl Monit Assess. 2003; 85(2):175-190.

Akata T, Machida Y, Yoshino J, Hirai T, Sato M, Takamatsu J, Takahashi S. Usefulness of monitoring forehead deep-t(temperature as an index of core temperature in adult patients undergoing laparotomies under general anesthesia—investigation in operating rooms with air-movement control system using vertical flow. Masui. 2003; 52(10):1066-73.

Akata T, Yamaura K, Kandabashi T, Sadamatsu S, Takahashi S. Changes in body temperature during profound hypothermic cardiop- ulmonary bypass in adult patients undergoing aortic arch reconstruc- tion.J Anesth. 2004; 18(2): 73-81.

Akata T. Kanna T. Yoshino J. Higashi M. Fukui K. Takahashi S. Reliability of fingertip skin-surface temperature and its related thermal measures as indices of peripheral perfusion in the clinical setting of the operating theatre. Anaesth Intens Care. 2004; 32(4): 519-529.

Akgun K. Korpinar MA. Kalkan MT. Akarirmak U. Tuzon S. Tuzun F. Temperature changes in superficial and deep tissue layers with respect to time of cold gel pack application in dogs. Yonsei Med J. 2004; 45(4): 711-718.

Akhmediev N, Soto-Crespo JM. Strongly asymmetric soliton ex- plosions.Phys Rev E Stat Nonlin Soft Matter Phys. 2004; 70(3 Pt 2):036613.

Akinyinka OO. Infrared ear thermometry versus rectal thermometry in children. Lancet 2002, 360(9333): 584.

Akinyinka OO, Omokhodion SI, Olawuyi JF, Olumese PE, Brown BJ Tympanic thermometry in Nigerian children. Annals Of Tropical Paediatrics 2001, 21 (2) 169-74

Akita H, Yokoyama M. [Progress in diagnosis and treatment of acute coronary syndrome] Nippon Rinsho. Japanese Journal Of Clinical Medicine 1998, 56 (1)0: 2471-6

Akiyama H, Matsumoto S, Komatsu H, Nagasaki : (Changes in symptom and thermography images after lumbar sympathetic ganglion block). Masui. Japanese Journal Of Anesthesiology, 1997, 46 (8): 1048-1052.

Akiyami T, Miyahara Y, Kricka LJ,Wilding P, Graves DJ, Surrey S, Fortina P. Genotyping on a Thermal Gradient DNA Chip Genome Res, 2003; 13: 467 - 475.

Akre H, Skatvedt O. Advantages of measuring air flow in the pharynx with internal thermistors. European Archives of Oto-Rhino-Laryngology 2000, 257(5): 251-255

Aladangady N. Aitchison TC. Beckett C. Holland BM. Kyle BM. Wardrop CAJ. Is it possible to predict the blood volume of a sick preterm infant?.Arch DisChild Fetal Neonat Edit2004;89(4): F344-F347.

Al-Alousi LM, Anderson RA, Worster DM, Land DV. Factors influencing the precision of estimating the postmortem interval using the triple-exponential formulae (TEF). Part I. A study of the effect of body variables and covering of the torso on the postmortem brain, liver and rectal cooling rates in 117 forensic cases. Forensic Sci Int 2002, 125(2-3): 223-30.

Al-Alousi LM, Anderson RA, Worster DM, Land DV Multiple-probe thermography for estimating the postmortem intervaL. II. Practical versions of the Triple-Exponential Formulae (TEF) for estimating the time of death in the field. Journal Of Forensic Sciences 2001, 46 (2) 323-7.

Al-Alousi LM, Anderson RA, Worster DM, Land DV Multiple-probe thermography for estimating the postmortem intervaL. I. Continuous monitoring and data analysis of brain, liver, rectal and environmental temperatures in 117 forensic cases. Journal Of Forensic Sciences 2001. 46 (2) 317-22

Al-Alousi LM, RA.Anderson, DV.LanD. A non-invasive method for postmortem temperature measurements using a microwave probe.Forensic Science International 1994. 64: 35-46.

Alam HB, Chen Z, Honma K, Koustova E, Querol RI, Jaskille A, Inocencio R, Ariaban N, Toruno K, Nadel A, Rhee P. The rate of induction of hypothermic arrest determines the outcome in a Swine model of lethal hemorrhage.J Trauma. 2004;57(5):961-9.

Al-Amoudi A, Norlen LP, Dubochet J. Cryo-electron microscopy of vitreous sections of native biological cells and tissues.J Struct Biol. 2004; 148(1):131-5.]

Alanazi A, Nojiri C, Kido T, Noguchi T, Ohgoe Y, Matsuda T, Hirakuri K, Funakubo A, Sakai K, Fukui Y. Engineering analysis of diamond-like carbon coated polymeric materials for biomedical applications. Artif Organs. 2000,24(8):624-7.

Alanis J, Segovia A, Navarrete M. Safety conditions for irradiation, transporting, and melting of sintered TeO2 during the industrial pro- duction of 131I.Health Phys. 2004 ; 87(2 Suppl):S34-6.

Al-Awami M, Maca Th, Bartok A, Gschwandtner ME, Minar E. Comparison of Infrared Thermography and scanning laser Doppler flowmetry for assessment of the digital circulation in patients with Raynaud's phenomenon. (abstract) Thermol int 2003, 13: 63.

Al-Awami M, Maca Th, Gschwandtner ME, Maric S, Minar E Unusual manifestation of Raynaud's phenomenon. . (abstract) Thermol int 2003, 13: 63.

Al-Awami M, Schillinger M, Gschwandtner ME, Maca T, Haumer M, Minar E. Low level laser treatment of primary and secondary Raynaud's phenomenon. Vasa 2001, 30(4): 281-4.

Al-Awami M, Schillinger M. Maca Th. Herberg K, Pollanz S, Minar E. Thermographic assessment of bw level laser therapy for treatment of Raynaud's phenomenon. (abstract) Thermol int 2003, 13: 63.

Al-Awami M. Schillinger M. Maca T. Pollanz S. Minar E. Low level laser therapy for treatment of primary and secondary Raynaud's pheno- menon. Vasa. 2004; 33(1): 25-29.

Albert K „AHA-Effekt" und Identität von Glykolsäure Alpha hydroxy acid effect and identity of glycolic acid. Pharmazeutische Zeitung 2001, 146(19): 30-32

Albin MS, White RJ, Marsala M. Therapeutic window after spinal cord trauma is longer than after spinal cord ischemia 2) (multiple letters). Anesthesiology 2000: 92(1): 281-282

Albregts M. Hulshof MCCM. Zum Vorde Sive Vording PJ. Van Lanschot JJB. RichelDJ. Crezee H. Fockens P. Van Dijk JDP. Gonzalez Gonzalez D. A feasibility study in oesophageal carcinoma using deep loco-regionalhyperthermia combined with concurrent chemotherapy followed by surgery. Int J Hyperthermia. 2004; 20(6): 647-659.

Albright GC, Stump JA, McDonald JD, Kaplan H. "True" temperature measurements on microscopic semiconductor targets.IN. LeMieux DH, Snell JR, editorS. Thermosense XXI,Proceedings of the Society of Photo-Optical Instrumentation Engineers (SPIE), Vol.3700, Bellingham, 1999. p. 245-50

Aldin Z A , Abdulqader A. Breast Thermography in Libya (abstract). Thermol intern 1999, 9(3): 110

Aldridge MD. Howell KJ, Smith RE, Bowers E, Jehangir A. Comparison of microvascular blood flow changes in the fingertips of Raynaud's phenomenon patients and normal subjccts following cold challenge. Thermol intern 2002. 12: 70-71

Alekseev SI, Ziskin MC Distortion of millimeter-wave absorption in biological media due to presence of thermocouples and other objects. IEEE Trans Biomed Eng 2001, 48(9): 1013-9.

Alekseev SI, Ziskin MC. Local heating of human skin by millimeter waves: a kinetics study. Bioelectromagnetics. 2003; 24(8): 571-81.

Aleksic J, Zielke P, Szymczyk JA. Temperature and Flow Visualization in a Simulation of the Czochralski Process Using Temperature-Sensitive Liquid Crystals Ann. N.Y. Acad. Sci. 2002, 972: 158 - 163.

Alessandri B. Hoelper BM. Behr R. Kempski O. Accuracy and stability of temperature probes for intracranial application. J Neurosci Methods. 2004; 139(2): 161-165.

Alexander HR jr. Hyperthermia and its modern use in cancer treatment. Cancer. 2003; 98(2):219-221.

Alfonsi P. Adam F. Passard A. Guignard B. Sessler DI. Chauvin M. Nefopam, a Nonsedative Benzoxazocine Analgesic, Selectively Re- duces the Shivering Threshold in Unanesthetized Subjects. Anesthesio- logy. 2004; 100(1): 37-43.

Algan O, Fosmire H, Hynynen K, Dalkin B, Cui H, Drach G, Stea B, Cassady JR. External beam radiotherapy and hyperthermia in the treatment of patients with locally advanced prostate carcinoma. Cancer. 2000,89(2):399-403.

Algoso PR, Hofmeister WH, Bayuzick R J. Solidification velocity of undercooled Ni–Cu alloys, Acta Materialia, 2003; 51(14): 4307-4318.

Ali IM. Synthesis and sorption behavior of semicrystalline sodium titanate as a newcation exchanger. J Radioanalyt Nuclear Chem. 2004; 260(1): 149-157.

Ali NN. Xu X. Brito-Martins M. Poole-Wilson PA. Harding SE. Fuller SJ. Beta-adrenoceptor subtype dependence of chronotropy in mouse embryonic stemcell-derived cardiomyocytes. Basic Res Cardiol. 2004; 99(6): 382-391.

Ali SN, O'Toole G, Tyler M. Milk bottle burns.J Burn Care Rehabil. 2004 ; 25(5):461-2.

Al-Khudary R. Hashwa F. Mroueh M. A novel olive oil degrading thermoactinomyces species with a high extremelythermostable lipase activity. Enginer Life Sci. 2004; 4(1): 78-82.

Allegra J, Brennan J, Fields L, Grabiner F, Kiss G, Lavery R, Prusik T. Monitoring the storage temperature of ambulance medications with time- temperature indicators. Hospital Pharmacy 2000, 35(3): 246-250

Allen B. Wu J. Doan H. Inactivation of fungi associated with barley grain by gaseous ozone. J Environ Sci Health Part B: Pestics, Food Conts, Agrical Wast. 2003; 38(5):617-630), 2003.

Allen J, Murray A. Photoplethysmography as a tool for assessing the microcirculation. (abstract). Thermol intern 2002. 12: 69

Allen J, Oates C P1, Chishti A, Ahmed I, Talbot D, Murray A Combined thermal imaging and colour duplex ultrasound assessments in renal fistula patients. (abstract). Thermol int 2004, 14(4): 144

Allen J, Young AL, Griffiths B , Kumar N, Murray A. Subject preparation and thermal acclimatization prior to mild cold challenge testing using dynamic thermal imaging. (abstract) Thermol int 2003, 13: 63-64

Allen KD. Using biofeedback to make childhood headaches less of a pain. Pediatr Ann. 2004 Apr;33(4):241-5.

Allen ML, Baker GJ, Freeman DE, Holmes KR, Marretta SM, Scoggins RD, Constable P. In vitro study of heat production during power reduction of equine mandibular teeth.J Am Vet Med Assoc. 2004; 224(7):1128-32.

Allen PB. Rodriguez I. Kuyper CL. Lorenz RM. Spicar- Mihalic P. Kuo JS. Chiu DT. Selective electroless and electrolytic deposition of metal for applications in microfluidics: Fabrication of a microthermocouple. Anal Chem. 2003; 75(7): 1578-1583.

Allin JM,. Cawley P, Low MJS. Adhesive disbond detection of automotive components using first mode ultrasonic resonance, NDT & E Int , 2003; 36 (7): 503-514.

Allred LG. Identification of age degradation in EPROM chips using infrared thermography. IN. Snell JR, RN Wurzbach (eds): Thermosense XX. Proceedings of the Society of Photo-Optical Instrumentation Engineers (SPIE) Vol.3361. Bellingham, 1998, pp. 35-39.

Allred LG. Minimal entropy reconstructions of thermal images for emissivity correction.IN. LeMieux DH, Snell JR, editorS. Thermosense XXI,Proceedings of the Society of Photo-Optical Instrumentation Engineers (SPIE), Vol.3700, Bellingham, 1999. p. 417-24.

Allred LG. Using infrared thermography to detect age degradation in EPROM chips.IN. 1998 IEEE Autotestcon Proceedings - IEEE Systems Readiness Technology Conference, IEEE, New York, 1998, p. 546-51

Almeida TF, Roizenblatt S, a Benedito-Silva AA, Tufik S. The effect of combined therapy (ultrasound and interferential current) on pain and sleep in fibromyalgia, Pain, 2003; 104 (3): 665-672.

Almirall H, Nicolau MC, Gamundi A, Rosello C, Rial RV. Main trends in rectal temperature during sleep. Hypnogram and thermogram. Neuropsychobiology 1997, 35(2): 84-90.

Almond DP, Peng W. Thermal imaging of composites. Journal of Microscopy 2001, 201(2): 163-170

Al-Mukhaizeem F. Allen U. Komar L. Naser B. Roy L. Stephens D. Read S. Kim CSchuh S. Comparison of temporal artery, rectal and esophageal core temperatures inchildren: Results of a pilot study. Paediatrics Child Health. 2004; 9(7): 461-465.

Alpas H, Lee J, Bozoglu F, Kaletunc G, Evaluation of high hydrostatic pressure sensitivity of Staphylococcus aureus and Escherichia coli O157:H7 by differential scanning calorimetry. Int J Food Microbiol. 2003; 87(3):229-237.

Alrawi SJ, Balaya F, Raju R, Cunningham JN Jr, Acinapura AJ A comparative study of endothelial cell injury during open and endoscopic saphenectomY. An electron microscopic evaluation. Heart Surgery Forum 2001, 4(2): 120-127

Al-Saidan SM, Barry BW, Williams AC. Differential scanning calorimetry of human and animal stratum corneum membranes. International Journal of Pharmaceutics 1998, 168(1):17-22.

Al-Salaymeh A. Jovanovic J. Durst F. Bi-directional flow sensor with a wide dynamic range for medical applications. Med Engin Phys. 2004; 26(8): 623-637.

Al-Senani FM, Graffagnino C, Grotta JC, Saiki R, Wood D, Chung W, Palmer G, Collins KA. A prospective, multicenter pilot study to evaluate the feasibility and safety of using the CoolGard System and Icy catheter following cardiac arrest. Resuscitation. 2004 ; 62(2):143-50.

Al-Shaikh B, Phipps M. Temperature measurement during anaesthesia. CPD Anaesthesia 2000. 2(1):41-2

Alston TA. Don't have a cow! Fight global warming with CFC. Nature. 2004; 430(7003):965.

AlSunaidi A, Den Otter WK, Clarke JH. Liquid-crystalline ordering in rod-coil diblock copolymers studied by mesoscale simulations. Philos Transact A Math Phys Eng Sci. 2004; 362(1821):1773-81.

Altchek EM, Vitori RJ. Medical thermography and its use in posttraumatic cephalagia. 1990, Int J Neurosci 54: 83-100.

Alva N. Carbonell T. Palomeque J. A model of deep experimental hypothermia and rewarming in rat. J Thermal Biol. 2004; 29(4-5): 259-264.

Alvarez JA, Zapico CA, Gomez M, Presas J, Soto M, Anaerobic hydrolysis of municipal wastewater in pilot-scale digester. Water Sci Tech. 2003; 47(12):223-230.

Alvarez JA. Armstrong E. Presas J. Gomez M. Soto M. Performance of a UASB-digester system treating domestic wastewater. Environal Technol. 2004; 25(10): 1189-1199.

Alvarez-Merino MA. Ribeiro MF. Silva JM. Carrasco-Marin F. Mal- donado-Hodar FJ. Activated carbon and tungsten oxide supported on activated carbon catalysts fortoluene catalytic combustion. Environ Sci Technol. 2004; 38(17): 4664-4670.

Alvarez-Munoz D. Saez M. Lara-Martin PA. Gomez-Parra A. Gon- zalez-Mazo E. New extraction method for the analysis of linear alkyl- benzene sulfonates inmarine organisms: Pressurized liquid extraction versus Soxhlet extraction. J Chromat. A. 2004; 1052(1-2): 33-38.

Alverson K, Bradley R, Briffa K, Cole J, Hughes M, Larocque I, Pedersen T, Thompson L, Tudhope S A global paleoclimate observing system (2) Science 2001, 292(5527): 47-48

Alzamora AC, Santos RAS, Campagnole-Santos MJ. Hypotensive effect of ANG II and ANG-(1-7) at the caudal ventrolateral medulla involves different mechanisms. Am J Physiol Regulatory Integrative Comp Physiol 2002, 283: 1187 - 1195.

Al-Zuhair S. Ramachandran KB. Hasan M. Investigation of the specific interfacial area of a palm oil-water system. J Chem Technol Biotechnol. 2004; 79(7): 706-710.

Amalric R. Prognostic of thermography in breast cancer (abstract). Thermol Österr1992, 2:S27.

Amalu WC The validity of the autonomic stress test in breast thermography procedures (abstract). Thermol int 2004, 14(3): 106.

Ambler JJS. Sado DM. Zideman DA. Deakin CD. The incidence and severity of cutaneous burns following external DC cardioversion. Re- suscitation. 2004; 61(3): 281-288.

Amend JP, Shock EL Energetics of overall metabolic reactions of thermophilic and hyperthermophilic Archaea and Bacteria. FEMS Microbiology Reviews 2001, 25(2):175-243

Aminoff MJ, Olney RK, So YT. Thermography and the evaluation of neuromuscular disorders. Semin Neurol, 1990, 10(2):150-155.

Amir G, Rubinsky B, Horowitz L, Miller L, Leor J, Kassif Y, Mishaly D, Smolinsky AK, Lavee J. Prolonged 24-hour subzero preservation of heterotopically transplanted rat hearts using antifreeze proteins derived from arctic fish. Ann Thorac Surg. 2004; 77(5):1648-55.

Amma-Miyasaka M, Nakagawa M. Evolution of Deeper Basaltic and Shallower Andesitic Magmas during the AD 1469–1983 Eruptions of Miyake-Jima 2003; cano, Izu– Mariana Arc: Inferences from Temporal Variations of Mineral Compositions in Crystal-Clots J Petrol, 2003; 44: 2113 - 2138.

Ammer K. Nerve Entrapment and Skin Temperature (abstract). Thermol intern 1999, 9(4): 161.

Ammer K, Engelbert B, Hamerle S, Kern E, Solar S, Kuchar K. Correlation between the WOMAC and temperature in patients with knee paIn. (abstract) Thermol Österr 1997, 7(2): 75-76.

Ammer K, Engelbert B, Hamerle S, Kern E, Solar S, Kuchar K. Correlation Between WOMAC And Temperature In Patients With Knee PaIn. European Journal of Thermology 1998; 8(2): 51-56.

Ammer K, Engelbert B, Hamerle S, Kern E, Solar S, Kuchar K. Thermography of the Painful Shoulder.European Journal of Thermology 1998; 8(3): 93-100.

Ammer K, Engelbert B, Hamerle S, Kern E, Solar S, Kuchar K. Thermography of the painful shoulder. (abstract) Thermol Österr 1997, 7(2): 77.

Ammer K, Engelbert B, Hamerle-Reiter S, Kern E. Thermographische Veränderungen nach physikalischer Therapie bei Patienten mit Kniegelenkserguss, Algodystrophie oder generalisierter Fibromyalgie. Thermol intern 1999, 9(3): 100-105.

Ammer K, Engelbert B, Hamerle-Reiter S, Kern E. Thermographische Veränderungen nach physikalischer Therapie bei Patienten mit Kniegelenkserguss, Algodystrophie oder generalisierter Fibromyalgie. (abstract) Thermol intern 1999, 9(2):71.

Ammer K, Engelbert B, Kern E. The Determination of Normal Temperature Values of Finger Joints. Thermol intern 2002, 12(1): 23-33

Ammer K, Engelbert B, Melnizky P, Schartelmüller T. The Thermal Image of Patients Suffering from Carpal Tunnel Syndrome with a Distal Latency Higher Than 6.0 msec. (abstract) European Journal of Thermology 8: 108. 1998

Ammer K, Engelbert B, Melnizky P, Schartelmüller T. The Thermal Image of Patients Suffering from Carpal Tunnel Syndrome with a Distal Latency Higher Than 6.0 msec. Thermol intern 1999, 9(1):15-19

Ammer K, Kern E. Thermographie der Hände und Unterarme nach Schreibarbeiten (abstract) Thermol intern 2000, 10(2):101

Ammer K, Kitzinger E. Thermographie des menschlichen Ohres. Deutsche Zeitschrift für Akupunktur 1994, 37:133-138.

Ammer K, L.Hein, H.Mayr. Veränderung der Hauttemperatur am Thenar und der Nervenleitgeschwindigkeit des N.medianus nach Kaltgasbehandlung. (abstract). ThermoMed 1990, 6: 87.

Ammer K, L.Hein, H.Mayr. Veränderungen der Hauttemperatur am Thenar und der Nervenleitgeschwindigkeit des N.medianus nach KaltgasbehandlunG. IN. Ammer K, Rathkolb O (Hrg):Kontaktthermographie und Thermographie, LBF f.Physikalische Diagnostik, S.27-29

Ammer K, Mayr H. Kann die Thermographie das Regulationsverhalten entdecken ? (editorial). Thermol intern 2000 , 10(2): 73-4.

Ammer K, Melnizky , P. Rathkolb O., Ring E.F. Thermal Imaging Of Skin Changes On The Feet Of Type II Diabetics. In: CD ROM Proceedings of the 23rd Annual International Conference of the IEEE Engineering in Medicine and Biology Society " Building New Bridges at the Frontiers of Engineering and Medicine" October 25-28, 2001, Istanbul, Turkey, ISBN: 0-7803-7213-1

Ammer K, Melnizky P, Kern E. Cold fingers after keyboard operation. Relationship with duration of typing. (abstract). Thermol intern 2001, 11(2): 84-85

Ammer K, Melnizky P, Kern E.Cold fingers after keyboard operation. Relationship with duration of typing. In: Benkö I, Balogh A, Kovacsics I, Lovak I (eds): Abstracts of the 12th International Conference on Thermogrammetry and Thermal Engineering in Budapest 13-15, June 2001, MATE, Budapest, 2001, p.263-264,

Ammer K, Melnizky P, Rathkolb O, Hirschl M Reproducibility of Response to the cold water challenge. (abstract). Thermol intern 2001,11(2):89-90

Ammer K, Melnizky P, Rathkolb O. Skin temperature after intake of sparkling wine, still wine or sparkling water. Thermol Int . 2003; 13(3):99-102), 2003.

Ammer K, Melnizky P. The determination of regions of interest on infrared images of the hands of patients suffering from carpal tunnel syndrome. Thermol intern 1999, 9(2): 56-61.

Ammer K, Melnizky P. Thermal Features Of Hot Packs. (abstract) Thermol int 2003, 13: 64

Ammer K, P. Melnizky, T. SchartelmülleR. Thermographie bei Facialisparese. ThermoMed 1997,13(1): 6-11.

Ammer K, Ring EFJ, Plassman P, Jones B. A database of normal thermal images of healthy subjects. (abstract). Thermol intern 2002. 12: 77

Ammer K, Ring EFJ, Plassmann P, Jones BF. Rationale for standardised capture and analysis of infrared thermal images. IN. Hutten H, Krösel P, eds. Proceedings Part II, EMBEC´02. 2.European Medical & Biological Engineering Conference. IFMBE, Graz, 2002. pp.1608-1609

Ammer K, Ring EFJ. THE SPORTI Project for Normal Thermograms. (abstract). Thermol intern 2001. 11(4): 210.

Ammer K, S.Solar, E.Kern, L.Birtalan, B.EngelberT. Thermographische und algometrische Kontrolle der physikalischen Therapie von Patienten mit Epicondylopathia humeri radialis. ThermoMed 1995, 11:55-67.

Ammer K, Schartelmueller T, Melnizky P Thermal imaging in acute herpes zoster or post-zoster neuralgia. Skin Res Technol 2001, 7(4): 219-222.

Ammer K, Schartelmüller T. Hauttemperatur nach Behandlung mit Wärmepackungen und nach Infrarot-A-Bestrahlung. Thermol Österr 1993, 3: 47-52.

Ammer K, Schartelmüller T. Skin temperature during and after treatment with hot packs or infrared. (abstract). Thermol Österr1992, 2:S36-37.

Ammer K, Schartelmüller T. Thermography in Austria. (abstract). Thermol Österr 5: 108. 1995

Ammer K, T. Schartelmüller, P. Melnizky. Thermography in Fibromyalgia. Biomed Thermol 1995, 15: 77-80.

Ammer K,.Melnizky P, Rathkolb O. Skin Temperature After Intake Of Sparkling Wine, Still Wine And Sparkling Water. . (abstract) Thermol int 2003, 13: 65.

Ammer K. Engelbert B, Kern E. Reproducibility of the Hot Spot Count in Patients with Fibromyalgia. an Intra and Interoberserver Comparison. (abstract). Thermol intern 2001, 11(3):143-144

Ammer K. 17th Thermological Symposium of the Austrian Society of Therm. Therm Int. 2004; 14(4): 148-152.

Ammer K. An Introduction Into Thermal Physiology. (abstract) Thermol int 2003, 13: 64-65.

Ammer K. Basic principles of human thermoregulation. Thermol Österr 1993, 3(1): 5-7.

Ammer K. Bericht über das 3.Thermologische Symposium der Österreichischen Gesellschaft für Thermologie am 26.4.1990 in Wien, ThermoMed 1990, 6:91.

Ammer K. Bericht über das 4.Thermologische Symposium der Österreichischen Gesellschaft für Thermologie, Wien 25.Mai 1991. ThermoMed 1991, 7:96.

Ammer K. Bericht über das 9.Thermologische Symposium der Österreichischen Gesellschaft für Thermologie am 4.Mai 1996 in Wien. ThermoMed 1996, 12:40-41.

Ammer K. Bericht über die 25.Jahrestagung der American Academy of Thermology (AAT) in Las Vegas am 29. und 30.März 1996.ThermoMed 1996, 12: 42-43.

Ammer K. Berichte über Thermologische Veranstaltungen. Thermomed 1993, 9: 86-90.

Ammer K. Chronisches Regionales Schmerz-Syndrom (CRPS) (abstract), Thermol intern 1999, 9(1): 30.

Ammer K. Cold fingers induced by keyboard operation (abstract). Thermology intern 2000, 10(3):143

Ammer K. Cryotherapy and its thermal image. IN. Benkö I, I.Lovak, I.Kovacsics, A.Faludi (ed): 8th International Conference on Thermal Engineering and Thermogrammetry, 2.-4.Juni 1993. Scientific Society of Measurement and Automation (MATE). Branch of Thermo Technical Measurements and Thermogrammetry, p.305-306. Budapest 1993

Ammer K. Das Wärmebild der menschlichen Hand. ThermoMed 1998; 14: 11-17.

Ammer K. Diagnosis of Nerve Entrapment Syndromes by Thermal Imaging. In Proceedings of The First Joint BMES/EMBS Conference Serving Humanity, Advancing Technology, Atlanta, 1999, pp.1117.

Ammer K. Diagnosis of Raynaud's phenomenon by thermography. Skin Research and Technology 1996 2(4):182-185.

Ammer K. Die Infrarotthermographie zur Diagnostik und Verlaufsbeobachtung von Schmerzsyndromen der Lendenwirbelsaule. Physikalische Medizin Rehabilitationsmedizin Kurortmedizin 1995, 5:94-96.

Ammer K. Dr. Günter Bergmann. Thermol Österr 1997, 7(2): 95.

Ammer K. Editorial. European Journal of Thermology 1997, 7(3):104.

Ammer K. Einfluß von Badezusätzen auf die Wärmeabstrahlung der Haut.ThermoMed 1994, 10:71-79.

Ammer K. Einsatz der Thermographie bei Erkrankungen des Bewegungsapparates. Thermol Österr1992, 2(1): 22-24.

Ammer K. Emissivität und Krankheit. ThermoMed 1997, 12:67-71.

Ammer K. Erfahrungen mit den diagnostischen Möglichkeiten einer Infrarotkamera. In. Rathkolb O, K. Ammer (Hrg): Thermographie-evozierte Potentiale,. LBF für physikalische Diagnostik, Wien 1989, S37-44.

Ammer K. Finally “Thermol international ” (editorial). Thermol intern 1999, 9(1): 6

Ammer K. Historical abstracts on infrared thermal imaging. Thermol Int . 2003; 13(3):89-90), 2003.

Ammer K. Hyperämie der Haut durch Badezusätze (abstract). 1992, Thermol Österr2: 42-43.

Ammer K. Hypotherme Zonen im Thermogramm. (abstract). Thermol Österr 1993, 3(2): 69.

Ammer K. Hypothermic changes of skin temperature (abstract). Thermol int 2004, 14(2): 78.

Ammer K. Industrielle Anwendung der Infrarotthermographie, Thermol Österr1992, 2(1): 5.

Ammer K. Influence of bathing on the infrared emission of the skIn. (abstract). In. Benkö I, I.Lovak, I.Kovacsics (eds): 9th International Conference on Thermal Engineering and Thermogrammetry (THERMO). Budapest. 1995, p-115-119.

Ammer K. Langandauernde Hyperthermie nach Strahlentherapie wegen Mammakarzinoms. (abstract). Thermol Österr1994, 4: 83.

Ammer K. Langdauernde Hyperthermie nach Strahlentherapie wegen Mammakarzinoms. Thermol Österr 1994, 4(2): 73-77.

Ammer K. Low activity of Muscles of the Lower Leg in Patients With a Painful Ankle. (abstract). Thermol Österr 1994, 4(3): 124.

Ammer K. Low muscular activity of the lower leg in patients with a painful ankle. Thermol Österr 1995, 5(3): 103-107.

Ammer K. Mechanical Provocation Tests in Thermal Imaging. (abstract). Thermol intern 2002. 12(4): 158

Ammer K. Mechanical Stress Induced Changes Detected With Thermal Imaging (abstract). Thermol intern 2000, 10 (1):35-6.

Ammer K. Mißbrauch der thermographischen Untersuchung. ThermoMed 1997, 13: 58-65.

Ammer K. Misuse of Thermography. (abstract) Thermol Österr 1997, 7(2): 91.

Ammer K. Occurence of Reactive Hyperthermia after Ice Massage. Thermol Österr 1996, 6: 17-20.

Ammer K. Only lateral, but not medial epicondylitis can be detected by thermography (abstract). Thermol Österr 1996, 6(3): 105.

Ammer K. Primary, secondary Raynaud´s phenomenon and vibration induced white fingers. Are they all the same ? Thermol intern 2002. 12(2): 67

Ammer K. Publications on medical infrared imaging from European countries. (abstract). Thermol int 2004, 14(4): 147

Ammer K. Reference Database of Normal Thermal Images of Healthy Subjects. Thermol intern 2002. 12 (4): 159-160

Ammer K. Reliability of temperature readings from seleceted standard views for thermal imaging. Thermol intern 2002. 12(2): 60-61

Ammer K. Reliability of thermal imaging in rheumatology and neuromuscular disorders. IN. Balageas D, Busse G, Carlomagno, C, Wiecek B, editors, Quantitative InfraRed Thermography 4: Medical InfraRed Thermography, MIRT´98. Eurotherm Seminar 60 Proceedings, Lódz, 1999. p.4-8

Ammer K. Reproducibility of standard positions used for image capturing within the standard protocol for thermal imaging. (abstract). Thermol intern 2002. 12: 60

Ammer K. Reproducibility of Standard Views and Temperature Readings in Thermal Imaging. (abstract). J Korean Med Thermol 2002, 2(1):50

Ammer K. Ring EF. Repeatability of the standard view both dorsal hands. Results from a training course on Med infrared imaging. Thermol Int. 2004, 14(3): 99-102.

Ammer K. Standard Positions For Imaging The Human Body With Infrared. (abstract) Thermol int 2003, 13: 64.

Ammer K. Standardization of recording and measurement in thermal images (abstract). Thermol int 2004, 14(3): 109.

Ammer K. Temperature changes after manual examination of the cervical spine. Thermol intern 2002. 12: 147-152

Ammer K. Temperature Changes after manual Examination of the Cervical Spine. (abstract). J Korean Med Thermol 2002, 2(1):60

Ammer K. Temperature effects of thermotherapy determined by infrared measurements. (abstract). Thermol int 2004, 14(2): 78.

Ammer K. Temperature effects of thermotherapy determined by infrared measurement. Physica Medica 2004; Suppl 1: 64-66

Ammer K. Temperaturverhalten von Wärmepackungen. ÖZPMR, Österr Z Phys Med Rehabil 2003, 13(2):45-52

Ammer K. The determination of normal temperature values of finger joints (abstract). Thermology intern 2000, 10(3):145-6

Ammer K. The Influence of Antirheumatic Creams and Ointments on the Infrared Emission of the SkIn. IN. Benkö I, A.Balogh, I.Kovacsics, I Lovak(eds): Abstracts of the 10th International Conference on Thermogrammetry and Thermal Engineering in Budapest 18-20. June 1997. MATE, Budapest, p.177-181. 1997

Ammer K. The Thermal Image of the Upper Extremity (abstract).European Journal of Thermology 8: 123 , 1998

Ammer K. The Thermal Image of the Upper Extremity. (abstract). European Journal of Thermology 8: 179. 1998

Ammer K. Theme issue: Cryotherapy. Therm Int. 2004; 14(2): 49-50.

Ammer K. Thermal evaluation of tennis elbow IN. Ammer K, EFJ Ring (eds): The Thermal Image in Medicine and Biology, Uhlen Verlag, Wien, 1995, pp. 214-219.

Ammer K. Thermal evaluation of tennis elbow. Thermol Österr1994, 4(4):180.

Ammer K. Thermal imaging and stroke prevention. (editorial). Thermol intern 2002. 12(1): 5-6

Ammer K. Thermal Imaging In Facial Paralysis (abstract) Thermol Österr 1997, 7(1):25.

Ammer K. Thermal Imaging of the Human Hand (abstract). European Journal of Thermology 1998, 8(3): 105.

Ammer K. Thermographic Diagnosis of Raynaud's Phenomenon. (abstract). Thermol Österr 1995, 5(4):160.

Ammer K. Thermographie 1991-eine computergestützte Literatursuche. Thermol Österr1991,1(2): 69-80.

Ammer K. Thermographie 1992 - eine computergestützte Literatursuche. Thermol Österr1992, 2(2):70-79.

Ammer K. Thermographie 1993 - eine computergestützte Literatursuche. Thermol Österr 1993, 3(3):96-111.

Ammer K. Thermographie 1994 - eine computergestützte Literatursuche. Thermol Österr 1994, 4(4): 141-151.

Ammer K. Thermographie 1995 - eine computergestützte Literatursuche. Thermol Österr 1995, 5(4): 135-150.

Ammer K. Thermographie 1996- eine computergestützte Literatursuche.Thermol Österr 1996, 6(4): 140-152.

Ammer K. Thermographie 1997 - eine computergestützte Literatursuche. European Journal of Thermology 1997, 7(4): 221-231.

Ammer K. Thermographie 1998 - eine computergestützte Literatursuche. European Journal of Thermology 1998, 8(4): 155-174.

Ammer K. Thermographie 1999 – eine computergestützte Literatursuche. Thermol intern 1999, 9(4): 134-157

Ammer K. Thermographie bei Patienten mit Wirbelblockierungen. Manuelle Medizin 1993, 31:118-121.

Ammer K. Thermographie der Finger nach mechanischem Provokationstest. Thermomed 2001/2002,18/19, 9-16

Ammer K. Thermographie nach gipsfixierter Radiusfraktur (abstract). ThermoMed 1989, 5: 57.

Ammer K. Thermographie nach gipsfixierter Radiusfraktur. Thermol Österr1991, 1(1): 4-8.

Ammer K. Thermographisch gestützte Diagnose bei Erkrankungen der Hand (abstract). Thermol Österr1991, 1(1): 34.

Ammer K. Thermographisch gestützte Diagnose bei Patienten mit Rückenschmerzen (abstract). ThermoMed 1990, 6:88.

Ammer K. Thermographisch gestützte Diagnose bei Patienten mit Rückenschmerzen. In. Ammer K, Rathkolb O (Hrg):Kontaktthermographie und Thermographie, LBF f.Physikalische Diagnostik, 1990, S.31-39

Ammer K. Thermographische Diagnose der Fibromyalgie. (abstract) ThermoMed 1996, 12: 95-96.

Ammer K. Thermographische Diagnose von peripheren Nervenkompressionssyndromen. ThermoMed 1991, 7:15-21.

Ammer K. Thermographische Normwerte der kleinen Fingergelenke bei einer Raumtemperatur von 24C (abstract). European Journal of Thermology 1998, 8(2): 73 ,

Ammer K. Thermographische Therapiekontrolle bei Morbus Sudeck . ThermoMed 1991, 7: 112-115.

Ammer K. Thermography in Fibromyalgia. (abstract). Biomed Thermol 1995, 15. 4.

Ammer K. Thermography in lymphedema. In: Mabuchi K, S.Mizushina, B.Harrison (eds.) Advanced Techniques and Clinical Application in Biomedical Thermologie, harwood academic publishers Chur/Schweiz 1994, p. 213-220

Ammer K. Thermography in lymphedema.(abstract) Biomed Thermol 1992, 12: 282-283.

Ammer K. Thermography of neuromuscular diseases. Thermol Österr 1993, 3(1): 17-22.

Ammer K. Thermologie 2000 – eine computergestützte Literatursuche. Thermol intern 2000: 10(4): 173-190

Ammer K. Thermology 2001- a computer assisted literature survey. Thermol intern 2001, 11(4):169-194

Ammer K. Thermology 2002 - A computer-assisted literature survey. Thermol Int . 2003;13(1):10-27.

Ammer K. Thermology 2003 - A computer-assisted literature survey with a focus on nonmedical applications of thermal imaging. Therm Int. 2004; 14(1): 5-36.

Ammer K. Über den Stand der Thermologie in Österreich. Thermomed 1994, 10: 42.

Ammer K. Veränderungen des Wärmebildes nach Applikation von antirheumatischen Salben, Sprays und Hautreizmitteln (abstract). Thermol Österr 1996, 6(2): 61.

Ammer K. Wärmeverhalten einer neuen Wärmepackung. Thermol Österr 1995, 5(2): 60-64.

Ammer K. Wirkung eines Badezusatzes auf die Mikrozirkulation der Haut.Thermol Österr 1993, 3(1):36-40.

Amoateng-Adjepong Y, Del Mundo J, Manthous CA. Accuracy of an infrared tympanic thermometer. Chest 1999. 115 (4): 1002-5.

Anastassopoulos E, Panopoulos NJ. *In vitro* freezing in microtitre plates applied to tobacco plants transformed with the *inaZ* gene of *Pseudomonas syringae* J. Exp. Bot. 2002, 53: 1887 - 1890.

Anbar M, Foster KR. A point of view about 'point of view' IEEE Engineering in Medicine and Biology Magazine 1999, 18(2):35-7.

Anbar M, Brown C, Milescu L, Babalola J, Gentner L. The potential of dynamic area telethermometry in assessing breast cancer. IEEE Eng Med Biol Mag. 2000,19(3):58-62.

Anbar M, Brown CA, Milescu L. Detection Of Breast Cancer Using Dynamic Area Telethermometry (DAT)(abstract). Thermol intern 1999, 9(3): 110-111.

Anbar M, Brown CA, Milescu L. Detection Of Breast Cancer Using Dynamic Area Telethermometry (DAT). Thermol intern 1999, 9(4): 132-138.

Anbar M, Gratt BM, Hong D. Thermology and facial telethermography. Part I. History and technical review. Dento-Maxillo-Facial Radiology 1998, 27(2): 61-67.

Anbar M, Gratt BM. Local Hyperthermia and Local Pain in Joint Inflammation-Two manifestations of excessive local nitric oxide production (abstract) European Journal of Thermology 1997, 7(3):152.

Anbar M, Grenn MW, Marino MT, Milescu L, Zamani K. Fast Dynamic Area Telethermometry (DAT) of the Human Forearm With A Ga/As Quantum Well Infrared Focal Plane Array Camera. European Journal of Thermology 1997, 7(3):105-118.

Anbar M, Grenn MW, Milescu L, Marino MT, Zamani K. A Comparative Study Of Dynamic Area Telethermometry (DAT) Using A Single Detector Scanning. (abstract) European Journal of Thermology 7(3):160. 1997

Anbar M, Grenn MW, Milescu L, Zamani K. Dynamic area telethermometry (DAT) of the human cardiac cycle with a Ga/As quantum well infrared focal plane array camera. (abstract) Thermol Österr 1997, 7(2): 77.

Anbar M, Haverly RF. Local "micro" variance in temperature distribution evaluated by digital thermography. IN. Mabuchi K.Mizushina S, Harrison B. (eds.) Advanced Techniques and Clinical Application in Biomedical Thermologie, harwood academic publishers Chur/Schweiz 1994, p. 173-188

Anbar M, Haverly RF. Significance of the "micro" variance in temperature distribution over areas evaluated by digital thermography. (abstract) Biomed Thermol 1992, 12: 278-279.

Anbar M, Hejazi S. Infrared fluorescence and light-induced enhanced reflectivity of different materials. IN. Mabuchi K, S.Mizushina, B.Harrison (eds.) Advanced Techniques and Clinical Application in Biomedical Thermologie, harwood academic publishers Chur/Schweiz 1994, p. 195-212

Anbar M, Hejazi S. Infrared fluorescence and light-induced enhanced reflectivity (abstract) Biomed Thermol 1992, 12: 281.

Anbar M, Milescu L, Brown C, Naumov A. Effect of cancer on the dynamics of autonomically controlled cutaneous microcirculation (abstract). Thermology intern 2000, 10(3):151

Anbar M, Milescu L, Naumov A, Brown C, Button T, Carty C, Al Dulaimi K. Detection of cancerous breasts by dynamic area telethermometry. IEEE Eng Med Biol Mag 2001, 20(5): 80-91

Anbar M, Milescu L. Prerequisites of Dynamic Area Telethermometry (DAT). In: Proceedings of the 20th Annual International Conference of the IEEE-EMBS,Hong Kong, 1998, p 928

Anbar M, Milescu L-. Software Requirements of Dynamic Area Telethermometry (DAT(abstract). European Journal of Thermology 1998, 8(3): 109 ,

Anbar M, Naumov A, Milescu L, Brown C Objective Detection of Breast Cancer by DAT – an Update. (abstract). Thermol intern 2001, 11(2): 89

Anbar M, Naumov A, Milescu L, Brown C.Objective Detection of Breast Cancer by DAT – an Update. Thermol intern 2001, 11(1): 11-18

Anbar M, Nguyen T, Zamani K. A Comparative Study of Cooled QWIP, InSb, and Uncooled Bolo-metric Digital InfraredCameras in Clinical Use. (abstract). European Journal of Thermology 1998, 8(3):109.

Anbar M, Zamani K. A DAT Study of a Painful Knee - Comparison with MRI Findings.- (abstract). European Journal of Thermology 1998, 8(3):108.

Anbar M. A mechanistic explanation of the correlation between local inflammation, manifested as local hyperthermia, and local paIn. (abstract) Thermol Österr 1997, 7(2): 74-75.

Anbar M. A point of view about "point of view". IEEE Engineering In Medicine And Biology Magazine 1999. 18 (2): 35-7.

Anbar M. Assessment of Physiologic and Pathologic Radiative Heat Dissipation Using Dynamic Infrared Imaging Ann. N.Y. Acad. Sci, 2002, 972: 111 - 118.

Anbar M. Clinical thermal imaging today. IEEE Engineering In Medicine And Biology Magazine, 1998, 17 (4): 25-33.

Anbar M. Mechanism of Hyperthermia on the Cancerous Breast. (abstract). 1995, Biomed Thermol 15: 35.

Anbar M. Mechanism of the Association Between Local Hyperthermia and Local Pain in Joint Disorders. European Journal of Thermology 1997, 7(4) :173-188.

Anbar M. Mechanisms of Hyperthermia Associated with Breast Cancer. (abstract). Thermol Österr 1994, 4(3): 126-127.

Anbar M. Mechanisms of Local Hypothermia and Hyperthermia. An Overview. (abstract). Thermol Österr 1995, 5(3): 108.

Anbar M. Opportunities for Thermology in 21st century. A Critical Review of the Past and Projection of a Bright Future, (abstract). Thermol Österr 1994, 4(3): 128.

Anbar M. Potential Artifacts in Infrared Thermographic Measurements. Thermology 1991, 3: 273-274.

Anbar M. Potential Localization of Breast Cancer by Objective FFT Amplitude Analysis of Dynamic Infrared Imaging Data. Thermol intern 2001, 11(3):145-146

Anbar M. Quantitative and dynamic telethermometry - A fresh look at clinical thermology.IEEE Engineering in Medicine and Biology Magazine 1995, 14:15-16.

Anbar M. Recent Technological Developments in thermology and thleir Impact on Clinical Applications Biomed Thermol 1990, 10: 270-276.

Anbar M. The blackbody behaviour of human skIn. Thermol Österr1992, 2:S16-S17.

Anbar M. The role of nitric oxide in thermoregulatory processes and their implications in clinical thermology. IN. Ammer K, EFJ Ring (eds): The Thermal Image in Medicine and Biology, Uhlen Verlag, Wien, 1995, pp. 140-145.

Anbar M. The roles of nitric oxide in thermoregulatory processes and their implications in clinical thermology. Thermol Österr1994, 4(4):170-171.

Anbar M. Thermological implication of vasodilation mediated by nitric oxide. Thermol Österr 1995, 5(1):15-27.

Anbar M. Thermoregulation processes derived for a time series of thermal images. Thermol Österr1992, 2:S18.

Anbar M. Uses of infrared multiple wavelength detection system in clinical thermography. In. Ammer K, EFJ Ring (eds): The Thermal Image in Medicine and Biology, Uhlen Verlag, Wien, 1995. pp. 50-55.

Anbar M. Uses of infrared multiple wavelength detection system inclinical thermography. Thermol Österr1994,4(4):163-164.

Anbar M.; Brown C.; Milescu L. Objective Detection of Breast Cancer by Dynamic Area Telethermometry (DAT). In Proceedings of The First Joint BMES/EMBS Conference Serving Humanity, Advancing Technology, Atlanta, 1999, pp.1115

Anbar M.Mechanism of Hyperthermia of the Cancerous Breast. Biomed Thermol 1995, 15: 135-139.

Anderluh G, Dalla Sera M, Vireo G, Gellan G, Macek P, Menestrina G Pore Formation by Equinatoxin II, a Eukaryotic Protein Toxin, Occurs by Induction of Nonlamellar Lipid Structures J. Biol. Chem., 2003; 278: 45216 - 45223.

Andersen KG, Hansen TB, Knochel S. Growth of heat-treated enterotoxin-positive Clostridium perfringens and the implications for safe cooling rates. J Food Prot. 2004; 67(1):83-9.

Andersen KK, Azuma N, Barnola JM, Bigler M, Biscaye P, Caillon N, Chappellaz J, Clausen HB, Dahl-Jensen D, Fischer H, Fluckiger J, Fritzsche D, Fujii Y, Goto-Azuma K, Gronvold K, Gundestrup NS, Hansson M, Huber C, Hvidberg CS, Johnsen SJ, Jonsell U, Jouzel J, Kipfstuhl S, Landais A, Leuenberger M, Lorrain R, Masson-Delmotte V, Miller H, Motoyama H, Narita H, Popp T, Rasmussen SO, Raynaud D, Rothlisberger R, Ruth U, Samyn D, Schwander J, Shoji H, Siggard- Andersen ML, Steffensen JP, Stocker T, Sveinbjornsdottir AE, Svens- son A, Takata M, Tison JL, Thorsteinsson T, Watanabe O, Wilhelms F, White JW; North Greenland Ice Core Project members. High- re- solution record of Northern Hemisphere climate extending into the last interglacial period. Nature. 2004; 431(7005):147-51.

Anderson CD, Lin WC, Beckham J, Mahadevan-Jansen A, Butte- mere CR, Pierce J, Nicoud IB, Wright Pinson C, Chari RS. Fluores- cence spectroscopy accurately detects irreversible cell damage during hepatic radiofrequency ablation. Surgery. 2004;136(3):524-31.

Anderson ES, Wailoo P, Petersen SA. Use of thermographic imaging to study babies sleeping at home. Arch Dis Child 1990, 65:1266-1267.

Anderson GT, Valvano JW, Santos RR. Self-heated thermistor measurements of perfusion. IEEE Transactions On Biomedical Engineering, 1992, 39: 877-885.

Anderson ME, Moor TI, King T, Herrick AL. Variable wavelength laser Doppler imaging (LDI) in Raynaud's phenomenon (RP) –A new technique by which to study microvascular pathophysiology. (abstract). Thermol intern 2002. 12: 71

Anderson ME, Moore TL, Hollis S, Jayson MIV, King TA, Herrick AL Digital vascular response to topical glyceryl trinitrate, as measured by laser Doppler imaging, in primary Raynaud's phenomenon and systemic sclerosis Rheumatology 2002, 41: 324 - 328.

Anderson ME, Moore TL, Lunt M,. Herrick AL. The 'distal-dorsal difference': a thermographic parameter by which to differentiate between primary and secondary Raynaud's phenomenon. (abstract). Thermol intern 2002. 12: 67-68

Andersson DA, Chase HW, Bevan S. TRPM8 activation by menthol, icilin, and cold is differentially modulated by intracellular pH. J Neurosci. 2004 Jun 9;24(23):5364-5369.]

Ando Y, Obayashi K. [Evaluation of autonomic dysfunction by novel methods] Rinsho Byori. 2004; 52(7):587-94.

Andreev NG,Voro'bev LP, Stankevich OK.Diagnostika zabolevanii pecheni i zhelchevyvodiashchei sistemy radi izlucheniem cheloveka.(Diagnosis of diseases of the liver and biliary tract by thermography). Klin Med (Mosk), 67 1989, (10) 84-7.

Andreichin MA, VA KachoR.Telethermography in the examination and treatment of patients with acute respiratory viral infections. Vrach Delo 1991 (11): 79-83.

Andrews PJ, Harris B, Murray GD. Randomized controlled trial of effects of the airflow through the upper respiratory tract of intubated brain-injured patients on brain temperature and selective brain cooling. Br J Anaesth. 2004 Nov 5; Epub ahead of print

Androkites AL, Werger AM, Young ML. Comparison of axillary and infrared tympanic membrane thermometry in a pediatric oncology outpatient setting. Journal Of Pediatric Oncology Nursing 1998. 15 (4): 216-22.

Anglo-Polish Res Group Standardisation of the technique of thermal imaging in Med: issues for the creation of a reference atlas of normal thermograms (abstract). Thermol int 2004, 14(2): 77-78.

Anic I, A.Dzubur, D.Vidovic, M.TudjA. Temperature and surface changes of dentine and cementum induced by CO2 laser exposure. International Endodontic Journal 1993, 26: 284-293.

Anisimov VN. Arbeev KG. Popovich IG. Zabezhinksi MA. Rosen- feld SV. Piskunova TSArbeeva LS. Semenchenko AV. Yashin AI. Body weight is not always a good predictor of longevity in mice. Experimental Gerontology. 2004; 39(3): 305-319.

Aniutin RG, Ivkina SV, Dmitriev NS, Mileshina NA. [Tympanic thermometry in diagnosis of exudative otitis media in children] Vestn Otorinolaringol. 2004;(2):33-5.

Annadurai G, Juang RS, Yen PS, Lee DJ. Use of thermally treated waste biological sludge as dye absorbent. Adv Environ Res. 2003; 7(3):739-744.

Anonymous [A study of the condition of parodentium in patients with stomach and duodenal ulcer] Eksp Klin Gastroenterol. 2004; (3):28-30, 102.

Anonymous [Restoration of the heart activity in deep hypothermia with the aid of norepinephrine and no warming of the heart] Ross Fiziol Zh Im I M Sechenova. 2004; 90(7):902-7.

Anonymous Do Genes Respond to Global Warming? PLoS Biol. 2004 Oct;2(10):e338.

Anonymous Merritt & Associates Equine Hospital, J Equ Vet Sci, 2003; 23 (9) 414-415.

Anonymous. Vopr Kurortol Fizioter Lech Fiz Kult. 2003 ; (5):28-30.

Anonymous. 3D metamaterials, III-Vs Review, 2003; 16 (6): 26

Anonymous. Briefs, III-Vs Review, 2003; 16(6):10-12

Anonymous. Detection and Managment of vulnerable plaque. Am J Card, 2003; 92(6, Suppl 1): 5-8

Anonymous. Evidence weak for treatment of migraine in children. Pharmaceutical J. 2004; 272(7296)499.

Anonymous. Extended range viewports, Mat Today, 2003; 6 (1).45

Anonymous. Heat wave epidemic. Gimt - Giornale Italiano Delle Malattie del Torace. 2004; 58(2): 91-94.

Anonymous. In early pregnancy, is fever nothing to fear?. Med Today. 2003; 4(2):10.

Anonymous. Infrared tympanic thermometers in general practice. Med Today. 2004; 5(9): 8-9.

Anonymous. InGaAs Focal Plane Camera, III-Vs Review, 2003; 16 (6) 12

Anonymous. InGaAs infrared imager, III-Vs Review, 2003; 16 (8) 22

Anonymous. Letter to the Editor, Solar Energy, 2003; 74 (4): 353-354

Anonymous. Mammalian somatic cells have a diurnal rhythm. Re- productive BioMed Online. 2004; 8(5): 537.

Anonymous. Marion duPont Scott Equine Medical Center, J Equ Vet Sci, 2003; 23 (8): 369-370

Anonymous. Mould tool heating – the oven-free alternative. Reinf Plast, 2003; 47 (11): 38-41.

Anonymous. National classifying examination: Files from the Revue du Practicien. Revue du Praticien. 2004; 54(13): 1461-1462.

Anonymous. Plans to improve welfare of animals in transit. Vet Rec. 2003; 153(4):99.

Anonymous. QinetiQ develops wearable fuel cell for soldiers, Fuel Cells Bull, 2003;, (7: 8

Anonymous. Reflex sympathetic dystrophy syndrome fact sheet. Journal of Pharmaceutical Care in Pain and Symptom Control 1998, 6(3): 69-74.

Anonymous. Semantics and semiotics of fever. Pediatria Oggi. 2004; 24(1): 9-18.

Anonymous. Session 1: Biological mechanisms of water-saving agriculture (NO: 1-001 – 1-054). J Exp Bot., 2003; 54: 3 - 17.

Anonymous. Warning on use of infrared thermometers. Pharmac J. 2003; 270: 640.

Anonymous. World Pumps Users Conference, World Pumps, 2003; 443: 8

Anonymous: Sud Med Ekspert. 2004;47(3):9-11.

Anonymous: Anesteziol Reanimatol. 2004 ; (2):13-7.

Anonymus. Borolabs' autoclave monitor keeps watch on temperatures. Manufacturing Chemist 2001, 72(1): 38

Anonymus. Celltech Medeva adds versatile blister packer. Manufacturing Chemist 2001, 72(6): 46

Anonymus. Comark scores a hat-trick with its latest logger range. Manufacturing Chemist 2000, 71(12): 50

Anonymus. Comark thermometers evolve. Manufacturing Chemist 2000, 71(10): 60

Anonymus. Comment Prendre La Temperature D'un Enfant (How to take a child's temperature). Paediatrics and Child Health 2000: 5(5): 277-278. 285-287

Anonymus. Comparison of thermography and elctromyography (letter). Muscle Nerve 14:785-787, 1991

Anonymus. Dryer solves compressed air moisture worries for GSK. Manufacturing Chemist 2001, 72(7) 45

Anonymus. Electronics drive labelling forward . Manufacturing Chemist 2001, 72(4): 28-30

Anonymus. High-throughput catalyst screening. Analytical Chemistry 2000: 72(19): 628A

Anonymus. Jumo prevents overheating. Manufacturing Chemist 2000, 71(11): 42

Anonymus. Krohne Coriolis meters now measure gases. Manufacturing Chemist 71(8): 36

Anonymus. New rapid digital thermometer from PMS Instruments. Practical Diabetes International 2000, 17(1): III

Anonymus. PC data acquisition made easy. Manufacturing Chemist 2000, 71(11): 42

Anonymus. Remote spectrometry with Hellma immersion probes. Manufacturing Chemist 2000, 71(100: 57

Anonymus. Rezension des Fachbuches“ Karnak durch Mobilfunk“ von Reinhold Berz. Thermomed 2003,18/19:80-81

Anonymus. Satzung der Deutschen Gesellschaft für Thermographie und Regulationsmedizin e.V.73-75

Anonymus. Small is beautiful for IR sensor. Manufacturing Chemist 2001, 72(1): 36

Anonymus. Thermography Update. Headache Quarterly 1994, 5:19.

Anonymus. Thermometers. RN, 1999. 62 (11) 61-3

Anonymus. Tower for sample storage Manufacturing Chemist 2001, 72(6): 42

Anonymus. Two into one will go with Lyotherm. Manufacturing Chemist 2001, 72(6):42

Anonymus: Aktuelle internationale Literatur zum Thema Brustkrebs und Infrarot Imaging. Thermomed 2003,18/19:59-64

Antonawich FJ. Fiore SM. Welicky LM. Regulation of ischemic cell death by the lipoic acid-palladium complex, PolyMVA, in gerbils. Experimental Neurology. 2004; 189(1): 10-15.

Anttila M, Himberg JJ, Peltola H. Precise quantification of fever in childhood bacterial meningitis. Clin Pediatr (Phila) 1992, 31:221-227.

Anuradha V. Srinivas PV. Madhusudana Rao J. Isolation and syn- thesis of isodihydropiperlonguminine.Natural Product Res. 2004; 18(3): 247-251.

Anvari B , Torres JH, Tanenbaum BS,. Nelson JS, Cryogenic spray cooling of human skin: utilization in laser treatment of hypervascular cutaneous malformations. In. Proceedings of The First Joint BMES/EMBS Conference Serving Humanity, Advancing Technology, Atlanta, 1999, pp.1284.

Anwar MS, Blazina D, Carteret HA, Duckett SB, Halstead TK, Jones JA, Kozak CM, Taylor RJ. Preparing high purity initial states for nuclear magnetic resonance quantum computing. Phys Rev Lett. 2004; 93(4): 040501.

Anzola J.P, Dalla Volta G. Unilateral Derangement in Vasomotor Tone in Stroke Patients. Correlation Between Telethermography and CT Scan. (abstract). Thermol Österr 1994, 4(4): 123.

Ao H, Moon JK, Tanimoto H, Sakanashi Y, Terasaki H. Jugular vein temperature reflects brain temperature during hypothermia. Resuscitation 2000: 45(2): 111-118

Aoki K, Kondo N, Shimomura Y, Yokoi M, Iwanaga K, Harada H, Katsuura T.Sweating responses during activation of the muscle metabo- reflex in humans is altered by time of day. Acta Physiol Scand. 2004; 180(1):63-70.

Aoki T, M. Shikane, Oki Y..Takeda T, Katano Y, Watanabe Y. Foot Temperature And Diabetes-Induced Disorders Of The Autonomic Nervous System. (abstract). Biomed Thermol 1990, 10: 308.

Aoki T, Muramatsu M, Nishina A, Sanui K, Ogata N. Thermo- sensitivity of optically active hydrogels constructed with N-(L)-(1- hydroxymethyl)propylmethacrylamide. Macromol Biosci. 2004; 4(10): 943-9.

Aoyama Y, Ueda Y, Kurita M, Ohashi H, Torigta C, Maejima K. Biological effects of exposure to high frequency electromagnetics on rabbits and guinea pigs. Jikken Dobutsu. Experimental Animals 1992, 41:421-435.

Apkarian AV, Gelnar PA, Krauss BR, Szeverenyi NM. Cortical responses to thermal pain depend on stimulus sizE. a functional MRI study. J Neurophysiol. 2000,83(5):3113-22.

Ar A, Barnea A, Tov YY, Mersten-Katz C. Woodpecker cavity aeration: a predictive model. Respir Physiol Neurobiol, 2004; 144 (2-3) 237-249

Aragane Y, Kawada A, Maeda A, Isogai R, Isogai N, Tezuka T Disseminated scleroderma of a Japanese patient successfully treated with bath PUVA photochemotherapy. Journal Of Cutaneous Medicine And Surgery 2001. 5 (2) 135-9

Aransay AM, Testa JM, Morillas-Marquez F, Lucientes J, Ready PD. Distribution of sandfly species in relation to canine leishmaniasis from the Ebro Valley to Valencia, northeastern Spain. Parasitol Res. 2004; 94(6):416-20.

Araruna Jr JT. Portes VLO. Soares APL. Silva MG. Sthel MS. Schramm DU. Tibana SVargas H. Oil spills debris clean up by thermal desorption. J of Hazardous Materials. 2004; 110(1-3): 161-171.

Araus JL, Villegas D, Aparicio N, García del Moral LF, El Hani S, Rharrabti Y, Ferrio JP, Royo C. Environmental Factors Determining Carbon Isotope Discrimination and Yield in Durum Wheat under Mediterranean Conditions Crop Sci, 2003; 43: 170 - 180.

Arbogast S, Reid MB. Oxidant activity in skeletal muscle fibers is influenced by temperature, CO2 level, and muscle-derived nitric oxide. Am J Physiol Regul Integr Comp Physiol. 2004; 287(4): R698-705.

Arena G, Castellano MG, Leoni R, Torrioli G, Carelli P. Sub-micron normal-insulator-superconductor tunnel junctions for sensitive thermometry and micro-refrigerators.International Journal Of Modern Physics B 1999, 13/9-10: 1241-6.

Arenas AJ, Gomez F, Salas R, Carrasco P, Borge C, Maldonado A, O'Brien DJtinez-Moreno FJ An evaluation of the application of infrared thermal imaging to the tele-diagnosis of sarcoptic mange in the Spanish ibex (Capra pyrenaica). Vet Parasitol 2002, 109(1-2): 111-7.

Arenas Paez EA. Liquid crystal thermographS. 'best choice' for body-heat measurement. Nurse Pract1990, 15 (4) 8-10.

Arendt-Nielsen L, Chen A.CN. Lasers and other thermal stimulators for activation of skin nociceptors in humans, Neurophys Clin/Clinl Neurophys 2003; 33(6): 259-268

Arevalo MI, Escribano E, Calpena A, Domenech J, Queralt J. Rapid skin anesthesia using a new topical amethocaine formulation: a pre- clinical study. Anesth Analg. 2004; 98(5):1407-12,

Arieli A, Adin G, Bruckental I. The effect of protein intake on performance of cows in hot environmental temperatures. J Dairy Sci. 2004; 87(3):620-9.

Arima M, Matsumoto K. Effects of ArF.excimer laser irradiation on human enamel and dentIn. Lasers in Surgery and Medicine 1993, 13: 97-105.

Ariyaratnam S, Rood JP. Measurement of facial skin temperature. J Dent 1990, 18:250-253.

Arkilic CF, Akca O, Taguchi A, Sessler DI, Kurz A : Temperature monitoring and management during neuraxial anesthesiA. An observational study. Anesthesia and Analgesia 2000: 91(3): 662-666

Arlock P. Wohlfart B. Sjoberg T. Steen S. Disastrous physiological effects of saline on the cell membrane demonstrated incardiac cells. Scandinavian Cardiovascular J. 2004; 38(5): 300-306.

Armada-da-Silva PA, Woods J, Jones DA. The effect of passive heating and face cooling on perceived exertion during exercise in the heat. Eur J Appl Physiol. 2004; 91(5-6):563-71.

Armstrong DG, Liavery LA, Wunderlich RP,. Bolton AJM Skin Temperatures as a One-time Screening Tool Do Not Predict Future Diabetic Foot Complications J Am Podiatr Med Assoc, 2003; 93: 443 - 447.

Armstrong DG, Lavery LA, Liswood PJ, Todd WF, Tredwell JA. Infrared dermal thermometry for the high-risk diabetic foot. Physical Therapy 1997, 77(2): 169-177.

Armstrong DG, Lavery LA. Monitoring healing of acute Charcot's arthropathy with infrared dermal thermometry. Journal of Rehabilitation Research and Development 1997,34(3):317-321.

Armstrong DG, Liswood PJ, Todd WF. Contralateral limb during total contact casting. A dynamic pressure and thermometric analysis. Journal Of The American Podiatric Medical Association 1995, 85: 733-737.

Armstrong DG, Peters EJG. Charcot's Arthropathy of the Foot J Am Podiatr Med Assoc 2002, 92: 390 - 394.

Arngrimsson SA, Petitt DS, Stueck MG, Jorgensen DK, Cureton KJ. Cooling vest worn during active warm-up improves 5-km run performance in the heat. J Appl Physiol. 2004; 96(5):1867-74.

Arngrimsson SA. Petitt DS. Borrani F. Skinner KA. Cureton KJ. Hyperthermia and maximal oxygen uptake in men and women. Eur J of Appl Physiol. 92(4-5)524-532. 2004.

Arnold W, Ruf T, Reimoser S, Tataruch F, Onderscheka K, Scho- ber F. Nocturnal hypometabolism as an overwintering strategy of red deer (Cervus elaphus). Am J Physiol Regul Integr Comp Physiol. 2004; 286(1):R174-81.

Arns H. 10 Jahre Erfahrung mit der Thermographie bei Mammakarzinom. IN. Ammer K, O.Rathkolb (Hrg): Kontaktthermometrie, Thermographie, LBF f.Physikalische Diagnostik, Wien, 1990, S. 31-46.

Arns H. 10 Jahre Erfahrung mit der Thermographie bei Mammkarzinom, ThermoMed 1990, 6:87.

Arns HH. Frühdiagnostik des Mammakarzinomes mit Hilfe der Plattenthermographie unerstützt durch die Regulationsthermographie. ThermoMed 1991, 7:56-62.

Arns HH. Gedanken über die Wärmeentstehung und deren Bedeutung für die Frühdiagnostik des Brustkrebses. ThermoMed 1991, 7:120-123.

Arns, H. H. Zum Screening des Mamma-Karzinoms mittels Thermographie vor der röntgenologischen Erfaßbarkeit desselben. ThermoMed 1989, 5: 122-127.

Aronoff BL. LaserS. Reflections on their evolution. Journal of Surgical Oncology 1997, 64(1): 84-92.

Arpaia G, Cimminiello C, Sardina M, Rossi F, Aloisio M,.Curri SB, Bonfardeci G. Microcirculatory effects of iloprost in patients with suspected secondary Raynaud phenomenon. Vascular Surgery 1995, 29:37-42.

Arraez Roman D. Segura Carretero A. Cruces Blanco C. Fernandez Gutierrez A. Subminute and sensitive determination of the neuro- transmitter serotonin in urineby capillary electrophoresis with laser- induced fluorescence detection. BioMed Chromatography. 2004; 18(7): 422-426.

Arrastia AM, Machida T, Smith PW, Matsumoto K. Comparative study of the thermal effects of four semiconductor lasers on the enamel and pulp chamber of a human tooth. Lasers In Surgery And Medicine, 1994, 15: 382-389.

Arrastia AMA, Wilder-Smith P, Berns MW. Thermal effects of CO sub(2) laser on the pulpal chamber and enamel of human primary teetH. An in vitro investigation. Lasers in Surgery and Medicine 1995, 16:343-350.

Arroyo-Reyna A. Tello-Solis SR. Rojo-Dominguez A. Stability parameters for one-step mechanism of irreversible proteindenaturation: A method based on nonlinear regression of calorimetric peaks with nonzero DeltaCp. Analytical Biochemistry. 2004; 328(2): 123-130.

Arthur RM. Straube WL. Starman JD. Moros EG. Noninvasive temperature estimation based on the energy of backscattered ultrasound. Medl Phys. 2003; 30(6):1021-1029), 2003.

Arunothayanun P, Bernard MS, Craig DQ, Uchegbu IF, Florence AT. The effect of processing variables on the physical characteristics of non-ionic surfactant vesicles (niosomes) formed from a hexadecyl diglycerol ether. Int J Pharm. 2000,201(1):7-14.

Arya SC. Temperature loggers are to be used to guarantee quality of insulin preparations 2.Diabetologia 1999, 42(2) (2)57.

Asada H. Miyagawa S. Tamura M. Azukizawa H. Tanemura A. Yamaguchi Y. Sumikawa Y. Itami S. Kubo T. Yoshikawa K. Evaluation of provocation test monitoring palmoplantar temperature with the use of thermography for diagnosis of focal tonsillar infection in palmoplantar pustulosis. J Dermatol Sci. 2003; 32(2):105-113.

Asakura K. Nagasaka Y. Hidaka M. Hayashi M. Osanai S. Konde- pudi DK. Chiral Symmetry-Breaking Transition in Growth Front of Crystal Phase of 1,1'-Binaphthyl in ItsSupercooled Melt.2004; Chirality. 16(2): 131-136.

Asano K, Hoyano A. Application of a new spherical thermography technique to monitoring of outdoor long wave radiant fields.IN. Andresen BF, Strojnik M, editors, Infrared Technology and Applications XXIV, Pts 1-2. Proceedings of the Society of Photo-Optical Instrumentation Engineers (SPIE) Vol.3436. Part 1-2.Bellingham, 1998, p.317-24

Aschoff AJ, Merkle EM, Emancipator SN, Petersilge CA, Duerk JL,. Lewin JS FemuR. MR Imaging–guided Radio-frequency Ablation in a Porcine Model? Feasibility Study Radiology 2002, 225: 471 - 478.

Ash CJ, Foster MV. Neuromuscular thermography in orthopaedic surgery. A usage poll. Orthop Rev 1988, 17 (6) 589-592.

Ash CJ, Gotti E, Haik Ch. Thermography of the curved living skin surface. Missouri Med 1987, 84: 702-708.

Ash CJ. Comparison of rectal and tympanic thermometry during exercise [3]. SouthMedl J. 2003; 96(3):318).

Ashkin A. Design for an optical cw atom laser. Proc Natl Acad Sci U S A. 2004; 101(33):12108-13.

Ashley S, Brooks SG, Gehani AA, Kester RC, Rees MR.Experimental analysis of sapphire contact prob.es for ND-YAG laser angioplasty. Angiology 1990, 41 (6): 453-462.

Ashley T, Burke TM, Pryce GJ,. Adams AR,. Andreev A, Murdin BN., O'Reilly EP , Pidgeon CR.. InSb1-xNx growth and devices, Solid-State Electron, 2003; 47(3): 387-394.

Ashwal LD, Demaiffe D, . Torsvik TH Petrogenesis of Neoproterozoic Granitoids and Related Rocks from the SeychelleS. the Case for an Andean-type Arc Origin J. Petrology 2002, 43: 45 - 83.

Askeyev OV, Tischin D, Sparks TH, Askeyev IV. The effect of climate on the phenology, acorn crop and radial increment of pedun- culate oak (Quercus robur) in the middle Volga region, Tatarstan, Russia. Int J Biometeorol. 2004; Epub ahead of print

Aso Y, Homma Y. Clinical research criteriA. response criteria for evaluating efficacy of treatments for benign prostatic hypertrophy. British Journal of Urology 1995, 76 (Suppl 1):69-73.

Aso Y, Yoshioka S, Kojima S. Molecular mobility-based estimation of the crystallization rates of amorphous nifedipine and phenobarbital in poly(vinylpyrrolidone) solid dispersions. J Pharm Sci. 2004; 93(2): 384-91.

Assanasen P, Baroody FM, Rouadi P, Naureckas E, Solway J, Naclerio RM. Ipratropium bromide increases the ability of the nose to warm and humidity air. American Journal of Respiratory and Critical Care Medicine 2000. 162(3I): 1031- 1037

Assanasen P, Baroody FM, Solway EN, Naclerio RM. Supine position decreases the ability of the nose to warm and humidify air J Appl Physiol 2001, 91: 2459 - 2465.

Assanasen P, Baroody FM, Solway EN, Naclerio RM. The Nasal Passage of Subjects with Asthma Has a Decreased Ability to Warm and Humidify Inspired Air Am. J. Respir. Crit. Care Med. 2001, 164: 1640 - 1646.

Assmann SM. OPEN STOMATA1 opens the door to ABA signaling in Arabidopsis guard cells, Trends Plant Sci, 2003; 8(4): 151-153.

Atabay EC, Takahashi Y, Katagiri S, Nagano M, Koga A, Kanai Y. Vitrification of bovine oocytes and its application to intergeneric soma- tic cell nucleus transfer. Theriogenology. 2004; 61(1):15-23.]

Ataie G. Safarian S. Divsalar A. Saboury AA. Moosavi-Movahedi AA. Ranjbar BCristalli G. Mardanian S. Kinetic and structural analysis of the inhibition of adenosine deaminase byacetaminophen. J Enzyme Inhib Medl Chem. 2004; 19(1): 71-78.

Atakan B. Lamprecht A. Kohse-Hoinghaus K. An experimental study of fuel-rich 1,3-pentadiene and acetylene/propene flames. Combust Flame. 2003; 133(4):431-440.

Atanasov AT, Dimov PD. Nasal and sleep cycle – possible synchronization during night sleep, Med Hypothes, 2003; 61 (2): 275-277

Atkinson A, Barnett S, Gorte RJ, Irvine JT, McEvoy AJ, Mogensen M, Singhal SC, Vohs J. Advanced anodes for high-temperature fuel cells. Nat Mater. 2004; 3(1):17-27.

Atkinson RW. Strachan DP. Role of outdoor aeroallergens in asthma exacerbations: Epidemiological evidence. Thorax. 2004; 59(4): 277-278.

Atmani F. Farell G. Lieske JC. Extract from herniaria hirsuta coats calcium oxalate monohydrate crystals andblocks their adhesion to renal epithelial cells. J Urology. 2004; 172(4 I): 1510-1514.

Atsumi H, Matsumae M, Kaneda M, Muro I, Mamata Y, Komiya T, Tsugu A, Tsugane R Novel laser system and laser irradiation method reduced the risk of carbonization during laser interstitial thermotherapY. Assessed by MR temperature measurement. Lasers in Surgery and Medicine 2001. 29(2)108-117

Atsumi K. Thermology for the New Decade, Thermology 1990, 3:159.

Audenino AL, V. Crupi and E. M. Zanetti. Correlation between thermography and Int al damping in metals, Int J Fatigue, 2003; 25 (4): 343-351.

Auer RN. Recording in awake and freely moving animals. Methods. 2003; 30(2):107-108.

Ault A. Report blames global warming for rising asthma. Lancet. 2004; 363(9420):1532.

Autier V, White D. Examination of cadmium sorption cha- racteristics for a boreal soil near Fairbanks, Alaska. J Hazard Mater. 2004; 106(2-3):149-55.

Avdelidis NP, Moropoulou A. Emissivity considerations in building thermography, Energy Build, 2003; 35 (7): 663-667.

Avdelidis NP, Hawtin BC, Almond DP.Transient thermography in the assessment of defects of aircraft composites, NDT & E Int , 2003; 36 (6): 433-439.

Avdelidis NP, Moropoulou A, Marioli Riga ZP. The technology of composite patches and their structural reliability inspection using infrared imaging, Progr Aerospace Sci, 2003; 39 (4) 317-328.

Avdelidis NP, Moropoulou A; Theoulakis. P. Detection of water deposits and movement in porous materials by infrared imaging, Infrared Phys Tech. 2003; 44 (3): 183-190.

Avranas A. Patsikatheodorou E. On the adsorption and condensed film formation of binary mixtures of dodecyl-,tetradecyl-, hexadecyl-, and octadecyl-trimethylammonium bromides at themercury-electrolyte interface. Coll Surfaces A-Physicochem Engineer Aspects. 2004; 250 (1-3 spec iss.): 509-518.

Awayda MS, Shao W, Guo F, Zeidel M, Hill WG. ENaC-mem- brane interactions: regulation of channel activity by membrane order. J Gen Physiol. 2004; 123(6):709-27. 2004

Awerbuch M. Thermography Update. Medical Journal of Australia 1993, 159: 707.

Awerbuch MS. Thermography - wither the niche? Med J Aust 1991, 154:444-447.

Awerbuch MS. Thermography-its current diagnostic status in musculoskeletal medicine. Med J Aust 1991, 154:441-444.

Axner E, Hermansson U, Linde-Forsberg C. The effect of Equex STM paste and sperm morphology on post-thaw survival of cat epi- didymal spermatozoa. Anim Reprod Sci. 2004; 84(1-2):179-91.

Ayala MC. Hernandez YG. Pin~eiro JCG. Gonzalez EP. Use of the comet assay to evaluate the effect of temperature on DNA repair ofdamage induced by H2O2 and ultraviolet radiation A in human blood cells. Acta Farmaceutica Bonaerense. 2004; 23(3): 277-284.

Aybar BC.Reflex Sympathetic Dystrophy. Journal of Post Anesthesia Nursing 1993, 8: 332-334.

Ayhan F, Celebi SS, Tanyolac A The effect of fermentation parameters on the production of Mucor miehei acid protease in a chemically defined medium. Journal of Chemical Technology and Biotechnology 2001, 76(2): 153-160

Ayling J. Handle with care. Emerg Med Serv. 2004; 33(7):34.

Ayoub A, Finlayson M. Effect of cool temperature dialysate on the quality and patients' perception of haemodialysis. Nephrol Dial Trans- plant. 2004 Jan;19(1):190-4.

Azevedo HS, Gama FM, Reis RL. In vitro assessment of the enzymatic degradation of several starch based biomaterials. Biomacromol. 2003; 4(6):1703-1712.

Azolov VV, Kareva IK, Korotrova NL. Basic principles and methods of aid to patients with se-vere hand trauma. Ortop Travmatol Protez 1990, (12): 6-9.

Azuma T, Usuki H, Soga H, Shimizu N, Takashima S. Thermography for the Prognosis of Breast Cancer. (abstract). 1995, Biomed Thermol 15: 38.

Baarslag HJ. Koopman MMW. Reekers JA. van Beek EJR. Dia- gnosis and management of deep vein thrombosis of the upper ex- tremity:review. Eur Radiology. 2004; 14(7): 1263-1274.

Baba S. Two Stages of Sapphirine Formation During Prograde and Retrograde Metamorphism in the Palaeoproterozoic Lewisian Complex in South Harris, NW Scotland J Petrol, 2003; 44: 329 - 354.

Babes A, Zorzon D, Reid G. Two populations of cold-sensitive neurons in rat dorsal root ganglia and their modulation by nerve growth factor. Eur J Neurosci. 2004; 20(9):2276-82.

Babincova M. Altanerova V. Altaner C. Cicmanec P. Babinec P. In vivo heating of magnetic nanoparticles in alternating magnetic field. Med Phys. 2004; 31(8): 2219-2221.

Baboukas E. Sciare J. Mihalopoulos N. Spatial, temporal and inter annual variability of methanesulfonate andnon-sea-salt sulfate in rain- water in the Southern Indian Ocean (Amsterdam,Crozet and Kerguelen Islands). J Atmospher Chem. 2004; 48(1): 35-57.

Babu RC, Nguyen BD, Chamarerk V, Shanmugasundaram P, Chezhian P, Jeyaprakash P, Ganesh SK, Palchamy A, Sadasivam S, Sarkarung S, Wade LJ, Nguyen HT. Genetic Analysis of Drought Resistance in Rice by Molecular Markers: Association between Secondary raits and Field Performance Crop Sci., 2003; 43: 1457 - 1469.

Bacaoanu A. Steam sterilization of the stationary large-scale freeze- dryers (lyophilizers). Am Pharm Review. 2004; 7(3): 40-47.

Bach D, Borochov N, Wachtel E. Phase separation of cholesterol in dimyristoyl phosphatidylserine cholesterol mixtures. Chemistry and Physics of Lipids 1998, 92(1):71-77.

Bach V, Telliez F, Leke A, Libert J-P. Gender-related sleep differences in neonates in thermoneutral and cool environments. Journal of Sleep Research 2000: 9(3): 249-254

Bach V, Telliez F, Zoccoli G, Lenzi P, Leke A, Libert J-P. Interindividual differences in the thermoregulatory response to cool exposure in sleeping neonates. European Journal of Applied Physiology 2000: 81(6): 455-462

Bachmann J, Horton R, Ren T, van der Ploeg RR. Comparison of the thermal properties of four wettable and four water-repellent soils Soil Sci. Soc. Am. J. 2001, 65: 1675 - 1679.

Bachmann O, Dungan MA, Lipman PW. The Fish Canyon Magma Body, San Juan Volcanic Field, ColoradO. Rejuvenation and Eruption of an Upper-Crustal Batholith J. Petrology 2002, 43: 1469 - 1503.

Back Pain and Soft Tissue Rheumatism (Abstracts Nos. 67-101) Rheumatology 2002, 41: 45 – 54

Backman T, Bruemmer JE, Graham JK, Squires EL. Pregnancy rates of mares inseminated with semen cooled for 18 hours and then frozen. J Anim Sci. 2004; 82(3):690-694.

Baddock SA, Galland BC, Beckers MG, Taylor BJ, Bolton DP. Bed-sharing and the infant's thermal environment in the home setting. Arch Dis Child. 2004; 89(12):1111-1116.

Badowski A, Zaras T, Stawiarczyk S. Wczesny (minimalny) rak sutka i mozliwosci jego wykrywania. (Early (minimal) breast cancer and possibilities of its detection). Wiad Lek 1989, 42 (9): 622-631.

Bae IJ. Standard OC. Roger GJ. Brazil D. Phase and microstructural development in alumina sol-gel coatings on CoCr alloy. J Mater Sci- Mater Med. 2004; 15(9): 959-966.

Baert L, Ameye F, Petrovich Z. The use of hyperthermia in patients with benign prostatic hyperplasia. Thermol Österr1992, 2:S35.

Baevsky RH. Nyquist SN. Roy MN. Smithline HA. Antipyretic effectiveness of intravenous ketorolac tromethamine. J Emerg Med. 2004; 26(4): 407-410.

Baeyens H, De Dobbeleer G, Baeyens JP [Validity of the tympanic infrared thermometer in geriatric inpatients] Tijdschr Gerontol Geriatr 2001, 32(5): 206-9.

Baez AP, Padilla HG, Garcia RM, Belmont RD, Torres Mdel C. Measurements of carbonyls in a 13-story building. Environ Sci Pollut Res Int. 2004; 11(6):400-4.

Bagis H, Sagirkaya H, Mercan HO, Dinnyes A. Vitrification of pronuclear-stage mouse embryos on solid surface (SSV) versus in cryotube: comparison of the effect of equilibration time and different sugars in the vitrification solution. Mol Reprod Dev. 2004; 67(2):186-92.

Baglin TP, Crocker J, Timmins A, Chandler S, Boughton BJ. Bone marrow hypervascularity in patients with myelofibrosis identified by infra-red thermography. Clin Lab Haematol 1991, 13:341-348.

Bahrami MH, Rayegani SM, Zare A. Studying nerve conduction velocity and latency of accessory nerve motor potential in normal persons. Electromyogr Clin Neurophysiol. 2004; 44(1):11-14.

Bai XM, Pegg DE. Thermal property measurements on biological materials at subzero temperatures J Biomech Eng 1991, 113:423-429.

Bai ZH. Zhang HX. Qi HY. Peng XW. Li BJ. Pectinase production by Aspergillus niger using wastewater in solid statefermentation for eliciting plant disease resistance. Bioresource Technol. 2004; 95(1): 49-52.

Baijall SS, Roy SK, Shimamoto K, Hirose M, Fukatsu H, Itoh S, Ishiguchi T, Ishigaki T, Sakuma S. Ultrasonographic and thermographic eva-luation of the lower limb after transfemoral catheterization. Radiat Med . 1991, 9:136-141

Bailey CA, Cowan TM, Liu VG, Lemley EC, Chen WR. Optimi- zation of selective hyperthermia. J Biomed Opt. 2004; 9(3):648-54.

Bailey J, Rose P Axillary and tympanic membrane temperature recording in the preterm neonatE. a comparative study. Journal Of Advanced Nursing 2001. 34 (4) 465-74

Bailey SR, Eid AH, Mitra S, Flavahan S, Flavahan NA. Rho kinase mediates cold-induced constriction of cutaneous arteries: role of alpha2 C-adrenoceptor translocation. Circ Res. 2004; 94(10):1367-74.

Baillie AJ, Biagioni PA,Forsyth A, Garioch JJ, McPherson D. Thermographic assessment of patch-test responses. Br J Dermatol, 122 1990, (3): 351-360.

Baines D, M.CoopeR. Pediatric pain in the nineties (letter). Journal Of Cardiothoracic And Vascular Anesthesia 1995, 9: 235.

Baker AK, Meert TF. Functional Effects of Systemically Administered Agonists and Antagonists of μ, , and Opioid Receptor Subtypes on Body Temperature in Mice J. Pharmacol. Exp. Ther. 2002, 302: 1253 - 1264.

Baker FC, Driver HS, Paiker J, Rogers GG, Mitchell D. Acetaminophen does not affect 24-h body temperature or sleep in the luteal phase of the menstrual cycle J Appl Physiol 2002, 92: 1684 - 1691. .

Baker GA, Baker SN, McCleskey TM. Noncontact two-color luminescence thermometry based on intramolecular luminophore cyclization within an ionic liquid. Chem Commun (Camb). 2003, 7;(23):2932-3.

Baker KB, Tkach JA, Nyenhuis JA, Phillips M, Shellock FG, Gonzalez- Martinez J, Rezai AR. Evaluation of specific absorption rate as a dosimeter of MRI-related implant heating. J Magn Reson Imaging. 2004; 20(2):315-20.

Baker PA, Rigsby CA, Seltzer GO, Fritz SC, Lowenstein TK, Bacher NP, Veliz C Tropical climate changes at millennial and orbital timescales on the bolivian Altiplano. Nature 2001, 409(6821): 698-701

Bakh JW Perspectives on recent advances in microvascular heat transfer. In Proceedings of The First Joint BMES/EMBS Conference Serving Humanity, Advancing Technology, Atlanta, 1999, pp. 1260

Bakhtiyarov SI, Overfelt RA. Thermophysical Property Measurements by Electromagnetic Levitation Melting Technique under Microgravity Ann. N.Y. Acad. Sci. 2002, 974: 132 - 145.

Bakirov AA Sravnitel'naia otsenka razlichnykh sposobov ezofagoplastiki. (A comparative evaluation of different methods of esophagoplasty) Vestnik Khirurgii Imeni I. I. Grekova 2000. 159 (4) 30-2

Bakken HE, Kawasaki H, Oya H, Greenlee JDW, Howard III MA. A device for cooling localized regions of human cerebral cortex. Technical note. J Neurosurg. 2003; 99(3):604-608

Bakos J, Szabo L.D. Biological effects of SW-IR lasers in vitro. IN. Benkö I, Lovak I, I.Kovacscs, A.Faludi (ed): 8th International Conference on Thermal Engineering and Thermogrammetry, 2.-4.Juni 1993. Scientific Society of Measurement and Automation (MATE). Branch of Thermo Technical Measurements and Thermogrammetry,. Budapest 1993, p.331-334

Bakos J, Thuróczy, Gy. Elektromagnetic dosimetry and thermal modelling of mobile

Bakshi MS. Kaur I. Sood R. Singh J. Singh K. Sachar S. Singh KJ. Kaur G. Mixed micelles of benzyldimethyltetradecylammonium chlo- ride with tetradecyltrimethylammonium and tetradecyltriphenylpho-sphonium bromides: A headgroup contribution. J Coll Interface Sci. 2004; 271(1): 227-231.

Bakshi MS. Kaura A. Miller JD. Paruchuri VK. Sodium dodecyl sulfate-poly(amidoamine) interactions studied by AFM imag ing, con- ductivity, and Krafft temperature measurements. J Coll Interface Sci. 2004; 278(2): 472-477.

Balabanova RM, Fedina TP, Tsurko VV, Mach ES, Khitrov NA, Agapova LA, Oliunin IuA, Pushkova OV, Apenysheva NP. Dynamic changes in synovitis activity after intra-articular administration of xefocam in patients with rheumatoid arthritis (according to clinical and device examinations) Ter Arkh. 2003; 75(5):33-5.

Balageas D, Krapez JC, Legrandjacques L, Lepoutre F, Petry H. Industrial applications of infrared thermography. IN. Scudieri F, Bertolotti M, editors, Tenth International Conference on Photoacoustic And Photothermal Phenomena, AIP Conference Proceedings Vol.463. AIP Press, Woodbury,1999, p.357-61

Balasubramaniam A, Panpalia GM Drug adjuvant interaction study using DSC supported by isothermal method. Drug Development and Industrial Pharmacy. 2001, 27(5):475-480)

Balcan M, Anghel D-F, Raicu V. Phase behavior of water/oil/nonionic surfactants with normal distribution of the poly(ethylene oxide) chain length. Coll Polymer Science. 2003; 281(2):143-149

Balcerak R, D. P.JenkinS. Uncooled Infrared Focal Plane Arrays. Proc 1996 IEEE Engineering in Medicine & BiologY. 1046-1047. 1996

Baldi L, Mizzoni V, Guarino A. [Canine leishmaniasis in Cam- pania: new and old foci] Parassitologia. 2004;46(1-2):217-20.

Bales M. High-resolution infrared technology for soft-tissue injury detection. IEEE Engineering in Medicine and Biology Magazine 1998. 17 (4): 56-9.

Ball PG. Machine wear analysis - A rational approach to methods integration for maximum benefits. Lubrication Engineering 54(3): 18-22. 1998

Balogh E, Csoka G, David A, Racz I Temperature dependence of the molality of some pharmaceutical solutions. Pharmazie 2000, 55(12): 953

Bals M. High-resolution infrared technology for soft-tissue injury detection. Improving medical applications with modern equipment. IEEE Engineering in Medicine and Biology Magazine 1998, 17(4):56-9.

Bamber RN, Seaby RM. The effects of power station entrainment passage on three species of marine planktonic crustacean, Acartia tonsa (Copepoda), Crangon crangon (Decapoda) and Homarus gammarus (Decapoda). Mar Environ Res. 2004; 57(4):281-94.

Bandell M, Story GM, Hwang SW, Viswanath V, Eid SR, Petrus MJ, Earley TJ, Patapoutian A. Noxious cold ion channel TRPA1 is activated by pungent compounds and bradykinin. Neuron. 2004; 41(6): 849-57.

Bandrivskyy A. Bernjak A. McClintock P. Stefanovska A. Wavelet phase coherence analysis: Application to skin temperature and blood flow. Cardiovascular Engin. 2004. 4(1)89-93.

Banerjee K, Wu GH, Igeta M, Amerasekera A, Majumdar A, Hu CM. Investigation of self-heating phenomenon in small geometry vias using scanning joule expansion microscopy. In.Proceedings of the 37th Annual IEEE International Reliability Physics Symposium, IEEE, New York, 1999, p. 297-302

Banerjee S, Cashman P, Yentis SM, Steer PJ. Maternal temperature monitoring during labor: concordance and variability among mon- itoring sites. Obstet Gynecol. 2004; 103(2):287-93.

Banh A, Sivak JG. Laser scanning analysis of cold cataract in young and old bovine lenses. Mol Vis. 2004; 10:144-7.

Bánhidi L. Korszerü mikroklíma- vizsfálatok termikous müemberrel (Modern microelimate tests with a thermal mannequin) Mérés és Automatika 39(Suppl 2): 85-87. 1991

Banish RM, Albert LBJ, Pourpoint TL, Alexander JID, Sekerka RF. Mass and Thermal Diffusivity AlgorithmS. Reduced Algorithms for Mass and Thermal Diffusivity Determinations Ann. N.Y. Acad. Sci. 2002, 974: 146 - 156.

Banks CJ. Koloskov GB. Lock AC. Heaven S. A computer simulation of the oxygen balance in a cold climate winter storage WSP during the critical spring warm-up period. Water Sci Tech. 2003; 48(2):189-196), 2003.

Banoub M, Tetzlaff JE, Schubert A. Pharmacologic and physiologic influences affecting sensory evoked potentials: Implications for perioperative monitoring. Anesthesiol.2003; 99(3): 716-737

Banzer W, Bernhardt M. Intersubject variability of thermoregulation within two measurements at the shoulder joint. (abstract) Thermol Österr 7(2): 86. 1997

Banzer W, Freiwald J. Thermnodiagnostik im Sport - Einsatzmöglichkeiten in Prävention und Rehabilitation von funktionellen und morphologischen Störungen des Bewegungssystems - Eine Literaturübersicht. ThermoMed 5: 35-40. 1989

Bar N-K, Schulz T, Puccini S, Schirmer T, Kahn T, Busse H. R-guided laser-induced interstitial thermotherapy of liver tumors: Clinical experience and therapy control concept. Z Med Physik. 2003; 13(3):209-213.

Barber PA. Hoyte L. Colbourne F. Buchan AM. Temperature- regulated model of focal ischemia in the mouse: A study with histo- pathological and behavioral outcomes. Stroke. 2004; 35(7): 1720-1725.

Barboni B, Mattioli M, Gioia L, Turriani M, Capacchietti G. Lucidi P. poptosis in cooled porcine oocytes: Role of calcium (Ca2+) and Ca2+ -dependent enzymes. Vet Res Communicatunicat. 2003; 27(Suppl. 1):203-206.

Barbuzzi T. Giuffrida M. Impallomeni G. Carnazza S. Ferreri A. Guglielmino SPPBallistreri A. Microbial synthesis of poly(3-hydroxy- alkanoates) by Pseudomonas aeruginosa fromfatty acids: Identification of higher monomer units and structural characterization. Biomacro- molecules. 2004; 5(6): 2469-2478.

Barcelona SL, Vilich F, Cote CJ. A comparison of flow rates and warming capabilities of the level and rapid infusion system with various-size intravenous catheters. Anesth Analg. 2003; 97(2): 358-363.

Barei DP, Moreau G, Scarborough MT, Neel MD. Percutaneous radiofrequency ablation of osteoid osteoma. Clin Orthop. 2000,(373):115-24.

Baren RE, Parrish ME, Shafer KH, Harward CN, Shi Q, Nelson DD, McManus JB, Zahniser MS. Quad quantum cascade laser spectro- meter with dual gas cells for the simultaneous analysis of mainstream and sidestream cigarette smoke. Spectrochim Acta A Mol Biomol Spectrosc. 2004; 60(14):3437-47.

Baretti R, Eckel L, Keller H, Matheis G, Siniawski H, Musci M, Knosalla C, Hetzer R. Reperfusionsmyocardiothermie zur intraoperativen Funktionskontrolle des koronaren Mammaria-Bypasses (Cardiothermia on reperfusion for intraoperative control of mammaria bypass function). Zeitschrift fur Herz-, Thorax- und Gefasschirurgie 2000, 14(2) 70-77

Baretti R. Eckel L. Krabatsch T. Siniawski H. Matheis G. Baumann-Baretti B. Keller H. Hetzer R. Myocardial rewarming mirrors intraoperative mammary artery graft function. J Card Surg, 2003;, 18(5):404-409.

Barie PS, Hydo LJ, Eachempati SR. Causes and consequences of fever complicating critical surgical illness. Surg Infect (Larchmt). 2004; 5(2):145-59.

Baririan N, Chanteux H, Viaene E, Servais H, Tulkens PM. Stability and compatibility study of cefepime in comparison with ceftazidime for potential administration by continuous infusion under conditions pertinent to ambulatory treatment of cystic fibrosis patients and to administration in intensive care units. J Antimicl Chemother 2003; 51(3):651-658

Barkauskas KJ, Lewin JS, Duerk JL. Variation correction algorithm: Analysis of phase suppression and thermal profile fidelity for proton resonance frequency magnetic resonance thermo. metry at 0.2 T. J Mag Res Imag. 2003; 17(2):227-240.

Barker S, Elderfield H Foraminiferal Calcification Response to Glacial-Interglacial Changes in Atmospheric CO_2 Science 2002, 297: 833 - 836.

Barker SG, Hale P, Bentley PG. AutosympathectomY. a late complication of metastatic breast disease [letter). Postgrad Med J, 65 (770) 958. 1989

Barmatov EB. Obrascov AA. Pebalk DA. Barmatova MV. Chiral nematic phase in hydrogen-bonded blends of a side-chain smectic polymerwith low molar mass dopants. Colloid Polymer Sci 2004; 282(5): 530-534.

Barnes CG, Yoshinobu AS, Prestvik T, Nordgulen Ø, Karlsson HR, Sundvoll B Mafic Magma IntraplatinG. Anatexis and Hybridization in Arc Crust, Bindal Batholith, Norway J. Petrology 2002, 43: 2171 - 2190.

Barnett BJ, Nunberg SM, Powell R, Nichols P, Friedman V, Silverman RA. Comparison of Oral, Tympanic and Rectal Thermometry in the Adult Emergency Department. Acad. Emerg. Med., 2003; 10: 562.

Barnett ML, Gilman RM, Charles CH, Bartels LL. Computer-based thermal imaging of human gingivA. preliminary investigation.. J. Periodontal, 60 (11): 628-633.1989

Barnett RI, JA.AblardE. Skin vascular reaction to short durations of normal seating. Archives Of Physical Medicine And Rehabilitation 76: 533-540. 1995

Barnett RI, JA.AblardE. Skin vascular reaction to standard patient positioning on a hospital mattress. Advances in Wound Care 7: 58-65. 1994

Barnett RI, Shelton FE 4tH. Measurement of support surface efficacY. pressure. Advances in Wound Care 10/7: 21-29. 1997

Barnosky AD, Bell CJ, Emslie SD, Goodwin HT, Mead JI, Re- penning CA, Scott E, Shabel AB. Exceptional record of mid-Pleisto- cene vertebrates helps differentiate climatic from anthropogenic eco- system perturbations.ProcNatlAcad Sci U S A. 2004; 101(25): 9297-302.

Baron C, Equilhua LO, Mestre JP B.O.O. CasE. Water management project for the use of reclaimed wastewater and desalted seawater for the 'Antonio Dovali Jaime' refinery, Salina Cruz, Oaxaca, Mexico. Water Science and Technology 2000, 42(5-6): 29-36

Baron R, Wasner G, Borgstedt R, Hastedt E, Schulte H, Binder A, Kopper F, Rowbotham M, Levine JD, Fields HL. Effect of sympathetic activity on capsaicin-evoked pain, hyperalgesia, and vasodilatation neurology 1999. 52 /5: 923-32.

Baron R. Mechanistic and clinical aspects of complex regional pain syndrome (CRPS). Novartis Found Symp. 2004;261:220-33; discussion 233-8, 256-61.

Barralet JE. Lilley KJ. Grover LM. Farrar DF. Ansell C. Gbureck U. Cements from nanocrystalline hydroxyapatite. J Mater Sci Mater Med. 2004;15(4): 407-411.

Barroug A. Kuhn LT. Gerstenfeld LC. Glimcher MJ. Interactions of cisplatin with calcium phosphate nanoparticles: In vitrocontrolled adsorption and release. J Orth Res. 2004; 22(4): 703-708.

Barth V. Diagnostik des MammakarzinomS. Mammographie und additive Methoden. Zentralbl Gynakol 112:1261-1269. 1990

Bartlett KH. Kennedy SM. Brauer M. Van Netten C. Dill B. Evaluation and determinants of airborne bacterial concentrations in schoolclassrooms. J of Occupational & Environal Hygiene. 2004; 1(10): 639-647.

Bartok A, Maca Th,Berger A, Al-Awami, M, Herberg K, Minar E.Infrared-Thermography of the Upper Extremities of Breast Cancer Patients. (abstract) Thermol int 2003, 13: 65-66

Bartok A, Rand Th, Minar E. Pakres-Weber syndrome in a 63-year-old male patient. J Kardiol. 2003; 10(7-8): 345-347.

Barton MH, Williamson L, Jacks S, Norton N. Effects on plasma endotoxin and eicosanoid concentrations and serum cytokine activities in horses competing in 48-, 83-, or 159-km endurance ride under similar terrain and weather conditions. Am J Vet Res. 2003; 64(6):754-761.

Barton SJ, Gaffney R, Chase T, Rayens MK, Piyabanditkul L. Pediatric temperature measurement and child/parent/nurse pre- ference using three temperature measurement instruments. J Pediatr Nurs. 2003;18(5):314-20.

Bartzatt R. Two lead drug designs based on chloramphenicol as the parent structure, which express alkylation activity with potential for clinical applications. J Pharm Pharmacol. 2003; 55(5) :653-660.

Bar-Yosef S, Mathew JP, Newman MF, Landolfo KP, Grocott HP; Neurological Outcome Research Group; C A R E Investigators of the Duke Heart Center. Prevention of cerebral hyperthermia during cardiac surgery by limiting on-bypass rewarming in combination with post-bypass body surface warming: a feasibility study. Anesth Analg. 2004; 99(3):641-6,

Basibuyuk M. Kalat DG. The use of waterworks sludge for the treatment of vegetable oil refinery industry wastewater. Environ Tech- nol. 2004; 25(3): 373-380.

Basile F, Fornasari G, Gazzano M, Kiennemann A., Vaccari A. Preparation and characterisation of a stable Rh catalyst for the partial oxidation of methane, J Catalysis, 2003; 217(2): 245-252.

Basinger B, Aguilar G, Nelson JS. Effect of skin indentation on heat transfer during cryogen spray cooling. Lasers Surg Med. 2004; 34(2):155-63.

Basinger JM., Kluitenberg GJ, Ham JM., Frank JM, Barnes PL, Kirkham MB. Laboratory Evaluation of the Dual-Probe Heat-Pulse Method for Measuring Soil Water Content Vadose Zone J, 2003; 2: 389 - 399.

Basko DM, Kravtsov VE. Dynamic localization and the Coulomb blockade in quantum dots under ac pumping. Phys Rev Lett. 2004; 93(5):056804.

Bast DJ, Yue M, Chen X, Bell D, Dresser L, Saskin R, Mandell LA, Low DE, de Azavedo JC. Novel murine model of pneumococcal pneumonia: use of temperature as a measure of disease severity to compare the efficacies of moxifloxacin and levofloxacin. Antimicrob Agents Chemother. 2004; 48(9):3343-8.

Baston H Temperature measurement. Midwifery basics. Pract Midwife 2001, 4(10): 19-22.

Batra AK, Aggarwal MD, Lal RB. Growth and characterization of doped DTGS crystals for infrared sensing devices, Mats Lett, 2003; 57 (24-25): 3943-3948.

Batra YK. Investigative modalities in chronic paIn. Journal of Anaesthesiology Clinical Pharmacology 1999. 15(4):432-6

Battin MR, Penrice J, Gunn TR, Gunn AJ. Treatment of term infants with head cooling and mild systemic hypothermia (35.0 degrees C and 34.5 degrees C) after perinatal asphyxia. Pediatrics, 2003;111(2): 244-51.

Battistuzzi FU, Feijao A, Hedges SB. A genomic timescale of prokaryote evolution: insights into the origin of methanogenesis, Foto- trophy, and the colonization of land. BMC Evol Biol. 2004 ;4(1):44.

Battle EF Jr, Hobbs LM. Laser-assisted hair removal for darker skin types. Dermatol Ther. 2004;17(2):177-83.

Baudot A, Odagescu V. Thermal properties of ethylene glycol aqueous solutions. Cryobiology. 2004; 48(3):283-94.

Baughman SR. Applications for thermal NDT on advanced composites in aerospace structures. IN. Snell JR, RN Wurzbach (eds): Thermosense XX. Proceedings of the Society of Photo-Optical Instrumentation Engineers (SPIE) Vol.3361. Bellingham, pp.311-319. 1998

Baughman SR.Thermal NDT for bonded composites in aerospace structures. IN. Kliger HS, Rasmussen BM, Pilato LA, Tolle TB, editors 43rd International Sampe Symposium And Exhibition On Materials And Process Affordability - Keys To The Future, Vol 43. Soc Advancement Material & Process Engineering, Covina, 1998, 1758-67.

Baumann M, Ruppenthal T. Measure sans contact de láugmentation del temperature pulpaire pendant le depose thermique (Non-contact measurement of the increase in pulp temperature during thermal debonding). Orthodontie Francaise 62: 1025-1033. 1991

Baumgardner JE, Lee Y, Osheroff DD, Hrubesh LW, Poco JF. Interfacial pinning in the superfluid 3He A-B transition in aerogel. Phys Rev Lett. 2004; 93(5):055301.

Baumgardner JE, Osheroff DD. Phase diagram of superfluid 3He in 99.3% porosity aerogel. Phys Rev Lett. 2004; 93(15):155301.

Bawazir SA. Consumer attitudes towards community pharmacy services in Saudi Arabia. Int J of Pharmacy Practice. 2004; 12(2): 83-89.

Baxter C, Gorodzinsky FP, Leduc D, Munk P, Noonan P, Woods S, Telch J. La Mesure De La Temperature En Pediatrie (Temperature measurement in paediatrics). Paediatrics and Child Health 2000, 5(5): 273-276. 281-284

Bay RC, Bramall N, Price PB. Bipolar correlation of volcanism with millennial climate change. Proc Natl Acad Sci U S A. 2004 Apr 27;101(17):6341-5.]

Bayir H, Marion DW, Puccio AM, Wisniewski SR, Janesko KL, Clark RS, Kochanek PM. Marked gender effect on lipid peroxidation after severe traumatic brain injury in adult patients. J Neurotrauma. 2004;21(1):1-8.

Bazhanov NN, EV Semenova, LI GinzburG. The use of radiothermometry in patients with rheu-matoid arthritis. Terapevticheskii Arkhiv 64: 93-96. 1992

Bazin JE, Constantin JM, Gindre G. [Laboratory animal anaesthe- sia: influence of anaesthetic protocols on experimental models] Ann Fr Anesth Reanim. 2004; 23(8):811-8.

Beacco C, S Mordon, JM BrunetauD. Laser volatilization of biological tissueS. experimental qualification. Thermol Österr2:S37. 1992

Beano F, Orguel S, Stuempfig D, Gugleta K, FlAmmer J An evaluation of the effect of unoprostone isopropyl 0.15% on ocular hemodynamics in normal-tension glaucoma patients. Graefe's Archive for Clinical and Experimental Ophthalmology 2001, 239(2): 81-86

Beausencourt E, Remky A, Elsner AE, Hartnett ME, Trempe CL. Infrared scanning laser tomography of macular cysts. Ophthalmology 2000. 107(2): 375-385

Bechard SR, GR DowN. Infrared imaging of pharmaceutical materials undergoing compaction. Pharml Res 9:521-528. 1992

Bechtel JFM, Muller-Steinhardt M, Schmidtke C, Brunswik A, Stierle U, Sievers H-H. Evaluation of the decellularized pulmonary valve homograft (SynerGraft). J Heart Valve Dis. 2003; 2(6):734-740.

Beck A. Bestätigung der regulationsthermographischen Diagnose durch Chirurgie und Histopathologie. ThermoMed, 1999. 15: 63—65

Beck A. Klinische Bestätigung thermischer Diagnosen. Thermodiagnostik 3(2): 21-24. 1987

Beckman M. Preheating primes pruners.Gentle warming charges up protein-chopping system in human skin cells. Sci Aging Knowledge Environ. 2004; 2004(12):nf32.

Becmeur F, Hsiung R, Salti A, Clavert A. La Varicocele De L'enfant. Qui, Pourquoi, Et Quand Operer? (Childhood varicocele. Surgery, why and when?) Andrologie 5:250-260. 1995

Bedini R, Altamura C, Majori M, Caiazza S, Filippini OP, Formisanoa G, Pane S. Effects of thermocycling on the quartz endodontic post restoratioN. Mechanical and sem study. IN. Hutten H, Krösel P, eds. Proceedings Part I, EMBEC´02. 2.European Medical & Biological Engineering Conference. IFMBE, Graz, 2002. pp.186-187

Beebe DJ, Mensing GA, Walker GM. Physics And Applications Of Microfluidics In Biology Annu. Rev. Biomed. Eng. 2002, 4: 261 - 286.

Beerenhout C. Dejagere T. van der Sande FM. Bekers O. Leunissen KM. Kooman JP. Haemodynamics and electrolyte balance: A com- parison between on-line pre-dilutionhaemofiltration and haemodialysis. Nephrology Dialysis Transplantation. 2004; 19(9): 2354-2359.

Beerenhout CH. Noris M. Kooman JP. Porrati F. Binda E. Morigi M. Bekers O. VanDer Sande FM. Todeschini M. Macconi D. Leunissen KML. Remuzzi G. Nitric oxide synthetic capacity in relation to dialysate temperature. Blood Purif 2004; 22(2): 203-209.

Behan N, Birkinshaw C, Clarke N Poly n-butyl cyanoacrylate nanoparticleS. A mechanistic study of polymerisation and particle formation. Biomaterials 2001, 22(11): 1335-1344

Behrendt HJ, Germann T, Gillen C, Hatt H, Jostock R. Characteri- zation of the mouse cold-menthol receptor TRPM8 and vanilloid receptor type-1 VR1 using a fluorometric imaging plate reader (FLIPR) assay. Br J Pharmacol. 2004; 141(4):737-45]

Behrman RH, Brodie MA, Sternich ES, Grabowy RS, Gemmell LA, Carr KL. Spatial resolution mesuremenets fpr passive microwave radio- metry using a tissue-equivalant phantom. Med Phys 17:1064-1066. 1990

Bein B. Tonner PH. Puri GD. Murthy SS. Bispectral index monito- ring in patients undergoing cardiac surgery under cardiopulmonary bypass: The influence of temperature changes should beconsidered [7] (multiple letters). Eur J Anaesth 2004; 21(4): 330-333.

Beinder E, Huch E, Huch R. Peripheral skin temperature and microcirculatory reactivity during pregnancy. A study with thermography. J Perinat Med 18::383-390. 1990

Belanger MJ. Moore DC. Crisco III JJ. Fadale PD. Hulstyn MJ. Ehrlich MG. Knee laxity does not vary with the menstrual cycle, before or after exercise. Am J of Sports Med. 2004; 32(5): 1150-1157.

Belcaro G, Errichi EM, Laurora G, Cesarone MR, Candiani C.Treatment of acute superficial thrombosis and follow-up by computerized thermography. Vasa, 18 (3): 227-334.1989

Belcaro G. Evolution of superficial vein thrombosis treated with defibrotidE. comparison with low dose subcutaneous heparIn. Int J Tissue React 12:319-324. 1990

Belduz AO, Dulger S, Demirbag Z. Anoxybacillus gonensis sp. nov., a moderately thermophilic, xylose-utilizing, endospore-forming bacterium. Int J Sys Evol Microbiol. 2003; 53(5): 1315-1320.

Belkoff SM, Molloy S. Temperature measurement during polymerization of polymethylmethacrylate cement used for vertebroplasty. Spine. 2003; 28(14):1555-1559.

Bell DM. Aguilera X. Anderson R. Bitar D. Cetron M. Simone P. Kai CS. Koh BKW, DiGiovanni Jr C. King A. Lai CK-L. Ma PL. Nicoll A. Leese J. Olsen S. Sarradet A. Song M. St John R. Courage S. Steffen R. Prasad L. Su I-J. Lai SK. Hall J, Jesuthasan E. Merianos A. Roth C. Hardiman M. Oshitani H. Public health interventions and SARS spread, Emerg Infect Dis. 2004; 10(11):1900-1906.

Bellien J, Joannides R, Costentin A, Dutheil-Maillochaud B, Iacob M, Kuhn JM, Thuillez C. [Hand skin heating: a new method for the evaluation of conduit artery endothelial function in insulin-dependent diabetic patients] Arch Mal Coeur Vaiss. 2004; 97(7-8):744-8.

Belliveau BH, Beaman TC, Pankratz HS, Gerhardt P. Heat killing of bacterial spores ana-lyzed by differential scanning calorimetry. Journal of Bacteriology 174:4463-4474. 1992

Bell-Sakyi L. Ehrlichia ruminantium grows in cell lines from four ixodid tick genera. J Comp Pathol. 2004; 130(4): 285-293.

Belmonte C, Acosta MC, Gallar J. Neural basis of sensation in intact and injured corneas. Exp Eye Res. 2004; 78(3):513-25.

Belostotskii AM. Goren Z. Gottlieb HE. N-inversion-associated conformational dynamics is unusually rapid in morphinealkaloids. J Natural Prods. 2004; 67(11): 1842-1849.

Belov ME, Anderson GA, Wingerd MA, Udseth HR, Tang K, Prior DC, Swanson KR, Buschbach MA, Strittmatter EF, Moore RJ, Smith RD. An automated high performance capillary liquid chromato- graphy-Fourier transform ion cyclotron resonance mass spectrometer for high-throughput proteomics. J Am Soc Mass Spectrom. 2004 ; 15(2):212-32.

Beltrame A, Dambrosio F, Bordin G, Di Bisceglia G, Varenna R.Una proposta per il primo livello di indagine delle malattie del senO. l'esame termo-eco-clinico. (A.proposal for Ist-level studies of breast diseaseS. the clinical thermo- and echographic examination).Minerva Med, 80 (8): 917-922.1989

Belzunces LP, Vandame R, Gu X. Modulation of honey bee thermoregulation by adrenergic compounds. Neuroreport 7(1)0: 1601-1604. 1996

Benbow SJ, AW.Chan, DR.Bowsher, G.Williams, IA.MacfarlanE. The prediction of diabetic neuropathic plantar foot ulceration by liquid- crystal contact thermography. Diabetes Care 17: 835-839.1994

BenEliyaha DJ. Conservative chiropractic management of patellofemoral pain syndromE. A case study. Chiropractic Sports Medicine 6: 57-63. 1992

Beneliyahu DJ. Chiropractic management and manipulative therapy for MRI documented cervical disk herniation. Journal of Manipulative and Physiological Therapeutics 17:177-185.1994

BenEliyahu DJ. Diagnostic accuracy and clinical utility of thermography for lumbar radiculo-pathy (letter). Spine 17:456-457. discussion 457-458. 1992

BenEliyahu DJ. Infrared thermographic imaging in the detection of sympathetic dysfunction in patients with patellofemoral pain syndrome. Journal of Manipulative and Physiological Therapeu-tics 15:164-170. 1992

Ben-Eliyahu DJ.Thermographic imaging of pathoneurophysiology due to cervical disc herniaion.J Manipulative Physiol Ther 12 (6): 482-490. 1989

Benevolenski OI, Karger-Kocsis J, Czigány T; Romhány G. Mode I fracture resistance of glass fiber mat-reinforced polypropylene composites at various degree of consolidation. Compos Part A: App Sci Manufact2003; 34 (3): 267-273..

Benington IC, Biagioni PA, Briggs J, Sheridan S, Lamey PJ Thermal changes observed at implant sites during internal and external irrigation. Clin Oral Implants Res 2002, 13(3): 293-7.

Benington IC, Biagioni PA, Crossey PJ, Hussey DL, Sheridan S, Lamey PJ. Temperature changes in bovine mandibular bone during implant site preparatioN. an assessment using infra-red thermography. Journal Of Dentistry 24(4): 263-267. 1996

Benizri E, M.Raucoules-Aime, J.Amiel, J.Toubol,D.GrimauD. (Coagulation disorders after endoscopic resection of the prostate). Journal d'Urologie 100: 299-303.1995

Benkõ I, Köteles GJ, Németh G Computerized Visualisation of Radiation Induced Thermal Alterations of Human Tissues. (abstract). Thermol intern 2001, 11(2): 81-82

Benkö I, Köteles GJ, Nemeth G. New methods for mathematical analysis of medical IR-Images. (abstract). Thermology intern 2000, 10(3):138

Benkö I, Köteles GJ, Németh G.New infrared histographic investigation of the effects of beta-Irradiation in medical field. IN. Balageas D, Busse G, Carlomagno, C, Wiecek B, editors, Quantitative InfraRed Thermography 4: Medical Infrared Thermography, MIRT´98. Eurotherm Seminar 60 Proceedings, Lódz, 1999. p.40-45

Benkö I, L.Bertok. Investigation of melanoma of grey horses by IRT. Thermol Österr1994, 4(4):174.

Benkö I,. Köteles GJ, Németh G. Process Monitoring Through IR-Images in the Medical Field (abstract). Thermol intern 2000, 10 (1): 36-7.

Benkö I. Foreword (editorial) Mérés és Automatika 1991, 39(Suppl 2): 65-66.

Benkö I. Histographical analysis of IR images for medical diagnosis. IN. Benkö I, I.Lovak, I.Kovacscs, A.Faludi (ed): 8th International Conference on Thermal Engineering and Thermogrammetry, 2.-4.Juni 1993. Scientific Society of Measurement and Automation (MATE). Branch of Thermo Technical Measurements and Thermogrammetry,. Budapest 1993, p.307

Benkö I. Industrial application and effeets of Enecoat to increase surface emissivity. Mérés és Automatika 1991, 39(Suppl 2): 67-71.

Benkö I. Infra-red image processing in medical applications. (abstract) Thermol Österr 7(2): 84-85. 1997

Benkö I. Infra-red picture analysis in medical field. IN. Benkö I, A.Balogh, I.Kovacsics, I Lovak(eds): Abstracts of the 10th International Conference on Thermogrammetry and Thermal Engineering in Budapest 18-20. June 1997. MATE, Budapest, p, 182-183.1997

Benkö I. Mathemathical Filtering Of IR-Images For Integrated Circuit Techniques (abstract). Thermol intern 2000, 10 (1):29-30

Benkö I. Quantitative analysis of medical infrared pictures. Thermol Österr1992, 2:S17-S18.

Benkö I. Some industrial uses of thermal images. Thermol Österr1994, 4(4):166.

Bennell K. Hodges P. Mellor R. Bexander C. Souvlis T. The nature of anterior knee pain following injection of hypertonic saline intothe infrapatellar fat pad. J Orth Res. 2004; 22(1): 116-121.

Bennet G.J. The Influence of the Sympathetic Nervous System on Painful Peripheral Neuropathy. Evidence from Animal Experimentation (abstract). Thermol Österr 1994, 4(4): 127-128.

Bennet GJ, Ochoa JL. Thermographic observations on rats with experimental neuropathic paIn. Pain 1991, 45: 61-67.

Bennett D., Lennon B, Humphreys H, Cafferkey M. Penicillin Susceptibility and Epidemiological Typing of Invasive Pneumococcal Isolates in the Republic of Ireland J Clin Microbiol., 2003; 41: 3641 - 3648.

Bensafi M. Brown WM. Khan R. Levenson B. Sobel N. Sniffing human sex-steroid derived compounds modulates mood, memory and autonomic nervous system function in specific behavioral contexts. Behavioural Brain Res. 2004. 152(1)11-22.

Ben-Yosef R, Vigler N, Inbar M, Vexler A. Hyperthermia com- bined with radiation therapy in the treatment of local recurrent breast cancer. Isr Med Assoc J. 2004; 6(7):392-5.

Bera PP, Horny L, Schaefer HF 3rd. Cyclic perfluorocarbon radicals and anions having high global warming potentials (GWPs): structures, electron affinities, and vibrational frequencies. J Am Chem Soc. 2004; 126(21):6692-702.

Berdat PA, Immer F, Pfammatter JP, Carrel T. Reoperations in adults with congenital heart disease: analysis of early outcome. Int J Cardiol. 2004; 93(2-3):239-45.

Berezovski M, Krylov SN. Using nonequilibrium capillary electro- phoresis of equilibrium mixtures for the determination of temperature in capillary electrophoresis. Anal Chem. 2004;76(23):7114-7.

Berg MJ. Comparison of component and system level thermal performance for various thermally enhanced packages and PCB layouts. IN. Tay AAO, editor, Proceedings of the 1997 1st Electronic Packaging Technology Conference, IEEE, New York, p.69-74

Berg RH. Measurement of the thermal response of inkjet printheads using infrared thermography.IN. IS&T'S NIP13: International Conference on Digital Printing Technologies, Proceedings, Society Imaging Science Technology, Springfield, 1997, p. 689-93

Berg RW, Kerridge DH. The NaNO(3)/KNO(3) system: the posi- tion of the solidus and sub-solidus. Dalton Trans. 2004; (15):2224-9.

Bergeron MF, Cannon JG, Hall EL, Kutlar A. Erythrocyte sickling during exercise and thermal stress. Clin J Sport Med. 2004; 14(6):354-6.

Berglind H , Dillenz A. Detecting glue deficiency in laminated wood—a thermography method comparison, NDT & E Int , 2003; 36 (6): 395-399

Bergmann G. Thermography of the female breast. Thermol Österr 3:30-32. 1993

Bergmann, G. Versuch der thermologischen Überwachung topischer Progesteronbehandlung der Mastopathie. ThermoMed 5: 128-131. 1989

Bergqvist D, Bergentz SE. Diagnosis of deep vein thrombosis. World J Surg 14:679-687. 1990

Berjano EJ, Hornero F. Thermal-electrical modeling for epicardial atrial radiofrequency ablation. IEEE Trans Biomed Eng. 2004; 51(8): 1348-57.

Berjano EJ, Saiz J, Ferrero JM, Alio JL. Effects of anisotropy in cornea thermal conductivity on temperature profiles in rf thermokeratoplasty. In. Proceedings - 20th Annual International Conference - IEEE/EMBS, 1998, Hong Kong, p. 1953

Berkessel A, Ashkenazi E; Andreae MRM. Discovery of novel homogeneous rare earth catalysts by IR-thermography: epoxide opening with alcohols and Baeyer–Villiger oxidations with hydrogen peroxide, App Catalysis A: Gen, 2003; 254 (1) 27-34

Berkessel A. The discovery of catalytically active peptides through combinatorial chemistry, Curr Op Chem Biol, 2003; 7(3) 409-419

Berliner MN, Maurer AI. Effect of different methods of thermo- therapy on skin microcirculation. Am J Phys Med Rehabil. 2004; 83(4):292-7.

Berliner MN. Reduced skin hyperemia during tap water iontophoresis after intake of acetylsalicylic acid. American Journal of Physical Medicine and Rehabilitation 76/6: 482-487. 1997

Berliner SD, Petrini AJ Hypothermia during herniorrhaphy using local anesthesia with sedation. Hernia 2000, 4(4): 192-194

Berlinguer F, Ledda S, Rosati I, Bogliolo L, Leoni G, Naitana S. Superoxide dismutase affects the viability of thawed Eur mouflon (Ovis g. musimon) semen and the heterologous fertilization using both IVF and intracytoplasmatic sperm injection. Reprod Fert Develop. 2003; 15(1-2):19-25.

Berlinguer F, Leoni G, Bogliolo L, Pintus PP, Rosati I, Ledda S, Naitana S. FSH different regimes affect the developmental capacity and cryotolerance of embryos derived from oocytes collected by ovum pick-up in donor sheep. Theriogenology. 2004; 61(7-8):1477-86.

Berlinguette CP. Dragulescu-Andrasi A. Sieber A. Galan-Mascaros JR. Gudel H-UAchim C. Dunbar KR. A charge-transfer-induced spin transition in the discrete cyanide-bridgedcomplex {[Co(tmphen) 2]3[Fe (CN)6]2}. J Am Chem Soc. 2004; 126(20): 6222-6223.

Bernadski IuI, Khar'kov LV, Prudnikov VM. Znachenie teplometricheskoga metoda otsenki sostoianiia slizisto-nadkostnichnykh loskutov pri uranostafiloplastike s peresecheniem i bez peresecheniia sosudisto-nervnykh puchkov v reabilitatsii bol'nykh svrozhdennymi nesrashcheniiami neba (The importance of the thermometric method for assessing the function of mucoperiosteal flaps in uranostaphyloplasty with/without transection of the neurovascular bundles in the rehabilitation of patients with congenital cleft palate). Stomatologiia (Mosk), 69 (1) 72-74.1990

Bernard SA, Buist M. Induced hypothermia in critical care medicine: review. Criti Care Med. 2003; 31(7):2041-2051.

Bernardo LM, Henker R, O'Connor J. Temperature measurement in pediatric trauma patientS. A comparison of thermometry and measurement routes. Journal of Emergency Nursing, 1999. 25 (4) 327-9

Bernhardt M, W. BanzeR. Intersubject variability of thermoregulation within two measurements at the shoulder joint. European Journal of Thermology 7(4) :215-217. 1997

Beron-Vera FJ, Brown MG, Colosi JA, Tomsovic S, Virovlyansky AL, Wolfson MA, Zaslavsky GM. Ray dynamics in a long-range acoustic propagation experiment. J Acoust Soc America. 2003; 114(3):1226-1242

Berrone S, Cubetta M, Amasio ME, Grivetto F, Busca GP. Validita dell'agobiopsia ad ago fine nella diagnostica preoperatoria delle tumefazioni parotidee. (Fine needle biopsy in the preoperative diagnosis of parotid tumors). Minerva Stomatologica 44(1)1: 515-519. 1995

Berry JD, Rowbotham MC, Petersen KL.Complex regional pain syndrome-like symptoms during herpes zoster. Pain. 2004; 110(1-2): e1-12.

Bertok L, Benkö I. Histographic method for comparative analysis of melanomic tumors of grey horses. (abstract). IN. Benkö I, Lovak I, Kovacsics I. (eds): 9th International Conference on Thermal Engineering and Thermogrammetry (THERMO). Budapest. p.134-135. 1995

Bertone Al, Davies DM, Cox HU, Kamerling SS, Roberts ED, Caprile KA, Gosset KA. Arthrotomy versus arthoscopy and partial synovectomy for treatment of experimentally induced arthritis in horses. American Journal of Veterinary Research 53:585-591. 1992

Bertsch F, Mattner J, Stehling MK, Mueller-Lisse U, Peller M, Loeffler R, Weber J, Messmer K, Wilmanns W, Issels R, Reiser M. Non-invasive temperature mapping using MRI. comparison of two methods based on chemical shift and T1-relaxation. Magnetic Resonance Imaging 1998. 16 (4): 393-404.

Bertsch M,.Maca TH. Visualization of Trumpet Players´Warm Up. (abstract) Thermol Österr 1997, 7(2): 90-91.

Berz J. Brust-Frühdiagnostik-System MammoVision®. Thermo- med 2004,19/20: 59-64

Berz J. Infrarot-Imaging in der Veterinärmedizin. Thermomed 2004,19/20: 65-68

Berz R : 50 Jahre Deutsche Gesellschaft für Thermographie und Regulationsmedizin e.V.- Grund zum Feiern? (Editorial). Thermomed 2003,18/19: 2-4

Berz R Einladung zum Jubiläumskongress 50 Jahre Deutsche Ge- sellschaft für Thermographie und Regulationsmedizin e.V. Thermo- med 2004,19/20: 5-6

Berz R MammoVision™ - Infrared Regulation Imaging has a predictive value for breast health or disease. Thermol intern 2001,11(2):89

Berz R, Dobler T, Dahl O, Sauer H. Die Ausbildungsordnung der Deutschen Gesellschaft für Thermographie e.V. ThermoMed 13:44-45. 1997

Berz R. Auf nach Bad Nauheim-sonst verpassen Sie was. Thermo- med 2004,19/20: 7-9

Berz R. Reguvision : Regulation thermography by thermovision (abstract). Thermology intern 2000, 10(3):139

Berz R. 20 Jahre ThermoMED.Thermomed 2004,19/20: 33-35

Berz R. 50 Jahre Deutsche Gesellschaft für Thermographie und Regulationsmedizin e.V. Thermomed 2004,19/20: 45-55

Berz R. Änderungen des thermischen Hautmusters auf einen Abkühlungsreiz Thermodiagnostik 1987, 3(2): 14-19.

Berz R. Auf richtigem Kurs (Editorial) Thermodiagnostik 3(1): 8. 1987

Berz R. Beitrag zur Chronologie der Thermo-Regulation. Thermodiagnostik 2(1): 33. 1986

Berz R. Der Thermographiegeräte-Markt und die Zukunft der Thermodiagnostik (Editorial): ThermoMed 1997, 13: 54.

Berz R. Die Zeichen der Zeit.(Editorial) ThermoMed 1996, 12:54..

Berz R. Dr, med Anton Matthias Hippchen Ehrenmitglied unserer Gesellschaft verstorben. Thermomed 2001/2002,18/19, 78-79.

Berz R. Editorial. Thermomed 2001/2002,18/19. 2-4

Berz R. Editorial. ThermoMed, 1999, 15: 2

Berz R. Ein halbes Jahrhundert- und wo stehen wir heute? (Edito- rial). Thermomed 2004,19/20: 2-4

Berz R. Einladung zur Mitgliederversammlung 2004. Thermomed 2004,19/20: 16

Berz R. Ernst Schwamm-Medaille 1998 für Regulationsthermographie an Dr.med Anton-Matthias Hippchen. ThermoMed, 1999. 15: 76

Berz R. Ernst Schwamm-Medaille 1999 für Regulationsthermographie an Dr.med. Heinz Günter Elsen. ThermoMed, 1999. 15: 77

Berz R. Internet-Auftritt der Deutschen Gesellschoft für Thermo- graphie e.V - www.thermomed.de. Thermomed 2003,18/19:65-66

Berz R. Measurements of Skin Temperature in vitro and in vivo comparing Contact measurements and Infrared Systems. Thermol intern 2001, 11(2):81

Berz R. Mitgliederbefragung. Thermomed 2003,18/19: 67

Berz R. Nachruf Dr. Hippchen. Thermomed 2003,18/19:78-79

Berz R. Personen wechseln - Themen bleiben (Editorial). ThermoMed 1996,12(1):3-4.

Berz R. Prof Dr. Arno Rost zum 85. Geburtstag. Thermomed 2004,19/20: 69-71

Berz R. Programm Jubiläumskongress 50 Jahre Deutsche Ge- sellschaft für Thermographie und Regulationsmedizin e.V. Thermo- med 2004,19/20: 10-14

Berz R. Punktuelle und flächige Brustthermographie im Ontakt- und Infrarot-Verfahren- eine vergleichende Übersicht. Thermomed 2001/2002,18/19, 29-51

Berz R. Punktuelle und flächige Brustthermogrophie.im Kontakt- und Infrarot-Verfahren - eine vergleichende Ubersicht. Thermomed 2003,18/19: 29-51

Berz R. Regulation Thermography - a survey (abstract) European Journal of Thermology 1998, 8(4): 180 ,

Berz R. Regulation thermography - a survey. IN. Balageas D, Busse G, Carlomagno, C, Więcek B, editors, Quantitative InfraRed Thermography 4: Medical InfraRed Thermography, MIRT´98. Eurotherm Seminar 60 Proceedings, Łódź, 1999. p.18-25.

Berz R. Regulationsthermographie. Thermol Österr 1995, 5(3): 125-134.

Berz R. Regulationsthermographie.(abstract). Thermol Österr 1995, 5(2): 75.

Berz R. Thermographie im Wirbelsäulen-Bereich Thermodiagnostik 1985, 1: 20-23.

Berz R. Univ Prof Dr.med Günter Stüttgen im Alter von 84 Jahren verstorben. Thermomed 2001/2002,18/19, 75-77

Berz R. Verleihung der Erich Schwamm-Medaille für Regulationsthermographie der Deutschen Gesellschaft für Thermographie. ThermoMed 1997, 13: 57.

Berz R. Verleihung. des Carl August Wunderlich- Preises für Regulationsthermographie der Deutschen Gesellschaft für Thermographie. ThermoMed 1997, 13: 56.

Berz R. Visualisierung.thermischer Effekte von Mobiltelefonen im Gesichtswärmebild.Thermomed 2004,19/20: 26-31

Berz R. Zwei Jahrneunte mit Arno und Jutta Rost. ThermoMed, 1999. 15: 7

Berz R.Nachruf Professor Stüttgen. Thermomed 2003, 18/19: 75-77

Berz R.T Anmeldung zum Jubiläumskongress 50 Jahre Deutsche Gesellschat für Thermographie und Regulationsmedizin e.V. Thermo- med 2004,19/20:15

Berz. R. Die Labilität im Gesundheitswesen nimmt zu Chancen und Risiken für die Thermographie (Editorial) ThermoMed 1997,13: 2.

Berzas JJ, Rodriguez J, Contento AM, Cabello MP. Determination of drugs used in advanced breast cancer by capillary gas chromatography of pharmaceutical formulations. J Separat Sci. 2003; 26(9-10):908-914.

Besbes S. Blecker C. Deroanne C. Drira N-E. Attia H. Date seeds: Chemical composition and characteristic profiles of the lipidfraction. Food Chem. 2004; 84(4): 577-584..

Betney S, Morgan PB, Doyle SJ, Efron N. Corneal temperature changes during photorefractive keratectomy. Cornea 1997, 16(2): 158-161.

Betskii OV, Petrov Ilu, Tiazhelov VV, Khizhniak EP, Iaremenko IuG. Raspredelenie elektromagnitnykh polei millimetrovogo diapazona v mode] 'nykh i biologicheskikh tkaniakh pri luchenii v blizhnei zone izluchatelei. (Distribution of millimeter-band electromagnetic fields in model and biological tissues during irradiation in the reactive zone of an irradiator). Dokl Akad Nauk SSSR 1989, 309 (1): 230-233.

Betta V. Cascetta F, Sepe D. An assessment of infrared tympanic thermometers for body temperature measurement. Physiological Measurement 1997, 18(3): 215-225.

Bettaglio R, Bonezzi C, Demartini L, Miotti D, Paulin L, Barbieri M.Monitoring the Anaesthetic Neural BlockadE. A Case Report. Thermol intern 2001, 11(3):139

Bettaglio R, Miotti D, Buonocore M, Demartini L, Paulin L Bonezzi C.Thermography and sympathetic skin response to assess the effects of sympathectomY. a case report (abstract). Thermology intern 2000, 10(3):147

Bettles CJ, Rossouw CJ. Detection of Au precipitates in a Mg-based alloy using electronically simulated hollow cone illumination. Micron. 2000,31(6):651-7.

Betz G. Burgin PJ. Leuenberger H. Power consumption measure- ment and temperature recording during granulation. Int J Pharmaceut. 2004; 272(1-2): 137-149.

Beumer C, Wulferink M, Raaben W, Fiechter D, Brands R, Seinen W. Calf Intestinal Alkaline Phosphatase, a Novel Therapeutic Drug for Lipopolysaccharide (LPS)-Mediated Diseases, Attenuates LPS Toxicity in Mice and Piglets J Pharmacol Exp Ther, 2003; 307: 737 - 744.

Bexis S. Phillis BD. Ong J. White JM. Irvine RJ. Baclofen prevents MDMA-induced rise in core body temperature in rats. Drug Alcohol Depend. 2004;74(1)89-96.

Beyer K. Infrarotthermographie (IRT) bei Krankheiten des Bewegungssystems. (abstract) ThermoMed 12: 96. 1996

Beyrau F, Brauer A, Seeger T, Leipertz A. Gas-phase temperature measurement in the vaporizing spray of a gasoline direct-injection injector by use of pure rotational coherent anti-Stokes Raman scatte- ring. Opt Lett. 2004; 29(3):247-9.

Bezabeh T. Evelhoch JL. Thompson P. Sloop DJ. Ackerman JJH. Therapeutic efficacy as predicted by quantitative assessment of murine RIF-1tumour pH and phosphorous metabolite response during hyper-thermia: An in vivo31P NMR study. Int J Hyperthermia. 2004; 20(4): 335-357.

Bezombes JP, Borisenko KB, Hitchcock PB, Lappert MF, Nycz JE, Rankin DW, Robertson HE. Structures of the radical P[N(SiMe3)2] (NPri2), its dimer, cation and chloro derivative. Dalton Trans. 2004; (13):1980-8.

Bhalla A, Tilling K, Kolominsky-Rabas P, Heuschmann P, Megherbi SE, Czlonkowska A, Kobayashi A, Mendel T, Giroud M, Rudd A, Wolfe C. Variation in the Managment of acute physiological parameters after ischaemic stroke: A Eur perspective. Eur J Neurol. 2003; 10(1):25-33.

Bhalla KS, Zehnder AT, Han X. Thermomechanics of slow stable crack growth: closing the loop between experiments and computational modelin., Eng Fract Mech, 2003; 70 (17): 2439-2458.

Bhatia V, Bhatia R, Dhindsa S, Dhindsa M. Imaging of the vulnerable plaque: new modalities. South Med J. 2003; 96(11): 1142-7.

Bhatt DL, Cannon C, King S, Rapaport E, Dullum M, Driesman M, Waksman R Diffuse coronary disease and atherothrombosis: A rationale for long-term therapy to prevent recurrent ischemic events. J Invas Cardiol. 2003; 15(Suppl. B):3B-10B

Bhatt DL, Topol EJ. Need to Test the Arterial Inflammation Hypothesis Circulation 2002, 106: 136 - 140.

Bhattacharya K, Conti S, Zanzotto G, Zimmer J. Crystal symmetry and the reversibility of martensitic transformations. Nature. 2004; 428(6978):55-9.

Bhowmick P. Coad JE. Bhowmick S. Pryor JL. Larson T. De La Rosette J. BischofJC. In vitro assessment of the efficacy of thermal therapy in human benign prostatic hyperplasia. Int J Hyperthermia. 2004; 20(4): 421-439.

Bhowmik SK, Roy A. GarnetiferousMetabasites from the Sausar Mobile Belt: Petrology, P–T Path and Implications for the Tectonothermal vol ution of the Central Indian Tectonic Zone J Petrol, 2003; 44: 387 - 420.

Bi C. Benham CJ. WebSIDD: Server for predicting stress-induced duplex destablized (SIDD) sites insuperhelical DNA. Bioinformatics. 2004; 20(9): 1477-1479.

Biagioni PA, Hussey D, Mitchell CA, Russell DM, Lamey PJ. Thermographic assessment of dentine pin placement. Journal Of Dentistry 1996, 24/6: 443-447.

Biagioni PA, Lamey P-J. Acyclovir cream prevents clinical and thermographic progression of recrudescent herpes labialis beyond the prodromal stage. Acta Dermato-Venereologica 1998,. 78(1): 46-47.

Biagioni PA, Lamey PJ. Electronic infrared thermography as a method of assessing herpes labialis infection. Acta Dermato-Venereologica 1995, 75: 264-268.

Biagioni PA, Longmore RB, McGimpsey JG, Lamey PJ. Infrared thermography. Its role in dental research with particular reference to craniomandibular disorders. Dento-Maxillo-Facial Radiology 1996, 25(3): 119-124.

Biagioni PA, McGimpsey JG, Lamey PJ. Electronic infrared thermography as a dental research technique. British Dental Journal 1996, 180(6): 226-230.

Biasi G, A.Fioravanti, A.Franci, R.MarcolongO. (The role computerized telethermography in the diagnosis of fibromyalgia syndrome) Minerva Medica 1994, 85: 451-454.

Bickels J. Kollender Y. Merimsky O. Isaakov J. Petyan-Brand R. Meller I. Closed argon-based cryoablation of bone tumours. J Bone Joint Surg-(Br) 2004; 86(5): 714-718.

Biernacka-Zielinska M, Brozik H, Smolewska E, Mikinka M, Jakubowska I,Peszynski-Drews C,. J. Stanczyk J, Comparison of diagnostic values of thermography and doppler ultrasonography in Raynaud‘s syndrome in children. Thermol intern 2001,11(4):208-209

Biertümpfel R, Beer H. Natural convection heat transfer increase at the laminar–turbulent transition in the presence of instationary longitudinal vortices, Int J Heat Mass Trans, 2003; 46, (16): 3109-3117.

Bikbaeva AI, Abdurashitov RSH. Combined electrophysiological diagnosis of frontal sinusitis and progosis of rhinosinusogenous intracranial complications). Vestn Otorinolaringol 1991, (2): 26-30.

Bilbrough G. Critical care and monitoring of small animal patients. In Practice. 2003; 25(9):542-549).

Bilcan A, Le Corre O, Delebarre A. Thermal efficiency and environmental performances of a biogas-diesel stationary engine. Environl Tech. 2003; 24(9):1165-1173.

Bilchik AJ, Wood TF, Allegra D, Tsioulias GJ, Chung M, Rose DM, Ramming KP, Morton DL. Cryosurgical ablation and radiofrequency ablation for unresectable hepatic malignant neoplasmS. a proposed algorithm. Arch Surg. 2000,135(6):657-64.

Bilynskii BT, Novak OP, Iolych MM.Primenenie termografii v differentsial'noi diagnostike pigmentnykh n ovoobr a zova n i i .(Use of thermography in the differential diagnosis of pigmented neoplasms). Klin Khir, 1990,. (5) 28-29.

Bilyns'kyi BT, Novak OP. Znachennia termo-hrafichnoho metodu doslidzhennia v onkolohii. Vrachebnoe Delo 1993, (5-6): 114-116.

Binda MM, Molinas CR, Mailova K, Koninckx PR. Effect of temperature upon adhesion formation in a laparoscopic mouse model. Hum Reprod. 2004;19(11):2626-32.

Binet S, Bonnet P,. Brandt H,. Castegnaro M,. Delsaut P, Fabries JF, Huynh CK, Lafontaine M, Morel G, Nunge H, Rihn B,. Vuduc T, Wrobel R Development and Validation of a New Bitumen Fume Generation System which Generates Polycyclic Aromatic Hydrocarbon Concentrations Proportional to Fume Concentrations Ann. Hyg, 2002, 46: 617 - 628.

Bingel U, Lorenz J, Glauche V, Knab R, Glascher J, Weiller C, Buchel C. Somatotopic organization of human somatosensory cortices for pain: a single trial fMRI study. Neuroimage. 2004; 23(1):224-32.

Binzoni T, Delpy D Local temperature changes and human skeletal muscle metabolism. J Physiol Anthropol Appl Human Sci 2001. 20 (3) 159-74

Binzoni T. Human skeletal muscle energy metabolism: When a physiological model promotes the search for new technologies. Eur J App Physiol. 2003; 90(3-4):260-269.

Bird JA, Mostyn A, Clarke L, Juniper DT, Budge H, Stephenson T, Symonds ME Effect of postnatal age and a (beta)(sub(3)-adrenergic agonist (Zeneca D7114) administration on uncoupling protein-1 abundance in the lamb. Experimental Physiology 2001, 86(1): 65-69

Bird MJ, MacIntosh DL, Williams PL. Occupational exposures during routine activities in coal-fueled power plants. J Occup Environ Hyg. 2004; 1(6):403-13.

Birdi N, Shore A, Rush P, Laxer RM, Silverman ED, Krafchik B. Childhood linear sclerodermA. A possible role of thermography for evaluation. J Rheumatol 1992, 19:968-973.

Birklein F, Claus D, Riedl B, Neundoerfer B, Handwerker HO. Effects of cutaneous histamine application in patients with sympathetic reflex dystrophy. Muscle and Nerve 1997, 20(1)1: 1389-1395.

Birklein F, Kuenzel W, Sieweke N Despite clinical similarities there are significant differences between acute limb trauma and complex regional pain syndrome I (CRPS I). Pain 2001. 93 (2) 165-71

Birklein F, Riedl B, Claus D, Neundoerfer B. Pattern of autonomic dysfunction in time course of complex regional pain syndrome. Clinical Autonomic Research 1998, 8(2): 79-85.

Birklein F, Riedl B, Handwerker HO, Neundorfer B. Störung der Thermoregulatorischen Hautdurchblutung bei sympathischer Reflexdystrophie. Aktuelle Neurologie 1997, 24(2):61-66.

Birklein F, Riedl B, Neundoerfer B, Handwerker HO. Sympathetic vasoconstrictor reflex pattern in patients with complex regional pain syndrome. Pain 1998, 75(1): 93-100.

Birklein F, Sittl R, Spitzer A, Claus D, Neundoerfer B, Handwerker HO. Sudomotor function in sympathetic reflex dystrophy. Pain 1997, 69(1)-2: 49-54.

Birmingham CL. Gutierrez E. Jonat L. Beumont P. Randomized Controlled Trial of Warming in Anorexia Nervosa. Int J Eating Dis- orders. 2004; 35(2)234-238.

Bishop JF. Burn wound assessment and surgical management. Crit Care Nurs Clin North Am. 2004; 16(1):145-77.

Bishop PB, Wing PC. Compliance with clinical practice guidelines in family physicians managing worker's compensation board patients with acute lower back pain*1, Spine J, 2003; 3, (6) 442-450.

Bishop S. Draper DO. Knight KL. Feland JB. Eggett D. Human tissue-temperature rise during ultrasound treatments with the aquaflex gelpad. J Athletic Training. 2004; 39(2): 126-131.

Bismuto E. Nucci R. Febbraio F. Tanfani F. Gentile F. Briante R. Scire ABertoli E. Amodeo P. Effects induced by mono- and divalent cations on protein regions responsible forthermal adaptation in beta- glycosidase from Sulfolobus solfataricus. Eur Biophys J. 2004; 33(1): 38-49.

Bison PG, Muscio A, Grinzato E. Thermal parameters estimation by heating and cooling and thermographic measurement,IN. LeMieux DH, Snell JR, editorS. Thermosense XXI,Proceedings of the Society of Photo-Optical Instrumentation Engineers (SPIE), Vol.3700, Bellingham, 1999. p. 402-8.

Bissen-Miyajima H, Shimmura S, Tsubota K. Thermal effect on corneal incisions with different phacoemulsification ultrasonic tips. Journal Of Cataract And Refractive Surgery, 1999, 25(1): 60-4.

Bissonnette B, Holtby HM, Davis AJ, Pua H, Gilder FJ, Black M. Cerebral hyperthermia in children after cardiopulmonary bypass. Anesthesiology 2000, 93(3): 611-618

Bissonnette B, Paut O. Active warming of saline or blood is ineffective when standard infusion tubing is useD. an experimental study : [Le réchauffement actif d'une solution salée ou de sang est inefficace quand on utilise une tubulure à perfusion standard] Can J Anesth 2002, 49: 270 - 275.

Bjerke TW, Lambros J. Theoretical development and experimental validation of a thermally dissipative cohesive zone model for dynamic fracture of amorphous polymers. J Mech Phys Solids, 2003; 51, (6): 1147-1170.

Bjerring P, Christiansen K, Troilius A, Dierickx C. Facial photo rejuvenation using two different intense pulsed light (IPL) wavelength bands. Lasers Surg Med. 2004;34(2):120-6.

Black CM, Clark RP, Darton K, Goff MR, Norman TD, Spikes HA.A pyroelectric thermal imaging system for use in medical diagnosis.J Biomed Eng 1990, 12 (4) 281-286.

Blain S. Guillou J. Treguer P. Woerther P. Delauney L. Follenfant E. Gontier OHamon M. Leilde B. Masson A. Tartu C. Vuillemin R. High frequency monitoring of the coastal marine environment using the MARELbuoy. J Environ Monit. 2004; 6(6): 569-575.

Blanchard S, Bill E, Weyhermuller T, Wieghardt K. N,N-co- ordinated pi radical anions of S-methyl-1-phenyl-isothiosemicarbazide in two five-coordinate ferric complexes [Fe III(L Me*)(2)X] (X = CH3S-, Cl-). Inorg Chem. 2004 43(7):2324-9.

Blanchette M. Labourier E. Green RE. Brenner SE. Rio DC. Genome-wide analysis reveals an unexpected function for the Droso- phila splicingfactor U2AF50 in the nuclear export of intronless mRNAs. Molecular Cell. 2004; 14(6): 775-786.

Blazina D, Duckett SB, Halstead TK, Kozak CM, Taylor RJ, Anwar MS, Jones JA, Carteret HA. Generation and interrogation of a pure nuclear spin state by parahydrogen-enhanced NMR spectroscopy: a defined initial state for quantum computation. Magn Reson Chem. 2004; Epub ahead of print

Blecka MI, Capria MT, Coradini A, De Sanctis MC. A. Numerical simulations of the radiance from the comet 46P/Wirtanen in the various configurations of the measurements during “Rosetta” mission, Adv Space Res, 2003; 31, (12) 2501-2510.

Blessing WW, Seaman B, Pedersen NP. Ootsuka Y. Clozapine reverses hyperthermia and sympathetically mediated cutaneous vasoconstriction induced by 3,4-methylenedioxymethamphetamine (ecstasy) in rabbits and rats. J Neurosci. 2003; 23(15):6385-6391.

Bleustein CB, Sennett M, Kung RTV, Felsen D, Poppas DP, Stewart RB. Differential scanning calorimetry of albumin solderS. Interspecies differences and fatty acid binding effects on protein denaturation. Lasers in Surgery and Medicine 2000, 27(5): 465-470

Blevins LG, Renfro MW, Lyle KH, Laurendeau NM, Gore JP. Experimental study of temperature and CH radical location in partially premixed CH sub(4):/air coflow flames. Combustion and Flame 1999,118(4): 684-96.

Bliss-Holtz J. Determining cold-stress in full-term newborns through temperature site comparisons. Sca Inq Nurs Pract 1991, 5 :113-126

Bloch I, Hansch TW, Essilinger T. Measurement of the spatial coherence of a trapped Bose gas at the phase transition. Nature 2000, 403(6766): 166-170

Blockmans D, Knockaer D, Maes A, De Caestecker J, Stroobants S, Bobbaers H, Mortelmans L Clinical value of ((sup(18)F)fluoro-deoxyglucose positron emission tomography for patients with fever of unknown origIn. Clinical Infectious Diseases 2001, 32(2): 191-196

Blocksom JM, Tyburski JG, Sohn RL, Williams M, Harvey E, Steffes CP, Carlin AM, Wilson RF. Prognostic determinants in duodenal injuries. Am Surg. 2004; 70(3):248-55;

Blonskaja V, Menert A, Vilu R. Use of two-stage anaerobic treatment for distillery waste. Adv Environ Res. 2003; 7(3): 671-678).

Blum LS, Nahar N. Cultural and social context of dysentery: implications for the introduction of a new vaccine. J Health Popul Nutr. 2004; 22(2):159-69.

Blum P. Bericht über die Jahrestagung der Deutschen Gesellschaft für Thermographie im Parkhotel in Bad Nauheim vom 31.5.1991- 2.6. 1991. ThermoMed 1991, 7:97-98.

Blum P. Protokoll über die ordentliche Mitgliederversammlung der Deutschen Gesellschaft für Thermographie e.V am 1.Juni 1991 im Parkhotel in Bad Nauheim. ThermoMed 1991, 7:99.

Blum P. Regulationsthermographie in der Praxis. ThermoMed 1991, 7:53-55.

Blum P. Stellenwert der Misteltherapie in der Regulationsthermographie. ThermoMed 1992, 8: 20-26.

Blum P. Welche Wertigkeit hat die Regulationsthermographie für den niedergelassenen Arzt in der Darstellung von Krebsverläufen. ThermoMed 1991, 7: 124-127.

Blum, P. Der interessante FalL. Pankreaskopf-Karzinom. ThermoMed 1991, 7: 22-24. .

Blumberg MS, Efimova IV, Alberts JR. Thermogenesis during ultrasonic vocalization of rat pubs isolated in a war environmenT. a thermographic analysis. Developmental Psychobiology 25: 497-510. 1992

Blumberg MS, Lewis SJ, Sokoloff G Incubation temperature modulates post-hatching thermoregulatory behavior in the Madagascar ground gecko, *Paroedura pictus* J. Exp. Biol. 2002, 205: 2777 - 2784.

Blume SS. Social process and the assessment of a new imaging technique.International Journal of Technology Assessment in Health Care 1993, 9: 335-345.

Bluml S. Friedlich P. Erberich S. Wood JC. Seri I. Nelson Jr MD. MR Imaging of Newborns by Using an MR-compatible Incubator with Integrated Radiofrequency Coils: Initial Experience. Radiology. 2004; 231(2): 594-601.

Blumtritt J.Computergestuetzte Infrarotthermometrie in der Orthopaedie. (Computer-assisted infrared thermometry in orthopedics) Beitr Orthop Traumatol 1990, 37 (6): 334-337.

Blunier T. 'Frozen' methane escapes from the sea floor. Science 2000, 288(5463): 68-69

Blyth T, Stirling A, Coote J, Land D, Hunter JA. Injectin of the rheumatoid kneE. Does intra-articular methotrexate or rifampicin add to the bene- fits of triamcinolone hexacetonide? British Journal of Rheumatology 1998, 37(7): 770-772.

Boardman GD. Starbuck SM. Hudgins DB. Li X. Kuhn DD. Toxicity of ammonia to three marine fish and three marine inverte- brates. Environ Toxicology. 2004; 19(2): 134-142.

Boateng B, Albrecht H-P. Infrared thermography for diagnostic and therapeutic control in acroosteopathia ulcer-mutilans - and Raynaud's phenomenon. Thermol Österr1992, 2:S38-39.

Bobarykin VS. Ways and methods for detecting patients with recurrent pulomonary tuberculosis. Probl Tuberk 1991 (2):17-19.

Bobrova IA. Thermography in assessing the microcirculation of patients with acute and chronic viral hepatitis. Vrach Delo 1991 (9): 73-76.

Boca A, Miller R, Birnbaum KM, Boozer AD, McKeever J, Kimble HJ. Observation of the vacuum Rabi spectrum for one trapped atom. Phys Rev Lett. 2004 3;93(23):233603.

Boccalon H. Vascular exploration tests for the indications and surveillance of epidural stimulation. Journal des Maladies Vasculaires 1992, 17: 131-137.

Boccara M, Bouy C, Garmier M, De Paepe R, Boccara AC. Infra-red thermography revealed a role for mitochondria in pre-symptomatic cooling during harpin-induced hypersensitive response. Plant J 2001, 28(6): 663-70.

Bocker, B, Callies R. Temperaturänderungen nach einer Kurzwellenapplikation (Unterbauchregion) in verschiedenen Phasen des Menstruationszyklus. ThermoMed 1996, 12:22-25.

Bocqueraz O. Koulmann N. Guigas B. Jimenez C. Melin B. Fluid- regulatory hormone responses during cycling exercise in acute hypo- baric hypoxia. Med Sci Sports Exerc. 2004; 36(10)1730-1736.

Bocquet B, Van der Velde JC, Constant E. New microwave radiometric mammography for the characterisation of breast tumors. IN. Hutten H, Krösel P, eds. Proceedings Part II, EMBEC´02. 2.European Medical & Biological Engineering Conference. IFMBE, Graz, 2002. pp.1100-1101

Bocquet B; Mouty S; Ringot R; Leroy Y; Rocourt N; Robert Y; Devos P; Beuscart R. Quantitative Retrieval of Temperature of Breast Cancers by Microwave Radiometric Imaging (MWI). In Proceedings of The First Joint BMES/EMBS Conference Serving Humanity, Advancing Technology, Atlanta, 1999, pp. 1113

Boczan J, Langffy G. Recording the termination of sneaking pains in drivers and sportsmen by means of infrared thermography, with a special respect to lidocain, hunviron,acupuncture and physicotherapeutic interventions . In (abstract). IN. Benkö I, I.Lovak, I.Kovacsics (eds): 9th International Conference on Thermal Engineering and Thermogrammetry (THERMO). Budapest, 1995. p.133.

Boczan J. The indication of preshock conditlons by infrared thermograms and oremus stress test, their prevention with PEMT (Pulsed Electromagnetic Therapy) and MD (antistress) pills. (abstract). IN. Benkö I, I.Lovak, I.Kovacsics (eds): 9th International Conference on Thermal Engineering and Thermogrammetry (THERMO). Budapest 1995, p. 140-141.

Boersma E, Mercado N, Poldermans D, Gardien M, Vos J, Simoons ML. Acute myocardial infarction, Lancet, 2003; 361, 847-858.

Boggi U, Ferrari M, Vistoli F, Sgambelluri F, Vignali C, Cioni R, Petruzzi P, Del Chiaro M, Berchiolli R, Signori S, Coletti L, Gremmo F, Rizzo G, Mosca F. Rescue of kidney and pancreas grafts with complex vascular lesions.Transplant Proc. 2004; 36(3):505-8

Bohay RN. Advances in TMJ imaging, J Oral Maxillofac Surg, 2003; 61 (8, Suppl 1) 9a.

Bohbot VD, Allen JJ, Nadel L. Memory deficits characterized by patterns of lesions to the hippocampus and parahippocampal cortex. Ann N Y Acad Sci. 2000,911:355-68.

Bohnhorst B, Gill D, Dordelmann M, Peter CS, Poets CF. Bradycardia and desaturation during skin-to-skin care: no relationship to hyperthermia. J Pediatr. 2004 ;145(4):499-502.

Bohris C, Jenne JW, Rastert R, Simiantonakis I, Brix G, Spoo J, Hlavac M, Nemeth R, Huber PE, Debus J. MR monitoring of focused ultrasound surgery in a breast tissue model in vivo.Magnetic Resonance Imaging 2001, 19(2): 167-175

Bohris C, Schreiber WG, Jenne J, Simiantonakis I, Rastert R, Zabel H- J, Huber P, Bader R, Brix G. Quantitative MR temperature monitoring of high-intensity focused ultrasound therapy. Magnetic Resonance Imaging 1999. 17(4):603-10

Boily P, Knight FM. Cold-induced fever and peak metabolic rate in the nine-banded armadillo (Dasypus novemcinctus). Physiol Biochem Zool. 2004; 77(4):651-7.

Boisen A, Thaysen J, Jensenius H, Hansen O. Environmental sensors based on micromachined cantilevers with integrated read-out. Ultramicroscopy 2000, 82(1-4): 11-16

Boisse L, Van Sickle MD, Sharkey KA, Pittman QJ. Compromised neuroimmune status in rats with experimental colitis. J Physiol. 2003; 548(3):929-939.

Boline PD, Haas M, Meyer JJ, Kassak K, Nelson C, Keating JC jR. Interexeminer reliability of eight evaluative dimensions of lumbar segmental abnormality. Part II.Journal of Manipulative and Physiological Therapeutics 1993, 16:363-374.

Bolmsjo M, Schelin S, Wagrell L, Larson T, De La Rosette JIMCH, Mattiasson A Cell-kill modelling of microwave thermotherapy for treatment of benign prostatic hyperplasia. Journal of Endourology 2000, 14(8): 627-635

Bolton MP, McGuinness K, Cooley J, Hayes L, Howell A. Technical notE. a compact data logger for ambulatory skin temperature measurement. J Med Eng Technol 2001, 25(6): 264-8.

Bonato M,.Salmaso GP,.Nogarin L. Posterior tibial nerve neurolysis in the treatment of diabetic plantar ulcers. Indications and limits. Chi- rurgia del Piede 1994, 18:181-183.

Bonezzi C, Miotti D, Demartini L, Dalla Volta G. Thermography and Chronic Pain Syndrome (abstract) Thermol Österr 1996, 6(2):62-65.

Bonincontro A, Nierhaus KH, Onori G, Risuleo G Intrinsic structural differences between 'tight couples' and Kaltschmidt-Wittmann ribosomes evidenced by dielectric spectroscopy and scanning microcalorimetry. FEBS Letters 2001, 490(1-2): 93-96

Bonne TB. Ludtke K. Jordan R. Stepanek P. Papadakis CM. Aggregation behavior of amphiphilic poly(2-alkyl-2-oxazoline) diblock copolymersin aqueous solution studied by fluorescence correlation spectroscopy. Colloid Polymer Sci. 2004; 282(8): 833-843.

Bonnefille R, Potts R, Chalie F, Jolly D, Peyron O. High-resolution vegetation and climate change associated with Pliocene Australopithe- cus afarensis. Proc Natl Acad Sci U S A. 2004;101(33):12125-9.

Bonnet L, Lege Ph, Vignand Ph, Renaudin C. Telemetry. The importance of the surgical aspects. Therapie 2000, 55(1): 97-99

Bonnet M, Rogausch K-D, Petermann J. The endothermic 'annealing peak' of poly (phenylene sulphide) and poly(ethylene terephthalate) Colloid and Polymer Science 1999, 277/6:/513-8.

Boone P. Two applications of holography in medical diagnosis (abstract). Thermol Österr1992, 2:S40.

Booth J, Wilsmore BR, Macdonald AD, Zeyl A, Mcghee S, Calvert D, Marino FE, Storlien LH, Taylor NAS Whole-body pre-cooling does not alter human muscle metabolism during sub- maximal exercise in the heat. European Journal of Applied Physiology 2001. 84(6): 587-590

Booth JD. Wilsmore BR. MacDonald AD. Zeyl A. Storlien LH. Taylor NAS. Intramuscular temperatures during exercise in the heat following pre-cooling and pre-heating. J of Thermal Biol. 2004. 29(7-8 SPEC. ISS.)709-715.

Boovanahalli SK, Kim DW, Chi DY. Application of ionic liquid halide nucleophilicity for the cleavage of ethers: a green protocol for the regeneration of phenols from ethers. J Org Chem. 2004; 69(10):3340-4.

Boquet A. Cruz C. Nesthus T. Detwiler C. Knecht W. Holcomb K. Clockwise and counterclockwise rotating shifts: Effects on temperature and neuroendocrine measures. Aviat Space Environ Med. 2004. 75(10): 898-904.

Boral D. Chatterjee S. Bhattacharya K. The occurrence and allergi- sing potential of airborne pollen in West Bengal,India. Ann Agricult Environ Med. 2004; 11(1): 45-52.

Boras I, Svaic S. Determination of the defect parameters in specimen by means of thermography and numerical methods. IN. Doctor SR, Lebowitz CA, Baaklini GY(eds): Nondestructive Evaluation of Materials and Composites II. Proceedings of The Society of Photo-Optical Instrumentation Engineers (SPIE)Vol.3396. Bellingham 1998, pp. 271-281.

Borchardt P, Brugger P. Erstmalige Dokumentation der Akupunkturwirkung mittels Kinesiologie und Infrarot-Computer-Thermographie. First documentation of the efficacy of acupuncture by means of kinesiology and infrared computer thermography. Akupunktur 1999. 27(3):152-6

Borden MA, Pu G, Runner GJ, Longo ML. Surface phase behavior and microstructure of lipid/PEG-emulsifier monolayer-coated micro- bubbles. Colloids Surf B Biointerfaces. 2004; 35(3-4):209-23.

Bordo DJ, Dorfman MA. Ecstasy overdose: rapid cooling leads to successful outcome. Am J Emerg Med. 2004; 22(4):326-7.

Borgatti AR, Pagliarani A, Ventrella V, Manuzzi MP, Trombetti F, Pirini M, Trigari G. Na,K-ATPase and other parameters in bivalve molluscs from the Adriatic Sea under different environmental conditions. Vet Res Communicatunicatunicat. 2003; 27(Suppl. 1): 207-210.

Borges JC, Fischer H, Craievich AF, Hansen LD, Ramos CHI. Free Human Mitochondrial GrpE Is a Symmetric Dimer in Solution J Biol Chem. 2003; 278: 35337 - 35344.

Borini A, Bonu MA, Coticchio G, Bianchi V, Cattoli M, Flamigni C. Pregnancies and births after oocyte cryopreservation. Fertil Steril. 2004; 82(3):601-5.

Bornmyr S, Svennsson H. Thermography and laser-doppler flowmetry for monitoring changes in finger skin blood flow upon cigarette smoking, Clin Physiol 1991, 11:135-141.

Borobia C, P.Gracia, J Sanchez-GallaR. Osteoarticular and muscle-tendinous pain evaluation with objective and subjective methods. Acta medicinae legalis et socialis 1989, 39:377-399.

Borowicz KK. Luszczki JJ. Czuczwar SJ. SIB 1893, a selective MGluR5 receptor antagonist, potentiates the anticonvulsantactivity of oxcarbazepine against amygdala-kindled convulsions in rats. Polish J Pharmacol. 56(4): 459-464. 2004;

Bosak JK. Heat stroke in a great Pyrenees dog. Can Vet J. 2004;45(6):513-5.

Bosco G, Ionadi A, Panico S, Faralli F, Gagliardi R, Data P, Mortola JP. Effects of hypoxia on the circadian patterns in men. High Alt Med Biol. 2003; 4(3):305-318.

Bösiger P, Gallo L.M, Geser M. Computerassistierte quantitative Infrarot-Thermographie, ThermoMed 6:9. 1990

Bösiger P, Geser H.M. A Thermodynamic Model for Thermographic Analysis of Tissue Perfusion and Its Regulation, Thermology 1990, 3:191-198.

Bostanjoglo O, Elschner R, Mao Z, Nink T, Weingartner M. Nanosecond electron microscopes. Ultramicroscopy. 2000 Apr,81(3-4):141-7.

Botnar RM, Steiner P, Dubno B, Erhart P, Von Schulthess GK, Debatin JF. Temperature quantification using the proton frequency shift techniquE. In vitro and in vivo validation in an open 0.5 Tesla interventional MR scanner during RF ablation. : Journal of Magnetic Resonance Imaging 2001,13(3): 437-444

Botoshansky M, Herbstein FH, Kapon M. Towards complete description of polymorphic crystal: The example of perylene redetermination of the structures of the (z 2 and 4) poly-m orphs. Helv Chim Acta. 2003; 86(4):1113-1128.

Botting R. Antipyretic therapy. Front Biosci. 2004; 9:956-66.

Boubaker KM., Bouhafs M, Yacoubi N.A quantitative alternative to the Vickers hardness test based on a correlation between thermal diffusivity and hardness—applications to laser- hardened carburized steel, NDT & E Int , 2003; 36 (8): 547-552.

Bouchard LS, Bronskill MJ. Magnetic resonance imaging of thermal coagulation effects in a phantom for calibrating thermal therapy devices. Med Phys. 2000,27(5):1141-5.

Bouchemal K, Briancon S, Chaumont P, Fessi H, Zydowicz N. Microencapsulation of dehydroepiandrosterone (DHEA) with poly(ortho ester) polymers by interfacial polycondensation. J Microencaps. 2003;20(5):637-51.

Bouchentouf M, Benabdallah BF, Tremblay JP. Myoblast survival enhancement and transplantation success improvement by heat-shock treatment in mdx mice. Transplantation. 2004; 77(9):1349-56.

Bouet T, Schmitt M, Desuzinmges C, Eloy R. Quantiataive in vivo studies of hyperemia in the course of the tissue response to biomaterial implantation. J Biomed Mater Res 1990, 24:1439-1461.

Bougeard D, Becquaert D, Baudoin B. Global and local heat transfer and flow losses in fin-tube heat exchangers with and without vortex generators.IN. Shah RK, editor, Compact Heat Exchangers for the Process Industries. New York, Begell House, 1997, p. 231-7.

Bouhours M, Sternberg D, Davoine CS, Ferrer X, Willer JC, Fontaine B, Tabti N. Functional characterization and cold sensitivity of T1313A, a new mutation of the skeletal muscle sodium channel causing paramyotonia congenita in humans. J Physiol. 2004; 554(Pt 3):635-47.

Boulton AJ. The diabetic foot: from art to science. The 18th Camillo Golgi lecture. Diabetologia. 2004; 47(8):1343-53.

Bounameaux H, Huber O, Khabiri E, Schneider PA, Didier D, Rohner A. Unexpectedly high rate of phlebographic deep venous thrombosis following elective general abdominal surgery among patients given prophylaxis with low-molecular-weight heparIn. Archives of Surgery 1993, 128:326-8.

Bounameaux H, Khabiri E, Huber O, Schneider PA, Didier D, de Moerloose P, Reber G. Value of liquid crystal contact thermography and plasma level of D-dimer for screening of deep venous thrombosis following general abdominal surgery. Thrombosis and Haemostasis 1992, 67: 603-606.

Bounameaux H. Diagnosis of deep venous thrombosis of the lower limbS. the role of clinical and paraclinical methods. Rev Med Suisse Romande 1991, 111: 993-995.

Bourke DL, Sadeghi M. A warm bed [14]. Anesth Analg. 2003; 96(4):1238.

Bourlioux A, Cuenot B, Poinsot T. Asymptotic and numerical study of the stabilization of diffusion flames by hot gas. Combustion and Flame 2000, 120(1-2): 143-159

Boutarfa R, Harmand S. Local convective heat exchanges and flow structure in a rotor–stator system, Int Ther Sci, 2003; 42, (12). 1129-1143

Bouwknecht JA, Hijzen TH, van der Gugten J, Dirks A, Maes RA, Hen R, Geyer MA, Olivier B. Startle responses, heart rate, and temperature in 5-HT1B receptor knockout mice. Neuroreport 2000. 11 (18) 4097-102

Bouwknecht JA, van der Gugten J, Hijzen TH, Maes RA, Hen R, Olivier B Corticosterone responses in 5-HT1B receptor knockout mice to stress or 5- HT1A receptor activation are normal. Psychopharmacology 2001. 153 (4) 484-90

Bovenzi M, Welsh AJ, Griffin MJ. Acute effects of continuous and intermittent vibration on finger circulation. Int Arch Occup Environ Health. 2004 ; 77(4):255-63.

Bowen GJ, Beerling DJ, Koch PL, Zachos JC, Quattlebaum T. A humid climate state during the Palaeocene/Eocene thermal maximum. Nature. 2004; 432(7016):495-9.

Bowman KF, Purohit RC, Gangam VK, Pechman RD, Vaughan JT. Thermographic evaluation of corticosteroids efficacy in amphotericin B induced equine arthritis. Am J Vet Res 1983, 44: 51-56.,

Bowsher D, Brooks J, Enevoldson P. Central Representation of Somatic Sensations in the Parietal Operculum (SII) and Insula. Eur Neurol. 2004;52(4):211-25.

Bowyer JF, Young JF, Slikker Jr W, Itzak Y, Mayorga AJ, Newport GD, Ali SF, Frederick DL, Paule MG. Plasma levels of parent compound and metabolites after doses of either d-fenfluramine or d-3,4-methylenedioxymethamphetamine (MDMA) that produce long-term serotonergic alterations. Neurotoxicology. 2003; 24(3):379-390.

Boyadzhiev L. Kancheva D. Gourdon C. Metcheva D. Extraction of valerenic acids from valerian (Valeriana officinalis L.) rhizomes. Pharmazie. 2004; 59(9): 727-728.

Boyce WT, Essex MJ, Alkon A, Smider NA, Pickrell T, Kagan J Temperament, tympanum, and temperaturE. four provisional studies of the biobehavioral correlates of tympanic membrane temperature asymmetries. Child Dev 2002, 73(3): 718-33. .

Boyd A, Moloney S. Digital infrared thermol imaging as biofeed- back tool: Monitoring chemotherapy response in a young female with breast cancer mediastinal secondaries. Thermomed 2003,18/19: 25-28

Boyd A, Moloney S. Infrared Imaging for monitoring the spread of metastases:a case study. Thermomed 2003,18/19: 5-8

Boyd A, Maloney S. Digital infrared thermal imaging as biofeedback tool: Monitoring chemotherapy response in a young female with breast cancer mediastinal secondaries. Thermomed 2001/2002,18/19, 25-28

Boyd A, Maloney S. Infrared Imaging for monitoring the spread of metastasis: a case report. Thermomed 2001/2002,18/19. 5-8

Boyd A. Can infrared imaging detect early angiogenic/metabolic activity in the breast (abstract). Thermol int 2004, 14(3): 106.

Boyd AS, Maloney S, Infrared Imaging Providing Biofeedback on Detection of Breast cancer Secondaries and Subsequent Response to Chemotherapy in a 36 Year old Female. J Korean Med Thermol 2002, 2(1):77

Boyer L, Ravel A, Perez N, Bourlet P, Boiteux JP, Viallet JF. VaricoceleS. Imagerie Diagnostique Et Therapeutique. Radiologie - Journal du CEPUR 1997,18(6): 35-39.

Boyko EJ, Ahroni JH, Stensel VL Skin temperature in the neuropathic diabetic foot. Journal of Diabetes and its Complications 2001:15(5):260-264

Bozkurt A, Onaral B. Safety assessment of near infrared light emitting diodes for diffuse optical measurements. Biomed Eng Online. 2004 Mar 22;3(1):9.]

Bradley P. F. Thermal Imaging Of Thermic Surgery (Lasers And Cryosurgery)In The Oro-Facial Region (abstract). European Journal of Thermology 1998, 8(3): 107.

Bradshaw WE, Zani PA, Holzapfel CM. Adaptation to temperate climates. Evolution Int J Org Evolution. 2004; 58(8):1748-62.

Braeken L, Van der Bruggen B, Vandecasteele C. Regeneration of brewery waste water using nanofiltration. Water Res. 2004; 38(13): 3075-82.

Braga D, Maini L. Solid-state versus solution preparation of two crystal forms of [HN(CH2CH2)3NH][OOC(CH2)COOH]2. Polymorphs or hydrogen bond isomers? Chem Commun (Camb). 2004; (8):976-7.

Braga-Mele R, Liu E. Feasibility of sleeveless bimanual phacoemulsification with the Millennium microsurgical system., J Cataract Refract Surg, 2003; 29, (11): 2199-2203

Braggiotti A, Marinetti S, Mazzoldi A. D2D. A robust technique for detection of structural heterogeneities in solids, based on transient thermography. IN. Thompson DO, Chimenti DE (eds): Review oof Progress in Quantitative Nondestructive Evaluation, Vols 17a and 17b. Plenum Press, New York, 1998, pp. 1761-1768.

Braggiotti A, Marinetti S, Mazzoldi A. D2D. A robust transient thermography NDT technique for real time in-field measurements. IN. Geithman GA, Georgeson GE (eds): Nondestructive Evaluation of Aging Aircraft, Airports, aand Aerospace Hardware II. Proceedings of The Society of Photo-Optical Instrumentation Engineers (SPIE)Vol.339. Bellingham 1998, pp. 149-154.

Brajkovic D, Ducharme MB, Frim J Relationship between body heat content and finger temperature during cold exposure. Journal Of Applied Physiology 2001. 90 (6) 2445-52

Brajkovic D. Ducharme MB. Cheek skin temperature and thermal resistance in active and inactive individuals during exposure to cold wind. J Thermal Biol. 2004. 29(7-8 Spec. Iss.)831-837.

Brajkovic D; Ducharme MB. Finger dexterity, skin temperature, and blood flow during auxiliary heating in the cold J Appl Physiol, 2003; 95: 758 - 770.

Brake M, Griffiths M. Infrared : Detection and Discoveries in Astronomy. Thermol intern 2000 , 10(2): 75-83.

BrakeM, Griffiths M. Infrared Detection and Discoveries in Astronomy (abstract). Thermol intern 2000, 10 (1): 41.

Brand PW. Tenderizing the foot. Foot Ankle Int . 2003; 24(6):457-461.

Brandes P. Pic-Win-Iris Bildverarbeitungs-Software. Thermol Österr 1994, 4(1): 33-35.

Brandt S, Klemd R, Okrusch M. Ultrahigh-Temperature Metamorphism and Multistage Evolution of Garnet–Orthopyroxene Granulites from the Proterozoic Epupa Complex, NW Namibia J Petrol, 2003; 44: 1121 - 1144.

Bras W, Emsley JW, Levine YK, Luckhurst GR, Seddon JM, Timimi BA.Field-induced alignment of a smectic-A phase: a time- resolved x-ray diffraction investigation. J Chem Phys. 2004; 121(9): 4397-413.

Brasil-Neto JP. Carneiro CR. Monophasic negative sympathetic skin responses and autonomic dysfunction in carpal tunnel syndrome [2]. Muscle & Nerve. 2004. 29(2)330-331.

Brasser SM, Spear NE Physiological and behavioral effects of acute ethanol hangover in juvenile, adolescent, and adult rats. Behav Neurosci 2002, 116(2): 305-20. .

Brauer A, Martin J-D, Schuhmann MU, Braun U, Weyland W. Genauigkeit der Blasentemperaturmessung bei intraabdominellen Eingriffen (Accuracy of intraoperative urinary bladder temperature monitoring during intraabdominal operations). Anasthesiologie Intensivmedizin Notfallmedizin Schmerztherapie 2000, 35(7): 435-439

Brauer A, Pacholik L, Perl T, English MJ, Weyland W, Braun U. Conductive heat exchange with a gel-coated circulating water mattress. Anesth Analg. 2004 ; 99(6):1742-6,

Brauer A, Pacholik L, Perl T, Mielck F, Weyland W, Braun U. [Heat transfer by conductive warming with circulating-water mattresses] An- asthesiol Intensivmed Notfallmed Schmerzther. 2004; 39(8):471-6.

Brauer A, Perl T, Uyanik Z, English MJ, Weyland W, Braun U. Perioperative thermal insulation: minimal clinically important dif feren- ces? Br J Anaesth. 2004; 92(6):836-40.

Brauer A, Weyland W, Kazmaier S, Trostdorf U, Textor Z, Hellige G, Braun U. Efficacy of postoperative rewarming after cardiac surgery. Ann Thorac Cardiovasc Surg. 2004;10(3):171-7.

Brauer A. Accidental hypothermia: Rewarming with veno-venous bypass or cardiopulmonary bypass. J Anasthesie Intensivbeh 2004. 11(1)37-39.

Braunbeck P. Favero MS. EO sterilisation (multiple letters). Zen- tralsterilisation - Central Service. 2004; 12(4): 268-269.

Brausi M. Castagnetti G. Gavioli M. Peracchia G. De Luca G. Olmi R. Radio frequency (RF) ablation of renal tumours does not produce complete tumourdestruction: Results of a phase II study. Eur Urology Supplements. 2004; 3(3): 14-17.

Braverman Y. Potential of infra-red thermography for the detection of summer seasonal recurrent dermatitis (sweet itch) in horses. Vet Rec 1989, 125 (14) 372-374.

Brechignac C, Cahuzac P, Kebaili N, Lando A, Masson A, Schmidt M. Synthesis of silver molybdate clusters driven by laser-annealing. J Chem Phys. 2004; 121(19):9617-22.

Breed WP. What is wrong with the 30-year-old practice of scalp cooling for the prevention of chemotherapy-induced hair loss? Support Care Cancer. 2004; 12(1):3-5.

Breese MB, Rana MA, Osipowicz T, Teo EJ. Enhanced planar channeling of MeV protons through thin crystals. Phys Rev Lett. 2004; 93(10):105505.

Breitenstein O, Langenkamp M. Lock-in contact thermography investigation of lateral electronic inhomogeneities in semiconductor devices. Sensors and Actuators A-Physical 1998,71(1)-2:, 46-50.

Bremerich A, P.Krischek-BremericH. Thermoprofile im Gesichtsbereich. Teil I. Bestimmung einer Normwertgruppe, ThermoMed 1990, 6:45-50.

Bremerich A, Tronnier V, Wiegel W, Krischek-Bremerich P.Die Thermoprofilanalyse im Gesichtsbereich bei Laesionen des Nervus trigeminus.(Thermoprofile analysis of the face for diagnosing trigeminal nerve lesions).Dtsch Z Mund Kiefer Gesichtschir 1989, 13 (1): 65-69.

Bremond P, Potet P. Application of Lock-in thermography to the measurement of stress and to the determination of damages in materials and structures (abstract). Thermol intern 2000, 10 (1): 44-5.

Brendel T, Brinkmann R. Mid-infrared laser-induced superheating of water and its quantification by an optical temperature probe. Appl Opt. 2004; 20;43(9):1856-62.

Brenke A, Brenke R, Loreck O.Diagnostik und klinische Relevanz von Mikrozirkulationsstoerungen bei der progressiven Sklerodermie.(Diagnosis and clinical relevance of microcirculation disorders in progressive scleroderma). Dermatol Monatsschr 1990, 176 (1) 27-33.

Brennan DF, JL.Falk, SG.Rothrock SG, RB. KerR. Reliability of infrared tympanic thermometry in the detection of rectal fever in children. Annals of Emergency Medicine 1995, 25:21-30

Bresse JF. Scanning electron acoustic microscopy and scanning electron microscopic imaging of III-V compounds devices. Scanning Microscopy 1992, 5:961-969.

Brettar I. Christen R. Hofle MG. Belliella baltica gen. nov., sp. nov., a novel marine bacterium of the Cytophaga-Flavobacterium- Bacter- oides group isolated from surface water of thecentral Baltic Sea. Int J Syst Evol Microbiol. 2004; 54(1):65-70.

Brettar I. Christen R. Hofle MG. Idiomarina baltica sp. nov., a marine bacterium with a high optimum growth temperature isolated from surface water of the central Baltic Sea. Int J Sys Evol Microbiol. 2003; 53(2): 407-413.

Brevet P, Dorignac E, Vullierme JJ : Mach number effect on jet impingement heat transfer. Annals of the New York Academy of Sciences 2001, 934: 409-416.

Brey JJ, Garcia de Soria MI, Maynar P, Ruiz-Montero MJ. Energy fluctuations in the homogeneous cooling state of granular gases. Phys Rev E Stat Nonlin Soft Matter Phys. 2004; 70(1 Pt 1):011302.

Brey JJ, Ruiz-Montero MJ, Moreno F. Steady-state representation of the homogeneous cooling state of a granular gas. Phys Rev E Stat Nonlin Soft Matter Phys. 2004; 69(5 Pt 1):051303.

Brey JJ, Ruiz-Montero MJ. Simulation study of the Green-Kubo relations for dilute granular gases. Phys Rev E Stat Nonlin Soft Matter Phys. 2004; 70(5 Pt 1):051301.

Brey JJ, Ruiz-Montero MJ. Validity of the Boltzmann equation to describe low-density granular systems. Phys Rev E Stat Nonlin Soft Matter Phys. 2004; 69(1 Pt 1):011305.

Bridge MW, Weller AS, Rayson M, Jones DA. Ambient temperature and the pituitary hormone response to exercise in humans. Exp Physiol. 2003; 88(5):627-635), 2003.

Bridge MW, Weller AS, Rayson M, Jones DA. Responses to exercise in the heat related to measures of hypothalamic serotonergic and dopaminergic function. Eur J App Physiol. 2003; 89(5):451-459.

Brignone G, Gugliuzza M, Pindaro L. Risultati sull'uso della vit. A ed E in un campione di 256 donne-affette d mastopatia fibrocistica.(Results of the use of vitamins A and E in a sample of 256 women with fibrocystic mastopathy).Minerva Ginecol1988, 40 (1): 29-31.

Brinar V, Zurak N, Brzovic Z. Dynamic sequential thermography (DST) in the diagnosis of primary and secondary Raynaud's syndrome. (abstract). Thermol Österr1992,2:S29-30.

Briner WW JR. Tympanic membrane vs rectal temperature measurement in marathon runners (letter). JAMA 1996, 276: 194.

Brioschi ML, Cimbalista M Jr, Saito RT, Baltar AC The Use Of Thermal Imaging For The Assessment of Work-Related Injuries. Thermol intern 2001, 11(2):84

Brioschi ML, Cimbalista M Jr, Saito RT, Baltar AC, Flor VR Dynamic infrared computerised thermography in the diagnosis of carpal tunnel syndrome. Thermol intern 2001, 11(2):84

Brioschi ML, Cimbalista M. Jr, Saito RT, Baltar AC, Contin LA Thermography for the detection varicose veins of the leg. Thermol intern 2001, 11(2):92

Brioschi ML, Cimbalista M. Jr, Saito RT, Baltar AC, Takahashi L Infrared computerized thermography in varicocele diagnosis. Thermol intern 2001, 11(2):101

Brioschi ML, Cimbalista M. Jr, Saito RT, Baltar AC, Takahashi L, Falavinha JMM Pre-operative localization of perforating arteries in reconstructive plastic surgery. Thermol intern 2001, 11(2):93

Brioschi ML, Colman D, Cimbalista Jr M, Mello Net H. Fusing IR and Magnetic Resonance(MR) Image. J Korean Med Thermol 2002, 2(1):57-58

Brioschi ML, Colman D, Cimbalista Jr M. Infrared Thermal Imaging in Clinical Surgery. J Korean Med Thermol 2002, 2(1):70

Brioschi ML, Colman D,Vargas JVC, von Bahten LC, Nakagawa C, Cimbalista M jr Heat loss by abdominal cavity exposition in rats (abstract). Thermology intern 2000, 10(3):159

Brioschi ML, Loures DR, Cimbalista M. Jr, Saito RT,. Baltar AC Thermal computerized coronary angiography for intraoperative evaluation of cardiac perfusion. preliminary experimental study and the first clinical application in Brazil. Thermol intern 2001, 11(2):91

Brioschi ML, Myaki AE, Colman D, Rasteli Jr M, Macedo R, Cimbalista Jr M. Infrared Thermal Imaging in Rats after Common Carotid Artzrey Occlusion. J Korean Med Thermol 2002, 2(1):57

Brioschi ML, Myaki AE, Colman D, Rasteli Jr M, Macedo R, Cimbalista Jr M. Infrared Thermal Imaging in Rats Submitted to Different Models of Sciatic Nerve and Branches Injury. J Korean Med Thermol 2002, 2(1):64-65

Brioschi ML, Portela Pc, Colman D, Laskawski S, Santois LC, Cimbalista Jr M. Infrared Thermal Imaging in Patients with Chronic Pain in Upper Limbs. J Korean Med Thermol 2002, 2(1):73

Brittig F, Weinkauf P, Karchner H. Ideal cooling process for paraffin-embedded tissues. Pathol Oncol Res. 2004;10(3):172-3.

Briz S, de Castro A.J, Aranda JM, Meléndez J, López F. Reduction of false alarm rate in automatic forest fire infrared surveillance systems, Remote Sens Environ, 2003; 86, (1): 19-29.

Brizel DM. Where there's smoke, is there fire? International Journal of Hyperthermia 1998, 14/6: 589-91.

Broecker WS PaleoclimatE. Was the medieval warm period global? Science 2001, 291(5508): 1497-1499

Broecker WS. Future global warming scenarios. Science. 2004; 304(5669):388.

Bromilow RH. Paraquat and sustainable agriculture. Pest Manag Sci. 2004;60(4):340-9.

Brommelhaus A. Testing Washer-Disinfectors (WD) and Process Documentation. Zentralsterilisation - Central Service. 2003; 11(Suppl. 2):21-22.

Brondin B, Boue C, Fournier D. Synchronous IR photothermal imaginG. Absolute temperature variations and phase measurements up to 54 Hz. IN. Scudieri F, Bertolotti M, editors,Tenth International Conference on Photoacoustic And Photothermal Phenomena, AIP Conference Proceedings Vol.463. AIP Press, Woodbury,1999, p. 173-5.

Bronnlmann S. Luterbacher J. Staehelin J. Svendby TM. Hansen G. Svenoe T. Extreme climate of the global troposphere and stratosphere in 1940-42 related toEl Nino. Nature. 2004; 431(7011): 971-974.

Brooks JP, Perry WB, Putnam AT, Karulf RE. Thermal imaging in the detection of bowel ischemia. Dis Colon Rectum. 2000,43(9):1319-21.

Brooks PM. Thermography- turning up the heat. Med J Aust 1991, 154: 436-437.

Brooks T, Osicki R, Springthorpe V, Sattar S, Filion L, Abrial D, Riffard S. Detection and identification of Legionella species from groundwaters. J Toxicol Environ Health A. 2004; 67(20-22):1845-59.

Brouillette J. Clark RB. Giles WR. Fiset C. Functional properties of K+ currents in adult mouse ventricular myocytes. J Physiol. 2004; 559(3): 777-798.

Brown EB, Boucher Y, Nasser S, Jain RK. Measurement of macro- molecular diffusion coefficients in human tumors. Microvasc Res. 2004; 67(3):231-6.

Brown KM, Fraser KP, Barnes DK, Peck LS. Links between the structure of an Antarctic shallow-water community and ice-scour fre- quency. Oecologia. 2004, 141(1):121-9.

Brown M. Downs CT. The role of shading behaviour in the thermoregulation of breeding crowned plovers (Vanellus coronatus). J Ther Biol. 2003; 28(1):51-58.

Brown MD, Hursthouse MB, Levason W, Ratnani R, Reid G. Synthesis, spectroscopic and structural properties of hexavalent moly- bdenum complexes with thio- and seleno-ether ligands. Dalton Trans. 2004; (16):2487-91.

Brown MS, Li Y, Roberts WL, Gord JR. Analysis of transient-grating signals for reacting-flow applications. Appl Opt. 2003; 42(3):566-78.

Brown MS, Roberts WL. Single-point thermometry in high-pressure, sooting, premixed combustion environments. Journal of Propulsion and Power 1999. 15(1):119-27.

Brown RD, Jt WilsoN. Quantification of fever (editortial). Clin Pediatr (Phila) 1992, 31:228-229.

Browne AC, Sibbald RG. The diabetic neuropathic ulceR. an overview. Ostomy/Wound Management 1999. 45 (1)A SuppL. 6S-22S.

Browne TF, Sivananthan UM, Sabroe I, Rees MR. Use of thermal imaging to monitor crural thrombolysis. Blood Coagul Fibrinolysis 1992, 3: 489-492.

Brownell Wheeler H, FA.Anderson JR. Diagnostic methods for deep vein thrombosis. Haemostasis 1995, 25:6-26.

Bruehl S, Lubenow TR, Nath H, Ivankovich O. Validation of thermography in the diagnosis of reflex sympathetic dystrophy. Clinical Journal Of Pain 1996, 12(4): 316-325.

Brugge JF, Poon PW, So AT, Wu BM, Chan FH, Lam FK. Thermal images of somatic sensory cortex obtained through the skull of rat and gerbil. Experimental Brain Research 1995, 106: 7-18.

Bruhwiler PA. Ducas C. Huber R. Bishop PA. Bicycle helmet ventilation and comfort angle dependence. Eur J Appl Physiol. 2004; 92(6): 698-701.

Brulls M, Folestad S, Sparen A, Rasmuson A. In-situ near-infrared spectroscopy monitoring of the lyophilization process. Pharm Res. 2003; 20(3):494-499.

Brundage SI, Zautke NA, Holcomb JB, Spain DA, Lam JC, Mastr- angelo MA, Macaitis JM, Tweardy DJ. Interleukin-6 infusion blunts proinflammatory cytokine production without causing systematic toxi- city in a swine model of uncontrolled hemorrhagic shock. J Trauma. 2004;57(5):970-978;

Bruno RL. Almeida AF. Nascimento Filho V. Aguiar ML. Gon- calves JAS. Coury JR. Atmospheric particulate matter in the city of Sa~o Carlos/SP, Brazil. Int J Environ Pollut. 2004; 22(4): 476-489.

Brunson DB. Hogan KJ. Malignant hyperthermia: A syndrome not a disease. Vet Clinics of North America - Small Animal Practice. 34(6 Spec.Iss.): 2004;1419-1433.

Bryan SEtí J, Leosson M Petrology and Geochemistry of the Bandas del Sur Formation, Las Cañadas Edifice, Tenerife (Canary Islands) J. Petrology 2002, 43: 1815 - 1856.

Brzezinska-Slebodzinska E, Slebodzinski AB.Changes in thyro- xine, 3,3',5-triiodothyronine and 3,3'5'-triiodothyronine content in the thyroid gland and in serum to thyroid tissue iodothyronine ratios during ontogenesis in the fetal pig. Acta Vet Hung. 2004;52(4):379-87.

Bucher W. Regulationsthermographie mit Infrarot-Sensoren. Thermomed 2004,19/20: 37-43

Buck PE, Sabol DE, Gillespie AR.Sub-pixel artifact detection using remote sensing, J Archaeol Sci, 2003; 30, (8): 973-989.

Buck S. Pennefather PS. Xue HY. Grant J. Cheng Y-L. Allen CJ. Engin lipobeads: Properties of the hydrogel core and the lipid bi- layershell. Biomacromolecules. 2004; 5(6): 2230-2237.

Buckenmaier SMC. McCalley DV. Euerby MR. Rationalisation of unusual changes in efficiency and retention with temperatureshown for bases in reversed-phase high-performance liquid chromatography at intermediate pH. J Chromat. A.. 2004; 1060(1-2 Spec. Iss.): 117-126.

Buczkowska EO [In Process Citation] Pol Merkuriusz Lek 2002, 13(75): 266-70.

Buczylko K, B.WieceK. Thermographical assessment during nasal provocation tests in patients with pollenosis (abstract). European Journal of Thermology 1998, 8(4) :185.

Buczylko K, Więcek B , Chwala C. Application of thermography for evaluation of the allergen provocation. IN. Balageas D, Busse G, Carlomagno, C, Więcek B, editors, Quantitative InfraRed Thermography 4: Medical InfraRed Thermography, MIRT´98. Eurotherm Seminar 60 Proceedings, Łódź, 1999. p.9-14

Budavari Z, Zelko R, Racz I, Marton S. Compatibility study between folic acid, vitamin B6 and tablet excipients using differential scanning calorimetry.Pharmazie 1999. 54(11): 861-2

Buffon A, Biasucci LM, Liuzzo G, D'Onofrio G, Crea F, Maseri A. Widespread Coronary Inflammation in Unstable Angina N. Engl. J. Med. 2002, 347: 5 - 12.

Buggy DJ, Kerin MJ. Paravertebral analgesia with levobupivacaine increases postoperative flap tissue oxygen tension after immediate latissimus dorsi breast reconstruction compared with intravenous opi- oid analgesia. Anesthesiology. 2004; 100(2):375-80.

Buisson P. Bach V. Elabbassi EB. Chardon K. Delanaud S. Ca- narelli J-P. LibertJ-P. Assessment of the efficiency of warming devices during neonatal surgery. Eur J Appl Physiol. 2004; 92(6): 694-697.

Bujan L, Daudin M, Charlet J-P, Thonneau P, Mieusset R. Increase in scrotal temperature in car drivers. Human Reproduction 2000, 15(6): 1355-1357

Bukulmez O. Arici A. Luteal phase defect: Myth or reality. Obstet Gynec Clin North America. 2004;31(4): 727-744.

Bulstrode NW, Wilson GR, Inglis MS. No-touch free-flap temperature monitoring. Br J Plast Surg 2002, 55(2): 174.

Bundy M, Hamins A, Lee KY. Suppression limits of low strain rate non-premixed methane flames. Combust Flame. 2003; 133(3):299-310).

Bunuel Alvarez JC, Vila Pablos C, Heredia Quicios J, Lloveras Clos M, Basurto On~a X, Gomez Martinench E, Pont Valles J. Usefulness of physical examination at a primary health centre to diagnose infant pneumonia caught in the community. Atencion Primaria. 2003; 32(6):349-354.

Buono MJ, Maupin CJ. Relationship between sweat gland recruitment and esophageal temperature during exercise-induced hyperthermia. J Ther Biol. 2003; 28(5):381-384.

Buono MJ. Burke S. Endemann S. Graham H. Gressard C. Gris- wold L. Michalewicz B. The effect of ambient air temperature on whole-body bioelectrical impedance. Physiol Meas. 2004.25(1)119-123.

Burchardt D, Borysewicz-Lewicka M. Thermographic diagnosis of periodonatal area in children and adolescents. Thermol intern 2001, 11(4):206-207

Burchardt D, Gorski S. Thermographic diagnosis of periodontal area in 16-17 years old healthy adolescents (abstract). Thermol int 2004, 14(2): 81.

Burchardt D. Kinetics of the temperature increase of periodontal tissues after cooling in patients with insulin-dependent diabetes mellitus-preliminary studies. Thermol intern 2002. 12: 154

Burchardt D. Results of thermographic assessment of periodontal tissues in children suffering from decompensated IDDM versus the time of the disease. (abstract) Thermol int 2003, 13: 66.

Burchiel KJ, TJ.Johans, J.OchoA. Painful nerve injurieS. bridging the gap between basic neuroscience and neurosurgical treatment. Acta Neurochirurgica 1993, 58 (Supplement): 131-135.

Burdina LM, Khdaib Fuad, Smetnik VP, Volobuev AL.Sostoianie molochnykh zhelez pri gipergonadotropnoi amenoree. (State of the mammary glands in hypergonadotropic amenorrhea).Akush Ginekol (Mosk) 1990, (4): 47-50.

Burdío F, Güemes A, Burdío JM, Navarro A, Sousa R, Castiella T, Cruz I, Burzaco O, Lozano R. Bipolar Saline-enhanced Electrode for Radiofrequency Ablation: Results of Experimental Study of in Vivo Porcine Liver. Radiology. 2003; 229: 447 - 456.

Burg KJL, Shalaby SW. Water fugacity in absorbing polymers. Journal of Biomedical Materials Research 1997, 38(4): 337-341.

Burger R, Bendszus M, Vince GH, Solymosi L, Roosen K. Neuro- physiological monitoring, magnetic resonance imaging, and histological assays confirm the beneficial effects of moderate hypothermia after epidural focal mass lesion development in rodents. Neurosurgery. 2004; 54(3):701-712.

Burgner D. D'Amato M. Kwiatkowski DP. Loakes D. Improved allelic differentiation using sequence-specific oligonucleotide hybridi- zation incorporating an additional base-analogue mismatch. Nucleo- sides Nucleotides Nucleic Acids. 2004;23(5): 755-765.

Burioni R. Cassi D. Cecconi F. Vulpiani A. Topological Thermal Instability and Length of Proteins. Proteins: Structure, Funct Genet. 2004;55(3): 529-535.

Burke AP, Virmani R, Galis Z, Haudenschild CC,. Muller JE. Task force #2—what is the pathologic basis for new atherosclerosis imaging techniques?, J Am Coll Cardiol. 2003; 41, (11): 1874-1886.

Burleigh D. Thermographic testing used on the X-33 space launch vehicle program by BFGoodrich Aerospace, IN. LeMieux DH, Snell JR, editorS. Thermosense XXI,Proceedings of the Society of Photo-Optical Instrumentation Engineers (SPIE), Vol.3700, Bellingham, 1999. p. 84-92

Burova TV, Grinberg NV, Grinberg VY, Rariy RV, Klibanov AM. Calorimetric evidence for a native-like conformation of hen egg-white lysozyme dissolved in glycerol. Biochimica et Biophysica Acta - Protein Structure and Molecular Enzymology 2000, 1478(2):309-17

Bush GW, Kerry J. Bush and Kerry Offer Their Views on Science. Science. 2004 Sep 15; Epub ahead of print

Bush MB, Silman MR, Urrego DH. 48,000 years of climate and forest change in a biodiversity hot spot. Science. 2004; 303(5659):827-9.

Busic V. Das-Gupta R. Temperature monitoring in free flap surgery [1]. Br J Plastic Surg. 2004; 57(6)588.

Busse H, Rassek M, Grust A, Kahn T, Schwarzmaier HJ. Improved quantitative MR thermometry using a 1.5 T scanner to monitor cooled applicator systems during laser-induced interstitial thermotherapy. IN. Ryan TP, Wong TZ, editors,Thermal Treatment of Tissue With Image Guidance, Proceedings of the Society of Photo-Optical Instrumentation Engineers, SPIE, Vol.3594. Bellingham, 1999, p. 196-203

Busson P, Ihre H, Hult A. Synthesis of a novel dendritic liquid crystalline polymer showing a ferroelectric SmC* phase 1. Journal of the American Chemical Society 1998, 120(3)5: 9070-1

Buszewicz G, Madro R. Stability of toluene and reduction of acetone to 2-propanol in homogenates of the human liver, brain and lungs. Forensic Sci Int. 2004;141(1):63-8.

Butler JS, Loh SN. Structure, function, and aggregation of the zinc-free form of the p53 DNA binding domain. Biochem. 2003; 42(8):2396-2403.

Butler R, Gibson T. Clinical (Concurrent Session G). Br J Rheumatol 1992, 31:133-135.

Button DK, Robertson B, Gustafson E, Zhao X. Experimental and theoretical bases of specific affinity, a cytoarchitecture-based for- mulation of nutrient collection proposed to supercede the Michaelis- Menten paradigm of microbial kinetics. Appl Environ Microbiol. 2004; 70(9):5511-21.

Butudom P, Barnes DJ, Davis MW, Nielsen BD, Eberhart SW, Schott HC 2nd.Rehydration fluid temperature affects voluntary drin- king in horses dehydrated by furosemide administration and endu- rance exercise. Vet J. 2004;167(1):72-80.

Buyukozturk O. Imaging of concrete structures. NDT & E International 1998, 31(4): 233-243.

Buzrul S. Alpas H. Modeling the synergistic effect of high pressure and heat on inactivationkinetics of Listeria innocua: A preliminary study. FEMS Microbiol Letters. 2004; 238(1): 29-36.

Byrnes MJ, Chisholm MH, Dye DF, Hadad CM, Pate BD, Wilson PJ, Zaleski JM. 9,10-Anthracene dicarboxylate bridged complexes with M2 quadruply bonded dimetal units: [[M2(O2CtBu) 3]2(mu-9,10-An (CO2)2)], where M = Mo or W. Dalton Trans. 2004; (4):523-9.

Bystritskaia TS, Volkova NN, Sheptunova EA. Sostoianie plodnogo i matochno-platsentarnogo krovotoka pri neoslozhnennoi beremennosti i gestozakh Metody otsenki (State of fetal and uteroplacental blood flow in uncomplicated pregnancy and gestoses. Methods of evaluation). Sov Med 1989, (12): 19-23.

Byun Y.H, S.C. Kim, J. H. ShiM. Clinical Study Of Digital Infrared Thermographic Imaging For Herniated Lumbar Discs. (abstract) Thermol Österr 1997, 7(1):26-27.

Cabeza P, Hernandez Madrid A, Palmeiro A, Rebollo JM, Pen~a G, Escobar C, Bueno MG, Correa C, Chercoles A, Marin I, Bernal E, Peng J, Nannini S, Limon L, Viana M. Moro C. Lesions produced by radiofrequency ablation of the cavotricuspid isthmus in an experimental model. Rev Esp Cardiol. 2003; 56(10):963-970.

Cabrales P, Acero C, Intaglietta M, Tsai AG. Measurement of the cardiac output in small animals by thermodilution. Microvas Res. 2003; 66(2):77-82).

Cadeddu JA, Jackman SV, Schulam PG Laparoscopic infrared imaging. Journal Of Endourology 2001. 15 (1) 111-6

Cadier M, E DewaR.P.ShakespearE. Skin temperature during dye laser therapy of port wine stains, Thermol Österr1994, 4(4):171.

Cadier M.A, . A.E. Dewar, P.G.ShakespearE. Skin temperature during dye laser therapy of port wine stains. IN. Ammer K, EFJ Ring (eds): The Thermal Image in Medicine and Biology, Uhlen Verlag, Wien 1995,pp. 150-155.

Cady B, Steele GD Jr, Morrow M, Gardner B, Smith BL, Lee NC, Lawson HW, Winchester DP. Evaluation of common breast problemS. Guidance for primary care providers. Ca-A Cancer Journal for Clinicians 1998, 48(1):49-63

Caffe PJ, Trumbull RB, Coira BL, Romer RL- Petrogenesis of Early Neogene Magmatism in the Northern Puna, Implications for Magma Genesis and Crustal Processes in the Central Andean Plateau J. Petrology 2002, 43: 907 - 942. .

Caggioni M, Roshi A, Barjami S, Mantegazza F, Iannacchione GS, Bellini T. Isotropic to nematic transition of aerosil-disordered liquid crystals. Phys Rev Lett. 2004;93(12):127801.

Cai Q, Bei J, Wang S. Synthesis and degradation of a tri-component copolymer derived from glycolide, L-lactide, and epsilon-caprolactone. J Biomater Sci Polym Ed. 2000,11(3):273-88.

Cai XY, Chen GA, Lian Y, Zheng XY, Peng HM. [Influence of cryoprotectant and cooling rate in vitrification method on the spindles of rabbit oocytes.] Beijing Da Xue Xue Bao. 2004;36(6):566-70.

Cain SF 3rd, Davis GA, Loheide SP 3rd, Butler JJ Jr. Noise in pressure transducer readings produced by variations in solar radiation. Ground Water. 2004; 42(6-7):939-44.

Caine-Bish NL. Potkanowicz ES. Otterstetter R. Glickman EL. Thermal and metabolic responses of sleep deprivation of humans during acute coldexposure. Aviat Space Environ Med, 2004;75(11): 964-968.

Cairns ML, Burns P, Di Nicolantonio R, McKinley MJ, Mathai ML. Influence of brain angiotensin on thermoregulation and hydromineral balance during pregnancy in rats. J Appl Physiol. 2004 Dec 3; Epub ahead of print

Cajochen C, Munch M, Kobialka S, Krauchi K, Steiner R, Oelhafen P, Orgul S, Wirz-Justice A. High sensitivity of human melatonin, alertness, thermoregulation and heart rate to short wavelength light. J Clin Endocrinol Metab. 2004 Dec 7; Epub ahead of print

Calahorro CV, Serrano VG, Alvaro JH, Garcia AB. The use of waste matter after olive grove pruning for the preparation of charcoal. The influence of the type of matter, particle size and pyrolysis temperature. Bioresource Technology 1992, 40: 17-22.

Calasso M, Parmeggiani PL. Thermogenesis of interscapular brown adipose tissue selectively influences pontine and preoptic- hypo- thalamic temperatures during sleep in the rat. Brain Res. 2004; 1015 (1-2): 103-6.

Calbet JA, Holst JJ. Gastric emptying, gastric secretion and entero- gastrone response afteradministration of milk proteins or their peptide hydrolysates in humans. Eur J Nutrition. 2004; 43(3): 127-139.

Calik G. Pehlivan N. Ozcelik IS. Calik P. Ozdamar TH. Fermen- tation and oxygen transfer characteristics in serine alkaline protease production by recombinant Bacillus subtilis in molasses-based complex medium. J Chem Technol Biotechnol. 2004;79(11): 1243-1250.

Calkins H. Catheter ablation of atrial flutter: Do outcomes of catheter ablation with 'large-tip' versus 'cooled-tip' catheters really differ?. J Cardiovasc Electrophysiol. 2004. 15(10)1131-1132.

Callaghan TV, Bjorn LO, Chernov Y, Chapin T, Christensen TR, Huntley B,Ims RA, Johansson M, Jolly D, Jonasson S, Matveyeva N, Panikov N, Oechel W,Shaver G, Elster J, Henttonen H, Laine K, Taulavuori K, Taulavuori E, Zockler C. Biodiversity, distributions and adaptations of Arctic species in the context of environmental change. Ambio. 2004 Nov;33(7):404-17.

Callaghan TV, Bjorn LO, Chernov Y, Chapin T, Christensen TR, Huntley B, Ims RA, Johansson M, Jolly D, Jonasson S, Matveyeva N, Panikov N, Oechel W, Shaver G. Uncertainties and recommendations. Ambio. 2004; 33(7):474-9.

Callaghan TV, Bjorn LO, Chernov Y, Chapin T, Christensen TR, Huntley B, Ims RA, Johansson M, Jolly D, Jonasson S, Matveyeva N, Panikov N, Oechel W, Shaver G, Schaphoff S, Sitch S, Zockler C. Synthesis of effects in four Arctic subregions. Ambio. 2004; 33(7): 469-73.

Callaghan TV, Bjorn LO, Chernov Y, Chapin T, Christensen TR, Huntley B, Ims RA, Johansson M, Jolly D, Jonasson S, Matveyeva N, Panikov N, Oechel W, Shaver G, Schaphoff S, Sitch S. Effects of changes in climate on landscape and regional processes, and feedbacks to the climate system. Ambio. 2004; 33(7):459-68.

Callaghan TV, Bjorn LO, Chernov Y, Chapin T, Christensen TR, Huntley B, Ims RA, Johansson M, Jolly D, Jonasson S, Matveyeva N, Panikov N, Oechel W, Shaver G. Effects on the function of Arctic ecosystems in the short- and long-term perspectives. Ambio. 2004; 33(7):448-58.

Callaghan TV, Bjorn LO, Chernov Y, Chapin T, Christensen TR, Huntley B, Ims RA, Johansson M, Jolly D, Jonasson S, Matveyeva N, Panikov N, Oechel W, Shaver G, Henttonen H. Effects on the structure of Arctic ecosystems in the short- and long-term perspectives. Ambio. 2004; 33(7):436-47.

Callaghan TV, Bjorn LO, Chernov Y, Chapin T, Christensen TR, Huntley B, Ims RA, Johansson M, Jolly D, Jonasson S, Matveyeva N, Panikov N, Oechel W, Shaver G, Elster J, Jonsdottir IS, Laine K, Taulavuori K, Taulavuori E, Zockler C. Responses to projected changes in climate and UV-B at the species level. Ambio. 2004; 33(7):418-35.

Callaghan TV, Bjorn LO, Chernov Y, Chapin T, Christensen TR, Huntley B, Ims RA, Johansson M, Jolly D, Jonasson S, Matveyeva N, Panikov N, Oechel W, Shaver G. Past changes in Arctic terrestrial ecosystems, climate and UV radiation. Ambio. 2004; 33(7):398-403.

Callaghan TV, Johansson M, Heal OW, Saelthun NR, Barkved LJ, Bayfield N, Brandt O, Brooker R, Christiansen HH, Forchhammer M, Hoye TT, Humlum O, Jarvinen A, Jonasson C, Kohler J, Magnusson B, Meltofte H, Mortensen L, Neuvonen S, Pearce I, Rasch M, Turner L, Hasholt B, Huhta E, Leskinen E, Nielsen N, Siikamaki P. Environ- mental changes in the North Atlantic Region: SCANNET as a col- laborative approach for documenting, understanding and predicting changes. Ambio. 2004;Spec No 13(13):39-50.

Callahan K, Turchin C. Efficacy Of Computerized, Dynamic Infrared Imaging In Assessing Breast Masses Undergoing Biopsy. (abstract). Thermol int 2003,13.33

Callanan D. Detecting fever in young infants: Reliability of perceived, pacifier, and temporal artery temperatures in infants younger than months of age. Pediat Emerg Care. 2003; 19(4) :240-243.

Callaway SR. Ratz JL. Surgical pearl: Cryoblast, a modified cryo- surgical technique for thick lesions. J Am Acad Dermatol 2004; 51(3): 458-459.

Camaioni D, Evangelista M. The significance and validity of instrumental tests in legal medicine and medical insurance (abstract). Thermology intern 2000, 10(3):156-8

Camara AK, Riess ML, Kevin LG, Novalija E, Stowe DF. Hypo- thermia augments reactive oxygen species detected in the guinea pig isolated perfused heart. Am J Physiol Heart Circ Physiol. 2004; 286(4): H1289-99.

Camarero J, Sanchez V, O'Shea E, Green AR, Colado MI. Studies, using *in vivo* microdialysis, on the effect of the dopamine uptake inhibitor GBR 12909 on 3.4-methylenedioxymethamphetamine ('ecstasy')-induced dopamine release and free radical formation in the mouse striatum J. Neurochem. 2002, 81: 961 - 972.

Cambie C, E De BleeckeR. Excimers in Medicine (abstract). Thermol Österr1992, 2:S38.

Cambier C. Weirinckx M. Clerbaux T. Detry B. Liardet M-P. Marville V. Frans AGustin P. Haemoglobin oxygen affinity and re- gulating factors of the blood oxygen transportin canine and feline blood. Res Vet Sci. 2004; 77(1): 83-88.

Cameron EW, D Sachdev, P Gishen, JF MartIn. Liquid crystal thermography as a screening test for deep vein thrombosis in patients with cerebral infarction. Eur J Clin Invest 1991, 21: 548-550.

Campana F, Zervoudis S, Perdereau B, Gez E, Fourquet A, Badiu C, Tsakiris G, Koulaloglou S. Topical superoxide dismutase reduces post-irradiation breast cancer fibrosis. J Cell Mol Med. 2004; 8(1): 109-16.

Campbell PA, Cresswell AB, Frank TG, Cuschieri A. Real- time thermography during energized vessel sealing and dissection. Surg Endosc. 2003 Oct;17(10):1640-5.

Campbell PA, Song C, Frank TG, Cuschieri A Investigating Energised Surgery and Thermally Activated Fixator Deployment using Dynamic Thermography. Thermol intern 2001, 11(2):78-79

Campell P. UK Symposium on Medical Thermal Imaging II. Thermol Int 2003; 13(4): 168-170

Campell PA, Song C, Frank TG, Cuschieri A.Dynamic thermography of shape memory alloy surgical fixators. Thermol intern 2001, 11(1): 5-10

Campero M, RJ.Verdugo, JL.OchoA. Vasomotor innervation of the skin of the hanD. a contribution to the study of human anatomy. Journal of Anatomy 1993, 182: 361-368.

Canavan D, Gratt BM. Electronic thermography for the assessment of mild and moderate temporomandibular joint dysfunction. Oral Surgery, Oral Medicine, Oral Pathology, Oral Radiology And Endodontics 1995, 79(6): 778-786.

Cankar K. Finderle Z. Strucl M. The role of a1- and a2- adreno- ceptors in gender differences in cutaneous LD flux response to local cooling. Microvasc Res. 2004. 68(2)126-131.

Cantel S. Desranges S. Martinez J. Fehrentz J-A. Saponification of esters of chiral a-amino acids anchored through their aminefunction on solid support. J Peptide Sci. 2004; 10(6): 326-328.

Cao H, Vorperian VR, Tsai JZ, Tungjitkusolmun S, Woo EJ, Webster JG Temperature measurement within myocardium during in vitro RF catheter ablation. : IEEE Transactions On Biomedical Engineering 2000, 47 (11) 1518-24

Cao H, Vorperian VR, Tungjitkusolmun S, Tsai J-Z, Haemmerich D, Bin Choy Y, Webster JG Flow effect on lesion formation in RF cardiac catheter ablation. IEEE Transactions on Biomedical Engineering 2001, 48(4): 425-433

Cao X, Liu X, Dong X. Alkaliphilus crotonatoxidans sp. nov., strictly anaerobic, crotonate-dismutating bacterium isolated from methanogenic environment. Int J Sys Evol Microbiol. 2003; 53(4):971-975

Cao Y, Davidson MR, O'Connor AJ, Stevens GW, Cooper-White JJ. Architecture control of three-dimensional polymeric scaffolds for soft tissue engineering. I. Establishment and validation of numerical models. J Biomed Mater Res. 2004 Oct 1;71A(1):81-9.

Capasso G, Maffulli N, Testa V, Sgambato A. L'anca Irritabile. Frequenca e prospective diagnostiche per lo screenning. The irritable hip. Perspectives for screening. Minerva Ortopedica e Traumatologica 1992, 43:713-716.

Capelluto E, Champault G. [Variations in intraperitoneal temperature during laparoscopic cholecystectomy]. Ann Chir. 2000,125(3):259-62.

Capp CL. Dorwart WC. Elias NT. Hillman SR. Lancaster SS. Nair RC. Ngo BTRendell MS. Smith DM. Post pressure hyperemia in the rat. Comp Biochem Physiol. A Mol Intgr Physiol. 2004. 137(3)533-546.

Caputa M. Selective brain cooling: A multiple regulatory mechanism. J Thermal Biol. 2004;. 29(7-8 Spec. Iss.)691-702.

Caramaschi P, Codella 0, Poli G, Perbellini L, Biasi D, Bambara LM, Corrocher R, De Sandre G.Use of computerized digital thermometry for diagnosis of Raynaud's phenomenon. Angiology 1989, 40 (10): 863-871.

Carbno GB, Canil D. Mantle Structure Beneath the SW Slave Craton, CanadA. Constraints from Garnet Geochemistry in the Drybones Bay Kimberlite J. Petrology 2002, 43: 129 - 142.

Carbone GL, Mauriello A, Christiansen M, Oxvig C, Spagnoli LG, Schwartz RS, Sangiorgi G. Unstable carotid plaque: biochemical and cellular marker of vulnerability Ital Heart J. 2003; 4(5 Suppl):398-406.

Cardin S, Pagliassotti MJ, Moore MC, Edgerton DS, Lautz M, Farmer B, Neal DW, Cherrington AD. Vagal cooling and concomitant portal norepinephrine infusion do not reduce net hepatic glucose uptake in conscious dogs. Am J Physiol Regul Integr Comp Physiol. 2004; 287(4):R742-8.

Cardona G, Morgan PB, Efron N, Tullo AB. Ocular and skin temperature in ophthalmic postherpetic neuralgia. Pain Clinic 1996, 9:145-150.

Carey R. Unterstanding instructions (letter). J Obstet Gynecol Neonatal Nurs 1992, 21: 60.

Carlomagno GM, Astarita T, Cardone G. Convective Heat Transfer and Infrared Thermography Ann. N.Y. Acad. Sci. 2002, 972: 177 - 186.

Carlsen E, Andersson A-M, Petersen JH, Skakkebæk NE. History of febrile illness and variation in semen quality Hum Reprod, 2003; 18: 2089 - 2092.

Carn SA, Pyle DM Petrology and Geochemistry of the Lamongan Volcanic Field, East Java, IndonesiA. Primitive Sunda Arc Magmas in an Extensional Tectonic Setting? J. Petrology 2001, 42: 1643 - 1683.

Carpene E. Andreani G. Monari M. Kindt M. Isani G. Biochemical changes during post-larval growth in white muscle of gilthead sea bream (Sparus aurata) fed zinc-fortified diets. Vet Res Communicatunicatunicatat. 2003; 27(Suppl. 1):215-218.

Carpenter JS, Gilchrist JM, Chen K, Gautam S, Freedman RR. Hot flashes, core body temperature, and metabolic parameters in breast cancer survivors. Menopause. 2004;11(4):375-81.

Carpentier PH Methodes actuelles d'exploration clinique de la microcirculation. (Current techniques for the clinical evaluation of the microcirculation) Journal Des Maladies Vasculaires 2001. 26 (2) 142-7

Carpentier PH.TI. Methodes D'exploration Vasculaire Chez L'hommE. Microcirculation et Veines.Techniques for the evaluation of microvascular and venous functions in man. An overview. Therapie 1999. 54(3): 369-74

Carrillo A, Duerk JL, Lewin JS, Wilson DL. Semiautomatic 3-D image registration as applied to interventional MRI liver cancer treatment. IEEE Trans Med Imaging. 2000,19(3):175-85.

Carrillo MA, Kaliyan N, Cannon CA, Morey RV, Wilcke WF. A simple method to adjust cooling rates for supercooling point deter- mination. Cryo Letters. 2004; 25(3):155-60.

Carsi B, Lopez-Lacomba JL, Sanz J, Marco F, Lopez-Duran L. Cryoprotectant permeation through human articular cartilage. Osteo- arthritis Cartilage. 2004; 12(10):787-92.

Carstensen J, Popkirov G, Bahr J, Föll H. CELLO: an advanced LBIC measurement technique for solar cell local characterization, Solar Energy Mat Solar Cells, 2003; 76, (4) 599-611.

Carter S, Tubaro A Relation between intraprostatic temperature and clinical outcome in microwave thermotherapy. Journal Of Endourology 2000. 14 (8) 617-25

Caruolo EV, Jarman RF, Dickey DA. Milk temperature in the claw piece of the milking machine and mammary surface temperature are predictors of internal mammary temperature in goats. Zentralbl Veterinarmed [A] 1990, 37 (1): 61-67.

Caruthers JM, Lauterbach JA, Thomson KT, Venkatasubramanian V, Snively CM, Bhan A,. Katare S; Oskarsdottir. G. Catalyst design: knowledge extraction from high-throughput ex- perimentation, J Catalysis, 2003; 216, (s 1-2): 98-109.

Carvalho AS, Santos AM, Neves-Petersen MT, Petersen SB, Aires- Barros MR, e Melo EP. Conformational states of HRPA1 induced by thermal unfolding: effect of low molecular weight solutes. Biopolymers. 2004;75(2):173-86.

Carver AD, Unger DR, Parks CL. Modeling Energy Savings from Urban Shade Trees: An Assessment of the CITYgreen(R) Energy Conservation Module. Environ Manage. 2004; Epub ahead of print

Casale R, Buonocore M, Teofoli P, Matucci-Cerinic M, Elam M. Lack of sympathetic involvement in dermatitis confined to the median nerve territory. A case report. Acta Dermato-Venereologica 1996, 76(1): 52-54.

Cashman JD. CT scanning (letter).Med J Aust 1991, 154:853.

Casini M, Alei R, Prigiotti G. Patologia del funiculo (pathology of the speramtic cord). Archivio Italiano di Urologia, Nefrologia, Andrologia 1992, 64 (suppl 2): 61-69.

Caspani ML. Savioli M. Crotti S. Bruzzone P. Gattinoni L. Heat stress: Characteristics, pathophysiology and avoidable mistakes. Mi- nerva Anestesiologica. 70(7-8)617-624. 2004.

Casscells W, Hathorn B, David M, Krabach T, Vaughn WK, McAllister HA, Bearman G, Willerson JT. Thermal detection of cellular infiltrates in living atheroS.lerotic plaqueS. possible implications for plaque rupture and thrombosis Lancet, 347 (9013) 1447-5.1996

Casscells W, Naghavi M, Willerson JT. Vulnerable atherosclerotic plaque: A multifocal disease. Circulation. 2003; 107(16): 2072-2075.

Cassey J. Strezov V. Armstrong P. Forsyth R. Lucas J. Jones B. Farrell P. Influence of control variables on mannequin temperature in a paediatric operating theatre. Paediatr Anaesth. 14(2)130-134. 2004.

Cassidy RA, Puri N, Miller PS. Effect of DNA target sequence on triplex formation by oligo-2'-deoxy- and 2'-O-methylribonucleotides. Nuc Acids Res. 2003; 31(14):4099-4108.

Cassimeris L, Gard D, Tran PT, Erickson HP : XMAP215 is a long thin molecule that does not increase microtubule stiffness Journal of Cell Science 2001 114(16): 3025-3033

Casta J, Gwozdz R, Katrik P, Grass F. High-flux irradiation of open samples. Journal of Radioanalytical and Nuclear Chemistry 2000, 244(2): 349-354

Castellini P, Esposito E, Paone N, Tomasini EP. Conservation of frescoes paintings and icons, non-invasive measurement of damage by a laser scanning vibrometer. IN. Doctor SR, Lebowitz CA, Baaklini GY(eds): Nondestructive Evaluation of Materials and Composites II. Proceedings of The Society of Photo-Optical Instrumentation Engineers (SPIE) Vol.3396. Bellingham 1998, pp. 63-73.

Castille F, J Devulder,L.de Thibaut de Boesinghe, A.Moerman, L.de Colvenaer, G.RollY. Evaluation of the effects of spinal cord stimulation by IRT. Thermol Österr1994, 4(4):178-179.

Castro EH, Leone EO, Costanzo M, Luca R. Thermographic study of an electrical distribution station. IN. LeMieux DH, Snell JR, editorS. Thermosense XXI,Proceedings of the Society of Photo-Optical Instrumentation Engineers (SPIE), Vol.3700, Bellingham, 1999. p. 273-82

Castro EH, Pfefferman JD, Gonzalez HJ. Ther- mal analysis of images obtained with an airborne IR scanner in Argentina. IN. Snell JR, RN Wurzbach (eds): Thermosense XX. Proceedings of the Society of Photo-Optical Instrumentation Engineers (SPIE) Vol. 3361. Bellingham 1998,: pp.169-176.

Catai JR, Carrilho E. Simlex optimization of electrokinetic injection of DNA in capillary electrophoresis using dilute polymer solution. Electrophor. 2003; 24(4):648-654.

Cataldo F. Keheyan Y. Baccaro S. The effect of gamma-irradiation of anthracite coal and oil bitumen. JRadioanalyt Nuclear Chem. 2004; 262(2): 443-450.

Cates JR, Young DN, Guerriero DJ, Jahn WT, Armine JP, Korbett AB, Bowerman DS, Porter RC, Sandman T, King RA. An independent assessment of chiropractic practice guidelines, J Manipul Physiol Ther, 2003; 26, (5): 282-286.

Cattaneo CG, Frank SM, Hesel TW, El-Rahmany HK, Kim LJ, Tran KM. The accuracy and precision of body temperature monitoring methods during regional and general anesthesia. Anesthesia and Analgesia 2000. 90(4):938-45

Cattuto C, Marconi UM. Ordering phenomena in cooling granular mixtures. Phys Rev Lett. 2004; 92(17):174502.

Causer SM, Botica KJ, Shorter CL. Removal of house-dust mites and Der I during laundering of bedding. Allergy. 2003; 58(6):531-532

Centeno F, Fernandez-Salguero P, Laynez JL, Gutierrez-Merino C. Differential scanning calorimetry study of glycogen phosphorylase b-detergent interactions. Journal of Bioenergetics and Biomembranes1992, 24:625-634.

Cerdan AGI. La Distrofia Simpatico Refleja En Traumatologia. Inflamacion y Regulacion del Crecimiento Celular 1997, 8(6): 335-338.

Cereda M. Maccioli GA. Intraoperative Temperature Monitoring. Int Anesthesiol Clin. 2004; 42(2): 41-54.

Cerletti A, Drewe J, Fricker G, Eberle AN, Huwyler J Endocytosis and transcytosis of an immunoliposome-based brain drug delivery system. Journal of Drug Targeting 2001, 8(6): 435-446

Cervini C, W Grassi, F SalaffI. Criteria of activity of rheumatoid arthritis. Clin Ther 1991, 139: 279-287.

Ceschini S, Lupidi G, Coletta M, Pon CL, Fioretti E, Angeletti M. Multimeric self-assembly equilibria involving the histone-like protein H-NS. A thermodynamic study. Journal of Biological Chemistry 2000, 275(2): 729-734

Cestari AR. Vieira EFS. Lopes ECN. Da Silva RG. Kinetics and equilibrium parameters of Hg(II) adsorption on silica-dithizone. J Coll Interface Sci. 2004;272(2): 271-276.

Chaerle L, Van Caeneghem W, Messens E, Lambers H, Van Montagu M, Van Der Straeten D. Presymptomatic visualization of plant-virus interactions by thermography. Nature Biotechnology 1999, 17/8: 813-6.

Chaerle L, De Boever F, Van Der Straeten D.Infrared detection of early biotic stress in plants. Thermol intern 2002. 12: 100-106

Chaerle L, Hagenbeek D, De Bruyne E, Valcke R, Van Der Straeten D.Thermal and chlorophyll-fluorescence imaging distinguish plant- pathogen interactions at an early stage. Plant Cell Physiol. 2004; 45(7): 887-96.

Chaerle L, Van Der Straeten D. Seeing is believinG. Imaging techniques to monitor plant health. Biochimica et Biophysica Acta - Gene Structure and Expression 2001, 1519(3):153- 166

Chakraborty J. The geographic distribution of potential risks posed by industrial toxic emissions in the U.S. J Environ Sci Health A Tox Hazard Subst Environ Eng. 2004;39(3):559-75.

Chakravarti R. Sahai V. Compactin - A review. Appl Microbiol Biotechnol. 2004; 64(5): 618-624.

Chaler R, Grimalt JO, Pelejero C, Calvo E. Sensitivity effects in U(k')(sub(37) paleotemperature estimation by chemical ionization mass spectrometry. Analytical Chemistry 2000, 72(24): 5892-5897

Chamberlain JM, TE.Terndrup, DT.Alexander, FA.Silverstone,G.Wolf-Klein, RO.Donnell, J.Gran-dneR. Determination of normal ear temperature with an infrared emission detection thermometer. Annals of Emergency Medicine 1995, 25:15-20.

Chambers KC, Wang Y. Role of the lateral parabrachial nucleus in apomorphine-induced conditioned consumption reduction: cooling lesions and relationship of c-Fos-like immunoreactivity to strength of conditioning. Behav Neurosci. 2004; 118(1):199-213.

Chan AH, Fujimoto VY, Moore DE, Held RT, Paun M, Vaezy S. In vivo feasibility of image-guided transvaginal focused ultrasound therapy for the treatment of intracavitary fibroids. Fertil Steril. 2004 Sep;82(3):723-30.

Chan AW, IA MacFarlane, DR BowsheR. Contact thermography of painful diabetic neuropathic foot.Diabetes Care 1991, 14: 918-922.

Chan EK, Pearce JA. Visualization of dynamic subcutaneous vasomotor response by computer-assisted thermography. IEEE Trand Biomed Eng 1990, 37:786-795.

Chan FH, So AT, Kung AW, Lam FK, Yip HC. Thyroid diagnosis by thermogram sequence analysis. Biomedical Materials and Engineering 1995, 5: 169-183.

Chan FH, So AT, Lam FK. Generation of three-dimensional medical thermograms. Bio-Medical Materials And Engineering 1996, 6(6): 415-428.

Chan FHY, ATP So, AWC Kung : A thermogram-based thyroid diagnostic system. (abstract). Thermol Österr1992, 2:S39.

Chan HH, Lam LK, Wong DS, Kono T, Trendell-Smith N. Use of 1,320 nm Nd:YAG laser for wrinkle reduction and the treatment of atrophic acne scarring in Asians. Lasers Surg Med. 2004;34(2):98-103.

Chan KW, McDougall JA, Chou CK. FDTD stimulating of Clini-Therm applicators on inhomogeneous planar tissue models.International Journal of Hyperthermia 1995, 11:809-820.

Chan LL, DeMonte F, Ginsberg LE. Thermally induced transient trigeminal sensory neuropathY. imaging findings. AJNR Am J Neuroradiol. 2000,21(1):201-2.

Chan L-S. Cheung GTY. Lauder IJ. Kumana CR. Screening for fever by remote-sensing infrared thermographic camera. J Travel Med. 2004; 11(5): 273-279.

Chan MKH, Tucker AT, Madden S, Golding CEM, Atherton DJ, Dillon MJ. ErythromelalgiA. an endothelial disorder responsive to sodium nitroprusside Arch. Dis. Child. 2002, 87: 229 - 230.

Chanamai R, McClements DJ Isothermal titration calorimetry measurement of enthalpy changes in monodisperse oil-in-water emulsions undergoing depletion flocculation. Colloids and Surfaces A. Physicochemical and Engineering Aspects 2001, 181(1-3): 261-269

Chandra S, Persad V, Young D, Baskett T. A preliminary study of cutaneous blood flow associated with postpartum use of oral miso- prostol. J Obstet Gynaecol Can. 2004; 26(12):1073-6.

Chang BH, Bae YC. Lysozyme-lysozyme and lysozyme-salt interactions in the aqueous saline solution: A new square-well potential. Biomacromol. 2003; 4(6):1713-1718.

Chang I, Mikityansky I, Wray-Cahen D, Pritchard WF, Karanian JW, Wood BJ. Effects of perfusion on radiofrequency ablation in swine kidneys. Radiology. 2004; 231(2):500-5.

Chang JT, Paulsen K, Meaney P, Fanning M. Non-invasive thermal assessment of tissue phantoms using an active near field microwave imaging technique.International Journal of Hyperthermia 1998, 14/6: 513-34.

Chang L-C, Caira MR, Guillory JK. Solid state characterization of dehydroepiandrosterone.Journal of Pharmaceutical Sciences 1995, 84:1169-1179.

Chang S.-K. Diagnostic Assessment Of Digital Infrared Thermographic Imaging. (abstract) Thermol Österr 1997, 7(1):29.

Chang Y, Tsai CC, Liang H-C, Sung H-W Reconstruction of the right ventricular outflow tract with a bovine jugular vein graft fixed with a naturally occurring crosslinking agent (genipin) in a canine model J. Thorac. Cardiovasc. Surg.2001, 122: 1208 - 1218.

Chang YC. Tsai H-F. Karos M. Kwon-Chung KJ. THTA, a thermo- tolerance gene of Aspergillus fumigatus. Fungal Genetics Biol. 2004; 41(9): 888-896.

Chant AD. Hypothesis. why venous oedema causes ulcers and lymphoedema does not. European Journal of Vascular Surgery 1992, 6:427-429.

Chantawong V. Harvey NW. Bashkin VN. Comparison of heavy metal adsorptions by Thai kaolin and ballclay. Water Air Soil Poll. 2003; 148(1-4):111-125.

Chao BH. He X. Bischof JC. Pre-treatment inflammation induced by TNF-a augments cryosurgical injury o nhuman prostate cancer. Cryobiol. 2004; 49(1): 10-27.

Chapman JW, Reynolds DR, Smith AD, Smith ET, Woiwod IP. An aerial netting study of insects migrating at high altitude over Eng- land. Bull Entomol Res. 2004 ; 94(2):123-36.

Chapon LC, Blake GR, Gutmann MJ, Park S, Hur N, Radaelli PG, Cheong SW. Structural anomalies and multiferroic behavior in mag- netically frustrated TbMn2O5. Phys Rev Lett. 2004; 93(17):177402.

Chappard C. Bonnevial J. Colson M. Mathern G. Emonot A. Forecast of pollination dates and relation to onset of allergic pathology. Aerobiologia. 2004; 20(1): 35-42.

Chappelow CC, Byerley TJ, Pinzino CS, Millich F, Eick JD. Design and development of isocyanatoacrylates as dental adhesives. Journal Of Dental Research 1996, 75: 761-767.

Charlot F, Gras C, Gramond M, Gaffet E, Bernard F, Niepce JC. Recent developments in real-time X-ray diffraction analysis in combination with infrared thermographY. application to monitoring of mechanical-activation self-propagating high-temperature synthesis /MASHS reactioN. in FeAl and MoSi2 systems. Journal De Physique IV 1998, 8/P5: 497-504.

Charriere JM, Durand C, Mandon N, Le Guen AF, Jayle C, Debaene B. French national survey of the use of monitoring devices during cardiopulmonary bypass in 2001. Ann Franc Anesth Reanim. 2003; 22(5):414-420

Charron D, Thomas M, Waltner-Toews D, Aramini J, Edge T, Kent R, Maarouf A, Wilson J. Vulnerability of waterborne diseases to climate change in Canada: a review. J Toxicol Environ Health A. 2004; 67 (20-22): 1667-77.

Chaturvedi D. Vilhekar KY. Chaturvedi P. Bharambe MS. Com- parison of axillary temperature with rectal or oral temperature and determination of optimum placement time in children. Indian Pediat. 2004; 41(6): 600-603.

Chaulk D, Wells J, Evans S, Jackson D, Corbett D. Long- term effects of clomethiazole in model of global ischemia. Expl Neurol. 2003; 182(2):476-482.

Chauvelon G, Doublier J-L, Buleon A, Thibault J-F, Saulnier L. Rheological properties of sulfoacetate derivatives of cellulose. Carbohyd Res. 2003; 338(8):751-759.

Chazot G, Bertrand H, Mergoil J, Sheppard SMF. Mingling of Immiscible Dolomite Carbonatite and Trachyte in Tuffs from the Massif Central, France J Petrol, 2003; 44: 1917 - 1936.

Cheatham CC. Caine-Bish N. Blegen M. Potkanowicz ES. Glick- man EL. Nicotine effects on thermoregulatory responses of men and women during acute cold exposure. Aviat Space Environ Med. 2004; 75(7): 589-595.

Chedid MK, Handy FF, Wilkinson DA, Kennerdell JS, Maroon JC. Temperature distributions in porcine orbital tissues following the use of CO2 and ND.YAG lasers. Ophthalmic Surgery 1993, 24: 100-104.

Chee Choon Seow, CK.Vasanti-NaiR. Sub-T(g) annealing of granular rice starcH. Effects on enthalpy relaxation and starch-sucrose interactions Carbohydrate Research 1994, 261: 307-316.

Cheema SP, D.Ilsley, J.Richardson, S.Sabanathan. A thermographic of parvertebral analgesia. Anasthesia 1995, 50: 118-121.

Cheema SP, T.Browne, AH.EntresS. Thermography. a noninvasive assessment of pediatric thoracic epidural blocks. Journal Of Cardiothoracic And Vascular Anesthesia 1994, 8: 330-333.

Cheever EA, KR FosteR. Microwave radiometry in living tissuE. what does it measure? IEEE Transactions on Biomedical Engineering 1992, 39: 563-568.

Chen C, Liu Y, Zhou J, Xu H, Qu S. Microcalorimetric study of the toxic effect of selenium on the mitochondrial metabolism of Cyprinus carpio liver. Biological Trace Element Research 1997, 60(1)-2: 115-122.

Chen FF, Zhang HF, Qin FX, Hu ZQ. Molecular dynamics study of atomic transport properties in rapidly cooling liquid copper. J Chem Phys. 2004; 120(4):1826-31.

Chen F-M, Sha F, Chin K-H, Chou S-H. Unique actinomycin D binding to self-complementary d(CXYGGCCY'X'G) sequences: Duplex disruption and binding to a nominally base -paired hairpin. Nuc Acids Res. 2003; 31(14):4238-4246.

Chen J, Li S-L, Tao Z-L, Shen Y-T. Cui C-X. Titanium disulfide nanotubes as hydrogen-storage materials. J Am Chem Soc. 2003; 125(18):5284-5285.

Chen J, Tung C-H, Mahmood U, Ntziachristos V, Fishman RGC, Huang PL, Weissleder R. In Vivo Imaging of Proteolytic Activity in Atherosclerosis Circulation 2002, 105: 2766 - 2771.

Chen JC, Moriarty JA, Derbyshire JA, Peters RD, Trachtenberg J, Bell SD, Doyle J, Arrelano R, Wright GA, Henkelman RM, Hinks RS, Lok SY, Toi A, Kucharczyk W. Prostate canceR. MR imaging and thermometry during microwave thermal ablation-initial experience. Radiology. 2000,214(1):290-7.

Chen L, Wansapura JP, Heit G, Butts K. Study of laser ablation in the in vivo rabbit brain with MR thermometry. J Magn Reson Imaging 2002, 16(2): 147-52.

Chen L, Xie X, Yu ZW, Quinn PJ. The kinetics and mechanism of the formation of crystalline phase of dipalmitoylphosphatidylethanol- amine dispersed in aqueous dimethyl sulfoxide solutions. Chem Phys Lipids. 2004; 127(2):153-159.

Chen M-L, Chen C-J, Yeh W-Y, Huang J-W, Mao I-F. Heat stress evaluation and worker fatigue in steel plant. AIHAJ: J SciOccup Environ Health Safety. 2003; 64(3):352-359.

Chen S. Dong X. Acetanaerobacterium elongatum gen. nov., sp. nov., from paper mill waste water. Int J Syst Evol Microbiol. 2004; 54(6):2257-2262.

Chen TB, Luo W, Gao D, Zhen GD. [Stratification of bulk density and its dynamics in the process of co-composting] Huan Jing Ke Xue. 2004; 25(5):143-7.

Chen TK, Chen JN. Combined membrane bioreactor (MBR) and reverse osmosis (RO) system for thin-film transistor-liquid crystal display TFT-LCD, industrial wastewater recycling. Water Sci Technol. 2004;50(2):99-106.

Chen Y, Zhang GG, Neilly J, Marsh K, Mawhinney D, Sanzgiri YD. Enhancing the bioavailability of ABT-963 using solid dispersion con- taining Pluronic F-68. Int J Pharm. 2004 ; 286(1-2):69-80.

Chen Y. Jia Z. Schaper A. Kristiansen M. Smith P. Wombacher R. Wendorff JHGreiner A. Hydrolytic and enzymatic degradatiion of liquid-crystalline aromatic/alipathiccopolyesters. Biomacromolecules. 2004; 5(1): 11-16.

Chen ZP, Roemer RB. Improved Cartesian coordinate finite difference simulations of small cylindrical objects. Journal of Biomechanical Engineering 1993, 115:119-21.

Cheng HL, Plewes DB Tissue thermal conductivity by magnetic resonance thermometry and focused ultrasound heating. J Magn Reson Imaging 2002, 16(5): 598-609.

Cheng H-LM, Purcell CM, Bilbao JM, Plewes DB. Prediction of Subtle Thermal Histopathological Change Using a Novel Analysis of Gd-DTPA Kinetics. J Mag Res Imag. 2003; 18(5): 585-598.

Cheng HW, Freire R, Pajor EA. Endotoxin stress responses in chickens from different genetic lines. 1. Sickness, behavioral, and physical responses. Poult Sci. 2004; 83(5):707-15.

Cheng SC, Jou IM, Chern TC, Wang PH, Chen WC. The effect of normal saline irrigation at different temperatures on the surface of articular cartilage: an experimental study in the rat. Arthroscopy. 2004; 20(1):55-61.

Cheng TS, Chao Y-C, Wu D-C, Hsu H-W, Yuan T. Effects of partial premixing on pollutant emissions in swirling methane jet flames. Combustion and Flame 2001, 125(1-2): 865-878

Cheng X. Wang Y. Hanein Y. Bohringer KF. Ratner BD. Novel cell patterning using microheater-controlled thermoresponsive plasma films. J BioMed Mater Res A. 2004; 70(2): 159-168.

Cheng XF, Wang AQ, Fu TR. Principles in the design of surface temperature measurement method via radiation approach. Guang Pu Xue Yu Guang Pu Fen Xi. 2003 ;23(2):232-5.

Cheng Y-C. Tsai S-W. Enantioselective esterification of (RS)-2- (4-chlorophenoxy)propionic acid viaCarica papaya lipase in organic solvents. Tetrahedron-Asymmetry. 2004; 15(18): 2917-2920.

Cherbuin N, Brinkman C. Cognition is cool: Can hemispheric activation be assessed by tympanic membrane thermometry? Brain Cogn. 2004; 54(3):228-31. 140:

Cheredinichenko VM, Barsukov VW. The graphic representation oft the temperature field of skin surface in the orbital area. Oftalmol ZH 1990, 374-377.

Cherepanov AV, De Vries S. Microsecond freeze-hyperquenching: development of a new ultrafast micro-mixing and sampling technology and application to enzyme catalysis. Biochim Biophys Acta. 2004 12;1656(1):1-31.

Cherezov V. Siegel DP. Shaw W. Burgess SW. Caffrey M. The Kinetics of Non-Lamellar Phase Formation in DOPE-Me: Relevance to Biomembrane Fusion. J Membrane Biol. 2003; 195(3):165-182.

Cherkas I, Howell KJ, Carter L, Black CM. MacGregor AJ. The use of portable radiometry to assess Raynaud's phenomenoN. a practical alternative to thermal imaging. Thermol intern 2002. 12: 68

Cherkas L, Carter L, Spector T, Howell KJ, Black CM, MacGregor AJ. The use of thermographic criteria to identify Raynaud's phenomenon in a population. Thermol intern 2002. Moore TL , Allen PD, Taylor CJ, Anderson ME, Herrick AL. Image analysis of nailfold capillary patterns from video sequences. Thermol intern 2002. 12: 69

Cherkas LF, Carter L, Spector TD, Howell KJ, Black CM, MacGregor AJ. Use of thermographic criteria to identify Raynaud's phenomenon in a population setting. J Rheumatol. 2003; 30(4):720-722.

Cherkas LF, Howell K, Carter L, Black CM, MacGregor AJ. The use of portable radiometry to assess Raynaud's phenomenoN. a practical alternative to thermal imaging Rheumatology 2001, 40: 1384 - 1387.

Cherniack M, Brammer A, Meye JR, Morse T, Peterson D, Fu R. Skin temperature recovery from cold provocation in workers exposed to vibration: a longitudinal study Occup Environ Med., 2003; 60: 962 - 968.

Cherniack M. Brammer AJ. Lundstrom R. Meyer J. Morse TF. Nealy G. Nilsson T. Peterson D. Toppilla E. Warren N. Fu RW. Bruneau H. Segmental nerve conduction velocity in vibration-expose shipyard workers. Int Arch Occup Environ Health. 2004. 7(3) 159-176.

Chernushevich IV, Thomson BA. Collisional cooling of large ions in electrospray mass spectrometry. Anal Chem. 2004; 76(6):1754-60.

Chernyshev AK. ["TermoSpot" for the liquid-crystal indication of postoperative hypothermia in newborns] Anesteziol Reanimatol. 2004; (1):19-20.

Cheshenko VP. Primenenie tsvetnoi zhidkokristallicheskoi termografii v diagnostike raka zheludka. [The application of colored liquid-crystallic thermography in diagnosis of gastric cancer] Klinichna Khirurhiia 1998. (6): 20-1.

Chesney ML.Pediatric firearm injuries. Air Med J. 2004. 23(6)10-13

Chess C. Boffa MJ. No need to forego cooling when you need compression. J Am Acad Dermatol. 2004;51(4)673.

Cheung S, Robinson A. The influence of upper-body pre-cooling on repeated sprint performance in moderate ambient temperatures. J Sports Sci. 2004; 22(7):605-12.

Cheung SS, Sleivert GG. Lowering of skin temperature decreases isokinetic maximal force production independent of core temperature. Eur J Appl Physiol. 2004; 91(5-6):723-8.

Cheuvront SN, Kolka MA, Cadarette BS, Montain SJ, Sawka MN. Efficacy of intermittent, regional microclimate cooling J Appl Physiol, 2003; 94: 1841 - 1848.

Chevalier B. The best of coronary atheroma and interventional cardiology in 2002. Arch Malad Coeur Vaisseaux. 2003; 96(Spec. Iss. 1):57-60.

Chiba S. Thermographic Findings For Psychological Stress-Induced Disorders. (abstract). Biomed Thermol 1991, 11: 308.

Chien CH, JJ Tsuei, SC leem YC Huang, YH Wel. Effect of emitted bionergy on biochemical functions of cells. Am J Chin Med 19:285-292. 1991

Chihara H, Blood AB, Hunter CJ, Power GG. Effect of Mild Hypothermia and Hypoxia on Blood Flow and Oxygen Consumption of the Fetal Sheep Brain Pediatr Res, 2003; 54: 665 - 671.

Chijiwa T, Arai K, Miyazaki N, Igota S, Yamamoto N. Making of a facial perforator map by thermography. Ann Plast Surg. 2000,44(6):596-600.

Childs C, Harrison R, Hodkinson C. Tympanic membrane temperature as a measure of core temperature. Archives of Disease in Childhood 1999, 80(3): 262-6.

Childs C. Hadcock J. Ray A. King AT. Protheroe R. Temperature measurement after severe head injury. Anaesthesia 2004; 59(2): 192-193.

Chin C, Bartenstein M, Altmeyer A, Riedl S, Jochim S, Denschlag JH, Grimm R. Observation of the pairing gap in a strongly interacting Fermi gas. Science. 2004; 305(5687):1128-30.

Chin DX, Fraser JA, Usher-Smith JA, Skepper JN, Huang CL. Detubulation abolishes membrane potential stabilization in amphibian skeletal muscle. J Muscle Res Cell Motil. 2004;25(4-5):379-387.

Chin Heng B, Yu H, Chye Ng S. Strategies for the cryopreservation of microencapsulated cells. Biotechnol Bioeng. 2004; 85(2):202-13.

Chin L. Sherar M. Changes in the dielectric properties of rat prostate ex vivo at 915 MHz duringheating. Int J Hyperthermia. 2004; 20(5): 517-527.

Chin T, Welsby PD. Malaria in the UK: past, present, and future. Postgrad Med J. 2004, 80(949): 663-6.

Chinarov V, Menzinger M. Reconstruction of noisy patterns by bistable gradient neural-like network, Biosystems, 2003; 68, (s 2-3):147-153

Chinwetkitvanich S. Randall CW. Panswad T. Effects of phos- phorus limitation and temperature on PHA production in activated sludge. Water Sci Technol. 2004;50(8): 135-143.

Chinzei T, I. Saito, M.Ikeda, K. Mabuchi, I.FujimasA. Thermal Rhythm Imaging of Skin Temperature with a High-Speed Thermal Camera. Biomed Thermol 1995, 15: 150-152.

Chinzei T, I.Saito, K. Mabuchi, I.FujimasA. Thermal-Rhythm Imaging of Skin Temperature with a High-Speed Thermal Camera. (abstract). Biomed Thermol 1995, 15: 40.

Chirase NK, Purdy CW, Avampato JM. Effect of simulated ambient particulate matter exposure on performance, rectal tempe- rature, and leukocytosis of young Spanish goats with or without til- micosin phosphate. J Anim Sci. 2004; 82(4):1219-26.

Chng SY. Chia F. Leong KK. Kwang YP. Ma S. Lee BW. Vaithina- than R. Tan CC. Mandatory temperature monitoring in schools during SARS. Arch Dis Child 2004; 89(8): 738-739.

Cho A. How Cool Is That? Science Now, Mar 2003: 2.

Cho J, S. -K. Chang, C.-T. Moon,Y.-D. Cho, S.-J. LiM. Computerized Thermographic Resolution In Lumbar Disc Herniations. (abstract) Thermol Österr 7(1):341997

Cho JH, Kim YS, Lee KS. Clinical Application of D.I.T.I. Induced by Blood Stasis. J Korean Med Thermol 2002, 2(1):81

Cho KY, Moon JY, Lee YW, Lee KG, Yeo JH, Kweon HY, Kim KH, Cho CS. Preparation of self-assembled silk sericin nanoparticles. Int J Biol Macromol. 2003; 32(1-2):36-42.

Cho Y.E, Y.S. KiM. Pre- and post-operative DITI of upper thoracic sympathectomy for palmar hyperhidrosis IN. Ammer K, EFJ Ring (eds): The Thermal Image in Medicine and Biology, Uhlen Verlag, Wien,pp. 191-196. 1995

Cho Y-E, Kim Y-S. Pre- and Postoperative Digital Infrared Thermographic Imaging (DITI) of Thoracic Sympathectomy for Palmar Hyperhidrosis. J Korean Med Thermol 2001, 1(1):11-15

Cho Y-E, Y-S.Kim Pre- and post-operative DITI of upper thoracic sympathectomy for the essential palmar hyperhidrosis. Thermol Österr1994, 4(4):178.

Cho YE. Kim YS. Digital Infrared Thermographic Imaging of Osteoporotic Compression Fracture in Elderly Patients. . (abstract) Thermol int 2003, 13: 66.

Cho Y-S. Digital Infrared Thermographic Imaging of Cervical Disc Herniations. (abstract). Biomed Thermol 1995, 15: 8.

Choe Y. Kim T. Kim W. Dispersion of functional tetraphenyl- porphyrin-ligated metal into ultra-thinflexible acrylate films: 1. Pre- paration of thin films. Colloids Surf B: Biointerfaces. 2004; 38(3-4 Spec. Iss.): 155-160.

Choi B, Barton JK, Chan EK, Thomsen SL, Welch AJ. Infrared imaging of CO2 laser ablatioN. Implications for laser skin resurfacing. IN. Anderson RR, Bartels KE, Bass LS, Garrett CG, Gregory KW, Lui H, Malek RS, Perlmutter AP, Reinisch L, Smalley PJ, Tate LP, Thomsen SL, Watson GM, Katzir (eds): Proceedings of Lasers in SurgerY. Advanced Characterization, Therapeutics, and Systems VIII. Proceedings of The Society of Photo-Optical Instrumentation Engineers (SPIE)Vol.3245 Bellingham, pp. 344-355. 1998

Choi B, Barton JK, Chan EK, Welch AJ. Imaging of the irradiation of skin with a clinical CO2 laser systeM. implications for laser skin resurfacing. Lasers In Surgery And Medicine, 1998, 23 (4): 185-93.

Choi B, Majaron B, Nelson JS. Computational model to evaluate port wine stain depth profiling using pulsed photothermal radiometry. J Biomed Opt. 2004; 9(2):299-307.

Choi B, Pearce JA, Welch AJ Modelling infrared temperature measurementS. implications for laser irradiation and cryogen cooling studies. Phys Med Biol. 2000,45(2):541-57.

Choi H. W, D. H. Kim, M. H. LeE. Thermography In Breast Lesions. (abstract) Thermol Österr 1997, 7(1):33.

Choi JE, Kim R, Cho JH, Jang JB, Lee KS.D.I.T.I. of the Abdomen on Liver Qi Stagnation Patients. J Korean Med Thermol 2002, 2(1):68

Choi JK, Miki K, Sagawa S, Shiraki K. Evaluation of mean skin temperature formulas by infrared thermography. International Journal of Biometeorology 1997, 41(2): 68-75.

Choi P, Mattice WL. Molecular origin of demixing, prior to crystallization, of atactic polypropylene/isotactic polypropylene blends upon cooling from the melt. J Chem Phys. 2004; 121(17):8647-51.

Choi Y-H, Li C, Page K, Westby A, Della-Fera MA, Lin J, Hartzell DL, Baile CA. Melanocortin receptors mediate leptin effects on feeding and body weight but not adipose apoptosis. Physiol Behav. 2003; 79(4-5):795-801.

Cholewa D, Wacker F, Roggan A, Waldschmidt J. Magnetic resonance imaginG. controlled interstitial laser therapy in children with vascular malformations. Lasers In Surgery And Medicine 1998. 23 /5: 250-7.

Cholewka A. Drzazga Z. Michnik A. Sieron A. Wisniowska B. Temperature Effects of Whole Body Cryotherapy Determined by Ther- mography. Therm Int. 2004; 14(2): 57-63.

Cholewska A, Drzazga Z, Wisniowska B, Sieron A. The temperature changes of the skin surface during whole body cryotherapy. IN. Hutten H, Krösel P, eds. Proceedings Part II, EMBEC´02. 2.European Medical & Biological Engineering Conference. IFMBE, Graz, 2002. pp.1330-1331

Chong A. Assessing and managing fever in children. Med Today. 2004; 5(7): 18-24.

Chong TWH. Castle DJ. Layer upon layer: Thermoregulation in schizophrenia. Schizophrenia Res. 2004. 69(2-3)149-157.

Choquette SJ, O'Neal L, Duewer DL. Rare-earth glass reference materials for near-infrared spectrometry: Correcting and exploiting temperature dependencies. Anal Chem. 2003; 75(4): 961-966.

Chou CK, Chan KW, McDougall JA, Guy AW. Development of a rat head exposure system for simulating human exposure to RF fields from handheld wireless telephones. Bioelectromagnetics 1999. Suppl 4:75-92.

Chou CK, McDougall JA, Can KW. Absence of radiofrequency heating from auditory implants during magnetic resonance imaging. Bioelectromagnetics 1995, 16: 307-316.

Chou CK. Evaluation of microwave hyperthermia applicators. Bioelectromagnetics 1992, 13:581-97.

Choudhary RP. Fuster V. Fayad ZA. Molecular, cellular and func- tional imaging of atherothrombosis. Nature Reviews. Drug Discovery. 2004; 3(11): 913-925.

Choudhury RP, Fuster V, Badimon JJ, Fisher EA, Fayad ZA. MRI and Characterization of Atherosclerotic PlaquE. Emerging Applications and Molecular Imaging Arterioscler. Thromb. Vasc. Biol. 2002, 22: 1065 - 1074.

Chowdhury MAJ, Ihara H, Sagawa T, Hirayama C. Retention behaviors of polycyclic aromatic hydrocarbons on comb-shaped polymer immobilized-silica in RPLC. Journal of Liquid Chromatography and Related Technologies 2000: 23(15): 2289- 2302

Christ G. Dohm OS. Schule E. Gaupp S. Martin M. Air density correction in ionization dosimetry. Phys Med Biol. 2004; 49(10): 2029-2039.

Christen S, Delachaux A, Dischl B, Golay S, Liaudet L, Feihl F, Waeber B. Dose-dependent vasodilatory effects of acetylcholine and local warming on skin microcirculation. J Cardiovasc Pharmacol. 2004; 44(6):659-64.

Christensen H, Boysen G Acceptable agreement between tympanic and rectal temperature in acute stroke patients. Int J Clin Pract 2002, 56(2): 82-4.

Christensen PM, Christensen VB, Matzen LE. Evaluering af oretemperaturmaling pa en geriatrisk afdeling.[Evaluation of ear temperature measurements in a geriatric department] Ugeskrift For Laeger 1998. 160 (3)6: 5175-7.

Christensson M. Welander T. Treatment of municipal wastewater in a hybrid process using a new suspended carrier with large surface area. Water Sci Technol. 2004; 49(11-12): 207-214.

Christiansen J. Comments on Swerdlow and Dieter, PAIN, 48 (1992) 205-213 [letter], Pain, 51: 125-7. 1992

Christiansen S, Göbel C, Buret W, Reul H, Autschbach R. Successful use of a miniaturized bypass system with the DeltaStream extracorporeal rotary blood pump J Thorac Cardiovasc Surg. 2003; 125: 43 - 44.

Christidis I, Zotter H, Rosegger H, Engele H, Kurz R, Kerbl R. Infrared thermography in newborns: The first hour after birth. Gynäk-Geburtshilf Rundsch. 2003; 43(1):31-35.

Chronik B, Alejski A, Rutt BK. Design and fabrication of a three-axis multilayer gradient coil for magnetic resonance microscopy of mice. MAGMA. 2000 Jun,10(2):131-46.

Chu B, Machin G. Temperature traceability issues in medical thermography. Thermol intern 2002. 12: 74

Chua SH, Ang P, Khoo LS, Goh CL. Nonablative 1450-nm diode laser in the treatment of facial atrophic acne scars in type IV to V Asian skin: a prospective clinical study. Dermatol Surg. 2004; 30(10):1287-91.

Chuang HH, Neuhausser WM, Julius D. The super-cooling agent icilin reveals a mechanism of coincidence detection by a tempera- ture-sensitive TRP channel. Neuron. 2004;43(6):859-69.

Chuang K-S. Liu W-C. Liu J-C. Alteration in cardiovascular func- tion and body surface temperature during percutaneous stereotactic upper thoracic ganglionectomy and sympathectomy in palmar hyper- hidrotic patients. Clin Autonom Res. 2004; 14(4): 259-263.

Chuang TY, Yen YS, Chiu JW, Chan RC, Chiang SC, Hsiao MP, Lee LS Intraoperative monitoring of skin temperature changes of hands before,during, and after endoscopic thoracic sympathectomY. using infrared thermograph and thermometer for measurement. Archives Of Physical Medicine And Rehabilitation 1997, 78(1): 85-88.

Chudacek Z, Suchanova L. Thermography findings in the hands in relation to the age of the examined individual, Czech Radiol 1990, 44:253-255.

Chun S.I, C.I. Park, C. H.YI. Effect On Skin Temperature And Cardiovascular System After Functional Electrical Stimulation In Cord Injury. (abstract) Thermol Österr 7(1):33. 1997

Chun S.I, C.I. Park, Y.C. Kim,K. B. Lim, C. H.YI. Digital Infrared Thermal Imaging On Patients With Complete Spinal Cord Injuries And Central PaIn. (abstract) Thermol Österr 1997, 7(1):29-30.

Chun S.I, Park E.S, Park C.I, Jung K.I.Comparison of Sympathetic Skin Response and Digital Infrared Thermographic Imaging in Peripheral Neuropathy.(abstract).Thermol Österr 1995, 5:161.

Chun S.I, S.H. Cho, W. S. Doh, H. Y. LeE. The Usefulness Of DITI In Evaluating Acupuncture Response. (abstract) Thermol Österr 1997, 7(1):27.

Chun Y. Sheng G. Chiou GT. Xing B. Compositions and sorptive properties of crop residue-derived chars. Environ Sci Technol. 2004; 38(17): 4649-4655.

Chung AH, Jolesz FA, Hynynen K. Thermal dosimetry of a focused ultrasound beam in vivo by magnetic resonance imaging. Medical Physics 1999. 26 (9) 2017-26

Chung H, Caffrey M. Direct correlation of structure changes and thermal events in hydrated lipid established by simultaneous calorimetry and time-resolved x-ray diffraction. Biophysical Journal 63: 438-447. 1992

Chung Y-C, Duerk JL, Shankaranarayanan A, Hampke M, Merkle EM, Lewin JS. Temperature measurement using echo-shifted FLASH at low field for interventional MRI. Journal of Magnetic Resonance Imaging 1999, 9(1): 138-45.

Chung YC, Duerk JL. Signal formation in echo-shifted sequences. Magnetic Resonance In Medicine, 1999. 42 (5) 864-75

Churchill RS. Boorman RS. Fehringer EV. Matsen III FA. Glenoid Cementing may generate Sufficient Heat to Endanger the Surrounding Bone. Clin Orthop 2004, (419):76-79.

Chutimaworapan S, Ritthidej GC, Yonemochi E, Oguchi T, Yamamoto K : Effect of water-soluble carriers on dissolution characteristics of nifedipine solid dispersions. Drug Development and Industrial Pharmacy 2000, 26(110: 1141-1150

Chuzhina ES, Svetlichnyi VL. Zhidkokristallicheskaia termografiia v diagnostike iazvennoi bolezni. (Liquid - crystal thermography in the dia- gnosis of peptic ulcer) Vrachebnoe Delo 1992, (2): 81-84.

Ciatti S, Chiti D, Frosini F, Fanfani S, Fanfani A, Leoni V. Role of thermography in diagnosing lower limbs venous incompetence (abstract). Thermology intern 2000, 10(3):153

Ciatti S, G.Mauro, P.MannelII. Thermography and orofacial paIn. a new diagnostic tool ? (abstract) Thermol Österr 1997, 7(2): 67-68.

Ciatti S, GF.Mauro, P.Manneli, F.Frosini, A. Fanfani, S.Fanfani. Thermography in The Evaluation of Orofacial Pain in Temporomandibular Disorders European Journal of Thermology 1998, 8(1): 13.

Ciatti S, L.M.SarteschI. Thermography in the evaluation of Peyronie´s disease- a new "hot spot". (abstract) Thermol Österr 1997, 7(2): 90

Ciatti S, Mauro G, Manenelli P, Frosini F, Fanfani A, Fanfani S, Leoni V Thermography and orofacial paIn. a new diagnostic tool (abstract). Thermology intern 2000, 10(3):146

Ciatti S, P. Turchi, L. M. Sarteschi ,A. Fanfani, S. Fanfani, F. Frosini Thermography in the evaluation of Peyronie´s diseasE.a new "hot spot" European Journal of Thermology 1997, 7(3):142-145.

Ciccarone M. (Diagnostic evaluation of breast nodules) Minerva Ginecologica 46: 635-642. 1994

Ciccone WJ 2nd, Hunt TJ, Lieber R, Pedowitz R, Esch J, Tasto JP. Multiquadrant digital analysis of shoulder capsular thickness. Arthroscopy. 2000,16(5):457-61.

Cicinelli E, Einer-Jensen N, Barba B, Luisi D, Alfonso R, Tartagni M. Blood to the cornual area of the uterus is mainly supplied from the ovarian artery in the follicular phase and from the uterine artery in the luteal phase. Hum Reprod. 2004; 19(4):1003-8. E

Cimbala JM, Brenizer JS, Chuang AP, Hanna S, Thomas Conroy C, El-Ganayni AA, Riley DR. Study of a loop heat pipe using neutron radiography. Appl Radiat Isot. 2004; 61(4):701-5.

Cioffi R, Pagliuca C, Santoro L, Verdolotti L. Heavy metal stabilization by means of innovative alumino-silicate matrix. Environl Tech. 2003; 24(5):641-651.

Citerio G, Cormio M, Polderman KH. [Moderate hypothermia in traumatic brain injury: results of clinical trials] Minerva Anestesiol. 2004; 70(4):213-8.

Ciuncanu F, G. Rodan. C. NaE.The thermographic estimate of the results of therapy applied in the breast fibrocystic disease. (abstract). IN. Benkö I, I.Lovak, I.Kovacsics (eds): 9th International Conference on Thermal Engineering and Thermogrammetry (THERMO). Budapest 1995, . p-142.

Clark DL, DeBow SB, Iseke MD, Colbourne F. Stress-induced fever after postischemic rectal temperature measurements in the gerbil. Can J Physiol Pharmacol. 2003; 81(9):880-883

Clark MR, McCann DM, Ford MC. Application of infrared thermography to the non-destructive testing of concrete and masonry bridges, NDT & E Int , 2003; 36, (4): 265-275.

Clark PU, McCabe AM, Mix AC, Weaver AJ. Rapid rise of sea level 19,000 years ago and its global implications. Science. 2004; 304(5674): 1141-4.

Clark R P,:Thermal Physiology And Imaging (abstract)European Journal of Thermology 8: 104 , 1998

Clark R, M.L.de Calcina.Goff. International Standardisation in Medical Thermography. (abstract) 1997, Thermol Österr 7(2): 85.

Clark R.P, M.de Calcina-Goff. . Schlieren photography and environmental applications IN. Ammer K, EFJ Ring (eds): The Thermal Image in Medicine and Biology, Uhlen Verlag, Wien 1995, pp. 105-110.

Clark R.P, M.de Calcina-Goff.- Computer pattern recognition of thermal images. IN. Ammer K, EFJ Ring (eds): The Thermal Image in Medicine and Biology, Uhlen Verlag, Wien 1995,pp. 83-89

Clark R.P, M.de Calcina-Goff. Schlieren photography and environmental applications. Thermol Österr1994, 4(4):166-167.

Clark R.P, M.L.de Calcina-Goff, Y.Ding. Computer Pattern Recognition of Thermal Images (abstract). Thermol Österr1994, 4(2):82.

Clark R.P, M.L.de Clacina-GofF. Guidelines for Standardisation in Medical Thermography. Thermol Österr 1997, 7(2):47-58.

Clark RP, deCalcinaGoff ML. International standardisation in medical thermography - Draft proposals. IN. Boom H, Robinson C, Rutten W, Neuman M, Wijkstra H (eds): Proceedings of the 18th Annual International Conference of the IEEE Engineering in Medicine ind Biology Society, Vol 18. Pts 1-5. I E E E New York 1997, pp. 2089-2090.

Clark RP, Goff MR, Mac Dermot KD. Identification of functioning sweat pores and visualization of skin temperature patterns in X-linked hypo-hidrotic ectodermal dysplasia by whole body thermography. Hum Genet 1990, 86:7-13.

Clark RP, International Standardisation in Thermology. Thermol Österr1994, 4:183-184.

Clark RP, ML. de Calcina-Goff. Thermal studies in children (abstract) Biomed Thermol 1992, 12: 284-285.

Clark RP, ML. de Calcina-Goff. Thermal studies in children. IN. Mabuchi K, S.Mizushina, B.Harrison (eds.) Advanced Techniques and Clinical Application in Biomedical Thermologie, harwood academic publishers Chur/Schweiz 1994, p. 221-236.

Clark RP,M.L.de Clacina-GofF. Computer pattern recognition of thermal images. (abstract). Thermol Österr. 1994, 4(4):164-165

Clark RP. Thermology in Europe. Thermol Österr1992, 2:S41.

Clark S, Dunn G, Moore T, Jayson IV M, King TA, Herrick AL. Comparison of thermography and laser Doppler imaging in the assessment of Raynaud's phenomenon. Microvas Res. 2003; 66(1):73-76

Clark S, Hollis S, Campbell F, Moore T, Jayson M, Herrick A. The "distal-dorsal difference" as a possible predictor of secondary Raynaud's phenomenon. Journal Of Rheumatology 1999. 26/5: 1125-8.

Clark, R. P, M. L.de Calcina-Goff. International Standardisation in Medical Thermography - Draft Proposal. Proc 1996 IEEE Engineering in Medicine & Biology 1996,1024-1025.

Clarke GN, Liu DY, Baker HW. Improved sperm cryopre- servation using cold cryoprotectant. Reprod Fertil Dev. 2004;15(7): 377-81.

Claus D, C Mustafa, W Vogel, M Herz, B Neundoerfer. Assessment of diabetic neuropathy. definition of norm and discrimination of abnormal nerve function. Muscle and Nerve, 16: 757-68

Clausse D, Pezron I, Komunjer L. Stability of W/O and W/O/W emulsions as a result of partial solidification. Colloids and Surfaces A. Physicochemical and Engineering Aspects 1999, 152(1)-2:23-9.

Clifford A, Hill R, Rafferty A, Mooney P, Wood D, Samuneva B, Matsuya S. The influence of calcium to phosphate ratio on the nucleation and crystallization of apatite glass-ceramics. Journal of Materials SciencE. Materials in Medicine 2001, 12(5): 461-469

Clifton GL. Is keeping cool still hot? An update on hypothermia in brain injury. Curr Opin Crit Care. 2004; 10(2):116-9.

Cline H. Mallozzi R. Li Z. McKinnon G. Barber W. Radiofrequency power deposition utilizing thermal imaging. Magn Reson Med. 2004; 51(6):1129-1137.

Clough GF, Church MK. Vascular Responses in the SkIn. an Accessible Model of Inflammation News Physiol Sci 2002, 17: 170 - 174.

Coad PAJP, Eich T, Gauthier E, Herrmann A, Matthews GF, Riccardo V, Stamp M, and Contributors to the EFDA-JET Work Programme. Thermal effects of surface layers on divertor target plates, J Nuc Mat, 2003; 313-316: 135-139.

Cobb DS, Dederich DN, Gardner TV. In vitro temperature change at the dentin/pulpal interface by using conventional visible light versus argon laser. Lasers in Surgery and Medicine 2000, 26(4): 386-397

Cockburn W. Breast Thermal ImaginG. The Paradigm Shift. Thermol Österr 1995, 5(2): 49-53.

Cockcroft PD, Henson FM, Parker C. Thermography of a septic metatarsophalangeal joint in a heifer. Vet Rec. 2000,146(9):258-60.

Cockell CS, Cordoba-Jabonero C. Coupling of climate change and biotic UV exposure through changing snow-ice covers in terrestrial habitats. Photochem Photobiol. 2004; 79(1):26-31.

Coelho JM, Abreu MA, Rodrigues FC. Application of schlieren interferometry to temperature measurements during laser welding of high-density polyethylene films. Appl Opt. 2003 Nov 1;42(31):6327-34.

Coffield PC, Gooden CE. Biomedical application of high-resolution infrared and parallel processing technologies. IN. Boom H, Robinson C, Rutten W, Neuman M, Wijkstra H (eds): Proceedings of the 18th Annual International Conference of the IEEE Engineering in Medicine ind Biology Society, Vol 18. Pts 1-5. I E E E New York 1997, pp. 2085-2086.

Coffield, P. C., C. E GoodeN. Biomedical Applications of High-Resolution Infrared and Parallel Processing . Proc 1996 IEEE Engineering in Medicine & Biology 1996, 1037-1038.

Cohen L. Smith MJ. Leroux-Hugon V. Paul Broca's thermometric crown. J Neurol Neurosurg Psychiat 2004;75(1): 32.

Cohn D; Sosnik A. Novel reverse thermoresponsive injectable poly(ether carbonate)s. J Mat Sci-Mat in Med. 2003; 14(2): 175-180.

Colado MI, Camarero J, Mechan AO, Sanchez V, Esteban B, Elliott JM, Green AR. A study of the mechanisms involved in the neurotoxic action of 3.4-methylenedioxymethamphetamine (MDMA, 'ecstasy') on dopamine neurones in mouse brain Br. J. Pharmacol. 2001, 134: 1711 - 1723.

Colbourne F, Grooms SY, Zukin RS, Buchan AM, Bennett MVL Hypothermia rescues hippocampal CA1 neurons and attenuates down-regulation of the AMPA receptor GluR2 subunit after forebrain ischemia PNAS, 2003; 100: 2906 - 2910.

Cole RP, Jones SG, Shakespeare PG. Thermographic assessment of hand burns. 1990, Burns, 16 (1) 60-63.

Cole RP, Shakespeare PG, Chissell HG, Jones SG.Thermographic assessment of burns using a nonpermeable membrane as wound covering. Burns 1991, 17: 117-122.

Coleiro Bshall SE, Denton CP, Howell K, Blann A, Welsh KI, Black CM Treatment of Raynaud's phenomenon with the selective serotonin reuptake inhibitor fluoxetine Rheumatology 2001, 40: 1038 - 1043.

Colin C. Hierarchie des examens mammaires apres 20 ans de pratique senologique. (Hierarchy of breast examinations after twenty years experience). Journal de Gynecologie, Obstetrique et Biologie de la Eproduction, 25/5: 439-444. 1996

Colles C, G.Holah,. A.Pusey. Thermal imaging as an aid to diagnosis of back pain in the horse. (abstract). Thermol Österr1994, 4(4): 173-174.

Colles CM, Pusey AG, Brooks J.Chronic forearm paIn. Thermography is a sensitive adjunct to diagnosis :letter, comment,.BMJ 1997, 314: 1041-1042.

Colles CM. The use of Thermography in the diagnosis of back dysfunction in the horse disease (abstract). Thermol intern 2000, 10 (1): 38-9.

Colles, G.Holah, A.PuseY. Thermal imaging as an aid to diagnosis of back pain in the horse. IN. Ammer K, EFJ Ring (eds): The Thermal Image in Medicine and Biology, Uhlen Verlag, Wien,pp. 164-167. 1995 164

Colley CS, Clark IP, Griffiths-Jones SR, George MW, Searle MS. Steady state and time-resolved IR spectroscopy of the native and unfolded states of bovine ubiquitIn. Protein stability and temperature-jump kinetic measurements of protein folding at low pH. Chemical Communications 2000, 6(16): 1493-1494

Collins CM. Smith MB. Turner R. Model of local temperature changes in brain upon functional activation. J Appl Physiol. 2004; 97(6): 2051-2055.

Collins MM, MacDonald R, Wilt TJ Diagnosis treatment of chronic abacterial prostatitiS. A systematic review. Annals of Internal Medicine 2000, 133(5): 367-381

Collyer W, Venkatesh R, Vanlangendonck R, Morissey K, Hum- phrey P, Yan Y, Landman J. Enhanced renal cryoablation with hilar clamping and intrarenal cooling in a porcine model. Urology. 2004; 63(6):1209-12.

Colman D. Leal Brioschi M. Cimbalista Jr M. Mila Tambara E. Fabricio De MeloMCB. Pimpa~o Blume L. Macroscopic Infrared Analysis of Inhaled Nitrous Oxide Diffusion to AbdominalCavity in Rats Submitted to Pneumoperitoneum. Reva Brasil Anestesiol. 2004; 54(2): 218-228.

Colosi JA, Scheer EK, Flatte SM, Comuelle BD, Dzieciuch MA, Munk WH, Worcester PF, Howe BM, Mercer JA, Spindel RC,Metzger K, Birdsall TG, Baggeroer AB. Comparisons of measured and predicted acoustic fluctuations for a3250- km propagation experiment in the eastern North Pacific Ocean. Journal of the Acoustical Society of America 1999, 105/6: 3202-18.

Colosi JA, Tapped F, Dzieciuch M Further analysis of intensity fluctuations from a 3252-km acoustic propagation experiment in the eastern North Pacific Ocean. Journal of the Acoustical Society of America 2001, 110(1): 163-169

Comerford EJ. Innes JE. Tarlton JE. Bailey AJ. Investigation of the compostion, turnover, and thermal properties of ruptured cranial cru- ciate ligaments of dogs. Am J Vet Res. 2004;65(8): 1136-1141.

Comhaire F. Diagnosis of varicocele (letter, comment). Human Reproduction 1996, 11 (1)1: 2565.

Comhaire F. Scrotal thermography in varic-ocele. Adv Exp Med Biol 1991, 286:267-270.

Commichau C, Scarmeas N, Mayer SA. Risk factors for fever in the neurologic intensive care unit Neurology, 2003; 60: 837 - 841.

Comunale ME. A laboratory evaluation of the Level 1 rapid infuser (H1025) and the Belmont instrument fluid Managment system (FMS 2000) for rapid transfusion. Anesth Analg. 2003; 97(4):1064-1069.

Connor CW, Hynynen K. Patterns of thermal deposition in the skull during transcranial focused ultrasound surgery. IEEE Trans Bio- med Eng. 2004; 51(10):1693-706.

Consani RL, Domitti SS, Mesquita MF, Consani S. Effect of packing types on the dimensional accuracy of denture base resin cured by the conventional cycle in relation to post-pressing times. Braz Dent J. 2004;15(1):63-7.

Constantz J, Tyler SW, Kwicklis E. Temperature-Profile Methods for Estimating ercolation Rates in Arid Environments Vadose Zone J, 2003; 2: 12 - 24.

Conti B, Tabarean I, Andrei C, Bartfai T. Cytokines and fever. Front Biosci. 2004; 9:1433-49. Review.

Conway J, H.Amasha, A.P.AndersoN. An Experimental Study of Electrical Impedance Tomography (EIT) for Thermal Monitoring in the Human Body, Thermology 3:182-185.1990

Cook DJ, Plochl W, Orszulak TA, Ruskin KJ. Effect of temperature and PaCO sub(2) on cerebral embolization during cardiopulmonary bypass in swine. Annals of Thoracic Surgery 2000, 69(2): 415-420

Cook ER, Woodhouse CA, Eakin CM, Meko DM, Stahle DW. Long-term aridity changes in the western United States. Science. 2004 Nov 5;306(5698):1015-8.

Cooke E.Current thinking on peripheral vascular disease. Practitioner 1995, 239: 120-124.

Cooke ED, Glick EN, Bowcock SA, Smith RE, Ward C, Almond NE, Beacham JA. Reflex sympathetic dystrophy (algoneurodystrophy): temperature studies in the upper limb. Br J Rheumatol 1989, 28 (5): 399-403.

Cooke ED, MD.Steinberg, RM.Pearson, CE. Fleming SL.Toms, JA.ElusadE. Reflex sympathetic dystrophy and repetitive strain injurY. temperature and microcirculatory changes following mild cold stress. Journal of The Royal Society of Medicine 1993, 86: 690-693.

Cooke ED, Pockley AG, Tucker AT, Kirby JD, Bolton AE. Treatment of severe Raynauds syndrome by injection of autologous blood pretreated by heating, ozonation and exposure to ultraviolet light (H-O-Utherapy). International Angiology 16(4): 250-254. 1997

Cooksey RC. de Waard JH. Yakrus MA. Rivera I. Chopite M. Toney SR. Morlock GPButler WR. Mycobacterium cosmeticum sp. nov., a novel rapidly growing species isolated froma cosmetic infection and from a nail salon. Int J Syst Evol Microbiol. 2004; 54(6):2385-2391.

Coombes AGA, Heckman JD. Gel casting of resorbable polymers. 2. In-vitro degradation of bone graft substitutes. Biomaterials 13: 297-307. 1992

Cooney KM, Gossage, KW, McShane MJ, van der Breggen EWJ, Motomedi M; Cote GL.Development of an optical system for the detection of oral cancer using near-infrared spectroscopy. In. Proceedings - 20th Annual International Conference - IEEE/EMBS, 1998, Hong Kong, p.906

Cooney WP. Somatic versus sympathetic mediated chronic limb paIn. Experience and treatment options. Hand Clinics 1997,13(3): 355-361.

Cooper KE. Molecular Biology of ThermoregulatioN. Some historical perspectives on thermoregulation J Appl Physiol 2002, 92: 1717 - 1724. .

Cooper PD, Johnson RE, Quickenden TI. Hydrogen peroxide dimers and the production of O2 in icy satellite surfaces, Icarus, 2003; 166, (2):444-446

Cooper RL. Lee SA. Differential scanning calorimetric study of the binding of the water of hydration to deoxyadenosine. J Biomol Struct Dynamics. 2004; 22(3): 375-380.

Coradin T. Bah S. Livage J. Gelatine/silicate interactions: From nanoparticles to composite gels. Coll Surfaces B: Biointerfaces. 2004; 35(1): 53-58.

Cordero F, Craciun F, Franco A, Piazza D, Galassi C. Memory of multiple aging stages above the freezing temperature in the Relaxor ferroelectric PLZT. Phys Rev Lett. 2004; 93(9):097601.

Cordier JJ. Preliminary results and lessons learned from upgrading the Tore Supra actively cooled plasma facing components (CIEL project), FusEng Design, 2003; 66-68: 59-67.

Correa-Calderon A, Armstrong D, Ray D, DeNise S, Enns M, Howison C. Thermoregulatory responses of Holstein and Brown Swiss heat-stressed dairy cows to two different cooling systems. Int J Bio-me teorol. 2004; 48(3):142-8.

Correge T, Gagan MK, Beck JW, Burr GS, Cabioch G, Le Cornec F. Interdecadal variation in the extent of South Pacific tropical waters during the Younger Dryas event. Nature. 2004; 428(6986):927-9.

Corvalan CF, Patz JA. Global warming kills trees, and people. Bull World Health Organ. 2004; 82(7):481.

Coskun C, Biber M; Efeoglu H. Temperature dependence of current–voltage characteristics of Sn/p-GaTe Schottky diodes, AppSurface Sci, 2003; 211, (s 1-4): 360-366

Costa DP, Crocker DE, Gedamke J, Webb PM, Houser DS, Blackwell SB, Waples D, Hayes SA, Le Boeuf BJ. The effect of a low-frequency sound (acoustic thermometry of the ocean climate) on the diving behavior of juvenile northern elephant seals, Mirounga angustirostris. J Acoust Soc America. 2003; 113(2): 1155-1165.

Costanzo L, Loarer T, Ghendrih Ph, Gunn JP, Pégourié B. Power deposition behaviour on the neutralizer plates during detachment with the ergodic divertor on Tore Supra, J Nuc Mat, 2003; 313-316: 1321-1325.

Coste O. Beaumont M. Batejat D. Van Beers P. Touitou Y. Prolonged mild hypoxia modifies human circadian core body tempera- ture and may be associated with sleep disturbances. Chronobiol Int. 2004. 21(3)419-433.

Coster DP, Bonnin X, Corrigan G, Dejarnac R, Fenstermacher M, Fundamenski W, Geier A, Hogan J, Kallenbach A,. Kirschner A et al. An overview of JET edge modelling activities, J Nuc Mat, 2003; 313-316: 868-872.

Coticchio G, Bonu MA, Borini A, Flamigni C.Oocyte cryopreser- vation: a biological perspective. Eur J Obstet Gynecol Reprod Biol. 2004, 115 Suppl 1:S2-7.

Coticone SR. Oldroyd N. Philips H. Foxall P. Development of the AmpFSTR SEfiler PCR amplification kit: A new multiplexcontaining the highly discriminating ACTBP2 (SE33) locus. Int J Legal Med 2004;. 118(4): 224-234.

Cottet H, Struijk MP, Van Dongen JLJ, Claessens HA, Cramers CA Non-aqueous capillary electrophoresis using non-dissociating solvents - Application to the separation of highly hydrophobic oligomers. Journal of Chromatography A 2001, 915(1-2) 241-251

Cotton P. AMA's Council on scientific Affairs takes a fresh look at thermography (news). JAMA 267:1885-1887. 1992

Cottrell JE, Hartung J. Cool it on cooling—at least during aneurysm surgery. J Neurosurg Anesthesiol. 2004; 16(2):113-4.

Couch S., Harford CL, Sparks RSJ, Carroll MR. Experimental Constraints on the Conditions of Formation of Highly Calcic Plagioclase Microlites at the Soufrire Hills 2003; cano, Montserrat J Petrol, Aug 2003; 44: 1455 - 1475.

Coughlin PA, Chetter IC, Kent PJ, Kester RC The analysis of sensitivity, specificity, positive predictive value and negative predictive value of cold provocation thermography in the objective diagnosis of the hand-arm vibration syndrome. Occupational Medicine 2001. 51 (2) 75-80

Coulter GH, Cook RB, Kastelic JP. Effects of dietary energy on scrotal surface temperature, seminal quality, and sperm production in young beef bulls. Journal Of Animal Science 75 (4): 1048-1052.1997

Courtney BK, Nakamura M, Tsugita R, Lilly R, Basisht R, Grube E, Honda Y, Yock PG, Fitzgerald PJ. Validation of a thermographic guidewire for endoluminal mapping of atherosclerotic disease: an in vitro study. Catheter Cardiovasc Interv. 2004; 62(2):221-9.

Couto da Silva JM Couto da Silva, JM Jr, and Aldrete JA. Body Temperature and Diaphoresis Disturbances in a Patient with Arachnoiditis Anesth. Analg.2001, 93: 1578 - 1579.

Covington M, Keller MW, Kautz RL, Martinis JM. Photon-assisted tunneling in electron pumps. Phys Rev Lett. 2000 May 29,84(22):5192-5.

Cowie SE. A place in historY. Paul Broca and cerebral localization. Journal of Investigative Surgery 2000, 13(6): 297-298

Cowling SA, Betts RA, Cox PM, Ettwein VJ, Jones CD, Maslin MA, Spall SA. Contrasting simulated past and future responses of the Amazonian forest to atmospheric change. Philos Trans R Soc Lond B Biol Sci. 2004; 359(1443):539-47.

Coyne MD, Kesick CM, Doherty TJ, Kolka MA, Stephenson LA. Circadian rhythm changes in core temperature over the menstrual cyclE. Method for noninvasive monitoring. American Journal of Physiology - Regulatory Integrative and Comparative Physiology 2000. 279(4): R1316-R1320

Craciunescu OI, Das SK, McCauley RL, MacFall JR, Samulski TV 3D numerical reconstruction of the hyperthermia induced temperature distribution in human sarcomas using DE-MRI measured tissue perfusioN. validation against non-invasive MR temperature measurements. International Journal Of Hyperthermia, 2001.17 (3) 221-39

Craciunescu OI, Raaymakers BW, Kotte AN, Das SK, Samulski TV, Lagendijk JJ. Discretizing large traceable vessels and using DE-MRI perfusion maps yields numerical temperature contours that match the MR noninvasive measurements. Med Phys 2001, 28(11): 2289-96.

Craciunescu OI, Samulski TV, MacFall JR, Clegg ST. Perturbations in hyperthermia temperature distributions associated with counter-current floW. numerical simulations and empirical verification. IEEE Trans Biomed Eng. 2000 Apr,47(4):435-43.

Craciunescu OI, Samulski TV, MacFall JR, Clegg ST. Perturbations in hyperthermia temperature distributions associated with counter-current floW. Numerical simulations and empirical verification. IEEE Transactions on Biomedical Engineering 2000, 47(4): 435-443

Craig AD, Chen K, Bandy D, Reiman EM.Thermosensory activation of insular cortex. Nat Neurosci. 2000,3(2):184-90.

Craig DL, Fallowfield HJ, Croman NJ. Effectiveness of guideline faecal indicator organism values in estimation of exposure risk at recreational coastal sites. Water Sci Tech. 2003; 47(3): 191-198.

Craig J. Recording tympanic temperature. Paediatric Nursing, 1999. 11 (6) 10

Craig JP, Singh I, Tomlinson A, Morgan PB, Efron N The role of tear physiology in ocular surface temperature. Eye 2000. 14 (Pt 4) 635-41

Craig JV, Lancaster GA, Taylor S, Williamson PR, Smyth RL Infrared ear thermometry compared with rectal thermometry in childreN. a systematic review. Lancet 2002, 360(9333): 603-9.

Crain DS, Spencer CR, Favata MA, Amling CL. Transureteral saline perfusion to obtain renal hypothermia: potential application in laparoscopic partial nephrectomy. JSLS. 2004; 8(3):217-22.

Cramer KE, Winfree WP. Thermographic detection and quantitative characterization of corrosion by application of thermal line source. IN. Snell JR, RN Wurzbach (eds): Thermosense XX. Proceedings of the Society of Photo-Optical Instrumentation Engineers (SPIE) Vol.3361. Bellingham, pp. 291-300. 1998

Cranston Anderson G, Chiu S-H, Dombrowski MA, Swinth JY, Albert JM, Wada N. Mother-Newborn Contact in a Randomized Trial of Kangaroo (Skin-to-Skin) Care J Obstet Gynecol Neonatal Nurs, Sep 2003; 32: 604 - 611.

Creach C, Henry P, Caille JM, Allard M. Functional MR imaging analysis of pain-related brain activation after acute mechanical stimulation. AJNR Am J Neuroradiol. 2000,21(8):1402-6.

Cremades N, Sousa M, Silva J, Viana P, Sousa S, Oliveira C, Teixeira da Silva J, Barros A. Experimental vitrification of human compacted morulae and early blastocysts using fine diameter plastic micropipettes. Hum Reprod. 2004; 19(2):300-5.

Crespillo J, Llorente P, Argomaniz L, Montero C. APRT from erythrocytes of HGPRT deficient patients: Kinetic, regulatory and thermostability properties. Mol Cell Biochem. 2003; 254(1-2) :359-363.

Cretel E, Sibai A, Taupin P, Hausfater P, Piette JC, Cacoub P. Etude Comparative de la Temperature Corporelle par Mesure Rectale et Tympanique. Comparative study of body temperature with rectal and tympanic methods. Revue de Medecine Interne 1999. 20(11): 981-4

Creuzot-Garcher C L'examen clinique du film lacrymal.[Clinical examination of the lacrimal film] Journal Francais D Ophtalmologie 1999. 22(4): 461-6.

Crocetti M, Moghbeli N, Serwint J. Fever phobia revisiteD. Have parental misconceptions about fever changed in 20 years? Pediatrics 2001, 107(6): 1241-1246

Croguennec T, Molle D, Mehra R, Bouhallab S. Spectroscopic characterization of heat-induced nonnative beta-lactoglobulin mono- mers. Protein Sci. 2004; 13(5):1340-6.

Croll TI. O'Connor AJ. Stevens GW. Cooper-White JJ. Con-tr ollable surface modification of poly(lactic-co-glycolic acid) (PLGA) by hydrolysis or aminolysis I: Physical, chemical, and theoretical aspects. Biomacromolecules. 2004; 5(2): 463-473.

Cronin K, Wallis M Temperature taking in the ICU. which route is best? Australian Critical Care 2000. 13 (2) 59-64

Cronje A, Turner C, Williams A, Barker A, Guy S. Composting under controlled conditions. Environ Tech. 2003; 24(10): 1221-1234.

Crowley KL. Shevchenko YO. Anesthetic management of a dif-f icult airway in a patient with epidermolysisbullosa: A case report. AANA J. 2004;72(4): 261-263.

Crozier LG. Field transplants reveal summer constraints on a butterfly range expansion. Oecologia. 2004; 141(1):148-57.

Crozier TA, Kietzmann D, Dobereiner B.Mood change after an-ae sthesia with remifentanil or alfentanil. Eur J Anaesth. 2004; 21(1): 20-4.

Cruciani F, M.Latini, M.Turri, A.Casavecchia, N.De Felice, O.Verallo, G.Santino, C.Balacco-Ga- briell. (Parameters for the assessment of inflammation of the anterior segment of the eye). Clinica Terapeutica 144: 451-460.1994

Cruz A, Casals C, Keough KMW, Perez-Gil J. Different modes of interaction of pulmonary surfactant protein SP-B in phosphatidylcholine bilayers. Biochemical Journal 327(1): 133-138. 1997

Cryan JF, Kelly PH, Chaperon F, Gentsch C, Mombereau C, Lingenhoehl K, Froestl W, Bettler B, Kaupmann K, Spooren WP. Behavioral characterization of the novel GABAB receptor-positive modulator GS39783 (N,N'-dicyclopentyl-2-methylsulfanyl-5-nitro-pyrimidine-4,6-diamine): anxiolytic-like activity without side effects associated with baclofen or benzodiazepines. J Pharmacol Exp Ther. 2004; 310(3):952-63.

Cuello C, Berthelot F, Martinat-Botte F, Guillouet P, Furstoss V, Boisseau C, Manceau P, Locatelli A, Martinez EA. Transfer of vitrified blastocysts from one or two superovulated Large White Hyperprolific donors to Meishan recipients: reproductive parameters at Day 30 of pregnancy. Theriogenology. 2004; 61(5):843-50.

Cuello C, Gil MA, Parrilla I, Tornel J, Vazquez JM, Roca J, Berthelot F, Martinat-Botte F, Martinez EA. In vitro development following one-step dilution of OPS-vitrified porcine blastocysts. Theriogenology. 2004; 62(6):1144-52.

Cuello C, Gil MA, Parrilla I, Tornel J, Vazquez JM, Roca J, Berthelot F, Martinat-Botte F, Martinez EA. Vitrification of porcine embryos at various developmental stages using different ultra-rapid cooling pro-ce dures. Theriogenology. 2004; 62(1-2):353-61.

Cueto M, Dorta MJ, Munguia O, Llabres M. New approach to stability assessment of protein solution formulations by differential scanning calorimetry. Int J Pharm. 2003; 252(1-2): 159-166

Cui J. Wilson TE. Crandall CG. Orthostatic challenge does not alter skin sympathetic nerve activity inheat-stressed humans. Autonom Neurosci-Basic Clin. 2004; 116(1-2): 54-61.

Cui J. Zhang R. Wilson TE. Crandall CG. Spectral analysis of muscle sympathetic nerve activity in heat-stressed humans. Am J Physiol - Heart Circul Physiol. 2004.286(3 55-3)H1101-H1106.

Cukrowska EM. Govender K. Viljoen M. Ion mobility based on column leaching of South African gold tailings dam withchemometric evaluation. 2004;Chemosphere. 56(1): 39-50.

Cummings M, Biagioni P, Lamey PJ, Burden DJ. Thermal image analysis of electrothermal debonding of ceramic bracketS. an in vitro study. European Journal Of Orthodontics 1999. 21(2): 111-8.

Cunha BA. Smallpox and measles: Historical aspects and Clin differentiation. Infect Dis Clin North Am. 2004;18(1): 79-100.

Cunliffe AM, Jones N, Williams PT. Pyrolysis of composite plastic waste. Environl Tech. 2003; 24(5):653-663.

Cupceancu B. Breast Thermography After Stress. Which is the Most Reacting Breast? (abstract). European Journal of Thermology 8: 110 , 1998

Cupceancu B. Breast thermological response to stress in benign breast disease (BBD) patients. (abstract) Thermol Österr 7(2): 70-71. 1997

Cuppo F, Reynaers H, Paoletti S, Kremer SP, Martens JA. Non- equilibrium processes of interchain association induced by Cs+ ions in kappa-carrageenan aqueous solutions. Int J Biol Macromol. 2004 ; 34(1-2):43-7.

Curri SB. Microvascular anatomy of the skin and its appedages. Phlebologie 43:407-430. 1990

Curry A. Emerging human protozoan infections in the temperate European climate. J Submicrosc Cytol Pathol. 2004; 36(2):105-19.

Cuschieri A, Campbell PA Dynamic Thermography as an Adjunct to Energised Surgery. Thermol intern 2002. 12: 75

Cusick G, Birkett A, Clarke-O'Neill S, Fader M, Cottenden AM. A system for logging incontinence events using a simple disposable sensor. Proc Inst Mech Eng [H]. 2003;217(4):305-10.

Cuthbertson G. Development of IR detection in the U.K. IN. Ammer K, EFJ Ring (eds): The Thermal Image in Medicine and Biology, Uhlen Verlag, Wien,pp.21-30. 1995

Cuthbertson G. Development of IR detection in the U.K. Thermol Österr4:159-160. 1994

Cuzin N, Ouattara AS, Labat M, Garcia J-L Methanobacterium congolense sp. nov, from a methanogenic fermentation of cassava peel. International Journal of Systematic and Evolutionary Microbiology 2001, 51(2): 489-493

Czupryniak A, Kaluzynska A, Nowicki M, Wiecek B, Bald E, Owczarek D. Raynaud's Phenomenon and Endothelial Dysfunction in End-Stage Renal Disease Patients Treated with Hemodialysis. Kidney Blood Press Res. 2004; 23;28(1):27-31

Czupryniak A, Kałużyńska A, Zwolenik S, Lis M,. Jander A,. Więcek B,. Nowicki M. Thermographic assessment of Raynaud's syndrome in chronic hemodialysis patients. Thermol intern 2002. 12: 156-157

Czupryniak A, Katuzynska A,. Zwolenik S,.Jander A, Finke D, Więcek B.Thermographic assessment of vascular access in hemodialysis patients - a preliminary study (abstract). Thermol intern 1999, 9(4):

D'Agata E, S. Grigoriev, G. Federici, C. Ibbott, A. Makhankov, V. Tanchuk and R. Tivey Behaviour of the PFC tiles on the ITER divertor under critical loading conditions, Fus Eng Design, 2003; 66-68: 329-334

d'Ambrosio FR, Palella BI, Riccio G, Alfano G. [Criteria for assessment of hot environments: WBGT index and PHS (predicted heat strain)] Med Lav. 2004; 95(4):255-74.

d'Avila A, Houghtaling C, Gutierrez P, Vragovic O, Ruskin JN, Josephson ME, Reddy VY. Catheter ablation of ventricular epicardial tissue: a comparison of standard and cooled-tip radiofrequency energy. Circulation. 2004 ; 109(19):2363-9

D'Souza RM, Becker NG, Hall G, Moodie KB.Does ambient tem- perature affect foodborne disease? Epidemiology. 2004; 15(1) :86-92.

D'Urso B, Odom B, Gabrielse G. Feedback cooling of a one-electron oscillator. Phys Rev Lett. 2003 Jan 31;90(4):043001.

Daar AS. Non-heart-beating donation: ten evidence-based ethical recommendations. Transplant Proc. 2004 Sep;36(7):1885-7.

Dabiri D, Gharib M. Digital particle image thermometry and velocimetry. IN. Crowder JP, editor, Flow Visualization VII, Begell House, New York, 1995, p. 558-63

Dachs E, Schartelmüller T, K.Ammer. Tem-peratur von Kaltluft zur Kryotherapie und Ver-änderungen der Hauttemperatur am Kniegelenk nach Kaltluftbehandlung. Thermol Österr1: 9-14. 1991

Dachs E, Schartelmüller T, K.Ammer. Tem-peratur von Kaltluft zur Kryotherapie und Ver-änderungen der Hauttemperatur am Kniegelenk nach Kaltluftbehandlung (abstract). Thermol Österr1: 9-14. 1991

Dahan S, Lagarde JM, Turlier V, Courrech L, Mordon S. Treat- ment of neck lines and forehead rhytids with a nonablative 1540-nm Er:glass laser: a controlled clinical study combined with the measurement of the thickness and the mechanical properties of the skin. Dermatol Surg. 2004 Jun;30(6):872—880.

Dahl MV, Ross AJ, Schlievert PM. Temperature regulates bacterial protein production: possible role in rosacea. J Am Acad Dermatol. 2004; 50(2):266-272.

Dahl O, Dalene R, Schem BC, Mella O. Status of clinical hyperthermia. Acta Oncologica 1999. 38(7):863-73

Dahl O.Bericht über die Jahrestagung 1997 der Deutschen Gesellschaft für Thermographie vom 13.-15.Juni 1997 in Bad Nauheim. ThermoMed 13: 95-96. 1997

Dahmen S, Braese S Combinatorial methods for the discovery and optimisation of homogeneous catalysts. Synthesis 2001:10: 1431-1449

Dai T, Pikkula BM, Wang LV, Anvari B. Comparison of human skin opto-thermal response to near-infrared and visible laser ir-ra diations: a theoretical investigation. Phys Med Biol. 2004; 49(21):4861-77.

Dalla Volta G Thermographic evaluation of ozonotherapy for patients with degenerative discopathy. Thermol intern 2001, 11(2): 99.

Dalla Volta G Trigeminal neuralgia (abstract). Thermology intern 2000, 10(3):142

Dalla Volta G, Anzola GP. Are there objective criteria to follow up migrainous patients? A prospect study with thermography and evoked potentials.Headache 28 (6): 423-425.1988

Dalla Volta G, G. P. Anzola, M. Magoni, M. GuindanI. The Usefulness Of Telethermo-Graphy (Ttv) In The Diagnosis Of Headache And Facial PaIn. (abstract) European Journal of Thermology 7(3):153. 1997

Dalla Volta G, G.P. AnzolA. Dynamic Study of the Trigeminovascular SysteM. A Reappraisal. (abstract) European Journal of Thermology 8: 110 , 1998

Dalla Volta G, GP Anzola, V DiMondA. The disappearance of the "cold patch" in recovered mi-graine patientS. thermographic findings. Headache 31:305-309. 1991

Dalla Volta G, M.Magoni, GP.AnzolA. Vascular consequences of trigeminal rhizotomy (abstract). Thermol Österr 6. 105. 1996

Dalla Volta G,.Pezzini A.Infra red Thermography in Patients with Early Unilateral Parkinsons´s Disease. Thermol intern 2000 , 10(1): 20-2.

Dalla Volta G,V Di Monda,M. Bariselli, GPAnzola. Hedache and dialysiS. What kind of relationship? Headache Quarterly 2 :292-296. 1991

Dalla Volta G. HeadachE. a way to test the trigeminal nervous system (abstract). Thermology intern 2000, 10(3):139-40

Dalla Volta G. Telethermographic Monitoring of Treatment in Patients with Migraine. (abstract) Thermol intern 1999, 9(2):72.

Dalla Volta G.Teletermographic Images Of Brain Lesions (Tumors Or Vascular Diseases) (abstract) Thermol int 2003, 13: 66.

Dalla-Volta G , G.P.Anzola, M.Magoni, M.GuindanI.The Usefulness of Telethermography in the Diagnosis of Headache and Facial PaIn. (abstract) Thermol Österr 7(2): 66. 1997

Dalton R : Search is on for underwater volcano. Nature 2001: 410(6831): 854

Damasceno D,. Scoates JS, Weis D, Frey FA, Giret A. Mineral Chemistry of Mildly Alkalic Basalts from the 25 Ma Mont Crozier Section, Kerguelen ArchipelagO. Constraints on Phenocryst Crystallization Environments J. Petrology 2002, 43: 1389 - 1413.

Damaso MCT, Almeida MS, Kurtenbach E, Martins OB, Pereira Jr N, Andrade CMMC, Albano RM. Optimized Expression of a Thermostable Xylanase from Thermomyces lanuginosus in Pichia pastoris. App Environ Microbiol. 2003; 69(10): 6064-6072.

Damian MS, Ellenberg D, Gildemeister R, Lauermann J, Simonis G, Sauter W, Georgi C. Coenzyme Q10 combined with mild hypo-t hermia after cardiac arrest: a preliminary study. Circulation. 2004; 110(19):3011-6.

Damiani C and EFDA-JET workprogramm: JET enhancements under EFDA, Fus Eng Design, 2003; 66-68: 153-159.

Danelli G, Berti M, Perotti V, Albertin A, Baccari P, Deni F, Fanelli G, Casati A Temperature Control and Recovery of Bowel Function After Laparoscopic or Laparotomic Colorectal Surgery in Patients Receiving Combined Epidural/General Anesthesia and Postoperative Epidural Analgesia Anesth. Analg. 2002, 95: 467 - 471.

Danesi S, Salerno A, Wu D, Busse G. Cooling down thermographY. principle and results for NDE. IN. Snell JR, RN Wurzbach (eds): Thermosense XX. Proceedings of the Society of Photo-Optical Instrumentation Engineers (SPIE) Vol.3361. Bellingham, pp.266-274. 1998

D'Angelo G, Varma SK, Monforte A, Vermiglio G, Sansotta C. Studio conoscitivo sulle caratteristiche fisiche dei materiali da medicazione utilizzati nelle terapie delle ustioni Physical properties study on burns dressings. Rivista Italiana di Chirurgia Plastica 24(SUPPL):(151-156.1992

Daniels A. Optimization of pulsed temporal stimulation for thermal nondestructive testing. IN. Snell JR, RN Wurzbach (eds): Thermosense XX. Proceedings of the Society of Photo-Optical Instrumentation Engineers (SPIE) Vol.3361. Bellingham, pp.254-265. 1998

Danielsen L, Gniadecka M, Thomsen HK, Pedersen F, Strange S, Nielsen KG, Draminsky Petersen H. Skin changes following defibrillation: The effect of high voltage direct current, Forensic Sci Int , 2003; 134, (s 2-3): 134-141

Danielsson E, Zetterling C. -M, Domeij M, Östling M, Forsberg U, Janzén E. Investigation of thermal properties in fabricated 4H-SiC high power bipolar transistors:1. Solid-State Electron, 2003; 47, (4). 639-644.

Danielsson U. Heat and mass transfer from a baby manikin: Impact of a chemical warfareprotective bag. Eur J Appl Physiol. 2004; 92(6): 689-693.

Danilevskii NF, Koval' NI, Zavernaia AM
TI.Zhidkokristallicheskaia termografiia v diagnostike i otsenke effektivnosti lecheniia bol'nykh s khronicheskoi limfedemoi gub (Liquid-crystal thermography in the diagnosis and assessment of treatment efficacy in patients with chronic lymphedema of the lips)
SO.Stomatologiia (Mosk), 69 (1) 33-4 (1)990

Danil'tseva GM. Radiothermography in the diagnosis of vestibular dysfunction of vascular etiology. Zh Nevrooatol psikiatr 91:33-35. 1991

Dannenmuller O, Arakawa K, Eguchi T, Kakinuma K, Blanc S, Albrecht AM, Schmutz M, Nakatani Y, Ourisson G. Membrane properties of archaeal macrocyclic diether phospholipids. Chemistry. 2000,6(4):645-54.

Dark J, Miller DR, Lewis DA, Fried SK, Bunkin D. Noradrenaline-induced lipolysis in adipose t(in suppressed at hibernation temperatures in ground squirrels. J Neuroendocrin. 2003; 15(5):451-548.

Darm RM, RB.Hecker, BJ.RubaL. A comparison of noninvasive body temperature monitoring devices in the PACU. Journal Of Post Anesthesia Nursing 9: 144-149.1994

Darrigol O Number and measure: Hermann von Helmholtz at the crossroads of mathematics, physics, and psychology. Stud Hist Philos Sci, Sep 2003; 34(3): 515-73.

Darton K, Black CM. Pyroelectric vidivon thermographjy and cold challenge quantify the severity of Raynaud's phenomenon. Br J Rheumatol 1991, 30:190-195.

Datskos PG, Rajic S, Datskou I. Detection of infrared photons using the electronic stress in metal-semiconductor cantilever interfaces. Ultramicroscopy 2000. 82 (1-4): 49-56

Datskos PG, Rajic S, Datskou I. Detection of infrared photons using the electronic stress in metal-semiconductor cantilever interfaces. Ultramicroscopy 2000: 82(1-4): 49-56

D'Auria T, Santoro S, Gambardella A, D'Amico A, Di Salle F.Il lipoma dell'ipofaringE. il ruolo della T.C. nel protocollo diaqnostico. (Lipoma of the hypopharynX. role of computerized tomography in the diagnosi protocol).Acta Otorhinolaryngol Ital 1990, 10 (1): 87-92.

Davaine A-C. Viseux V. Le Bihan J. Plantin P. Erythematous and cold plaque of the breast. Ann Dermatol Ven 2004; 131(1 I)79-80.

Davaran S, Rashidi MR, Hashemi M. Synthesis and hydrolytic behaviour of 2-mercaptoethyl ibuprofenate-polyethylene glycol conjugate as a novel transdermal prodrug. J Pharm Pharmacol. 2003; 55(4):513-517), 2003.

Daverio E, Aulenta F, Ligthart J, Bassani C. Rozzi A. Application of calorimetric measurements for biokinetic characterisation of nitrifying population in activated sludge. Water Res. 2003; 37(11):2723-2731.

David E, M. Pfotenhauer, L. David. Prinzipielles zur Thermoregulation bei somatischen Erkrankungen. ThermoMed 1989, 5: 44-51.

David E, M. Pfotenhauer, L. David. Über die Hierarchie der Regelkreise - Der Zusammenhang der Thermoregulation zum kardiopulmonaln System. ThermoMed 1989, 5: 15-18.

David E, W. Dallinga, M.Pfotenhauer, G. Platzer,J.Reißenweber. Thermoregulation bei hyperbarer Hyperthermie von Säugern. ThermoMed 1991, 7: 109-111..

David E. Die Physiologie der Temperaturregulation. Thermodiagnostik 1987, 3(2): 6-10.

Davidenkova EF, Liberman IS, Mel'nikova VP, Goriachkov AIu,Tazitdinova LK. Pokazateli lipidnogo obmena i sistemy perekisnogo okisleniia lipidov u lits s razlichnymi tipami porazhenii sosudov nizhnikh konechnostei. (Indicators of lipid metabolism and lipid peroxidation system in patients with different types of lesions of the vessels of the lower limbs) Klinicheskaia Meditsina, 70 (5-6): 39-42. 1992

Davidson G. Bennett MH. Effect of oxygen flow on inspired oxygen and carbon dioxide concentrations andpatient comfort in the Amron oxygen hood. South Pacific Underwater Med Soc J. 2004; 34(2): 68-74.

Davidson GW, Davie PS. Mechanical efficiency of isolated in situ perfused hearts of the eel Anguilla australis. Comparative Biochemistry and Physiology - A Molecular and Integrative Physiology 2001: 128(1): 167-175

Davidson SRH, James DF. Drilling in bone: Modeling heat generation and temperature distribution. J Biomech Eng. 2003; 125(3):305-314), 2003.

Davidson SRH, Sherar MD. Measurement of the thermal conductivity of polyacrylamide t(-equivalent material. Int J Hyperther. 2003; 19(5):551-562) 3.

Davies J Paediatric retrieval - Aiming for the gold standard. Care of the Critically Ill 2001, 17(3): 94-98

Davies LM. MacLellan CL. Corbett DR. Colbourne F. Post- ischemic diazepam does not reduce hippocampal CA1 injury and does notimprove hypothermic neuroprotection after forebrain ischemia in gerbils. Brain Res. 2004; 1013(2): 223-229.

Davies MJ. Detecting vulnerable coronary plaques (comment).Lancet 1996, 347: 1422-1423.

Davies MW, Dunster KR, Cartwright DW. Inspired gas temperature in ventilated neonates. Pediatr Pulmonol. 2004 ; 38(1):50-4.

Davis DW, EM McDougall, DL Hendrix, TL Steele, JE Adaskaveg, EE ButleR. Air particulates associated with the ash whitefly. Journal of the Air and Waste Management Association 43: 1116-1121. 1993

Davis KD. Pope GE. Crawley AP. Mikulis DJ. Perceptual illusion of 'paradoxical heat' engages the insular cortex. J Neurophysiol 2004; 92(2)1248-1251.

Davis RE, Knappenberger PC, Michaels PJ, Novicoff WM. Changing heat-related mortality in the United States. Environ Health Perspect. 2003; 111(14):1712-1718.

Davison BL. Cantu RV. Van Woerkom S. The magnetic attraction of lower extremity external fixators in an MRI suite. J Orthop Trauma. 2004; 18(1): 24-27.

Dazai J. Bock NA. Nieman BJ. Davidson LM. Henkelman RM. Chen XJ. Multiple mouse biological loading and monitoring system for MRI. Magn Reson Med. 2004; 52(4): 709-715.

De Boer EM, Bruynzeel DP. Patch testS. Evaluation by instrumental methods. Clinics in Dermatology 1996, 14:41-50.

De Bree R. Hartley C. Smeele LE. Kuik DJ. Quak JJ. Leemans CR. Evaluation of donor site function and morbidity of the fasciocutaneous radial forearm flap. Laryngoscope. 2004.114(11 I)1973-1976.

De Crombrugghe G. Imaging of locoregional breast cancer recurrance. Helvetica Chirurgica Acta 1992, 59:269-271.

de Feyter P J, Nieman K New coronary imaging techniqueS. what to expect? Heart 2002, 87: 195 - 197.

De Feyter P. Mollet N. Nieman K. Arampatzis A. Cademartiri F. Pattynama PSerruys P. Noninvasive visualisation of coronary athero- sclerosis with multislice computedtomography. Cardiovasc Radiat Med. 2004;5(1): 49-56.

De Francesco A. Marconi M. Cinelli S. Onori G. Paciaroni A. Picosecond Internal Dynamics of Lysozyme As Affected by Thermal Unfolding inNonaqueous Environment. Biophysl J. 2004; 86(1): 480-487.

De Georgia MA. Krieger DW. Abou-Chebl A. Devlin TG. Jauss M. Davis SM. Koroshetz WJ. Rordorf G. Warach S. Cooling for acute ischemic brain damage (COOL AID): A feasibility trial of endovascular cooling. Neurology. 2004; 63(2): 312-317.

De Goes EG. Covas DT. Haddad R. Pela CA. Formigoni CE. Borges JC. Quality control system for blood irradiation using a tele-th erapy unit. Vox Sanguinis. 2004; 86(2): 105-110.

De Haan P, Kalkman CJ, Jacobs MJHM. Pharmacologic neuroprotection in experimental spinal cord ischemiA. A systematic review. Journal of Neurosurgical Anesthesiology 2001, 13(1): 3-12

de Jode MG, Vale JA, Gedroyc WM MR-guided laser thermoablation of inoperable renal tumors in an open-configuration interventional MR scanneR. preliminary clinical experience in three cases. Journal of Magnetic Resonance Imaging, 1999. 10 (4) 545-9

De Jong AEI. Rombouts FM. Beumer RR. Behavior of Clostridium perfringens at low temperatures. Int J Food Microbiol. 2004;97(1): 71-80.

De Jongh RF, Vissers KC, Booij LHDJ, De Jongh KL, Vincken P. Meert TF. Interleukin-6 and perioperative thermoregulation and HPA-axis activation. Cytokine. 2003; 21(5) :248-256.

de Jongh RT, Serne EH, IJzerman RG, de Vries G, Stehouwer CD. Impaired microvascular function in obesity: implications for obesity- associated microangiopathy, hypertension, and insulin resistance. Circula- tion. 2004; 109(21):2529-35.

de Koning AJ. Determination of glycerol by gas chromatography using meso-erythritol as internal standard. Analyst. 2004; 129(4):352-4.

de la Calle-Reviriego JL. Sindrome de dolor regional complejO. la necesidad de un planteamiento multidisciplinar. (Complex regional pain syndromE. the need for multidisciplinary approach). Revista De Neurologia, 2000. 30 (6) 555-61

de la Fuente G, Cebrian JA, Fondevila M. A cryopreservation procedure for the rumen protozoon Entodinium caudatum: estimation of its viability by fluorescence microscopy. Lett Appl Microbiol. 2004; 38(2):164-8.

De Mello AJ. Habgood M. Lancaster NL. Welton T. Wootton RCR. Precise temperature control in microfluidic devices using Joule heating of ionicliquids. Lab on a Chip. 2004; 4(5): 417-419.

De Mey G, E De Baetselier, A Vandierendonck, K VandergoteN. A thermal prosthesis for the blind. Thermol Österr2:S40. 1992

De Mey G,Vermeir T. A tutorial on infrared thermography. Thermol Österr2:S16. 1992

De Rossi A, Costard E, Guerineau N, RommeluereS. Effect of finite pixel size on optical coupling in QWIPs. Infrared Phys Tech, 2003; 44, (s 5-6): 325-330

De Ruiter CJ, De Haan A Similar effects of cooling and fatigue on eccentric and concentric force- velocity relationships in human muscle. Journal of Applied Physiology 2001, 90(6): 2109-2116

de Swart BJ, van Engelen BG, van de Kerkhof JP, Maassen BA. Myotonia and flaccid dysarthria in patients with adult onset myotonic dystrophy. J Neurol Neurosurg Psychiatry. 2004; 75(10):1480-2.

De Takats G. Reflex dystrophy of the extremities. Pain Clinic 5: 41-54. 1992

De Thibault de Boesinghe L, F.Castille, J.Devulder, G.RollY. Thermography and Pain syndromes. (abstract). Thermol Österr 5:77. 1995

De Thibault de Boesinghe L. The value of thermography for the diagnosis, prognosis and surveillancew of non-palpable breast tumors. J Belge Radiol 73:375-378. 1990

De Wagter C, L.MatrenS. Hyperthermia state of arT. physical and technological aspects. Thermol Österr2:S34-35. 1992

De Weck AL, Derer T, Bahre M. Investigation of the anti-allergic activity of azelastine on the immediate and late-phase reactions to allergens and histamine using telethermography. Clin Exp Allergy. 2000,30(2):283-7.

De Weck AL, T Derer, SC Bischoff, S TakafujI. The effect of terfenadine on immediate and late-phase reactions mediated by immunoglobolin E. International Archives of Allergy and Immunology 101: 326-332. 1993

De Weck AL, T.DereR. Critical evaluation of the use of skin tests and cellular tests in standardization of allergens. Arbeiten aus dem Paul-Ehrlich-Institut (Bundesamt fur Sera und Impfstoffe) Langen 87:89-117.1994

De Weck AL. Perspectives in allergy diagnosis. International Archives of Allergy and Immunology 99:252-256.1992

De Wet FN, Gerber JJ, Lotter AP, Van der Watt JG, Dekker TG. A study of the changes during heating of paracetamol. Drug Development and Industrial Pharmacy 24/5: 447-453. 1998

De Wildt MJ, de la Rosette JM. Transurethral microwave thermotherapY. an evolving technology in the treatment of benign prostatic enlargement. British Journal of Urology, 76:531-538.1995

De Zwart JA, Vimeux FC, Delalande C, Canioni P, Moonen CTW. Fast lipid-suppressed MR temperature mapping with echo-shifted gradient- echo imaging and spectral-spatial excitation. Magnetic Resonance in Medicine 1999, 42(1):/53-9.

De Zwart JA, Vimeux FC, Palussiere J, Salomir R, Quesson B, Delalande C, Moonen CTW. On-line correction and visualization of motion during MRI-controlled hyperthermia. Magnetic Resonance in Medicine 2001, 45(1): 128-137

Dean RB. Editorial. Waste Management and Research 2000, 18(5): 405

Dearani JA, Axford TC, Patel MA, Healey NA, Lavin PT, Khuri SF. Role of myocardial temperature measurement in monitoring the adequacy of myocardial protection during cardiac surgery Ann. Thorac. Surg. 2001, 72: 2235 - 2243.

Dearden JC, Hellawell GO, Pilling J, Besherdas K, Van Someren N. Does cooling Sengstaken-Blakemore tubes aid insertion? An evidence based approach. Eur J Gastroenterol Hepatol. 2004; 16(11):1229-32.

Debicki P, Okoniewska E, Okoniewski M. Superficial and intraurethral applicators for mic-rowave hyperthermia. Adv Exp Med Biol 267: 321-326. 1990

Debicki PS, Haczewski A, Baert LV, Petrovich Z Microwave transurethal applicator with helix-loaded-dipole-antenna (HLDA) for prostate treatment International Journal of Hyperthermia 2001, 17(4):302-320

Deboa D, Parafiniuk M, Kempińska A, Walczak A. Thermal emission from the shoulder girdle region in mastectomized women. Thermol intern 2002. 12: 156

Deboa D, Szydłowski L, Lipski M. Infrared Imaging For The Measurement Of Post-Mortem Temperature Decrease Of The Human Corpse.(abstract) Thermol intern 2001, 11(4):205

Deboa Danuta, Anita KaminskA. Thermogra-phic Diagnosis of Circulation in Skin Grafts in Facial Surgery. (abstract). European Journal of Thermology 8: 183. 1998

Debold EP. Dave H. Fitts RH. Fiber type and temperature depen-d ence of inorganic phosphate: Implications forfatigue. Am J Physiol - Cell Physiol. 2004;287(3 56-3):C673-C681.

DeBow S, Colbourne F. Brain temperature measurement and regulation in awake and freely moving rodents. Methods. 2003; 30(2):167-171.

DeBow SB, Clark DL, MacLellan CL, Colbourne F. Incomplete assessment of experimental cytoprotectants in rodent ischemia studies. Can J Neurol Sci. 2003 Nov;30(4):368-74.

DeBow SB, McKenna JE, Kolb B, Colbourne F. Immediate constraint-induced movement therapy causes local hyperthermia that exacerbates cerebral cortical injury in rats. Can J Physiol Pharmacol. 2004;82(4):231-7.

Decelle B. Tsang A. Storms RK. Cloning, functional expression and characterization of three Phanerochaetechrysosporium endo- 1,4- beta- xylanases. Curr Genetics. 2004; 46(3): 166-175.

DeChaine EG, Martini AP. Historic cycles of fragmentation and expansion in Parnassius smintheus (papilionidae) inferred using mito- condrial DNA. Evolution Int J Org Evolution. 2004; 58(1):113-27.

Declerck P, Schiepers C, Mortelmans L, De Roo M. Stage II reflex sympathetic dystrophy syndrome with unexpected bone changes due to the use of walking crutches. Clinical Nuclear Medicine 18: 604-605. 1993

Deconinck F. Nuclear imaging in the realm of medical imaging, Nuc Instrum Methods Phys Res Sect A: Acceler, Spectrom, Detect Assoc Equip, 2003; 509, (s 1-3): 213-228

Dedova IV. Nikolaeva OP. Mikhailova VV. Dos Remedios CG. Levitsky DI. Two opposite effects of cofilin on the thermal unfolding of F-actin:differential scanning calorimetric study. Biophys Chem. 2004; 110(1-2): 119-128.

Deger S, Boehmer D, Tuerk I, Franke M, Roigas J, Budach V, Loening SA Thermoradiotherapie mit interstitiellen Thermoseeds bei der Behandlung des lokalen Prostatakarzinoms (Thermoradiotheraphy with interstitial thermoseeds in the treatment of localized prostate cancer). Urologe - Ausgabe A 2001, 40(3): 195-198

Dehnhardt G, Mauck B, Hyvaerinen H. Ambient temperature does not affect the tactile sensitivity of mystacial vibrissae in harbour seals. Journal Of Experimental Biology 1998. 201 / Pt 22: 3023-9.

Deinichenko EA, Tipun VM, TipunAV. Opyt primeneniia distantsionnoi infrakrasnoi termografii pri opredelenii aktivnosti tuberkuleza legkikh. (Experience in the use of remote infrared thermography in the determination of pulmonary tuberculosis activity) Problemy Tuberkuleza, (4) 49-51.1995

Deka-Biernacka M, Smolewska E, Jakubowska T, Brózik H, Peszyñski-Drews C,.Stañczyk J. The use of thermography in the evaluation of arthritis in children. (abstract). Thermol intern 2000, 10 (4): 210

del Brutto OH. [Relationship between body temperature and prognosis, and neuroprotective effect of hypothermia in acute stroke patients] Rev Neurol. 2004; 38(11):1050-5.

Delalibera I Jr, Humber RA, Hajek AE. Preservation of in vitro cultures of the mite pathogenic fungus Neozygites tanajoae. Can J Microbiol. 2004; 50(8):579-86.

DeLapp RC. LeBoeuf EJ. Thermal Analysis of Whole Soils and Sediment. J Environ Quality. 2004;33(1): 330-337.

Delaroziere JC, Sanmarco JL. [Excess mortality in people over 65 years old during summer heat waves in Marseille. Comparison before and after a preventive campaign] Presse Med. 2004; 33(1):13-6.

Delgado S. Alvarez M. Rodriguez-Gomez LE. Elmaleh S. Trans- portation of reclaimed wastewater through a long pipe: Inhibition ofsulphide production by nitrite from the secondary treatment. Environ Technol. 2004; 25(3): 365-371.

Demaine D. A high resolution thermal imager for medical thermography (abstract). ThermoMed 5: 55-56. 1989

Demmink JH, Helders PJM, Hobæk H, Enwemeka C. The variation of heating depth with therapeutic ultrasound frequency in physiotherapy, Ultrasound Med Biol, 2003; 29, (1): 113-118

Demmink JH,Helders PJM. The effect of moving an ultrasound transducer on tissue heating. Adv Physiother. 2003; 5(2):50-56), 2003.

Demura Y, Totani Y, Tsubosaka S, Ameshima S, Ishizaki T, Miyamori I. The effectiveness of thermography for the diagnosis and follow-up of pulmonary hypertrophic osteoarthropathy. Japanese Journal of Lung Cancer 1999:39(3):331-337.

DeNardo DF, Zubal TE, Hoffman TC. Cloacal evaporative cooling: a previously undescribed means of increasing evaporative water loss at higher temperatures in a desert ectotherm, the Gila monster Heloderma suspectum. J Exp Biol. 2004; 207(Pt 6):945-53.

Deng X, Jayanthi S, Ladenheim B, Krasnova IN, Cadet JL Mice with Partial Deficiency of c-Jun Show Attenuation of Methamphetamine-Induced Neuronal Apoptosis Mol. Pharmacol. 2002, 62: 993 - 1000.

Deng ZS, Liu J. Mathematical modeling of temperature mapping over skin surface and its implementation in thermal disease diagnostics. Comput Biol Med. 2004; 34(6):495-521.

Dennhofer E. hat's new in standardisation: Development, validation and routine control of a sterilization process. Zentralsterilisation - Central Service. 2003; 11(2), 2003.

Dennhofer E. What's New in Standardisation: EN 13060 adopted. Zentralsterilisation - Central Service. 2004; 12(2): 70+76.

Dennig H.Regulationsthermographie und Schnarchen - Fallbeschreibung eines Schnarchers mit Schlafapnoe. ThermoMed 13:21-24. 1997

Dennis C. Cooling off. Nature. 2004; 430(7000):605.

Denoix JM. Diagnostic techniques for identification and documentation of tendon and ligament injuries. Veterinary Clinics of North America. Equine Practice 10: 365-407. 1994

Denolin V. Metens T. On the Calculation and Interpretation of Signal Intensity in Echo-Shifted Sequences. Magn Reson Med. 2004; 51(1):123-134.

Denton TE, Randall FM, Deinlein DA. The use of instant moire photographs to reduce exposure from scoliosis radiographs. Spine 17: 509-512. 1992

Denzel A, Molinari M, Trigueros Ctin JE, Velmurgan S, Brown S, Stamp G, Owen MJ. Early Postnatal Death and Motor Disorders in Mice Congenitally Deficient in Calnexin Expression Mol. Cell. Biol.2002, 22: 7398 - 7404.

Deppe M, Ortloff C, Salinas G, Bravo D, Sanchez R. [Effect of temperature incubation and glycerol addition on the acrosome preser- vation in human spermatozoa] Rev Invest Clin. 2004; 56(4):477-82.

Derflinger TL Thermography: The Future Of The Industry. (abstract). Thermol int 2003,13.36

Dettenkofer M, Scherrer M, Hoch V, Glaser H, Schwarzer G, Zentner J, Daschner FD. Shutting down operating theater ventilation when the theater is not in use: Infection control and environmental aspects. InfectControl Hosp Epidem. 2003; 24(8) 596-600.

Deumer J, F de Haan, MT Tulp, R van den HoveN. Effect of an isoxsuprine-resin preparation on blood flow in the equine thoracic limb. Vet Rec 129:427-429. 1992

Devireddy RV, Fahrig B, Godke RA, Leibo SP. Subzero water transport characteristics of boar spermatozoa confirm observed opti- mal cooling rates. Mol Reprod Dev. 2004; 67(4):446-457.

Devulder J, A.Moerman, F.Castille, L.de Thibault de Boesinghe, G.RollY. Infrared thermographic evaluation of the effects of spinal cord sti- mulation. Thermol Österr 4: 114-120. 1994

Devulder J, Dumoulin K, De Laat M, Rolly G. Infra-red thermographic evaluation of spinal cord electrostimulation in patients with chronic pain after failed back surgery. British Journal Of Neurosurgery 10 (4): 379-383.1996

Devulder J, Duprez D, De Laat M, Rolly G. Epidural spinal cord stimulation does not improve microvascular blood flow in neuropathic paIn. Angiology 47 (1)2: 1145-1149.1996

Devulder J, Vermeulen H, De Colvenaer L, Rolly G.Sympathetically maintained paIn. Tijdschrift voor Geneeskunde 48:1073-1076. 1992

Devulder J. Thermograms and the vasomotor reflex. Pain Clinic 2000, 12(3): 233-236

Dewan MNA, McNally PJ, Perova T, Herbert PAF. Determination of SF6 reactive ion etching end point of the SiO2/Si system by plasma impedance monitoring, Microelectron Eng, 2003; 65, (s 1-2): 25-46.

Dewar DJ. Fraser JF. Choo KL. Kimble RM. Thermal injuries in three children caused by an electrical warming mattress. Br J Anaesth. 2004;93(4): 586-589.

Dewasmes G, Loss N, Candas V, Muzet A. Effects of moderate nocturnal cold stress on daytime sleep in humans. Eur J App Physiology. 2003; 89(5):483-488), 2003.

Dewhirst MW, Corry PM. Further justification for development of non-invasive thermometrySO. International Journal Of Hyperthermia 1998. 14 (3): 255.

Deyo RA, J.Haselkorn, R.Hoffman, DL.KenT. Designing studies of diagnostic tests for low back pain or radiculopathy Spine 19 (Suppl): 2057S-2065S,1994

Dhanaraju MD, Vema K, Jayakumar R, Vamsadhara C. Preparation and characterization of injectable microspheres of contraceptive hormones. Int J Pharm. 2003; 268(1-2):23-29), 2003.

Dhar P. Managing perioperative hypothermia. Journal of Anesthesia 2000, 14(2): 91-97

Di Benedetto M, C.Huston, M.Sharp, B.JoneS. Regional Hypothermia in Response to Minor Injury. (abstract). Thermol Österr 4: 122. 1994

Di Benedetto M, Huston CW, Sharp MW, Jones B. Regional hypothermia in response to minor injury. American Journal of Physical Medicine and Rehabilitation 75(4):270-277. 1996

Di Carlo A The value of telethermography in the study of vasculopathies (abstract). Thermology intern 2000, 10(3):151-2

Di Carlo A, Roncoroni S, Bassetti F, Leone G, Morrone A, Pittarello A. Studio clinico-ermografica sull'attivita del nucledil(Registered trade mark) nella rosacea.Clinical and thermographic study of Nucledil activity in rosacea. Giornale Italiano di Dermatologia e Venereologia.128(3): (11-17),1993

Di Carlo A. The diagnostic value of thermography in dermatology . (abstract). Thermology intern 2000, 10(3):147

Di Carlo A. Thermography and the possibilities for its applications in clinical and experimental dermatology. Clinics in Dermatology, 13: 329-36.1995

Di Carlo A. Thermography in dermatology. Thermol Österr 3:14-16. 1993

Di Carlo A. Thermography in patients with systemic sclerosis. (abstract). Thermol Österr 3: 66. 1993

Di Carlo, A. Thermography in Patients with Systemic Sclerosis. Thermol Österr 4: 18-24. 1994

Di Gioia L, Cuq B, Guilbert S. Thermal properties of corn gluten meal and its proteic components. International Journal of Biological Macromolecules 1999, 24(4): 341-50.

Diakides N. A. New Developments in Low Cost IR Imaging Systems. European Journal of Thermology 7(4) :208-210. 1997

Diakides N. New Developments in Low Cost IR Imaging Systems. (abstract) Thermol Österr 7(2): 83. 1997

Diakides NA, Balcerak R. Emerging Uncooled Infrared Technology (abstract). Thermology intern 2000, 10(3):138

Diakides NA, Diakides M Database Of Standardized Thermal Signatures of The Breast Upgrade. (abstract) Thermol int 2003, 13: 67.

Diakides NA, Diakides M, Balcerak RS, Current And Future Technology Advances In Uncooled IR Imaging (abstract). Thermol intern 1999, 9(3): 111

Diakides NA,Diakides M. Infrared imaging in Med worldwide (abstract). Thermol int 2004, 14(3): 112.

Diakides NA. Infrared imaginG. an emerging technology in medicine [editorial] IEEE Engineering In Medicine And Biology Magazine 1998. 17 (4): 17-8.

Diakides NA. The growing applications of medical infrared imaging. IEEE Eng Med Biol Mag. 2000,19(3):28-9.

Diakow PR. Differentiation of active and latent trigger points by thermography. Journal of Manipulative and Physiological Therapeutics, 15: 439-441. 1992

Diamantopoulos L, Huang Y, Liu X, Li S, Desmet W, Van de Werf F, De Scheerder I. Arterial wall temperature following coronary stent implantation in pigs: The role of post-stent inflammation. J Invas Cardiol 2003; 15(4):191-7.

Diamantopoulos L, Liu X, De Scheerder I. A thermal view of the arterial wall after coronary angioplasty. Heart. 2003; 89(6):604.

Diamantopoulos L. Arterial wall thermography. J Intervent Cardiol. 2003; 16(3):261-266.

Diamantopoulos L. Liu X. De Scheerder I. Krams R. Li S. Van Cleemput J. Desmet W. Serruys PW. The effect of reduced blood-flow on the coronary wall temperature: Are significant lesions suitable for intravascular thermography?. Eur Heart J. 2003; 24(19):1788-1795.

Diamantopoulos LD, Xiaoshun P, Shengqiao L, Desmet W, Dens J, De Scheerder I, Van de Werf FJ. Mechanical safety of the contact with the wall coronary thermography methods: Comparison with catheters and guidewires, J Am CollCardiol 2003; 41, (6): 60.

Dian BC, Florio GM, Clarkson JR, Longarte A, Zwier TS. Infrared- induced conformational isomerization and vibrational relaxation dyna- mics in melatonin and 5-methoxy-N-acetyl tryptophan methyl amide. J Chem Phys. 2004; 120(19):9033-46.

Diaz Garcia-Donato J, Espejo Catena M Estudio Basico De La Pareja Infertil (Infertility basic study). Ciencia Ginecologika 2000, 4(5): 245-249

DiBenedetto M, Yoshida M, Sharp M, Jones B. Foot evaluation by infrared imaging. Mil Med 2002, 167(5): 384-92.

Dibley D. Opto-mechanical systems for IR thermography. IN. Ammer K, EFJ Ring (eds): The Thermal Image in Medicine and Biology, Uhlen Verlag, Wien,pp. 33-39. 1995

Dibley D. Opto-mechanical systems for IR thermography. Thermol Österr4:160. 1994

Dick AJ, Guttman MA, Raman VK, Peters DC, Pessanha BSS, Hill JM, Smith S, Scott G, McVeigh ER,, Lederman RJ. Magnetic Resonance Fluoroscopy Allows Targeted Delivery of Mesenchymal Stem Cells to Infarct Borders in Swine Circulation, 2003; 108: 2899 - 2904.

Dick, Taylor-Robinson SD, Thomas HC,. Gedroyc WMW Ablative EA therapy for liver tumours Gut 2002, 50: 733 - 739.

Dickens GR.Global change: hydrocarbon-driven warming. Nature. 2004; 429(6991):513-5.

Dickey TD. Emerging ocean observations for interdisciplinary data assimilation systems, J Marine Systems, 2003; 40-41: 5-48

Dickinson ET, Bevilacqua JJ, Hill JD, Sites FD, Wurster FW, Mechem CC. The utility of tympanic versus oral temperature measurements of firefighters in emergency incident rehabilitation operations. Prehospl Emerg Care. 2003; 7(3):363-367).

Dickinson T. Riley J. Zabetakis PM. External validation of compliance to perfusion quality indicators. Perfusion. 2004;19(5): 295-299.

Dickson BC, Gotlieb AI. Towards understanding acute destabilization of vulnerable atherosclerotic plaques, Cardiovas Pathol, 2003; 12, (5): 237-248.

Diederich CJ, Stafford RJ, Nau WH, Burdette EC, Price RE, Hazle JD. Transurethral ultrasound applicators with directional heating patterns for prostate thermal therapy: in vivo evaluation using magnetic resonance thermometry. Med Phys. 2004; 31(2):405-413.

Diederich CJ. Nau WH. Ross AB. Tyreus PD. Butts K. Rieke V. Sommer G. Catheter-based ultrasound applicators for selective thermal ablation: Progresstowards MRI-guided applications in prostate. Int J Hyperthermia. 2004; 20(7): 739-756.

Diehn FE, Neeman Z, Hvizda JL, Wood BJ. Remote thermometry to avoid complications in radiofrequency ablation. J Vasc Interv Radiol. 2003; 14(12):1569-76.

Diez Chr, I.Mudra. P.SchleieR. Thermographische Untersuchungen mit der Frage nach Temperaturkonstanz bei Messungen zirkulär um die de- finierten Meßstellen des Zahnthermogramms. ThermoMed 10:66-70. 1994

Diffey B. Climate change, ozone depletion and the impact on ultraviolet exposure of human skin. Phys Med Biol. 2004; 49(1):R1-11.

DiFranco BJ, Purohit RC, Griffin PL. Cervical sensory-sympathetic dermatome evaluation in the horse. Proc Phi Zeta Emphasis Day, College of Vet Med , Auburn Univ, Feb 19. 1992,

Dignam JD. Nada S. Chaires JB. Thermodynamic characterization of the binding of nucleotides to glycyl-tRNA synthetase. Biochem. 2003; 42(18):5333-5340.

Dill T, Neumann T, Ekinci O, Breidenbach C, John A, Erdogan A, Bachmann G, Hamm CW, Pitschner H-F. Pulmonary Vein Diameter Reduction After Radiofrequency Catheter Ablation for Paroxysmal Atrial Fibrillation Evaluated by Contrast- Enhanced Three-Dimensional Magnetic Resonance Imaging. Circulation, 2003; 107: 845 - 50.

Dilsaver SC, Overstreet DH, Peck JA. Measurement of temperature in the rat by rectal probe and telemetry yields compatible results.Pharmacology,Biochemistry and Behavior 42: 549-552.1992

DiMarzio CA, Hogenboom DO, Rappaport CM, Sauermann GO, Scott HE. Microwave-enhanced infrared thermography. IN. Dubey AC, Harvey JF, Broach JT, Editors,Detection aAnd Remediation Technologies for Mines and Minelike Targets III, Pts 1 and 2: Proceedings OF THE Society of Photo-Optical Instrumentation Engineers (SPIE) Vol.3392. 1998, p. 1103-10

DiMarzio CA, Rappaport CM, Wen L, Kilmer M, Sauermann GO. Microwave-enhanced infrared thermography. IN. VoDinh T, Spellicy RL, editors, Conference on Environmental Monitoring and Remediation Technologies, Proceedings of the Society of Photo-Optical Instrumentation Engineers (SPIE)Vol.3534.Bellingham, 1999. p. 337-42.

Dimberg L, Oden A. White finger symptomS. A cross-sectional study. Aviat Space Environl Med 62: 879-883. 1991

Dimitrellos V, Lamari FN, Militsopoulou M, Kanakis I, Karamanos NK. Capillary electrophoresis and enzyme solid phase assay for examining the purity of a synthetic heparin proteoglycan-like conjugate and identifying binding to basic fibroblast growth factor. Biomedl Chromatogr. 2003; 17(1):42-47.

Dimitriievic J, Gluhbegovic L, Pregernik M, Stankovic O. Korelaciia klinicko-neuroloskog i termografskog nalaza kod radikularnog sindroma lumbosakralnag podrucia. (Correlation of clinico-neurologic and thermographic findings in the lumbo-sacral-radicular syndrome). Med Arh, 41 (3) 99-102 (1)987

Diner KR, Capt WM.analysis of high temperature burns. In. Proceedings of The First Joint BMES/EMBS Conference Serving Humanity, Advancing Technology, Atlanta, 1999, pp.1279

Ding HS; Su C; Lin F; Wang F, Ying JP. Simulation and Experiment on Biological Tissue for Near Infra-Red (NIR) Photon Migration in A Multi-Layered Model. In: Proceedings of the 20th Annual International Conference of the IEEE-EMBS,Hong Kong, 1998, p 932

Ding Y, Li J, Luan X, Lai Q, McAllister JP 2nd, Phillis JW, Clark JC, Guthikonda M, Diaz FG. Local saline infusion into ischemic territory induces regional brain cooling and neuroprotection in rats with transient middle cerebral artery occlusion. Neurosurgery. 2004; 54(4):956—965.

Dinwiddie RB, Blau PJ. Time-resolved tribo-thermography. IN. LeMieux DH, Snell JR, editorS. Thermosense XXI,Proceedings of the Society of Photo-Optical Instrumentation Engineers (SPIE), Vol.3700, Bellingham, 1999. p. 358-368

Diringer MN; Neurocritical Care Fever Reduction Trial Group. Treatment of fever in the neurologic intensive care unit with a catheter- based heat exchange system. Crit Care Med. 2004; 32(2):559-64.

Dirscherl K, Baikie I, Forsyth G, van der Heide A. Utilisation of a micro-tip scanning Kelvin probe for non-invasive surface potential mapping of mc-Si solar cells, Solar Energy Mat Solar Cells, 2003; 79, (4): 485-494

Diskin MG, Sreenan JM. Expression and detection of oestrus in cattle. Reproduction Nutrition Development 2000, 40(5): 481-491

Distante F, Berardesca E, Miori L, Rabbiosi G. Effetti Della Prostaglandina PGE1: Alfa-Ciclodestrina Sul Microcircolo Cutaneo. Valutazione Flussimetrica E Termografica [Effects of prostaglandin PGE1: on cutaneous microcirculation. Flowmeter and thermographic assessment]. Giornale Italiano di Dermatologia e Venereologia 1999, 134(1):67-72.

Dittmar J, Jung IS, Schulz A, Wittig S, Lee JS Film cooling from rows of holes--effect of cooling hole shape and row arrangement on adiabatic effectiveness. Annals Of The New York Academy Of Sciences 2001. 934 321-8

Divall SA, Humphrey VF. Finite difference modelling of the temperature rise in non-linear medical ultrasound fields. Ultrasonics. 2000,38(1-8):273-7.

Dixon J. Thermal Imaging of Industrial Processes (abstract). Thermol intern 2000, 10 (1):33

Djouhri L, Wrigley D, Thut PD, Gold MS. Spinal nerve injury increases the percentage of cold-responsive DRG neurons. Neuro-r eport. 2004;15(3):457-60.

Dobashi M, a FujisawaM, Naito I, YamazakiT, Okada H, Kamidono S.Distribution of type IV collagen subtypes in human testes and their association with spermatogenesis, Fertil Steril, 2003; 80 (Suppl 2): 755-760

Dobi I, Kekesi V, Toth M, Juhasz-Nagy S. Endothelin-induced long-lasting mesenteric vaso-constrictioN. a hypothetical mechanism of non-occlusive intestinal infarction. Acta Chirurgica Hungarica, 32: 199-208. 1991

Dobi I, Kekesi V. Factors influencing the vascular action of dopamine in the canine mesenteric bed. Acta Chir Hung, 30 (4): 251-260. 1989

Dobi I, V. Kekosi, S. Juhasz-Nagy : Utilization of quantitative thermography for blood flow measurment in the mesentery. IN. Benkö I, I.Lovak, I.Kovacscs, A.Faludi (ed): 8th International Conference on Thermal Engineering and Thermogrammetry, 2.-4.Juni 1993. Scientific Society of Measurement and Automation (MATE). Branch of Thermo Technical Measurements and Thermogrammetry, p.315-318. Budapest 1993

Dobias J, Chudackova K, Voldrich M, Marek M. Properties and polyethylene films with incorporated benzoic anhydride and/or ethyl and propyl esters of 4-hydroxybenzoic acid and their suitability for food packaging. Food Additives and Contaminants 2000, 17(12): 1047-1053

Dodd D, Hoffman G, Hardy C. Perfluoro-n-butyl iodide: acute toxicity, subchronic toxicity and genotoxicity evaluations. Int J Toxicol. 2004; 23(4):249-58.

Doering T, J.Brix,W.Burchert, R.Aaslid. B.Schneider, M.RimpleR. Cerebral hemodynamic and Cerebral Metabolism during Cold and Warm Challenge. Thermol Österr 6: 46-56. 1996

Doering T,J, W.Burchard, J.Brix, R.Steinke, H.Hundshagen, A.GehrkE. Transcranial Doppler Sonography, Near Infrared Spectroscopy, and Positron Emission Tomography tor Evaluating Cerebral Hemodynamics and Cerebral Metabolism During Thermotherapy. (abstract). Biomed Thermol 15: 24. 1995

Doering Th.J, W. Burchard, J. Brix, R. Steinke, H. Hundeshagen, A. GehrkE. Transcranial Doppler-Sonography (TCD), Near Infraredspectroscopy (NIRS) and Positron-Emission-Tomography (PET) for Evaluating Cerebral Hemodynamic and Cerebral Metabotism Under Thermotherapy. Biomed Thermol 15: 113-116. 1995.

Dogan B, Boor KJ. Short communication: growth characteristics of Streptococcus uberis in UHT-treated milk. J Dairy Sci. 2004; 87(4): 813-5.

Doi T. Saikurai M. Hamada K. Matsumoto K. Yanagisawa K. Kikuchi N. Morimoto TGreenleaf JE. Plasma volume and blood visco- sity during 4 h sitting in a dry Environ: Effect of prehydration. Aviat Space Environ Med. 2004.75(6)500-504.

Doll N, Kornherr P, Aupperle H, Fabricius AM, Kiaii B, Ullmann C, Schneider K, Dhein S, Schoon H-A, Rastan A, Walther T, Mohr FW. Epicardial Treatment of Atrial Fibrillation Using Cryoablation in an Acute Off-pump Sheep Model. Thor Cardiovas Surg. 2003; 51(5):267-273.

Dollberg S, Hoath SB. Temperature Regulation in Preterm InfantS. Role of the Skin-Environment Interface NeoReviews 2001, 2: 282 - 291.

Dollberg S, Lahav S, Mimouni FB. Precision of a new thermometer for rapid rectal temperature measurement in neonates. American Journal of Perinatology 2001, 18(2): 103-105

Dollberg S, Mincis L, Mimouni FB, Ashbel G, Barak M. Evaluation of new thermometer for rapid axillary temperature measurement in preterm infants. Am J Perinat. 2003; 20(4) :201-204.

Dollberg S, Rimon A, Atherton HD, Hoath SB Continuous measurement of core body temperature in preterm infants. American Journal of Perinatology 2000. 17 (5) 257-64

Dominok A, J.M.Engel, H.HntzscheL. Differential diagnosis of sof tissue disorders supported by thermography. (abstract) Thermol Österr 7(2):76. 1997

Dominok A. Thermographische Differentialdiagnostik bei weichteilrheumatischen Beschwerden. (abstract) ThermoMed 12: 96-97. 1996

Domokos P, Vukics A, Ritsch H. Anomalous Doppler-effect and polariton-mediated cooling of two-level atoms. Phys Rev Lett. 2004 Mar 12;92(10):103601.

Donahue J, Schweigger C, Auberger B, Rummel B, Böhler J. Reduction of hypotensive side effects during online-haemodiafiltration and low temperature haemodialysis Nephrol Dial Transplant 2003; 18: 1616 - 1622.

Donauer J; Bohler J. Rationale for the use of blood 2003; ume and temperature control devices during hemodialysis. Kidney Blood Pressure Res. 2003; 26(2):82-89).

Doncaster CP, Dumonteil E, Barre H, Jouventin P. Temperature regulation of young coypus (Myocastor coypus) in air and water. Am J.Physiol 259:R1220-1227. 1990

Dondas N. Karatas Y. Dikmen A. Characterization of nicotinic cholinergic receptors. Indian J Pharmacol. 2004; 36(2): 72-75.

Dong L, Yue R , Liu L. An uncooled microbolometer infrared detector based on poly-SiGe thermistor, Sens Act A: Phys, 2003; 105 (3): 286-292.

Donnelly LF, Freundlich IM, Wallace JD, Dodd GD. Thermography and the venous diameter ratio in the detection of the non-palpable breast carcinoma. 1968 (classical article). AJR. American Journal Of Roentgenology, 2000. 174 (4) 1092

Donnenfeld ED. Olson RJ. Solomon R. Finger PT. Biser SA. Perry HD. Doshi S. Efficacy and wound-temperature gradient of WhiteStar phacoemulsification through a 1.2 mm incision. J Cataract RefractSurg 2003; 29(6):1097-1100.

Donner A, Illievich UM. Hypothermia. Problems in Anesthesia 2000, 12(4): 461-470

Donnez J, Dolmans MM. Livebirth after cryopreserved ovarian tissue autotransplantation (letter). Lancet, 2004; 364(9451): 2092-2093

Donny EC. Bigelow GE. Walsh SL. Assessing the initiation of cocaine self-administration in humans during abstinence: Effects of dose, alternative reinforcement, and priming. Psychopharmacology. 2004. 172(3): 316-323.

Donovan GA, Steenholdt C, McGehee K, Lundquist R. Hypo mag- nesemia among cows in a confinement-housed dairy herd. J Am Vet Med Assoc. 2004; 224(1):96-9, 54.

Dooley PC. Howgate ML. Schuijers JA. Grills BL. Early callus of fractured rib of rat contracts and relaxes ex vivo. J Orth Res. 22(5): 2004;1063-1071.

Dorignac E, Vullierme JJ, Noirault P, Foucault E, Bousgarbies JL Film coolinG. case of double rows of staggered jets. Annals Of The New York Academy Of Sciences 2001. 934 337-44

Dormire SL. What We Know About Managing Menopausal Hot Flashes: Navigating Without a Compass J Obstet Gynecol Neonatal Nurs, 2003; 32: 455 - 464.

Dorn JG, Frye RJ, Maier RM. Effect of temperature, pH, and initial cell number on luxCDABE and nah gene expression during naphthalene and salicylate catabolism in the bioreporter organism Pseudomonas putida RB1353. AppEnvironl Microbiol. 2003; 69(4):2209-2216.

Doscher R, Meier HE. Simulated sea surface temperature and heat fluxes in different climates of the Baltic Sea. Ambio. 2004; 33(4-5): 242-8.

Dossa RAM, Ategbo EAD, Van Raaij JMA, de Graaf C, Hautvast JGAJ. Multivitamin-Multimineral and Iron Supplementation Did Not Improve Appetite of Young Stunted and Anemic Beninese Children J. Nutr. 2001, 131: 2874 - 2879.

Dot J, Lluch M, Blanco I, Rodriguez-Alvarez J Polyamine uptake in cultured astrocyteS. Characterization and modulation by protein kinases. Journal of Neurochemistry 2000. 75(5): 1917-1926

Dotson RM. Clinical neurophysiology laboratory tests to assess the nociceptive system in humans. Journal Of Clinical Neurophysiology 14 (1): 32-45.1997

Dougherty PM, Cata JP, Cordella JV, Burton A, Weng HR. Taxol- induced sensory disturbance is characterized by preferential impairment of myelinated fiber function in cancer patients. Pain. 2004; 109(1-2): 132-42.

Doughty JM, Langton PD Measurement of chloride flux associated with the myogenic response in rat cerebral arteries. Journal of Physiology 2001, 534(3):753-761

Douglas MG, Sumner DS Duplex scanning for deep vein thrombosiS. Has it replaced both phlebography and noninvasive testing? Seminars in Vascular Surgery 9:3-12. 1996

Doutreleau S, Gautherie M, Lonsdorfer E, Rouyer O, Epailly E, Eisenmann B, Piquard F, Geny B Usefulness of finger thermography to assess cyclosporine toxicity after heart transplantation. Transplant Proc 2001, 33(7-8): 3318-9.

Douwes F, BogoviC J, Douwes O, Migeod F, Grote C. Whole- body hyperthermia in combination with platinum-containing drugs in patients with recurrent ovarian cancer. Int J Clin Oncol. 2004; 9(2): 85-91.

Dover G. Powers ME. Cryotherapy does not impair shoulder joint position sense. Arch Phys Med Rehabil. 2004.85(8)1241-1246

Dover H, W Pickard, I Swain, D GrundY. The effectiveness of a pressure clinic in preventing pressure sores. Paraplegia 30:267-272. 1992

Dowding D, Freeman S, Nimmo S, Smith D, Wisniewski M An investigation into the accuracy of different types of thermometers. Prof Nursev 2002, 18(3): 166-8.

Dowling F, Tyler 4W, Wolf D, Purohit RC, Steiss JE. Thermography and electromyographic evaluation of a lumbosacral spinal injury in cow. Progress in Veterinary Neurology., 2(1): 73-76. 1991

Dowman CE, V, Ferré TPA, Hoffmann JP, Rucker DF, Callegary JB Quantifying Ephemeral Streambed Infiltration from Downhole Temperature Measurements Collected Before and After Streamflow Vadose Zone J, 2003; 2: 595 - 601.

Doyon J, Farooque M, Maru H. The Direct FuelCell™ stack engineering, J Power Sources, 2003; 118, (s 1-2): 8-13.

Dragan S, Konik H, Koprowski R, Prastowski A, Frec R. The application of thermography to patients with different spine illnesses (abstract). Thermology intern 2000, 10(3):144

Dragan S, Konik H, Koprowski R, Prastowski A, Frec R. The thermogrphical picture of children and youths spine (abstract). Thermology intern 2000, 10(3):144

Drahos L, Vekey K. Entropy evaluation using the kinetic method: Is it feasible?. J Mass Spectrometry. 2003; 38(10):1025-1042.

Dreher MR, Elas M, Ichikawa K, Barth ED, Chilkoti A, Rosen GM, Halpern HJ, Dewhirst M. Nitroxide conjugate of a thermally re-sp onsive elastin-like polypeptide for noninvasive thermometry. Med Phys. 2004; 31(10):2755-62.

Dribbon BS An open letter to Dr. James Lally (letter) Delaware Medical Journal, 67:404-405.1995

Droop GTR, Clemens JD, Dalrymple DJ. Processes and Conditions During Contact Anatexis, Melt Escape and Restite Formation: the Huntly Gabbro Complex, NE Scotland J Petrol, 2003; 44: 995 - 1029.

Druce HM. Sinusitis. Agents, diagnostic strategies and techniques, treatments, and problems. Immunology and Allergy Clinics of North America. 13:119-132.1993

Drummond M. Magalhaes A. Hespanhol V. Transient fever after fiberoptic bronchoscopy - A prospective study. Rev Portug Pneumolog. 2004;10(1): 87-95.

Drummond PD, Finch PM. Reflex control of facial flushing during body heating in man. Brain, 112 (Pt 5): 1351-1358. 1989

Drummond PD, Mirco N. Staring at one side of the face increases blood flow on that side of the face. Psychophysiology. 2004; 41(2): 281-7.

Drummond PD. Finch PM. Persistence of pain induced by startle and forehead cooling after sympathetic blockade in patients with complex regional pain syndrome. J Neurol, Neurosurg Psychiatry. 2004.75(1): 98-102.

Duan M, Okamoto H, Petrov VF, Takenaka S. A new mesomorphism of the alkyl 4-(2)-perfluoroalkyL.ethoxybenzoate derivatives. Bulletin of the Chemical Society of Japan 1998, 71(1)1: 2735-9.

Duarte MG, Brunnel D, Gil MH, Schacht E. Microcapsules prepared from starch derivatives. Journal of Materials SciencE. Materials in Medicine 8/5:321-323.1997

Dub P, Drastich A, Novak Z Oiha I. Thermography in nerve root diseases. Thermol intern 2002. 12: 76

Dubois J, Jamaer L, Mees U, Pauwels J, Briers F, Lehaen J, Hendrikx M. Ex vivo evaluation of a new neonatal/infant oxygenator: comparison of the Terumo CAPIOX Baby RX with Dideco Lilliput 1 and Polystan Safe Micro in the piglet model. Perfusion. 2004; 19(5): 315-21.

Duda, V. Themische Diagnostik bei Krankheiten der Mamma . ThermoMed 7: 104-108.. 1991

Dudek S. Thermographic Survey and Pressure Testing of Building Envelopes (abstract). Thermol intern 2000, 10 (1):29

Dudek S.Thermographic Survey's of BuildingS. Which is Best Internal or External Survey's ? (abstract). Thermol intern 2000, 10 (1):29

Duerden T. An aura of confusion Part 2: the aided eye—"imaging the aura?". Complement Ther Nurs Midwifery. 2004; 10(2):116-23.

Duffill J, Buckley J, Lang D, Neil-Dwyer G, McGinn F, Wade D Prospective study of omental transposition in patients with chronic spinal injury. Journal Of Neurology, Neurosurgery And PsychiatrY 2001. 71 (1) 73-80

Duffy S. The tissue and thermal effects of electrosurgery in the uterine cavity. Bailliere's Clinical Obstetrics and Gynaecology 9:261-277.1995

Dufty JW, Baskaran A, Zogaib L. Gaussian kinetic model for granular gases. Phys Rev E Stat Nonlin Soft Matter Phys. 2004; 69(5 Pt 1):051301

Dulger S. Demirbag Z. Belduz AO. Anoxybacillus ayderensis sp. nov. and Anoxybacillus kestanbolensis sp. nov. Int J Syst Evol Micro- biol. 2004; 54(5):1499-1503.

Dumont F, Marechal PA, Gervais P. Cell size and water per-mea bility as determining factors for cell viability after freezing at different cooling rates. Appl Environ Microbiol. 2004;70(1):268-72.

Dumrese J. Candidaproblematik in der Praxis -Was leistet eine moderne Serologie? ThermoMed 12:31-34. 1996

Dunkley EJC, Isbister GK, Sibbritt D, Dawson AH, Whyte IM. The hunter serotonin toxicity criteria: Simple and accurate diagnostic decision rules for serotonin toxicity. QJM: Monthly J Ass Physicians. 2003; 96(9):635-642.

Dunlop AL, Allen AS, Frank E Involving the male partner for interpreting the basal body temperature graph. Obstetrics and Gynecology 2001, 98(1): 133-138

Dupuis H, Riedel S. Experience on the reversibility of the vibration-induced white finger disease. Central European Journal of Public Health 3(SuppL):19-21. 1995

Dupuis H, Riedel S. Veranderungen Des Gesundheitsstatus von Patienten mit vibrationsbedingtem vasospastischem Syndrom VVS (Changes in the health status of patients with vibration-induced vasospastic syndrome (VVS)) Zentralblatt fur Arbeitsmedizin, Arbeitsschutz und Ergonomie 45:466-470. 1995

Dupuis H. Periphere Durchblutungs- und Nervenfunktionsstoerungen durch Arbeiten mit vibrierenden Handgeraeten. (Disorders in peripheral circulation and nerve function caused by working with hand-operated vibrating tools). Orthopade 19 (3): 146-149. 1990

Dupuis H. Thermographische Diagnostik des Vibrationsbedingten Vasospastischen Syndroms (VVS). ThermoMed 5: 70-74. 1989

.Dupuy DEo-Smith WW, Abbott GF, DiPetrillo T. Clinical Applications of Radio-Frequency Tumor Ablation in the Thorax RadioGraphics 2002, 22: 259 - 269.

Durand S. Cui J. Williams KD. Crandall CG. Skin surface cooling improves orthostatic tolerance in normothermic individuals. Am J Physiol Regul Integr Comp Physiol. 2004; 286(1): R199-R205.

Durocher A, J. Schlosser, J. J. Cordier and G. Agarici Quality control of plasma facing components for Tore Supra, Fus Eng Design, 2003; 66-68: 305-309

Durr JK, Krohn N, Nixdorf K, Lutze S, HeroldSchmidt U, Busse G Non-destructive testing of surface bonded piezoelectric patch actuators. IN. Jacobs JH, editor, Smart Structures and Materials 1999: Industrial and Commercial Applications of Smart Structures Technologies. Proceedings of The Society of Photo-Optical Instrumentation Engineers /SPIE Vol.3674. Bellingham, 1999. p. 39-50

Dwyer GS. Unraveling the signals of global climate change. Science 2000, 287(5451):246-7

Dybek M. Lobodziec Wl. Iwanicki T. Kawa-Iwanicka A. Markisch S. Zipper W. MOSFET detectors as a tool for dose verification in photon beam radiotherapy. Reports Pract Oncol Radiother. 2004; 9(2): 45-50.

Dybwik K, Nielsen EW. Infrared temporal thermometry Tidsskr Nor Laegeforen. 2003 6;123(21):3025-6.

Dyson S, Lakhani K, Wood J Factors influencing blood flow in the equine digit and their effect on uptake of 99m technetium methylene diphosphonate into bone. Equine Vet J 2001, 33(6): 591-8.

Dzakula Z, Andjus RK, Bozic M. Biophysical models of protein denaturation. II. Effects of denaturants and of pH. Journal of Theoretical Biology 153:61-88. 1991

Dzenis YA.Cycle-based analysis of damage and failure in advanced composites under fatigue: 1. Experimental observation of damage development within loading cycles, Int J Fatigue, 2003; 25, (6): 499-510

Dzhevaga VN. Infrakrasnaia termografiia v diagnostike i otsenke effektivnosti lecheniia bol'nykh ekzemoi i allergicheskim dermatitom. (Infrared thermography in the diagnosis and assessment of treatment efficacy in patients with eczema nad allergic dermatitis) Vrachebnoe Delo, (4): 95-98. 1992

Dziadzio M, Denton CP, Smith R, Howell K, Blann A, Bowers E, Black CM. Losartan therapy for Raynaud's phenomenon and sclerodermA. clinical and biochemical findings in a fifteen-week, randomized, parallel-group, controlled trial. Arthritis and Rheumatism, 1999. 42 (12) 2646-55

Dziadzio M. Smith RE. Abraham DJ. Stratton RJ. Gabrielli A. Black CM. Denton CP. Serological assessment of type I collagen burden in scleroderma spectrum disorders: A systematic review. Clin Exper Rheumatol. 2004; 22(3): 356-367.

Ebara M, Yamato M, Hirose M, Aoyagi T, Kikuchi A, Sakai K, Okano T. Copolymerization of 2-carboxyisopropylacrylamide with N-isopropylacrylamide accelerates cell detachment from grafted surfaces by reducing temperature. Biomacromol. 2003; 4(2):344-349), .

Ebbers E, Ariaans GJA, Zwanenburg B, Bruggink A. Controlled design of resolutions. Prediction of the efficiency of resolutions based on samples of arbitrary composition. Tetrahedron Asymmetry 1998, 9(1)5:(2)745-53.

Ebers GC Natural History Of Multiple Sclerosis J. Neurol. Neurosurg. Psychiatry 2001, 71: 16-19.

Ebert J, Bahadir M. Formation of PBDD/F from flame-retarded plastic materials under thermal stress. Environ Int. 2003; 29(6):711-716.

Ebert J, R. IrnigeR. Rohkost-Ernährung als regulativeBasistherapie ThermoMed 4: 223-26. 1988

Ebertz SL. McGann LE. Cryoinjury in endothelial cell monolayers. Cryobiol. 2004; 49(1): 37-44.

Echizenya M. Mishima K. Satoh K. Kusanagi H. Sekine A. Ohkubo T. Shimizu THishikawa Y. Enhanced heat loss and age-related hyper- sensitivity to diazepam. J Clin Psychopharmacol. 2004. 24(6)639-646.

eck E. Produkte der Regulationsthermographie von gbo. ThermoMed 13: 85-88. 1997

Eckersall PD. The time is right for acute phase protein assays. Vet J. 2004; 168(1): 3-5.

Eckert EW. Kraft K. Electromagnetic scalar waves: Fact of fiction?. Focus Alt Complem Thers. 2004; 9(3): 190-192.

Eckstein FS, Scheule AM, Pauncz Y, Schmid ST, Zucker M, Ziemer G. Transmyocardial laser revascularization with the HolmiuM.YAG laser does not improve myocardial perfusion in the acutely ischemic hearT. an experimental study measuring myocardial perfusion by a thermal imaging camera. Thoracic and Cardiovascular Surgeon, 1999. 47 (5) 293-7

Eddy AL, Van Hoogmoed LM, Snyder JR The role of thermography in the management of equine lameness. Vet J 2001, 162(3): 172-81.

Eddy E. Kelly A-M. Is there a relationship between asthma severity and abnormalities on chestX-ray?: A pilot study. Hong Kong J Emerg Med. 2004; 11(3): 147-151.

Edell SL, Eisen MD. Current imaging modalities for the diagnosis of breast cancer. Delaware Medical Journal, 1999. 71 (9) 377-82

Edmondson PW. Unusual cause of high Bactoscan [5]. Vet Record. 2003; 153(4):127-128.

Edwards M, Richardson AJ. Impact of climate change on marine pelagic phenology and trophic mismatch. Nature. 2004; 430(7002): 881-884.

Edwards MB, Taylor KM, Shellock FG. Prosthetic heart valveS. evaluation of magnetic field interactions, heating, and artifacts at 1.5 T. J Magn Reson Imaging. 2000,12(2):363-9.

Edwards RB 3rd, Lu Y, Rodriguez E, Markel MD. Thermometric determination of cartilage matrix temperatures during thermal chondroplastY. comparison of bipolar and monopolar radiofrequency devices. Arthroscopy 2002, 18(4): 339-46. .

Edwards RB, III, Lu Y, Nho S, Cole BJkel MD Thermal Chondroplasty of Chondromalacic Human CartilagE. An Ex Vivo Comparison of Bipolar and Monopolar Radiofrequency Devices Am. J. Sports Med. 2002, 30: 90 - 97.

Edwards RK. Madani K. Duff P. Is perioperative hypothermia risk factor for post-Cesarean infection?. Infect Dis Obstet Gynecol. 2003; 11(2):75-80.

Efron N, Young G, Brennan NA. Ocular surface temperature. Curr Eye Res 8 (9): 901-906. 1989

Eglin CM, Coles S, Tipton MJ. Physiological responses of fire- fighter instructors during training exercises. Ergonomics. 2004; 47(5): 483-94.

Egorova TA, Sitnikov VP. "Severnyi" variant "normy" teplovoi kartiny litsa.(The Northern variant of the norm in the thermal picture of the face). Vestn Otorinolaringol (1): 54-58.1990

Ehrlich MP, McCullough JN, Zhang N, Weisz DJ, Juvonen T, Bodian CA, Griepp RB. Effect of hypothermia on cerebral blood flow and metabolism in the pig Ann. Thorac. Surg. 2002, 73: 191 - 197.

Eich T, A. Herrmann, P. Andrew, A. Loarte and Contributors to the EFDA-JET Program: Power deposition measurements in deuterium and helium discharges in JET MKIIGB divertor by IR-thermography, J Nuc Mat, 2003; 313-316:919-924.

Eich T, Herrmann A, Neuhauser J; ASDEX Upgrade Team. Nonaxisymmetric energy deposition pattern on ASDEX upgrade divertor target plates during type-I edge-localized modes. Phys Rev Lett. 2003 7;91(19):195003.

Eichler K, Mack MG, Straub R, Engelmann K, Zangos S, Woitaschek D, Vogl TJ [Oligonodular hepatocellular carcinoma (HCC): MR-controlled laser-induced thermotherapy] Radiologe 2001, 41(10): 915-22.

Eidam W. CRT 2000 - unsere Zukunft ist jetzt. ThermoMed 13: 89-92. 1997

Eiken O, Mekjavic IB. Ischaemia in working muscles potentiates the exercise-induced sweating response in man. Acta Physiol Scand. 2004; 181(3):305-11.

Einer-Jensen N, Cicinelli E, Galantino P, Pinto V, Barba B Preferential vascular-based transfer from vagina to the corpus but not to the tubal part of the uterus in postmenopausal women. Human Reproduction 2001. 16(7) 1329-1333

Einer-Jensen N, Khorooshi MH. Cooling of the brain through oxygen flushing of the nasal cavities in intubated ratS. An alternative model for treatment of brain injury. Experimental Brain Research 2000: 130(2): 244-247

Eipeldauer G. Infrarotkameras von NEC-SAN. Thermol Österr2: 83-86. 1992

Eisentraeger A. Brinkmann C. Michel K. Hahn S. Huettner M. Weber G. Development of automated high-throughput ecotoxicity and genotoxicity testsystems and fields of application. Water Sci Technol. 2004; 50(5): 109-114.

Eksteen JM, Steyn AJC, van Rensburg P, Cordero Otero RR, Pretorius IS. Cloning and characterization of a second a-amylase gene (LKA2) from Lipomyces kononenkoae IGC4052B and its expression in Saccharomyces cerevisiae. Yeast. 2003; 20(1):69-78).

El Bakali A. Dagaut P. Pillier L. Desgroux P. Pauwels J-F. Rida A. Meunier P. Experimental and modeling study of the oxidation of natural gas in a premixedflame, shock tube, and jet-stirred reactor. Combust Flame. 2004; 137(1-2): 109-128.

Elabbassi EB. Belghazi K. Delanaud S. Libert J-P. Dry heat loss in incubator: Comparison of two premature newborn sized manikins. Eur J Appl Physiol. 2004; 92(6): 679-682.

Elert K, Coltrone G, Navarro CR, Pardo ES. Durability of bricks used in the conservation of historic buildings — influence of composition and microstructure, J Cult Heritage, 2003; 4, (2): 91-99

Elftman NW. Orthotic management of the neuropathic limb. Physical Medicine and Rehabilitation Clinics of North America 2000, 11(3): 509- 551

El-Gazayerly ON. Characterization and evaluation of tenoxicam coprecipitates. Drug Development and Industrial Pharmacy 2000. 26 (9):925-30

Elias D, Baton O, Sideris L, Lasser P, Pocard M. Necrotizing pancreatitis after radiofrequency destruction of pancreatic tumours. Eur J Surg Oncol. 2004; 30(1):85-7.

Elias D. Sideris L. Pocard M. Dromain C. De Baere T. Intraductal cooling of the main bile ducts during radiofrequency ablation prevents biliary stenosis. J Am Coll Surg. 2004; 198(5):717-721.

Elkhyat A. Courderot-Masuyer C. Mac-Mary S. Courau S. Gharbi T. Humbert P. Assessment of spray application of Saint GERVAIS water effects on skin wettability by contact angle measurement com-pa rison with bidistilled water. Skin Res Technol. 2004; 10(4): 283-286.

Elkind-Hirsch K. Cooling off hot flashes: uncoupling of the circadian pattern of core body temperature and hot flash frequency in breast cancer survivors. Menopause. 2004; 11(4):369-71.

Elliot R, F.Wang J HeaD. Relationship of Abnormal Thermogram to Risk of Breast Cancer and Ist Prognostic Value. (abstract). Thermol Österr 4: 126. 1994

Elliot, RL. Breast thermography: historical perspectives, past di-l emmas, and future possibilities (abstract). Thermol int 2004, 14(3): 103.

Elliott BA, Ramo OT, Nironen M. Mineral chemistry constraints on the evolution of the 1.88-1.87 Ga post-kinematic granite plutons in the Central Finland Granitoid Complex. Lithos 1998. 45(1)-4: 109-29.

Elliott RL, Head J.F. Medical Infrared Imaging In The Twenty-First Century (abstract). Thermol intern 1999, 9(3): 111

Ellis M. Temperature measurement and thermal care in low income countries. Trop Doct 2002, 32(3): 129-30.

Ellis AM, Post E. Population response to climate change: linear vs. non-linear modeling approaches. BMC Ecol. 2004; 4(1):2.

Ellis W, Cheng S. Intraoperative thermographic monitoring during neurogenic thoracic outlet decompressive surgery. Vas Endovas Surg. 2003; 37(4):253-257.

El-Rahmany HK, Frank SM, Vannier CA, Schneider G, Okasha AS, Bulcao CF. Determinants of core temperature at the time of admission to intensive care following cardiac surgery. Journal of Clinical Anesthesia 2000, 12(3): 177-183

Elsen HG. Infrarot-Regulationsthermographie der weiblichen Brust. Thermomed 9: 83-85. 1993

El-Shafei A, Kern MJ New techniques for the evaluation of the vulnerable plaque. J Invasive Cardiol, 2002, 14(3): 129-37.

El-Shazly RM. Spectral, magnetic, thermal and electro-chemical studies on ethyl- alpha - (N-phenylthiocarbamyl)acetoacetate complexes. Chemical and Pharmaceutical Bulletin 1999. 47(11):1614-7

Elster EL. Treatment of bipolar, seizure, and sleep disorders and migraine headaches utilizing a chiropractic technique. J Manipul Physiol Ther. 2004; 27(3):E5.

Elvins D, EFJRing, J Davies, RW JoneS.Nasal CalcitonIn. A Clinical Trial Using Thermal Imaging and Bone Densitometry. (abstract). Thermol Österr 5: 76. 1995

Elvins D, F.RinG. Thermal Imaging and Video Measurements of Leg Ulcers. (abstract) Thermol Österr 7(2): 68. 1997

Elvins DM, EFJ Ring, J.DavieS. Nasal calcitonin in Paget's disease of bone. Thermol Österr2:S30-31. 1992

Elvins DM.EFJ RinG. Objective Measurements of Calcitonin Therapy by Infrared-Thermography. Thermol Österr 6: 21-25. 1996

Elwell RJ, Volino LR, Frye RF. Stability of cefepime in icodextrin peritoneal dialysis solution. Ann Pharmacother. 2004; 38(12):2041-4.

Elzainy T, Ali T. Nature and mode of action of NAD and ATP dephosphorylating enzyme from Aspergillus terreus DSM 826. Antonie van Leeuwenhoek Int J Gen Molr Microbiol. 2003; 84(4):255-260.

Emara S. Darwish I. Youssef D. Masujima T. On the perspectives of capillary electrophoresis modes for the determination ofmorphine in human plasma without sample pretreatment. BioMed Chromat. 2004; 18(1): 21-27.

Emery J, Ho D, MacKeen L, Heon E, Bissonnette B. Pupillary reflex dilation and skin temperature to assess sensory level during combined general and caudal anesthesia in children. Paediatr Anaesth. 2004; 14(9):768-73.

Emery M, J.Jones, M.BrowN. Clinical application of infrared thermography in the diagnosis of appendicitis. American Journal of Emergency Medicine, 12: 48-50.1994

Emery RW, Emery AM, Flavin TF, Nissen MD, Mooney MR, Arom KV. Revascularization using angioplasty and minimally invasive techniques documented by thermal imaging. Annals Of Thoracic Surgery 62(2): 591-593. 1996

Eminoglu S, Tezcan DS, Tanrikulu MY, Akin T. Low- cost uncooled infrared detectors in CMOS process, Sens Act A: Phys, 2003; 109, (s 1-2):102-113

Endo S, Masuzawa T, Tatsumi E, Taenaka Y, Nakatani T, Ohno T, Wakisaka Y, Nishimura T, Takewa Y, Nakamura M, Takura K, Sohn Y-S, Takano H. In vitro and in vivo evaluation on heat dissipation of electrohydraulic total artificial heart. Japanese Journal of Artificial Organs 27(1): 3-7. 1998

Endo S, Masuzawa T, Tatsumi E, Taenaka Y, Nakatani T, Ohno T, Wakisaka Y, Nishimura T, Takewa Y, Nakamura M, Takiura K, Sohn YS, Takano H. In vitro and in vivo heat dissipation of an electrohydraulic totally implantable artificial heart. ASAIO Journal 43/5: M592-597. 1997

Endoh M, Okuno R, Mukaigawa J, Shimojima Y, Murata I, Moro- zumi S, Sekine H, Marumo K. [Two nosocomial outbreaks of sepsis caused by Serratia marcescens, which occurred in July 1999 and January 2002—Tokyo] Kansenshogaku Zasshi. 2004; 78(4):295-304.

Ener RA, Meglathery SB, Styler M. Extravasation of systemic hemato-oncological therapies. Ann Oncol. 2004 ; 15(6):858-62.

Eng Kean Yeong, Mann R,Goldberg M, Engrav L, Heimbach D, Mileski WJ, Jeng JC, Greenhalgh DC, Yurt RW Improved accuracy of burn wound assessment using laser DoppleR. Journal of Trauma - Injury, Infection and Critical Care 40:956-962. 1996/

Engel J.-M, D.RuscH. Nachruf Dr. med. Günter A. Bergmann. ThermoMed 13: 5. 1997

Engel J.M. 20Jahre Thermographie des Bewegungsapparates, ThermoMed 6:3-5. 1990

Engel J.M. Diagnostische Möglicheiten der Infrarot-Thermographie bei Erkrankungen des Bewegungsapparates (abstract). ThermoMed 5: 52. 1989

Engel J.-M. ThermographiE. Ein bildgebendes Verfahren zur Differentialdiagnostik von Schmerzen am Bewegungssystem. ThermoMed 5: 75-90. 1989

Engel J.-M. U,Saier. Thermographische Standarduntersuchungen in der Rheumatologie und Richtlinien zu deren Befundung. Staatliches Rheumakrankenhaus Baden-Baden, 1984

Engel JM A.O.JohnseN. A flexible liquid crystal system for practical thermography in rheumatology. Thermol Österr2:S24-25. 1992

Engel JM. Die Wirkung von Target-Gel im thermischen Bild. ThermoMed 9:4-11. 1993

Engel JM. Thermo 91:7th conference on Thermogrammetry and Thermal Engineering, Budapest, 5.-7.Juni 1991. ThermoMed 7:94-95. 1991

Engel JM. Thermographie-eine Einführung. Thermol intern 1999, 9(3): 91-99.

Engel JM. Was die Thermographie zeigt. ThermoMed 9:36-38.1993

Engelbert B, K.Ammer. Thermographische Diagnose des Raynaud Phänomens. Thermol Österr 6: 145-149. 1996

Engelbert B, K.Ammer. Thermographische Untersuchungen bei Raynaud-Phänomen in den letzten 3 Jahren. (abstract). Thermol Österr 5: 76-77. 1995

Englberger L, Markart P, Eckstein FS, Immer FF, Berdat PA, Carrel TP. Aprotinin reduces blood loss in off-pump coronary artery bypass (OPCAB) surgery Eur. J. Cardiothorac. Surg. 2002, 22: 545 - 551.

Ennemoser, 0. D. Balogh, W. Ambach, G. FlorA. Tympanonthermometer zur Messung der Körperkemtemperatur. ThermoMed 7: 63-65. 1991

Epand RM, Epand RF, Bain AD, Sayer BG, Hughes DW. Pro- perties of polyunsaturated phosphatidylcholine membranes in the presence and absence of cholesterol. Magn Reson Chem. 2004; 42(2):139-47.

Epperly RA, Heberlein GE, Eads LG. A tool for reliability and safetY. Predict and prevent equipment failures with thermography. IN. Industry Applications Society 44th Annual Petrolaeum and Chemical Industry Conference. Record of Conference Papers - Petroleum and Chemical Industry Conference, I E E E, New York, pp. 59-68. 1997

Erdal UG, Erdal ZK, Randall CW. A thermal adaptation of bacteria to cold temperatures in an enhanced biological phos- phorus removal system. Water Sci Tech. 2003; 47(11):123-128.

Erdem H. Kilic S. Cinar E. Pahsa A. Symptomatic intestinal amoebiasis and climatic parameters. Scand J Infect Dis. 2003; 35(3):186-188.

Erdogan A, Grumbrecht S, Neumann T, Neuzner J. Pitschner HF. Microwave, irrigated, pulsed, or conventional radiofrequency energy : Which energy for which catheter ablation?. Pacing & Clin Electrophysiol. 2003; 26(1 II):504-506.

Eremenko AI. Thermography in the diagnosis of vasucular neuritis of the optic nerve. Oftalmol Zh (4(1)990):235-239. 1990

Ergun H. Frattarelli DAC. Aranda JV. Characterization of the role of physicochemical factors on the hydrolysis ofdipyrone. J Pharm BioMed Analysis. 2004; 35(3): 479-487.

Erickson RS, TM.WoO. Accuracy of infrared ear thermometry and traditional temperature methods in young children. Heart and LunG. Journal of Critical Care 23:181-195. 1994

Erickson RS. The continuing question of how best to measure body temperature. Critical Care Medicine 1999. 27(10):2307-10

Ernst E, Saradeth T. Hämorheologie und Kälte (abstract). Thermol Österr1: 30. 1991

Ernst E, Saradeth T. Hämorheologie und Kälte. Thermol Österr1: 57-58. 1991

Esaki R, Ueda H, Kurome M, Hirakawa K, Tomii R, Yoshioka H, Ushijima H, Kuwayama M, Nagashima H. Cryopreservation of porcine embryos derived from in vitro-matured oocytes. Biol Reprod. 2004; 71(2):432-7.

Escourbiac F, Schlosser J, Merola M, Vastra IB. Experimental optimisation of a hypervapotron® concept for ITER plasma facing components, Fus Eng Design, 2003; 66-68: 301-304

Esler MB, Griffith DWT, Wilson SR, Steele LP. Precision trace gas analysis by FT-IR spectroscopy. 1. Simultaneous analysis of CO sub(2), CH sub(4), N sub(2)O, and CO in air. Analytical Chemistry 2000, 72(1): 206-215

Espinosa ML, Santiago S, Guzman JJ, Prieto J, Ferrer T. Estudio Neurofisiologico De Fibras Mielinizadas Finas Y Amielinicas [Neurophysiological study of thin myelinated and unmyelinated fibers]. Revista de Neurologia 1999, 28/6: 535-43.

Esposito G. Vitagliano L. Costanzo P. Borrelli L. Barone R. Pavone L. Izzo PZagari A. Salvatore F. Human aldolase A natural mutants: Relationship between flexibility of theC-terminal region and enzyme function. Biochemical J. 2004; 380(1): 51-56.

Esteban J, De Gorgolas M, Santos-O'Connor F, Gadea I, Fernandez- Roblas R, Soriano F Mycobacterium tuberculosis bacteremia in a university hospital. International Journal of Tuberculosis and Lung Disease 2001: 5(8): 763-768

Esther Rendal Vazquez M, Rodriguez Cabarcos M, Fernandez Mallo RO, Sanchez Ibanez J, Segura Iglesias R, Bermudez Gonzalez T, Matheu Capo G, Filgueira Fernandez P, Pertega Diaz S, Andion Nunez C. Functional assessment of human femoral arteries after cryopreservation. Cryobiology. 2004; 49(1):83-9.

Evandri MG, Tucci P, Bolle P Toxicological evaluation of commercial mineral water bottled in polyethylene terephthalatE. A cytogenetic approach with Allium cepa. Food Additives and Contaminants 2000, 17(12): 1037-1045

Evans DA, Wales DJ, Dian BC, Zwier TS. The dynamics of conformational isomerization in flexible biomolecules. II. Simulating isomerizations in a supersonic free jet with master equation dynamics. J Chem Phys. 2004 ; 120(1):148-57.

Evans NE, Hajnayebi HR. Clinical temperature acquisition using proximity telemetry. J Bio-Med Eng 13:83-86. 1991

Evans RK. Zhu D-M. Casimiro DR. Nawrocki DK. Mach H. Troutman RD. Tang A. Wu SChin S. Ahn C. Isopi LA. Williams DM. Xu Z. Shiver JW. Volkin DB. Characterization and biological evaluation of a microparticle adjuvantformulation for plasmid DNA vaccines. J Pharml Sci. 2004; 93(7): 1924-1939.

Everaert K, Baeyens J, Creemers C. Adsorption of dioxins and furans from flue gases in an entrained flow or fixed/moving bed reactor. J Chem TechBiotech. 2003; 78(2-3):213-219.

Evers JLH, Collins JA. Assessment of efficacy of varico- cele repair for male subfertility: a systematic review. Lancet, 2003; 361: 1849-1852

Evidente VGH. Cooper C. Gwinn-Hardy K. Limb cooling and focal dystonia [1]. Movement Dis. 2004; 19(2): 238.

Evilevitch V, Norrgren K, Greiff L, Wollmer P. Microvascular response in guinea pig skin to histamine challenge with and without ap- plication of skin window.Clin Physiol Funct Imaging. 2004; 24(5):266-9.

Ewart A., Marsh JS, Milner SC, Duncan AR, Kamber BS, Armstrong RA. Petrology and Geochemistry of Early Creta- ceousBimodal Continental Flood Volcanism of the NW Etendeka, Namibia. Part 1: Introduction, Mafic Lavas and Reevaluation of Mantle Source Components. J Petrol, 2004; 45: 59 - 105.

Ewart A., Marsh JS, Milner SC, Duncan AR, Kamber BS, Armstrong RA. Petrology and Geochemistry of Early Cretaceous Bimodal Continental Flood 2003; canism of the NW Etendeka, Namibia. Part 2: Characteristics and Petrogenesis of the High-Ti Latite and High-Ti and Low-Ti Voluminous Quartz Latite Eruptives J Petrol, 2004; 45: 107 - 138.

Eyrich GK, Bruder E, Hilfiker P, Dubno B, Quick HH, Patak MA, Gratz KW, Sailer HF. Temperature mapping of magnetic resonance-guided laser interstitial thermal therapy (LITT) in lymphangiomas of the head and neck. Lasers Surg Med. 2000,26(5):467-76.

Ezri T, Szmuk P, Weisenberg M, Serour F, Gorenstein A, Sessler DI. The effects of hydration on core temperature in pediatric surgical patients. Anesthesiol.. 2003; 98(4):838-841).

Fabelinsky VI, Kozlov DN, Smirnov VV, Stelmakh OM, Vereschagin KA, Clauss W. Dual-broadband CARS thermometry in H-2/O-2 atmospheric pressure diffusion flame. IN. Chikishev AY, Zadkov VN, Zheltikov AM, editors, Laser Spectroscopy and Optical DiagnosticS. Novel Trends and Applications in Laser Chemistry, Biophysics, and Biomedicine - ICONO'98. Proceedings Of The Society Of Photo-Optical Instrumentation Engineers (SPIE) Vol.3732. Bellingham, 1999. p. 32-7.

Faber M. Jahnz-Rozyk K. Kucharczyk A. Targowski T. From Sl. Mamelka B. Evaluation of clinical efficacy and direct costs of azithro-m ycin treatment forexacerbation of chronic obstructive pulmonary dis- ease in hospitalized andoutpatients. Polski Merkuriusz Lekarski. 2004; 16(Suppl. 1): 96-99.

Faber WR. Assessment of skin temperature by palpation in leprosy patientS. Interobserver reliability and correlation with infrared thermometry (2). International Journal of Leprosy and Other Mycobacterial Diseases 2000. 68(1):65-7

Fabis PM, Shum D, Windischmann H. Thermal modeling of diamond-based power electronics packaging. IN.Proceedings of the Fifteenth Annual IEEE Semiconductor Thermal Measurement and Management Symposium. IEEE, New York, 1999, 98-104

Fahy GM, Wowk B, Wu J, Paynter S. Improved vitrification solutions based on the predictability of vitrification solution toxicity. Cryobiology. 2004; 48(1):22-35.

Fahy GM, Wowk B, Wu J, Phan J, Rasch C, Chang A, Zendejas E. Cryopreservation of organs by vitrification: perspectives and recent advances. Cryobiology. 2004; 48(2):157-78.

Fajt VR. Apley MD. Brogden KA. Skogerboe TL. Shostrom VK. Chin Y-L. Effect of danofloxacin and tilmicosin on body temperatures of beef calves withpneumonia experimentally induced by inoculation with Mannheimia haemolytica. Am J Vet Res. 2004;65(5): 610-615.

Falk V, Walther T, Kitzinger H, Rauch T, Diegeler A, Autschbach R, Mohr FW. An experimental approach to quantitative thermal coronary angiography. Thoracic and Cardiovascular Surgeon 46(1): 25-27. 1998

Falkenbach A, B.Egghart, G.Zelger, H.GriessmayeR. Trockensauna, Momotherm und ThermalstollenbehandlunG. Immediateffekte überwärmender Luftimmersionstherapien auf die Befindlichkeit Thermol Österr 7(1):18-24. 1997

Fallis WM Monitoring bladder temperatures in the OR. AORN J 2002, 76(3): 467-76. 481-6. 488-9.

Fallis WM, Sessler DI. Temperature Measurements [11] (multiple letters). Anesth Analgesia. 2003; 96(4):1236-1237).

Fallis WM. A response to 'Temperature measurement after severe head injury', Childs C et al. Anaesthesia 2004; 59: 192-3. Anaesthesia. 2004; 59(9):928;

Falloon TJ, Danyushevsky LV, Green DH Peridotite Melting at 1 GPA. Reversal Experiments on Partial Melt Compositions Produced by Peridotite–Basalt Sandwich Experiments J. Petrology, 2001, 42: 2363 - 2390.

Falsini B, Focosi F, Molle F, Manganelli C, Iarossi G, Fadda A, Dorino G, Minster MA. Monitoring Retinal Function during Transpupillary Thermotherapy for Occult Choroidal Neovascularization in Age-Related Macular Degeneration Invest Ophthalmol Vis Sci, 2003; 44: 2133 - 2140.

Falzon A, Grech V, Caruana B, Magro A, Attard-Montalto S. How reliable is axillary temperature measurement?. Acta Paediat. 2003; 92(3):309-313.

Fan H, Ravala NK, Wikle HC III, Chin BA. Low-cost infrared sensing system for monitoring the welding process in the presence of plate inclination angle. J Mat Process Technol, 2003; 140, (s 1-3): 668-675.

Fan J. Qian X. New functions and applications of Walter, the sweating fabric manikin. Eur J Appl Physiol. 2004. 92(6)641-644.

Fanali S, Catarcini P, Presutti C, Quaglia MG, Righetti P-G. A glycopeptide antibiotic chiral stationary phase for the enantiomer resolution of hydroxy acid derivatives by capillary electrochromatography. Electrophor. 2003; 24(5):904-2.

Fang H. Wenrong H. Yuezhong L. Investigation of isolation and immobilization of a microbial consortium fordecoloring of azo dye 4BS. Water Res. 2004;38(16): 3596-3604.

Fang T-H; Chang W-J. Sensitivity analysis of scanning near-field optical microscope probe, Optics Laser Tech, 2003; 35, (4): 267-271

Fang Y, Nishinari K. Gelation behaviors of schizophyllan-sorbitol aqueous solutions. Biopolymers. 2004; 73(1):44-60.

Fang Z, Kozinski JA Phase changes of benzo(a)pyrene in supercritical water combustion. Combustion and Flame 2001, 124(1-2): 255-267

Fantegrossi WE, Kiessel CL, Leach PT, Van Martin C, Karabenick RL, Chen X, Ohizumi Y, Ullrich T, Rice KC, Woods JH. Nantenine: an antagonist of the behavioral and physiological effects of MDMA in mice. Psychopharmacology (Berl). 2004; 173(3-4):270-7.

Fanti F. Tortoli E. Hall L. Roberts GD. Kroppenstedt RM. Dodi I. Conti SPolonelli L. Chezzi C. Mycobacterium parmense sp. nov. Int J Syst Evol Microbiol. 2004; 54(4):1123-1127.

Farajollahi AR, Bonnett DE, Tattam D, Green S. The potential use of polymer gel dosimetry in boron neutron capture therapy. Phys Med Biol. 2000,45(4):N9-14.

Farasyn A, MeeusenR. Pressure pain thresholds in healthy subjects: influence of physical activity, history of lower back pain factors and the use of endermology as a placebo-like treatment, J Bodywork Move Ther, 2003; 7, (1) 53-61

Farley DR, Greenlee SM, Larson DR, Harrington JR. Double- blind, prospective, randomized study of warmed, humidified carbon dioxide insufflation vs standard carbon dioxide for patients undergoing laparoscopic cholecystectomy. Arch Surg. 2004; 139(7):739-44;

Farnworth MV. Cross MJ. Louie J. Rhodium-catalyzed addition of alcohols to terminal enones. Tetrahedron Letters. 2004;45(40): 7441- 7443.

Farstad M, Heltne JK, Rynning SE, Onarheim H, Mongstad A, Eliassen F, Husby P. Can the use of methylprednisolone, vitamin C, or alpha-trinositol prevent cold-induced fluid extravasation during cardio-pul monary bypass in piglets? J Thorac Cardiovasc Surg. 2004; 127(2):525-34.

Faryad SW Metamorphic Conditions and Fluid Compositions of Scapolite-Bearing Rocks from the Lapis Lazuli Deposit at Sare Sang, Afghanistan J. Petrology 2002, 43: 725 - 747. .

Fasting S, Gisvold SE. Equipment problems during anaesthesia—are they a quality problem? Br. J. Anaesth. 2002, 89: 825 - 831.

Fatica C, Gordon S, Mossad E, McHugh M, Mee R. A cluster of necrotizing enterocolitis in term infants undergoing open heart surgery. American Journal of Infection Control 2000: 28(2): 130-132

Fattah EAE, Grant DJW, Gabr KE, Meshali MM. Physical characteristics and release behavior of salbutamol sulfate beads prepared with different ionic polysaccharides. Drug Development and Industrial Pharmacy 24/6: 541-547. 1998

Faure F, Marguet PO. Thermometres Tympaniques A Infrarouge. RBM - Revue Europeenne de Technologie Biomedicale 20(1): 9-13. 1998

Faurie AS, Mitchell D, Laburn HP Feto-maternal relationships in goats during heat and cold exposure . Experimental Physiology 2001: 86(2): 199-204

Faurie AS. Mitchell D. Laburn HP. Peripartum body temperatures in free-ranging ewes (ovis aries) and their lambs. J Thermal Biol. 2004; 29(2): 115-122.

Faussner A. Schuessler S. Seidl C. Jochum M. Inhibition of se-que stration of human B2 bradykinin receptor by phenylarsineoxide or sucrose allows determination of a receptor affinity shift and ligand dissociation in intact cells. Biol Chem. 2004; 385(9): 835-843.

Fays S, Truchetet F, Cuny JF [Hamartoma oligemicus] Ann Dermatol Venereol 2001, 128(12): 1334-5.

Fazio M, Bardelli M, Fabris B, Macaluso L, Fiammengo F, Vran F, Bossi M, Candido R, Gerloni R, Carretta R. Large-artery hemodynamics after acute alcohol administration in young, healthy volunteers. Angio- logy. 2004; 5(2):139-145.

Federspil G, La Grassa E, Giordano F, Macor C, Presacco D, Di MaggI. Studio della termogenesi indotta dalla dieta mediante teletermografia n soggetto normale e nell'obeso. (Study of diet-induced thermogenesis using telethermography in normal an obese subiects). Recenti Prog Med 80(9): 455-459. 1989

Feeley TC, Cosca MA, Lindsay CR. Petrogenesis and Implications of Calc-Alkaline Cryptic Hybrid Magmas from Washburn Volcano, Absaroka Volcanic Province, USA J. Petrologyr 2002, 43: 663 - 703.

Feichtinger J, Schrottner T, Schwaiger M, Kindl P. Characteri-sa tion of selected cadmium—zinc—telluride detectors. Appl Radiat Isot. 2004; 61(2-3):113-5.

Feigin V, Anderson N, Gunn A, Rodgers A, Anderson C. The emerging role of therapeutic hypothermia in acute stroke. Lancet Neurology. 2003; 2(9):529.

Feldman F. Thermography of the hand and wrisT.practical applications. Hand Clin 7: 99-112. 1991

Feldstein MM, Lebedeva TL, Igonin VE, Plate NA. The varieties of poly(ethylene glycolstate in H-complex with poly (n-vinyl pyrrolidone). Proceedings of the Controlled Release Society 25: 850-851. 1998

Feleder C, Perlik V, Blatteis CM. Preoptic alpha 1- and alpha 2-noradrenergic agonists induce, respectively, PGE2-independent and PGE2-dependent hyperthermic responses in guinea pigs. Am J Physiol Regul Integr Comp Physiol. 2004; 286(6):R1156-66.

Felis T. Lohmann G. Kuhnert H. Lorenz SJ. Scholz D. Patzold J. Al-Rousen SAAl-Moghrabl SM. Increased seasonality in Middle East temperatures during the last interglacial period. Nature. 2004; 429 (6988): 164-168.

Feller JF, Chauvelon P, Linossier I, Glouannec P. Characterization of electrical and thermal properties of extruded tapes of thermoplastic conductive polymer composites (CPC), Polymer Testing, 2003; 22, (7): 831-837.

Feng C, Suzuki K, Zhao S, Sugiura N, Shimada S, Maekawa T. Water disinfection by electrochemical treatment. Bioresour Technol. 2004; 94(1):21-5.]

Feng J, Gao C, Wang B, Shen J. A novel process for inking the stamp with biomacromolecule solution used in reactive microcontact printing. Colloids Surf B Biointerfaces. 2004; 1;36(3-4):177-80.

Feng L. Yoshie N. Asakawa N. Inoue Y. Comonomer-unit com-po sitions, physical properties and biodegradability of bacterial copoly-hydr oxyalkanoates. Macromolecular Bioscience. 2004 4(3): 186-198.

Feng S-S. Mu L. Win KY. Huang G. Nanoparticles of bio-de gradable polymers for Clin administration ofpaclitaxel. Curr Med Chem. 2004; 11(4): 413-424.

Feng Y, Rainteau D, Chachaty C, Yu ZW, Wolf C, Quinn PJ. Characterization of a quasicrystalline phase in codispersions of phospha tidyl- ethanolamine and glucocerebroside.Biophys J.2004; 86(4): 2208-17.

Fennell HC. Thermographic inspection and quality assurance of energy conservation procedures for electric buses. IN. Snell JR, RN Wurzbach (eds): Thermosense XX. Proceedings of the Society of Photo-Optical Instrumentation Engineers (SPIE) Vol.3361. Bellingham, pp.200-210. 1998

Ferguson JH, Dubinsky M, Kirsch PJ. Court-ordered reimbursement for unproven medical technology. Circumventing technology assessment. JAMA, 269: 2116-2121. 1993

Fermo I. Germagnoli L. Soldarini A. Dorigatti F. Paroni R. Capil- lary zone electrophoresis for determination of carbohydrate- deficienttransferrin in human serum. Electrophoresis. 2004; 25(3): 469-475.

Fernando HC. De Hoyos A. Litle V. Belani CP. Luketich JD. Radiofrequency ablation: Identification of the ideal patient. Clin Lung Cancer. 6(3): 149-153. 2004;

Ferrara-Love R. A comparison of tympanic and pulmonary artery measures of core temperatures. J Post Anest Nurs 6:161-164. 1991

Ferrarin M, Ludwig N. Analysis of thermal properties of wheelchair cushions with thermography. Med Biol Eng Comput. 2000 Jan,38(1):31-4.

Ferraro G. Altieri A. D'Andrea F. Alternative Clin uses of the botulinum toxin in plastic and reconstructive surgery: Frey's syndrome. Chirurgia. 2004. 17(5)169-171.

Ferrell WR, Balint PV, Sturrock RD Novel use of laser Doppler imaging for investigating epicondylitis. Rheumatology 2000, 39(11): 1214-1217

Ferrell WR. Wong BB. Lockhart JC. Ramsay JE. Gender differences in regional cutaneous microcirculatory responses to capsaicin. Fundam Clin Pharmacology. 2004; 18(2): 195-200.

Ferris Wayne G, Connolly GN. Application, function, and effects of menthol in cigarettes: a survey of tobacco industry documents. Nicotine Tob Res. 2004;6 Suppl 1:S43-54.

Ferritto MS, Tirrel DA. Photoregulation of the binding of an azobenzene-modified poly(metha-crylic acis) to phosphatidylcholine bilayer mem-branes. Biomaterials 11:645-651. 1990

Ferruti P. Grigolini M. Ranucci E. PHEMA hydrogels obtained by a novel low-heat curing procedure with a potentialfor in situ preparation. Macromol Biosci. 2004; ;4(6): 591-600.

Ferry JM, Wing BA, Rumble D. III. Formation of Wollastonite by Chemically Reactive Fluid Flow During Contact Metamorphism, Mt. Morrison Pendant, Sierra Nevada, California, USA J. Petrology 2001, 42: 1705 - 1728.

Feulner P, Niedermayer T, Eberle K, Schneider R, Menzel D, Baumer A, Schmich E, Shaporenko A, Tai Y, Zharnikov M. Strong temperature dependence of irradiation effects in organic layers. Phys Rev Lett. 2004; 93(17):178302.

Fewell JE, Wong SHM, Crisanti KC : Age-dependent core temperature responses of conscious rabbits to acute hypoxemia. Journal of Applied Physiology 2000: 89(1): 259-264

Fialka V, M.Korpan, T.Saradeth, T.Leitha. E.ErnsT. Thermography in reflex sympathetic dystrophy. Thermol Österr4:180. 1994

Fickes LA. Computerized Thermal Imaging Single Versus Multiple Autonomic Challenges In Breast Thermal Imaging.Does Additional General Autonomic Challenge Change Specific Autonomic Cold Challenge Findings? (abstract). Thermol int 2003,13.34-35

Fickes LA. Single Versus Multiple Autonomic Challenges In Breast Thermal Imaging Part II How Does General Autonomic Challenge Before Specific Autonomic Cold Challenge Affect Breast Thermology Results? (abstract). Thermol int 2003,13.35-36

Fiedler VU, Schwarzmaier HJ, Eickmeyer F, Mueller FP, Schoepp C, Verreet PR Laser-induced interstitial thermotherapy of liver metastases in an interventional 0.5 Tesla MRI systeM. technique and first clinical experiences. Journal Of Magnetic Resonance Imaging 2001. 13 (5) 729-37

Fiege GBM, Feige V, Phang JCH, Maywald M, Gorlich S, Balk LJ. Failure analysis of integrated devices by Scanning Thermal Microscopy (SThM). Microelectronics and Reliability 1998, 38/6-8: 957-61.

Fielder ARI. Electronic monitoring of treatment compliance in patching for amblyopia Survey of Ophthalmology 2000, 44(6): 539-540

Fikackova H, Ekberg E. Can infrared thermography be a diagnostic tool for arthralgia of the temporomandibular joint? Oral Surg Oral Med Oral Pathol Oral Radiol Endod. 2004; 98(6):643-50.

Fikáčková H, Meszarošová M, Jirman R, Navrátil L, Závišek M, Drastich A, Dub P. Thermal Imaging Applications in Human and Veterinary Medicine. . (abstract) Thermol int 2003, 13: 67.

Filatov AA, AV Sviatov, VG ZhigalIn. Factor analysis of the results of combined clinico-radio-logical examination in thyroid diseases. Med Radiol (Mosk) 36:12-15. 1991

Filler TJ, Bremer C, Peuker ET, Bankert J, Kreft G, Reimer P Pathomorphologie der Laser-induzierten interstitiellen Tumor-Thermotherapie an der Leber. (Pathomorphology of laser-induced interstitial tumor thermotherapy of the liver) Radiologe 2001. 41 (2) 181-6

Findlay JM. Brain and systemic temperature in patients with severe subarachnoid hemorrhage: Commentary. Surg Neurol. 2003; 60(2):164.

Finelli DA, Rezai AR, Ruggieri PM, Tkach JA, Nyenhuis JA, Hrdlicka G, Sharan A, Gonzalez-Martinez J, Stypulkowski PH, Shellock FG. MR Imaging-Related Heating of Deep Brain Stimulation ElectrodeS. In Vitro Study AJNR Am. J. Neuroradiol. 2002, 23: 1795 - 1802.

Finger PT, Svitra PP, McCormick SA, Presser A. Microwave diathermy of the retina and choroid. Archives of Ophthalmology, 111: 254-258. 1993

Fini A, Fazio G, Rabasco AM, Fernandez-Hervas MJ, Holgado MA. Effect of the temperature on a hydrate diclofenac salt. International Journal of Pharmaceutics 1999, 181(1): 95-106.

Finke CT. Unit-based product evaluatioN. Part 1: Comparison of pulmonary artery and tympanic membrane temperature. Dimensions of Critical Care Nursing, 12: 81-7. 1993

Finnegan PM. Brumbley SM. O'Shea MG. Nevalainen H. Bergquist PL. Isolation and characterization of genes encoding thermoactive and thermostabledextranases from two thermotolerant soil bacteria. Curr Microbiol. 2004; 49(5): 327-333.

Finneran KT, Johnsen CV, Lovley DR. Rhodoferax ferri- reducens sp. nov., psychrotolerant, facultatively anaerobic bacterium that oxidizes acetate with the reduction of Fe(III). Int J Sys Evol Microbiol 2003; 53(3):669-673.

Finney JW, Mallams JT, Pearce KB, Monger G. Low frequency transcutaneous nerve stimulation in reflex sympathetic dystrophy. Journal of Neurological and Orthopaedic Medicine and Surgery 12:270-273. 1991

Fioravanti A, A Franci, R.Gelli, C.Minari, M.Montemerani. P.Moscato, R.MarcolongO.Valu-tatzione della èfficacia della somatostatina per via intraarticolare in pazienti con artrite reumatoide (Evaluation of the efficacy of intra-articular administration of somatoistatin in rheumatoid arthritis). Clinica e Terapeutica 142:453-457. 1993

Fioravanti A, Cocco R, Francioni C, Innocenti A, Megale F, Priolo F, Raspanti S, Sabadini L, Sartorelli P, Vannucchi CE, Marcolongo R, Mariano A. La Sindrome Degli Sfoderatori Di StraccI. Una Nuova Entita Clinica? A peculiar case of hand wrist cumulative trauma disordeR. The rags unlining in the textile industry of Prato (Italy). Minerva Medica 86:467-474. 1995

Fioravanti A, M.Govoni M, G.La Montagna, G.Perpignano G, G.Tirri, F.Trotta, A.Bogliolo, A. Ciocci, MT.Mauceri, R.MarcolongO. Somatostatin 14 and joint inflammatioN. Evidence for intraarticular efficacy of prolonged administration in rheumatoid arthritis. Drugs under Experimental and Clinical Research 21:97-103.1995

Fischer A. A. Significance For Management And Correlation With Thermograms. (abstract) European Journal of Thermology 7(3):158. 1997

Fischer A.A.Neurological findings related to pain in radiculopathy. (abstract) Thermol Österr 7(2): 82. 1997

Fischer AA, S.Tchou. Computerized Quasntitative Diagnosis of Radiculopathy Based on Dermatomal Components. (abstract). Thermol Österr 4: 129. 1994

Fischer AA. Thermography and Myofascial PaIn. (abstract). Thermol Österr 4: 121. 1994

Fischer J, Seidel J, Wende B. The double-heatpipe black bodY. a radiance and irradiance standard for accurate infrared calibrations in remote sensing. Metrologia 1998, 35(4): 441-5.

Fischer W, Lersch P. Temperature distribution at the sample surface in high-temperature XRD using infrared thermography. IN. Delhez R, Mittemeijer EJ (eds): EPDIC 5. PTS 1 and 2. Materials Science Forum Vol.278. Transtec Publications Ltd, Zürich-Uetikon, pp. 254-259. 1998

FischerA. Overview of Thermography in Evaluation of Pain Syndromes. (abstract). Thermol Österr 5: 108-109. 1995

Fish EW. Faccidomo S. Gupta S. Miczek KA. Anxiolytic-Like Effects of Escitalopram, Citalopram, and R-Citalopram inMaternally Separated Mouse Pups. J Pharm Exper Therapeut. 2004; 308(2): 474-480.

Fisher A.M, M.L. Khitrov, SA Platonov, MI Shcherbakov, O Yu. Shurygin, YuV GulyaeV. Dynamic IR thermoimaging system. Thermol Österr4:161. 1994

Fisher AR, Baker M, Buffin M, Campbell P, Hansbro S, Kennington S, Lilley A, Whitehorne M. Normal and abnormal trans-oxygenator pressure gradients during cardiopulmonary bypass. Perfusion. 2003; 18(1):25-30.

Fisher IuIa, Oborotistova AN, Brio GB. Faktory, sposobstvuiushchie vozniknoveniiu tuberkuleza u beremennykh i rodivshikh zhenshchin, i rol'v ikh obsledovanii kontaktnoi plenochnoi termoindikatsii (Factors facilitating the development of tuberculosis in pregnant women and puerperae and the role in their examination of contact film thermal indication). Akusherstvo I Ginekologiia 6: 40-43.1995

Fitzherbert JA, Clarke GL, Powell R.Lawsonite– Ompha- cite-Bearing Metabasites of the Pam Peninsula, NE New Caledonia: Evidence for Disrupted Blueschist- to Eclogite-Facies Conditions J Petrol, 2003; 44: 1805 - 1831.

Fix AS, Garman RH. Practical aspects of neuropathologY. A technical guide for working with the nervous system. Toxicologic Pathology 2000, 28(1): 122-131

Flacke S, Fischer S, Scott MJ, Fuhrhop RJ, Allen JS, McLean M, Winter P, Sicard GA, Gaffney PJ, Wickline SA, Lanza GM. Novel MRI Contrast Agent for Molecular Imaging of FibrIn. Implications for Detecting Vulnerable Plaques Circulation2001, 104: 1280 - 1285.

Fleischhack R. Kober P. Kuhne T. Scheel K. Overheating as a result of hygroscopic condensation in steam sterilisation ofporous items: A forgotten phenomenon that has many practical implications. Zen-trals terilisation - Central Service. 2004; 12(4): 241-257.

Flesch I, Landsleitner B, Bartsch M, Schaller P. Mikrozirkulationsmessungen nach Replantation und Revaskularisation. Handchirurgie, Mikrochirurgie, Plastische Chirurgie, 24:324-329. 1992

Flick BB, Orglmeister R. A portable microsystem-based telemetric pressure and temperature measurement unit. IEEE Trans Biomed Eng. 2000,47(1):12-6.

Flinn PW, Subramanyam B, Arthur FH. Comparison of aeration and spinosad for suppressing insects in stored wheat. J Econ Entomol. 2004; 97(4):1465-73.

Fodor RV. The Role of Tonalite and Diorite in Mauna Kea Volcano, Hawaii, MagmatisM. Petrology of Summit-Region Leucocratic Xenoliths J. Petrology 2001, 42: 1685 - 1704.

Foffi G, Zaccarelli E, Buldyrev S, Sciortino F, Tartaglia P. Aging in short-ranged attractive colloids: a numerical study. J Chem Phys. 2004; 120(18):8824-30.

Fogarty AL. Armstrong KA. Gordon CJ. Groeller H. Woods BF. Stocks JM. TaylorNAS. Cardiovascular and thermal consequences of protective clothing: A comparison ofclothed and unclothed states. Ergonomics. 2004; 47(10): 1073-1086.

Fogiel M, Zbroch T, Knapp P, Knapp P, [Microwave thermography in the assessment of breast pathology] Med Wieku Rozwoj 2002, 6(1): 63-73.

Foltan M. Philipp A. Thrum A. Gietl M. Wiesenack Ch. Kobuch R. Birnbaum DESchmid F-X. Differentiated assessment of temperature measurements in ECC. Kardiotechnik. 2004; 13(1): 3-8.

Folwaczny M, Mehl A, Haffner C, Benz C, Hickel R. Root substance removal with ER.YAG laser radiation at different parameters using a new delivery system. J Periodontol. 2000,71(2):147-55.

Fomichev VP, Khaidarov SV, Kovrizhina VN, Pravdin SS, Zharkova GM. The study of special gasdynamic features of the flow in a diameter disk pump by means of liquid crystal thermography. IN. International Conference on Optical Methods ond Data Processing in Heat and Fluid Flow. IMECHE Conference Transactions Vol.1998. Issue 2, Professional Engineering Publishing Ltd, Suffolk, pp. 191-199. 1998

Fonseca L, Perez-Murano F, Calaza C, Rubio R, Santander J, Figueras E, Gracia I, Cane C, Moreno M, Marco S. Thermal AFM: a thermopile case study. Ultramicroscopy. 2004; 101(2-4):153-9.

Fontaine JP, Pointurier F, Blanchard X, Taffary T. Atmospheric xenon radioactive isotope monitoring. J Environ Radioact. 2004; 72 (1-2): 129-35.

Foot R, Mitra S. Detecting mirror matter on Earth via its thermal imprint on ordinary matter, Phys Lett A, 2003; 315, (s 3-4): 178-183.

Foote RH. Fertility estimation: a review of past experience and future prospects, Animal Reprod Sci, 2003; 75, (s 1-2): 119-139

Foray J. Gelure grave des extremites. A propos de quatre cas. Nouvelle approche du pronostic precoce. (Severe frostbites of the limbs. Apropos of 4 cases. A new approach of early prognosis) Chirurgie, 117: 550-556. 1991

Foray J. Mountain frostbite.Current trends in prognosis and treatment (from result concerning 1261 cases). International Journal of Sports Medicine 13 (Suppl1): S193-196. 1992

Forbes BC, Fresco N, Shvidenko A, Danell K, Chapin FS 3rd. Geographic variations in anthropogenic drivers that influence the vul- nerability and resilience of social-ecological systems. Ambio. 2004; 33(6):377-82.

Ford RG, Ford KT. Thermography in the diagnosis of headache. Seminars in Neurology 17(4): 343-349. 1997

Forde K, Edwards C, Harding R,. Anstey A. A Comparison Between Visual and Reflectance Spectrometric Assessment of Erythema and Thermography in the Elucidation of Dose-Response of Skin To Ultraviolet Irradiation in Photo(Chemo)Therapy. (abstract) Thermol intern 2001, 11(2):82-83

Forde K, Edwards C, Harding R.. Anstey A. A Comparison Between Visual and Reflectance Spectrometric Assessment of Erythema and Thermography in Elucidation of Dose-Response of Skin to Ultraviolet Irradiation in Photo(Chemo) Therapy. Thermol intern 2001, 11(3):142

Forni F, Vandelli MA, Cameroni R. Influence of drug loading level on drug release and dynamic swelling of crosslinked gelatin microsphe-res. Journal of Microencapsulation 9:29-39. 1992

Forrest EH, Jones AL, Dillon JF, Walker J, Hayes PC. The effect of nitric oxide synthase inhibition on portal pressure and azygos blood flow in patients with cirrhosis. Journal of Hepatology, 23: 254-258. 1995

Forrester BJ. Petrofsky JS. Effect of electrode size, shape, and placement during electrical stimulation. J Appl Res. 2004.4(2)346-354.

Förster C, Greiner T, Nischik M, Schmelz M, Handwerker HO. Neurogenic flare responses are heterogeneous in superficial and deep layers of human skIn. Neuroscience Letters 185: 33-36. 1995

Förster C, W Magerl, A Beck, G Geisslinger, T.Gall, K Brune, HO HandwerkeR. Differential effects of dipyrone, ibuprofen, and paracetamol on experimentally induced pain in man. Agents and Actions 35:112-121. 1992

Forster PMDF,Solomon S.Observations of a “weekend effect” in diurnal temperature range.PNAS 2003;100(20): 11225-30.

Forsyth.DI, Wade SA, Sun T, Chen X, Grattan KT Dual temperature and strain measurement with the combined fluorescence lifetime and Bragg wavelength shift approach in doped optical fiber. Appl Opt 2002, 41(31): 6585-92.

Fossel ET. Improvement of temperature and flow in feet of subjects with diabetes with use of a transdermal preparation of L- arginine: a pilot study. Diabetes Care. 2004; 27(1):284-5.

Fossheirn SL, Il'Yasov KA, Hennig J, Bjornerud A Thermosensitive paramagnetic liposomes for temperature control during MR imaging-guided hyperthermiA. In vitro feasibility studies. Academic Radiology 2000, 7(12): 1107-1115

Foster KR, Adair ER. Modeling thermal responses in human subjects following extended exposure to radiofrequency energy. Bio- med Eng Online. 2004 ; 3(1):4.

Foster KR, Cheever EA. Microwave radiometry in biomedicinE. a reappraisal. Bioelectromagnetics, 13: 567-579. 1992

Foster KR. Thermographic detection of breast cancer. IEEE Engineering In Medicine And Biology Magazine 1998. 17 /6: 10-4.

Fountas KN, Kapsalaki EZ, Feltes CH, Smisson III HF, Johnston KW, Grigorian A, Robinson Jr JS. Disassociation between intracranial and systemic temperatures as an early sign of brain death. J Neurosurg Anesthesiol. 2003; 15(2):87-89.

Fournial R, Traore AS, Laurendeau D, Moisan C. An analytic method to predict the thermal map of cryosurgery iceballs in MR images. IEEE Trans Med Imaging. 2004; 23(1):122-9.

Fournier I, Barwicz J, Tancrede P. The structuring effects of amphotericin B on pure and ergosterol- or cholesterol-containing dipalmitoylphosphatidylcholine bilayerS. A differential scanning calorimetry study. Biochimica et Biophysica Acta - Biomembranes 1998. 1373(1):76-86

Fraile MV, Lopez-Rodriguez G, Gallego-Nicasio J, Carmona P.IR spectroscopic study of phospholipid emulsions containing cholesteryl oleate. Biopolymers. 2000,57(1):11-8.

FraisKolbl H, Hauser H. Characterization of video recording heads. IN. Kose V, Sievert J (eds): Non-Linear Electromagnetic Systems. Studies in Applied Electromagnetics and Mechanics Advanced Techniques and Mathematical Methods Vol.13. I O S Press, Amsterdam.pp. 795-798. 1998

FraisKolbl H, Hauser H. Magnetization cur-ves of amorphous video heads. Journal de Physique IV.8/P2: , 689-692. 1998

Francaviglia N, Silvestro C, Carta F, Davini V, Perria C, Scaricabarozzi I, Cipolla PV. Subarachnoid buprenorphine administered by implantable micropumps. Acta Neurochir (Wien), 102 (1-2): 62-68. 1990

Frances H, Smirnova M, Leyris A, Aymard N, Bourre J-M. Influence of social isolation and 6-OHDA lesion on the effects of quinelorane. Pharmacology Biochemistry and Behavior 2001, 69(1-2): 143-149

Franceschi YT : Accuracy and feasibility of measuring oral temperature in ctritically ill adults. Focus Crit Care 18:221-224.226-228. 1991

Francia F. Palazzo G. Mallardi A. Cordone L. Venturoli G. Probing light-induced conformational transitions in bacterial photo-syntheticreaction centers embedded in trehalose-water amorphous matrices. Bio- chim Biophys Acta - Bioenergetics. 2004;1658(1-2): 50-57.

Francica G, Marone G, Solbiati L, D'Angelo V, Siani A. Hemobilia, intrahepatic hematoma and acute thrombosis with cavernomatous transformation of the portal vein after percutaneous thermoablation of a liver metastasis. Eur Radiol. 2000,10(6):926-9.

Franco P, Lipshut W, Valente F, Adams S, Groswasser J, Kahn A. Cardiac autonomic characteristics in infants sleeping with their head covered by bedclothes. J Sleep Res. 2003; 12(2): 125-132.

Francois R. Cool stratification. Nature. 2004. 428(6978)31-32.

Frank AM.3D numerical simulation of regular structure formation in a locally heated falling film, Eur J Mechanics - B/Fluids, 2003; 22, (5): 445-471

Frank SM Consequences of hypothermia. Current Anaesthesia and Critical Care 2001, 12(2): 79-86

Frank SM, El-Rahmany HK, Tran KM, Vu B, Raja SN : Comparison of lower extremity cutaneous temperature changes in patients receiving lumbar sympathetic ganglion blocks versus epidural anesthesia. Journal of Clinical Anesthesia 2000: 12(7): 525-530

Franken EM, de Boer JC, Barnhoorn JC, Heijmen BJ. Characteristics relevant to portal dosimetry of a cooled CCD camera-based EPID. Med Phys. 2004; 31(9):2549-51.

Frankenberger RT, Bussmann O, Nahm W, Konecny E, Gortner L. Messung seitlicher Hauttemperaturprofile von Frühgeborenen in Inkubatoren mittels Thermographie. Biomedizinische Technik 43/6: 174-178. 1998

Frankenberger RT, Bussmann O, Nahm W, Konecny E, Gortner L. Messung seitlicher Hauttemperaturprofile von Fruehgeborenen in Inkubatoren mittels Thermographie.[Measuring lateral skin temperature profile of premature infants in incubators with thermography] Biomedizinische Technik 1998. 43 /6: 174-8.

Frankenberger RT, Bussmann O, Nahm W, Konecny E. Modell zur Simulation der Wärmeabgabe von Frühgeborenen. Biomedizinische Technik 43/5: 137-143. 1998

Frank—Piskorska Anna :Thermovision As A Noninvasive Method For The Evaluation Of Upper Aiways (UA) In Patients With Obstructive Sleep Apnea Syndrome (OSA) . Thermol intern 1999, 9(4):

Frank—Piskorska A. Thermovision As A Noninvasive Method For The Evaluation Of Upper Aiways (UA) In Patients With Obstructive Sleep Apnea Syndrome (OSA) . Thermol intern 1999, 9(4):

Franz L, Becker K-P, Kramer W, PM. Herzig Metasomatic Mantle Xenoliths from the Bismarck Microplate (Papua New Guinea)—Thermal Evolution, Geochemistry and Extent of Slab-induced Metasomatism J. Petrology 2002, 43: 315 - 343.

Franzluebbers K, Franzluebbers AJ, Jawson MD. Environmental Controls on Soil and Whole-ecosystem Respiration from a Tallgrass Prairie Soil Sci. Soc. Am. J. 2002, 66: 254 - 262.

Frauendorf H, Engle JM Thermographic recording of the acral temperature reaction during different techniques of needle acupuncture. (abstract) Thermol intern 2001, 11(2): 99

Frauendorf H, K.Beyer, J.-M.Engel,H.HäntzscheL. Themographi der akralen Temperaturreaktion. (abstract) ThermoMed 12: 97-98. 1996

Frauendorf H. K.Beyer, J.M.Engel, H.HntzscheL. Thermography of the Acral Temperature Reaction Caused by Acupuncture. (abstract) Thermol Österr 7(2): 87. 1997

Fraunhofer S, M Henzler, M Strotzner, S von SommoggY. Durchblutungsmessungen zur Wertigkeit der CT-gesteuerten lumbalen Sympatikolyse bei arterieller Verschlußkrankheit. Vasa Suppl 33:160-161. 1991

Freccero C, Svensson H, Bornmyr S, Wollmer P, Sundkvist G. Sympathetic and parasympathetic neuropathy are frequent in both type 1 and type 2 diabetic patients. Diabetes Care. 2004 ; 27(12):2936-41.

Frederickx V, Michiels A, Goossens E, De Block G, Van Steirteghem AC, Tournaye H. Recovery, survival and functional evaluation by transplantation of frozen-thawed mouse germ cells. Hum Reprod. 2004; 19(4):948-53.

Freed GL, JK FraleY. Lack of agreement of tympanic membrane temperature assessments with conventional methods in a private practice setting. Pediatrics 89:384-386. 1992

Freedman G, Krejci I. Warming up to composites. Compend Contin Educ Dent. 2004 May;25(5):371-376;

Freeman C, Fenner N, Ostle NJ, Kang H, Dowrick DJ, Reynolds B, Lock MA, Sleep D, Hughes S, Hudson J. Export of dissolved organic carbon from peatlands under elevated carbon dioxide levels. Nature. 2004; 430(6996):195-8.

Freitas LAP, Freire JT Heat transfer in a draft tube spouted bed with bottom solids feed. Powder Technology 2001, 114(1-30: 152-162

Fremstad ML, GM.Holden, AG.Anke, JJ.StanghellE. Infrarod tympanisk termometri--drligere enn sitt rykte? (infrared tympanic thermometry--worse than reported?) Tidsskrift For Den Norske Laegeforening 113: 2708-2710.1993

Freundl G Natürliche Familienplanung und 'Nicht-Hormonale Kontrazeption' (Natural family planning and 'non-hormonal contraception'), Gynäkologe 2000, 33(9): 679-688

Freundl G. Cyclotest Easy (Cyclotest Easy). Tägliche Praxis 2001, 42(1): 205

Frey H-H, Peters B, Hunsinger H, Vehlow J. Characterization of municipal solid waste combustion in a grate furnace. Waste Manag. 2003; 23(8):689-701), 2003.

Friberg H, Nielsen N, Karlsson T, Cronberg T, Widner H, Englund E, Ersson A. [Therapeutic hypothermia after cardiac arrest. A cold intravenous fluid, a cooling helmet and a cooling blanket efficiently reduce body temperature] Lakartidningen. 2004; 101(30-31):2408-11.

Fricke ST. Vink R. Chiodo C. Cernak I. Ileva L. Faden AI. Con-s istent and reproducible slice selection in rodent brain using a novel stereotaxic device for MRI. J Neurosci Methods. 2004; 136(1): 99-102.

Fried NM, Lardo AC, Berger RD, Celkins H, Helperin HR Linear lesions in myocardium created by ND.YAG laser using diffusing optical fiberS. In vitro and in vivo results. Lasers in Surgery and Medicine 2000: 27(4): 295-304

Friedlander AH, BM.GratT. Panoramic dental radiography as an aid in detecting patients at risk for stroke. Journal Of Oral And Maxillofacial Surgery 52: 1257-1262. 1994

Friedman MH. Local inflammation as a mediator of migraine and tension-type headache. Headache. 2004; 44(8): 767-771.

Friedman MS. The use of thermography in sympathetically maintained paIn. Iowa Orthopaedic Journal 14: 141-147. 1994

Fringuelli F, Pizzo F, Tortoioli S, Vaccaro L. Zn(II)-catalyzed thiolysis of oxiranes in water under neutral conditions. J Org Chem. 2003; 68(21):8248-8251.

Frish L, Friedman N, Sheves M, Cohen Y. The interaction of water molecules with purple membrane suspension using 2H double- quantum filter, 1H and 2H diffusion nuclear magnetic resonance. Biopoly- mers. 2004; 75(1):46-59.

Fritze J. Schlaganfall-Behandlung in Deutschland - Sind internationale Erfahrungen übertragbar? Management of stroke in Germany - Are the international experiences applicable? Psycho 2001, 27(1): 45-52

Frolke JPM. Reeling Brouwer GC. Giannoudis PV. Friction burns within the tibia during reaming (multiple letters) [3]. J Bone Joint Surg –(B). 2004; 86(1): 149-150.

Frost HM. A 2003 update of bone physiology and Wolff's Law for clinicians. Angle Orthod. 2004; 74(1):3-15.

Fruehwald-Schultes B, Kern W, Dantz D, Born J, Fehm HL, Peters A. Preserved hypothermic response to hypoglycemia after antecedent hypoglycemia. MetabolisM. Clinical and Experimental 2000, 49(6): 794-798

Fu Q, Johanson CM, Warren SG, Seidel DJ. Contribution of strato- spheric cooling to satellite-inferred tropospheric temperature trends. Nature. 2004;429(6987):55-8.

Fuchs BM, E.Senn, B.SieberT. Die Infrarot-Thermographie zur Diagnostik und Verlaufsbeobachtung von Schmerzsyndromen der Lendenwirbelsäule.Physikalische Medizin Rehabilitationsmedizin Kurortmedizin 4:118-119. 1994

Fujii K, Tsuboi N, . Fujimatsu N. Visualization of Jet Flows over a Plate by Pressure-Sensitive Paint Experiments and Comparison with CFD Ann. N.Y. Acad. Sci. 2002, 972: 265 - 270.

Fujikawa O, M. Kawamoto, F. Yamada, T. Horikawa, A. Nishigori, S. Wada, M. TanakA.Thermographic Study On The Effect Of Acupuncture Stimulation To The Acupoints Sp 4 And P 6. (abstract). Biomed Thermol 10: 306. 1990

Fujikawa O, M. Kawamoto, F. Yamada, T. Horikawa, S. Sakaguchi, M. Yamamoto, A. NishigorI. Seasonal Changes In Skin Temperature Acclimatization Time. (abstract). Biomed Thermol 11: 296. 1991

Fujimasa I, A. KounO. Development of Thermography System for Medical Virtual Reality (abstract) European Journal of Thermology 8: 111 , 1998

Fujimasa I, Chinzei T, Mabuchi K. Development of a database for medical infrared imaging. IN. Boom H, Robinson C, Rutten W, Neuman M, Wijkstra H (eds): Proceedings of the 18th Annual International Conference of the IEEE Engineering in Medicine in Biology Society, Vol 18. Pts 1-5. I E E E New York, pp. 2091-2092. 1997

Fujimasa I, Chinzei T, Saito I. Converting Far Infrared Image Information to Other Physiological Data. IEEE Eng Med Biol Mag. 2000,19(3):71-6

Fujimasa I, K.Sugai, T.ChinzeI. Pathophysiological meanings of differential thermogram(d-thermo) images. Thermol Österr2:S17. 1992

Fujimasa I, Kouno A, Nakazawa H. Development of a new infrared imaging systeM. An infrared image superimposed on the visible image. IN. Chang HK, Zhang YT, editors,Proceedings of Annual International

Conference Of The IEEE Engineering in Medicine and Biology Society, Biomedical Engineering Towards The Year 2000 And Beyond, Vol.20. Part 1-6.IEEE, New York, 1998. p. 950-2.

Fujimasa I, Nakazawa H, Kawada S. A New Thermal Coronary Angiography System. Thermol intern 2001, 11(1):25-28

Fujimasa I, Nakazawa H, Miyasaka E. Development of an image processing software for medical thermogram analysis using a commercially available image processing system. IN. Chang HK, Zhang YT, editors,Proceedings of Annual International Conference Of The IEEE Engineering in Medicine and Biology Society, Biomedical Engineering Towards The Year 2000 And Beyond, Vol.20. Part 1-6.IEEE, New York, 1998. p. 956-8.

Fujimasa I, Nakzawa H, Kawada S. Clinical trials of thermal coronary angiography system (abstract). Thermology intern 2000, 10(3):159

Fujimasa I, Saito I, Chinzei T. Far infrared medical image database on World Wide Web. IN.Proceedings of the 19th Annual International Conference of the IEEE Engineering in Medicine and Biology Society, Vol 19. PTS 1-6. IEEE, New York, 1997, P. 652-3

Fujimasa I, T.Chinzei, I.SaitO. Dynamic Infrared imaging as Image Sources for Virtual Reality Application in Medicine. (abstract) Thermol Österr 7(2): 89-90. 1997

Fujimasa I, T.Chinzei, I.SaitO. WWW based Scientific Communication on Medical Far Infrared imaging. (abstract) Thermol Österr 7(2): 85. 1997

Fujimasa I. , T. Chinzei, K.Mabuchi : Development Of A Database For Infrared Thermography On The Internet. (abstract) Thermol Österr 7(1):25-26. 1997

Fujimasa I. A Proposal For Thermographic Imaging Diagnostic Procedures For Temperature-Related Physiologic Function Analysis. Biomed Thermol 11: 269-276. 1991

Fujimasa I. Pathophysiological expression and analysis of far infrared thermal images. IEEE Engineering In Medicine And Biology Magazine 1998. 17 (4): 34-42.

Fujimasa I. Standardization of Techniques for Thermal Image TestinG. The Current Situation. Part I. Basic Information. Biomed Thermol 15: 63-68. 1995

Fujimasa I. Standardization of Techniques for Thermal Image TestinG.The Current Situation, Biomed Thermol 15. 1. 1995

Fujimasa I. The current status of medical thermography in Japan. Thermol Österr2:S40. 1992

Fujimasa I. The future of clinical thermal imaging. (abstract) Biomed Thermol 12: 293-294. 1992

Fujimasa I. Thermal Image Testing Diffused Into Physiological Functions Laboratories of Japan. (abstract). Thermol Österr 5: 109. 1995

Fujimasa I. Thermal Image Testing using a Computed Infrared Thermography systeM. Its physiological diagnostic principles and Image processing method. (abstract). Thermol Österr 5: 159. 1995

Fujimasa I. Thermal Image TestinG. Present Status of Thermology in Japan. (abstract). Thermol Österr 5: 159. 1995

Fujimasa I. Thermology in Japan. Thermol Österr 4: 25-29. 1994

Fujimasa I.Clinical thermal imaging. Proposals and future technologies. In. Mabuchi K, S.Mizushina, B.Harrison (eds.) Advanced Techniques and Clinical Application in Biomedical Thermologie, harwood academic publishers Chur/Schweiz p. 281-292. 1994

Fujimasa I; Kouno A, Nakazawa H. Development of A New Infrared Imaging System: An Infrared Image Superimposed on the Visible Image. In: Proceedings of the 20th Annual International Conference of the IEEE-EMBS,Hong Kong, 1998, p 950

Fujimasa I; Miyasaka E; Nakazawa H; Matsuura H. System Dynamics Analysis of Dynamic Far Infrared Images in Medicine. In Proceedings of The First Joint BMES/EMBS Conference Serving Humanity, Advancing Technology, Atlanta, 1999, pp.1107

Fujimasa I; Nakasawa H. Structural and Functional Tissue Analysis under Skin Using Near Infrared Spectral Imaging. In Proceedings of The First Joint BMES/EMBS Conference Serving Humanity, Advancing Technology, Atlanta, 1999, pp..1114

Fujimasa I; Nakazawa H, Miyasaka E. Development of An Image Processing Software for Medical Thermogram Analysis Using A Commercially Available Image Processing System. In: Proceedings of the 20th Annual International Conference of the IEEE-EMBS,Hong Kong, 1998, p 956

Fujimasa, I., T. Chinzei, K.MabuchI. Development of a Database for Medical Infrared Imaging. Proc 1996 IEEE Engineering in Medicine & Biology. 1125-1126. 1996

Fujimoto A, Matsumura A, Nakamura K, Aoki T, Enomoto T. Chiari malformation type I associated with familial spastic paraplegia: report of a surgically treated case. Childs Nerv Syst. 2004; Epub ahead of print

Fujioka T, Yasuchika K, Nakamura Y, Nakatsuji N, Suemori H. A simple and efficient cryopreservation method for primate embryonic stem cells. Int J Dev Biol. 2004; 48(10):1149-54.

Fujishima H, Toda I, Yagi Y, Tsubota K. Quantitative evaluation of postsurgical inflammation by infrared radiation thermometer and laser flare-cell meter. Journal Of Cataract And Refractive Surgery 20: 451-454.1994

Fujishima H, Toda I, Yamada M, Sato N, Tsubota K. Corneal temperature in patients with dry eye evaluated by infrared radiation thermometry. British Journal Of Ophthalmology, 80: 29-32.1996

Fujita H. Lu X. Suzuki M. Ishiwata S. Kawai M. The effect of tropomyosin on force and elementary steps of the cross-bridgecycle in reconstituted bovine myocardium. J Physiol. 2004; 556(2): 637-649.

Fujita H. Nagata M. Hoshina H. Nagashima K. Seki Y. Tanaka K. Nishizawa RShingaki S. Ohnishi M. Takagi R. Clin significance and usefulness of quantification of telomerase activity inoral malignant and nonmalignant lesions. Int JOral Maxillofacial Surg. 2004; 33(7): 693-699.

Fujita M, Morimoto Y, Ohmori S, Usami N, Arai T. Maehara T. Kikuchi M. Preliminary study of laser welding for aortic dissection in porcine model using diode laser with indo- cyanine green. Lasers Surg Med. 2003; 32(5):341-345.

Fujita M. Takikawa Y. Teramachi S. Aoyagi Y. Hiraishi T. Doi Y. Morphology and enzymatic degradation of oriented thin film of ultra- high molecular weight poly[(R)-3-hydroxybutyrate]. Biomacromo lecules. 2004; 5(5): 1787-1791.

Fujitani M, Harima T, Shinta H.. Does Er:YAG or CO2 laser ablation of dentin affect the adhesive properties of resin bonding systems?, Int Congr Ser, 2003; 1248: 161-166 ni

Fujiwara Y, Inukai T, Aso Y, Takemura Y Thermographic measurement of skin temperature recovery time of extremities in patients with type 2 diabetes mellitus. Experimental And Clinical Endocrinology And Diabetes 2000. 108 (7) 463-9

Fukasawa M. Freeland H. Perkin R. Watanabe T. Uchida H. Nishina A. Bottom water warming in the North Pacific Ocean. Nature. 2004; 427(6977): 825-827.

Fukatsu H MR guided needle biopsy under 0.35T open MR guidance, preliminary clinical results. Japanese Journal of Clinical Radiology 2000, 45(2): 293-298

Fukuda H. Kodama J-I. Kai S. Circadian rhythm formation in plant seedling: Global synchronization andbifurcation as a coupled nonlinear oscillator system. Biosystems. 2004;77(1-3): 41-46.

Fuller A, Oosthuyse T, Maloney SK, Mitchell D. Evaluation of miniature data loggers for body temperature measurement during sporting activities. European Journal of Applied Physiology and Occupational Physiology 1999, 79(4): 341-6.

Fuller A, Kamerman PR, Maloney SK, Mitchell G, Mitchell D. Variability in brain and arterial blood temperatures in free- ranging ostriches in their natural habitat J Exp Biol. 2003; 206: 1171 - 1181.

Fundamenski W, Sipilä S, Eich T, Kiviniemi T, Kurki- Suonio T, Matthews G, Riccardo V and Contributors to the EFDA-JET work programme. Narrow power profiles seen at JET and their relation to ion orbit losses, J Nuc Mat, 2003; 313-316: 787-795.

Fürjes P, Kovács A, Dücs Cs, Ádám M, Müller B, Mesch- eder U. Porous silicon-based humidity sensor with interdigital electrodes and Int al heaters, Sens Act B: Chem. 2003; 95, (s 1-3): 140-144.

Furley D. Latest advances in thermographic condition monitoring (abstract). Thermol intern 2000, 10 (1):32

Furspan PB. Chatterjee S. Freedman RR. Increased Tyrosine Phos- phorylation Mediates the Cooling-Induced Contraction and Increased Vascular Reactivity of Raynaud's Disease. Arthritis Rheum. 2004; 50(5): 1578-1585.

Fushimi H, Inoue T, Yamada Y, Matsuyama Y, Kubo M, Kameyama M. Abnormal vasoreaction of peripheral arteries to cold stimulus of both hands in diabetics. Diabetes Research and Clinical Practice 32:55-59.1996

Fushimi H, Kubo M, Inoue T, Yamada Y, Matsuyama Y, Kameyama M. Peripheral vascular reactions to smoking--profound vasoconstriction by atherosclerosis. Diabetes Research And Clinical Practice 1998. 42(1): 29-34.

Gabor G, Sasser RG, Kastelic JP, Coulter GH, Everson DO, Falkay G, Mezes M, Bozo S, Cook RB, Csik JV, Barany I, Szasz F Jr : Endocrine and thermal responses to GnRH treatment and prediction of sperm output and viability in holstein-Friesian breeding bulls. Theriogenology 1998. 50 (2) 177-83

Gabor G, Sasser RG, Kastelic JP, Coulter GH, Falkay G, Mezes M, Bozo S, Voelgyi-Csik J, Barany I, Szasz F JR. Morphologic, endocrine and thermographic measurements of testicles in comparison with semen characteristics in mature Holstein-Friesian breeding bulls. Animal Reproduction Science 1998. 51 (3): 215-24.

Gabrhel J, H.TauchmannovA. Wärmebilder der Kniegelenke bei jugendlichen Sportlern. . Thermol Österr 5: 92-96. 1995

Gabrhel J, Tauchmannova H, Cibak M. Termograficke Nalezy U Roznych Sportov (Thermography and sports medicine). Rehabilitacia 30(2):119-123.1997

Gabrhel J. Tauchmannova H, Gubzovoa S Thermal Imaging in Back Pain- A comparative Study.(abstract). Thermol intern 2001, 11(2): 94

Gabrielle P, Ozello F, TseroniV, Madon E, Ragona R. Interstitial hyperthermia (IHT): technical problems and methodology. Adv Exp Med Biol 267:121-127. 1990

Gabuniia PI, Shapot VS, Letiagin VL, Bogdasarov IuB, Lenskaia OP, Kurdiukova LN. Termografiia s nagruzkoi gliukozoi v obsledoavnii zhenshchin s vysokim riskom razvitiia raka molochnoi zhelezy. (Thermography with glucose loading in the examination of women at high of developing breast cancer). Med Radiol (Mosk)35 (2): 20-22. 1990

Gaffen DJ, Santer BD, Boyle JS, Christy JR, Graham NE, Ross RJ. Multidecadal changes in the vertical temperature structure of the tropical troposphere. Science 2000: 287(5456): 1242-1245

Gaffet E, Charlot F, Klein D, Bernard F, Niepce JC. Mechanically activated SHS reaction in the Fe-Al systeM. In-situ time resolved diffraction using synchrotron radiation. IN. Baro MD, Surinach S (eds): Mechanically Alloyed, Metastable and Nanocrystalline Materials, Part 1. Materials Science Forum Vol.269-, Part 1. Transtec Publications Ltd,Zürich-Uetikon, pp. 379-384. 1998

Gaffney AM. Environments of Crystallization and Compositional Diversity of Mauna Loa Xenoliths J. Petrology 2002, 43: 963 - 981.

Gaines RB. Frysinger GS. Temperature requirements for thermal modulation in comprehensive two-dimensionalgas chromatography. J Separation Sci 2004; 27(5-6): 380-388.

Gajadhar AA, Allen JR. Factors contributing to the public health and economic importance of waterborne zoonotic parasites. Vet Para- sitol. 2004; 126(1-2):3-14.

Galal S. El Massik MA. Abdallah OY. Daabis NA. Study of in-vitro release characteristics of carbamazepine extended releasesemisolid matrix filled capsules based on Gelucires. Drug Develop Indust Pharm. 2004;30(8): 817-829.

Galan C, Garcia-Mozo H, Vazquez L, Ruiz L, De La Guardia CD, Trigo MM. Heat requirement for the onset of the Olea europaea L. pollen season in several sites in Andalusia and the effect of the expected future climate change. Int J Biometeorol. 2004; Epub ahead of print

Gallagher GA, McLintock T, Booth MG. Closing the audit loop-prevention of perioperative hypothermia: Audit and reaudit of perioperative hypothermia. Eur J Anaesthesiol. 2003; 20(9):750-752.

Gallagher JEG. Baserga SJ. Two-hybrid Mpp10p interaction-defective Imp4 proteins are not interactiondefective in vivo but do confer specific pre-rRNA processing defects in Saccharomyces cerevisiae. Nucleic Acids Res. 2004; 32(4): 1404-1413.

Gallardo-Moreno AM. Gonzalez-Martin ML. Perez-Giraldo C. Bruque JM. Gomez-GarciaAC. The measurement temperature: An important factor relating physicochemical andadhesive properties of yeast cells to biomaterials. J Coll Interface Sci. 2004; 271(2): 351-358.

Gallei L, W.BugnaR. Entwicklung eines computergestützten intramuskulär messenden Mehrkanal - Thermometers (abstract). Thermol Österr2:43. 1992

Galli G, Taylor EW, Wang T. The cardiovascular responses of the freshwater turtle Trachemys scripta to warming and cooling. J Exp Biol. 2004; 207(Pt 9):1471-8.

Gallimore D. Reviewing the effectiveness of tympanic thermo-m eters. Nurs Times. 2004; 10-16;100 (32): 32-4.

Gallo L.M, M.Geser, P.BösigeR. Modernes Computersystem für die quantitative Aufnahme und Auswertung von Wärmebildern, ThermoMed 6:8. 1990

Gambarini G, Agosteo S, Marchesi P, Nava E, Palazzi P, Pecci A, Rosi G, Tinti R. Discrimination of various contributions to the absorbed dose in BNCT. Fricke-gel imaging and intercomparison with other experimental results. Appl Radiat Isot. 2000,53(4-5):765-72.

Gammal S, Hoffmann K, Stucker M, Altmeyer P. The use of imaging in dermatology. Haut-arzt 48/6: 432-450. 1997

Gan Z, Abe H, Doi Y Crystallization, melting, and enzymatic degradation of biodegradable poly (butylene succinate-co-14 mol % ethylene succinate) copolyester. Biomacromolecules 2001: 2(1): 313-321

Gandjour J, Oehler J, Mohr A, Schellinger PD. [Heat stroke with alpha coma: A case report] Nervenarzt. 2004 ; Epub ahead of print

Ganesh S, Prakash S, Jayakumar R. Spectroscopic Investigation on Gel-Forming beta-Sheet Assemblage of Peptide Derivatives. Biopolymers. 2003; 70(3):346-354.

Ganguly C, T. R. G. KuttY. Thermophysical properties of metallic and ceramic nuclear fuels. Mérés és Automatika 39(Suppl 2): 73-78. 1991

Ganguly T, Chattoraj P, Das M, Chanda PK, Mandal NC, Lee CY, Sau S. A point mutation at the C-terminal half of the repressor of temperate mycobacteriophage L1 affects its binding to the operator DNA. J Biochem Mol Biol. 2004; 37(6):709-14.

Gantenberg J, Mumme A, Zumtobel V, Werner J. Assessment of the temperature distribution during hyperthermia treatment by isolated extremity perfusion. International Journal of Hyperthermia 2001, 17(3): 189-206

Ganter M, Zollinger A. Continuous intravascular blood gas monitoring: Development, current techniques, and clinical use of a commercial device. BJA: Br J Anaestha. 2003; 91(3):397-407.

Gao D, Zhang Q, Li H. Rapid warming of cryopreserved biological tissues in a single-mode microwave resonance cavity. In Proceedings of The First Joint BMES/EMBS Conference Serving Humanity, Advancing Technology, Atlanta, 1999, pp.1287

Gao H. Tan T. Wang D. Effect of composition on the release kinetics of phosphate controlled release glasses in aqueous medium. J Control Release. 2004;96(1): 21-28.

Gao JB, Li J, Feng YY. Measuring the thermography of friction welding process. IN. Ye S, editor, Automated Optical Inspection for IndustrY. Theory, Technology, and Applications II, Proceedings of the Society of Photo-Optical Instrumentation Engineers (SPIE) Vol.3558. Bellingham, 1998: p. 531-4.

Gao W. Jin YN. Physiotherapy technique for tumor: Advances in modifiers of mildthermoradiotherapy. Zhongguo Linchuang Kangfu. 2004;8(14): 2720-2721.

Gao Y, Drange H, Bentsen M, Johannessen OM. Simulating transport of non-Chernobyl (137)Cs and (90)Sr in the North Atlantic- Arctic region. J Environ Radioact. 2004;71(1):1-16.

Gapeev AB, Sokolov PA, Chemeris NK [A study of absorption of energy of the extremely high frequency electromagnetic radiation in the rat skin by various dosimetric methods and approaches] Biofizikal 2002, 47(4): 759-68.

Garagiola U, Giani E. Use of telethermography in the management of sports injuries. Sports Med 10: 267-2725. 1990

Garagiola U, Rocchi L. Telethermography and Raynaud`s phenomenon. J Sports Med Phys Fitness 31:115-117. 1991

Garavello I, Mazzer N, Barbieri CH, De Andrade JM. Efeitos Termicos Do Ultra-Som Terapeutico Sobre Os Tecidos Osseo E Muscular E Sobre Placa Metalica Implantada. Estudo Experimental ermografico Em Coelhos (Thermal effects of therapeutic ultrasound on bone and muscle tissues and on implanted metal plate. Experimental thermographic study in rabbits). Revista Brasileira de Ortopedia , 32/6:473-479.1997

Garcia Alvero MC, Berrade Zubiri E, Marin Fernandez B Sistemas para determinar la temperatura corporal. (Systems for the determination of body temperature) Revista De Enfermeria 2000. 23 (9) 649-55

Garcia Callejo FJ, Platero Zamarreno A, Sebastian Gil E, Marco Sanz M, Alpera Lacruz RJ, Martinez Beneyto MP. [Otologic deter- mning factors on infra-red tympanic thermometry in children] Acta Otorrinolaringol Esp. 2004; 55(3):107-13.

Garcia DA. Perillo MA. Effects of flunitrazepam on the La-HII phase transition ofphosphatidylethanolamine using merocyanine 540 as a fluorescent indicator. Colloids Surf B: Biointerfaces. 2004;37(1-2): 61-69.

Garcia-Alonso MC, Escudero ML, Gonzalez-Carrasco JL, Chao J.Effect of substrate roughness on the corrosion behaviour of the Al2O3/MA 956 system. Biomaterials. 2000,21(1):79-87.

García-Casco A, Haissen F, Castro A, El-Hmidi H, Torres-Roldán RL, Millán G. Synthesis of Staurolite in Melting Experiments of a Natural Metapelite: Consequences for the Phase Relations in Low-Temperature Pelitic Migmatites J Petrol, 2003; 44: 1727 - 1757.

Garcia-Garcia I. Gonzales-Delgado CA. Valenzuela-Silva C. Her- nandez-Bernal FFerrero-Bibilonia J. Soto-Hernandez R. Cervantes- Llano M. Duconge JCorrea-Fernandez A. Olivera-Ruano L. Lopez- Saura P. Bioequivalence of two recombinant interferon a-2b liquid formulations in healthymale volunteers. Drugs in R & D. 2004; 5(5): 271-280.

Garcia-Ochoa F. Santos VE. Alcon A. Chemical structured kinetic model for xanthan production. Enzyme Microbiol Technol. 2004; 35(4): 284-292.

Gard MN, Reiter RC, Stevenson CD. Anion radicals of di-trans- [12]annulene and heptalene in a one-pot synthesis from a common fire retardant. Org Lett. 2004; 6(3):393-6.

Gard SD, Tantry JS, Patki RV, Nagarsenkar MS. Application of differential scanning calorimetry (DSC) to preformulation compatibility studies between sparfloxacin and tablet excipients. Indian Drugs 34(2): 109-111.1997

Gardenfors F. Nilsson F. Ungerstedt U. Nordstrom C-H. Adverse biochemical and physiological effects of prostacyclin in experimental brain oedema. Acta Anaesth Scand. 2004; 48(10): 1316-1321.

Gardner DL, Swift GW. A cascade thermoacoustic engine. J Acoust SocAmerica. 2003; 114(4 I):1905-1919.

Garfinkel MR, Connors M, Ostrega D, Jarosz J, Philipson L, Millis JM. Islet isolation under cGMP conditions: replacing the coil. Trans- plant Proc. 2004; 36(4):1031-3.

Garner DL, HB.Underwood, WF.PorteR. Use of modern infrared thermography for wildlife population surveys. Environmental Management 19: 233-238.1995

Garrick RC, Sands CJ, Rowell DM, Tait NN, Greenslade P, Sun- nucks P. Phylogeography recapitulates topography: very fine-scale local endemism of a saproxylic 'giant' springtail at Tallaganda in the Great Dividing Range of south-east Australia. Mol Ecol. 2004; 13(11): 3329-44.

Garrido AD, Fonseca TS, Alfredo E, Silva-Sousa YT, Sousa-Neto MD. Influence of ultrasound, with and without water spray cooling, on removal of posts cemented with resin or zinc phosphate cements. J Endod. 2004; 30(3):173-6.

Garti N, Aserin A, Tiunova I, Fanun M. A DSC study of water behavior in water-in-oil microemulsions stabilized by sucrose esters and butanol. Colloids and Surfaces A. Physicochemical and Engineering Aspects 2000, 170 (1):1-18

Garzo V, Montanero JM. Diffusion of impurities in a granular gas. Phys Rev E Stat Nonlin Soft Matter Phys. 2004; 69(2 Pt 1):021301.

Garzon MC, Schweiger E. Cutis marmorata telangiectatica con-ge nita. Semin Cutan Med Surg. 2004; 23(2):99-106.

Gat Y, Gornish M. Reply by the authors, Urology, 2003; 62, (4): 746-747.

Gat Y, Bachar GN, Zukerman Z, Belenky A, Gorenish M. Physical examination may miss the diagnosis of bilateral varicocele: a comparative study of 4 diagnostic modalities. J Urol. 2004; 172(4 Pt 1):1414-7.

Gat Y, Bachar GN, Zukerman Z, Belenky A, Gornish M. Varico- cele: a bilateral disease. Fertil Steril. 2004; 81(2):424-429.

Gat Y, Zukerman Z, Bachar GN, Feldberg D, Gornish M. Adolescent varicocele: Is it a unilateral disease?. Urology. 2003; 62(4):742-746.

Gati I, Papp L, Polgar T. Infrared imaging of human brain sections. A new biomedical application of the thermocamera. APMIS 105(1)0: 801-805. 1997

Gaub J. Temperaturmaling--hvordan? (Temperature measurement--how?) Ugeskrift For Laeger 1998. 160 (3)6:

Gauci V, Matthews E, Dise N, Walter B, Koch D, Granberg G, Vile M. Sulfur pollution suppression of the wetland methane source in the 20th and 21st centuries. Proc Natl Acad Sci U S A. 2004; 101(34): 12583-7.

Gauriau C. Bernard J-F. Posterior Triangular Thalamic Neurons Convey Nociceptive Messages to the Secondary Somatosensory and Insular Cortices in the Rat. J Neurosci. 2004; 24(3):752-761.

Gauterie M, Yahyai A, dehlinger S, De Prins J, Walter JP. Computerized chronothermodynamic breast examinations under ambulatory conditions. Chronobiol Int 7:239-243. 1990

Gautherie M. A.Kotewicz, B.Lux, P.Haehnel, J.-P WalteR.Fortgeschrittene Flüssigkristallthermographie als wertvolle komplementäre Untersuchung zur Frühdiagnose des Mammakarzinoms. Thermodiagnostik 2(2):11-26. 1986

Gauthier A, Davenne D, Martin A, Van Hoecke J Time of day effects on isometric and isokinetic torque developed during elbow flexion in humans. European Journal of Applied Physiology 2001, 84(3): 249-252

Gawande NA, Reinhart DR, Thomas PA, McCreanor PT, Townsend TG. Municipal solid waste in situ moisture content measurement using an electrical resistance sensor. Waste Manag. 2003; 23(7):667-674.

Gazvani MR, Wood SJ, Thomson AJ, Kingsland CR, Lewis-Jones DI. Assessment of testicular core temperatures using microwave thermography. Hum Reprod. 2000,15(8):1723-6.

Ge JJ. Hou H. Li Q. Graham MJ. Greiner A. Reneker DH. Harris FW. Cheng SZD. Assembly of well-aligned multiwalled carbon nano- tubes in confinedpolyacrylonitrile Environs: Electrospun composite nanofiber sheets. J Am Chem Soc. 2004; 126(48): 15754-15761.

Ge M, Gidwani A, Brown HA, Holowka D, Baird B, Freed JH. Ordered and disordered phases coexist in plasma membrane vesicles of RBL-2H3 mast cells. An ESR study. Biophys J. 2003; 85(2):1278-1288.

Geatti O, D Gasparini, B ShapirO. A comparison of scintigraphy, thermography, ultrasound and phlebography in grading of clinical varicocele. J Nucl Med 32:2092-2097. 1991

Gebski VJ, Keech AC. Statistical methods in clinical trials. Med J Australia. 2003; 178(4):182-184.

Gee KL, Sommerfeldt SD. Application of theoretical modeling to multichannel active control of cooling fan noise. J Acoust Soc Am. 2004; 115(1):228-36.

Gefen N, Barnea *O*, AbramovichA, Santamore WP. Experimental assessment of error sources in thermodilution measurements of cardiac output and ejection fraction. In. Proceedings of The First Joint BMES/EMBS Conference Serving Humanity, Advancing Technology, Atlanta, 1999, pp. 796

Gehani AA, Rees MR. Can rotational atherectomy cause thermal tissue damage? A study of the potential heating and thermal tissue effects of a rotational atherectomy device. Cardiovascular And Interventional Radiology 1998. 21 /6: 481-6.

Geier OK. Evaluation criteria for 3-in-1 anesthetic block: Is the in2003; vement of the obturator nerve common?. Rev Brasil Anestesiol. 2003; 53(4):501-511.

Geiser MH. Bonvin M. Quibel O. Corneal and retinal temperatures under various ambient conditions: A model andexperimental approach. Klin Monatsbl Augenheilk. 2004; 221(5): 311-314.

Geisler S, Vauthey I, Farusseng D, ZanthoffH, Muhler M . Advances in catalyst development for oxidative ethylbenzene dehydrogenation, Catalysis Today, 2003; 81, (3): 413-424.

Geller L,, T Szabo, L Selmeci, B Merkely,A Juhasz-Nagy, F Solti :Investigating the Double Nature of EndothelIn. A Thermographic and Electrophysiological Study (abstract). European Journal of Thermology 8: 116 , 1998

Gemmill WR, Smith MD, Zur Loye HC. Crystal growth, observation, and characterization of the low-temperature structure of the fluorite-related ruthenates:Sm(3)RuO(7) and Eu(3)RuO(7).Inorg Chem 2004; 43(14):4254-61.

Genevaux P. Keppel F. Schwager F. Langendijk-Genevaux PS. Hartl FU. GeorgopoulosC. In vivo analysis of the overlapping functions of DnaK and trigger factor. EMBO Reports. 2004; 5(2): 195-2004;.

Genin F, Perret M. Daily hypothermia in captive grey mouse lemurs (Microcebus murinus): Effects of photoperiod and food restriction. Comp Biochem Physiol. Part B, Biochem Mol Biol. 2003; 136(1):71-81.

Genin L.G, V. G. SviridoV. Temperature profile investigation in liquid metals in strong magnetic fields. Mérés és Automatika 39(Suppl 2): 112-114. 1991

Genlin X, Zhigang S, Guotai J Further Discussion for the Temperature Recovery Rate Method inInfrared Thermography Diagnosis

Genner MJ, Sims DW, Wearmouth VJ, Southall EJ, Southward AJ, Henderson PA, Hawkins SJ. Regional climatic warming drives long- term community changes of British marine fish. Proc R Soc Lond B Biol Sci. 2004 ; 271(1539):655-61.

Genno H, O.Kanbara, K.Matsumoto, R.Suzuki, M.Osumi, K.MabuchI. Variable Sensory and Skin Temperature Charactenstics that Change with Variations in Ambient Temperature. (abstract). Biomed Thermol 15: 34. 1995

Genno H, Saijo A, Yoshida H, Suzuki R, Osumi M. Non-contact method for measuring facial skin temperature. International Journal of Industrial Ergonomics 19(2):147-159.1997

Gente G. Iovino A. La Mesa C. Supramolecular Ass of a triblock copolymer in water. J Coll Interface Sci. 2004; 274(2): 458-464.

George JS, JD.Lewine, AS.Goggin, RB.Dyer, ER. FlynN. IR thermal imaging of a monkey's heaD. local temperature changes in response to somatosensory stimulation. Advances in Experimental Medicine And Biology 333: 125-136.1993/

George K, Whyte G, Stephenson C, Shave R, Dawson E, Edwards B, Gaze D, Collinson P. Postexercise left ventricular function and cTnT in recreational marathon runners. Med Sci Sports Exerc. 2004; 36(10):1709-15.

George L, Bernhardt PV, Netsch KP, Wentrup C. Imidoylketene dimerization and rearrangement.Org BiomolChem.2004; 2(23): 3518-23.

Georgiades G, Myrianthefs P, Venetsanou K, Kythreoti A, Kyroudi A, Kittas C, Baltopoulos G. Temperature and serum proinflammatory cytokine changes in patients with NSCLC after BAL. Lung. 2003; 181(1):35-47.

Georgiou D. Metallinou C. Aivasidis A. Voudrias E. Gimouho-p oulos K. Decolorization of azo-reactive dyes and cotton-textile waste water usinganaerobic digestion and acetate-consuming bacteria. Bio- chem Engin J 2004;. 19(1): 75-79.

Georgiou TK. Vamvakaki M. Patrickios CS. Yamasaki EN. Phyl- actou LA. Nanoscopic cationic methacrylate star homopolymers: Syn-t hesis by group transferpolymerization, characterization and evaluation as transfection reagents. Biomacromolecules. 2004;5(6): 2221-2229.

Gerber JJ, De Villiers MM, Toongsuwan S, Liebenberg W. In vitro evaluation of the complexation of non-steroidal anti-inflammatory drugs with caffeine. International Journal of Pharmacy Practice 5(1): 50-53.1997

Gerbier F, Thywissen JH, Richard S, Hugbart M, Bouyer P, Aspect A. Critical temperature of a trapped, weakly interacting Bose gas. Phys Rev Lett. 2004; 23;92(3):0304-05.

Gerhardt PNM, Smith LT, Smith GM. Osmotic and chill activation of glycine betaine porter II in Listeria monocytogenes membrane vesicles. Journal of Bacteriology 2000, 182(9): 2544-2550

Germain D, Chevallier P, Laurent A, Saint-Jalmes H MR monitoring of tumour thermal therapy Magnetic Resonance Materials in Physics, Biology and Medicine 2001, 13(1): 47-59

Germain D, Vahala E, Ehnholm GJ, Vaara T, Ylihautala M, Savart M, Laurent A, Tanttu J, Saint-Jalmes H MR temperature measurement in liver tissue at 0.23 T with a steady-state free precession sequence. Magn Reson Med 2002, 47(5): 940-7.

Germashev AG, Klinov AN. O professional 'nom geneze zabolevanii ruk rabotnits oboshchnykh teplich kombinatav.(Occupational etiology of hand diseases in female employees at vegetable green houses). Gig Tr Prof Zabol (4): 12-15. 1990

Gerow G, Callton M, Meyer JJ, Demchak JJ, Christiansen J Thermographic evaluation of rats with complete sciatic nerve transection. J Manipulative Physiol Ther 13 (5): 257-261. 1990

Gerrits LC, Battin MR, Bennet L, Gonzalez H, Gunn AJ. Epilepti- form Activity during Rewarming from Moderate Cerebral Hypothermia in the Near-Term Fetal Sheep. Pediatr Res. 2004; Epub ahead of print

Gerritsen AE. [Pain after cementation of cast restorations] Ned Tijdschr Tandheelkd. 2004; 111(8):311-5.

Gersing E, Krueger W, Osypka M, Vaupel P. Problems involved in temperature measurements using EIT. Physiological Measurement, 16 (Suppl A): A153-60. 1995

Gervain M, Ori Z, Tobak Z, Diagnostic value of foil thermography in urological diseases. Acta Chir Hung 31: 97-104. 1990

Gervain M, Zs Öri, L ÖrI. Computer analysis of thermographic pictures in urological cases. Thermol Österr2:S29. 1992

Geshelin SA, Noskin AL, Kravchenko VA. Kontaktnaia termografiia v differentsial'noi diagnostike dobrokachestvennykh opukholei i raka molochnoi zhelezy. (Contact thermography in the differential diagnosis of benign tumors and cancer of the breast). Vrach Delo (8): 103-105. 1989

Getson P. The Use of Thermography to Predict Spread of RSD/CRPS. (abstract). Thermol int 2003,13,37.

Gettman MT, Blute ML, Chow GK, Neururer R, Bartsch G, Peschel R. Robotic-assisted laparoscopic partial nephrectomy: techni- que and initial clinical experience with DaVinci robotic system. Urology. 2004; 64(5):914-8.

Geurts C. Sleivert GG. Cheung SS. Temperature effects on the contractile characteristics and sub-maximal voluntary isometric force production of the first dorsal interosseus muscle. Eur J Appl Physiol.. 2004; 91(1)41-45.

Geurts CL, Sleivert GG, Cheung SS. Effect of cold-induced vasodilatation in the index finger on temperature and contractile cha-rac teristics of the first dorsal interosseus muscle during cold-water im-me rsion. Eur J Appl Physiol. 2004, Epub ahead of print

Ghaly AE, Kamal MA. Submerged yeast fermentation of acid cheese whey for protein production and pollution potential reduction. Water Res. 2004; 38(3):631-44.

Ghanem NB, Sabry SA, El-Sherif ZM, Abu El-Ela GA Isolation and enumeration of marine actinomycetes from seawater and sediments in Alexandria. Journal of General and Applied Microbiology 2000, 46(3): 105-111

Ghazanshahi SD, Yamashiro SM. Minimum time temperature regulation and patient safety during cardiopulmonary bypass. In. Proceedings - 20th Annual International Conference - IEEE/EMBS, 1998, Hong Kong. p.3372

Ghen MJ, Corso NA. Protocol for diagnosis of the traumatized cervical spine. Journal of Neurological and Orthopaedic Medine and Surgery 13 :65-67. 1992

Ghildyal P, Manchanda R. Effects of cooling and ARL 67156 on synaptic ecto-ATPase activity in guinea pig and mouse vas deferens. Auton Neurosci. 2004; 115(1-2):28-34.

Ghirlando R, Lund J, Goodall M, Jefferis R. Glycosylation of human IgG-FC. Influences on structure revealed by differential scanning micro-calorimetry. Immunology Letters 1999, 68(1): 47-52.

Gianfelice D, Khiat A, Amara M, Belblidia A, Boulanger Y. MR imaging-guided focused US ablation of breast cancer: Histo- pathologic assessment of effectiveness - Initial experience. Radiology. 2003; 227(3):849-855.

Gibbons C, Freeman R. The evaluation of small fiber function- autonomic and quantitative sensory testing. Neurol Clin. 2004; 22(3): 683-702,

Gilbert M, Barton AJ, Counsell CM Comparison of oral and tympanic temperatures in adult surgical patients. Appl Nurs Res 2002, 15(1): 42-7.

Gilbert SS, Burgess HJ, Kennaway DJ, Dawson D. Attenuation of sleep propensity, core hypothermia, and peripheral heat loss after temazepam tolerance. American Journal of Physiology - Regulatory Integrative and Comparative Physiology 2000, 279(6): R1980-R1987

Gilbertson B, Wenner K, Russell LC. Acupuncture and arthroscopic acromioplasty, J Orthop Res. 2003; 21, (4): 752-758

Gilbreath J. Global warming kills. Environ Health Perspect. 2004;112(3):A160.

Giles J. Climatologists get real over global warming. Nature. 2004; 432(7020):937.

Giles LG. Correlation study on infrared thermography and nerve root signs in lumbar intervertebral disk herniation patienT. a short report. Journal of Manipulative And Physiological Therapeutics, 16: 560. 1993

Gill CO, Landers C. Proximate sources of bacteria on boneless loins prepared from routinely processed and detained carcasses at a pork packing plant. Int J Food Microbiol. 2004; 97(2):171-8.

Gill CO. McGinnis JC. Microbiological conditions of mechanically tenderized beef cuts prepared at fourretail stores. Int J Food Microbiol. 2004;95(1): 95-102.

Gillams AR, Lees WR. Survival after percutaneous, image-guided, thermal ablation of hepatic metastases from colorectal cancer. Dis Colon Rectum. 2000 May,43(5):656-61.

Gille ST. Warming of the Southern Ocean Since the 1950s Science 2002, 295: 1275 - 1277.

Gillenwater E, Jr. Medical Evidence From A Legal Perspective.. European Journal of Thermology 7(4) :199-204. 1997

Gillett NP, Santer BD, Weaver AJ. Atmospheric science: strato-s pheric cooling and the troposphere. Nature. 2004 ; 432(7017):572;

Gillette RL, Angle C, Smith JW, Pascoe DD, Purohit RC. Thermo- graphic evaluation of the canine athlete (abstract). Thermol int 2004, 14(3): 113.

Gillis KM, Coogan LA. Anatectic Migmatites from the Roof of an Ocean Ridge Magma Chamber J. Petrology 2002, 43: 2075 - 2095.

Gillooly JF, Charnov EL, Brown JH, Savaget VM, West GB. How reliable is the biological time clock: Commentary. Nature. 2003; 424(6946):270.

Gilmore J, Fedirchuk B. The excitability of lumbar motoneurones in the neonatal rat is increased by a hyperpolarization of their voltage threshold for activation by descending serotonergic fibres. J Physiol. 2004; 558(Pt 1):213-24.

Ginde AA. Rhee SH. Katz ED. Predictors of outcome in geriatric patients with urinary tract infections. JEmerg Med. 2004;27(2): 101-108.

Ginefri JC, Darrasse L, Crozat P Antenne De Surface Supraconductrice Pour La Microscopie Par Resonance Magnetique Nucleaire De La Peau In Vivo A 1.5 Teslas (Superconducting surface coil for in vivo MRI microscopy of the skin at 1.5 teslas): ITBM-RBM 2001, 22(2): 107-115

Ginzburg LI, Andzhaparidze ZN, Bezchinskaia MIA. SVCh-radiometriia i endoskopia v diagnostike zabolevanii verkhnecheliustnykh pazukh (Ultrahigh-frequency radiometry and endoskopy in the diagnosis of maxillar diseases). Vestnik Otorinolaringologii (3):25-27. 1992

Giordano N, E.Battisti, A Franci, L Cecco-nami, L Magaro, P Marcucci, R MarcolongO. Te-lethermography in the early diagnosis and clini- co-therapetic monitoring of Sudeck's disease. Clin Ter 138:91-96. 1991

Giordano N, E.Battisti, A Franci, L Magaro, P Marcucci, L Cecconami, R MarcolongO. Telethermographic assessment of carpal tunnel syndrome. Scand J Rheumatol 21:42-45. 1992

Giorgadze KL, Mizandari MG, Mtvaradze AS, Mzhavanadze LP, Surmava LA. Luchevaia diagnostika ostrogo i khronicheskogo kholetsistita. (The radiodiagnosis of acute and chronic cholecystitis). Vrach Delo (11): 22-24. 1989

Giovambattista N, Angell CA, Sciortino F, Stanley HE. Glass- transition temperature of water: a simulation study. Phys Rev Lett. 2004 Jul 23;93(4):047801.

Giovambattista N, Stanley HE, Sciortino F. Cooling rate, heating rate, and aging effects in glassy water. Phys Rev E Stat Nonlin Soft Matter Phys. 2004; 69(5 Pt 1):050201.

Giraud D. Mastodynia. Gazetta Medicale 98(3)5:61-70. 1991

Giraudier S, Hellio D, Djabourov M, Larreta-Garde V. Influence of weak and covalent bonds on formation and hydrolysis of gelatin networks. Biomacromolecules. 2004; 5(5):1662-6.

Girot P. Averty E. Flayeux I. Boschetti E. 2-Mercapto-5-benzimidazolesulfonic acid: An effective multimodal ligand for theseparation of antibodies. J Chromat B: Analytl Techn BioMed LifeScis. 2004 ; 808(1): 25-33.

Giuffre M, Fletcher J, Gravatt R, Hindt L, Ivey G, Hickman R TI. Investigating the reliability and validity of the infrared tympanic thermometeR. a learning experience. Journal of Post Anesthesia Nursing, 10: 280-285.1995

Giuliani G, Chaussidon M, Schubnel H-J, Piat DH, Rollion-Bard C, France-Lanord C, Giard D, De Narvaez D, Rondeau B. Oxygen isotopes and emerald trade routes since antiquity. Science 2000, 287(5453): 631-633

Giuliano KK Expanding the use of empiricism in nursing: can we bridge the gap between knowledge and clinical practice? Nurs Philos, 2003; 4(1): 44-52.

Giuliano KK, Giuliano AJ, Scott SS, MacLachlan E, Pysznik E, Elliot S, Woytowicz D. Temperature measurement in critically ill adultS. a comparison of tympanic and oral methods. Am J Crit Care. 2000,9(4):254-61.

Giuliano KK, Scott SS, Elliot S, Giuliano AJ. Temperature measurement in critically ill orally intubated adultS. a comparison of pulmonary artery core, tympanic, and oral methods (see comments). Critical Care Medicine 1999. 27 (10) 2188-93

Gladh G, Mattsson S, Lindstrom S. Outcome of the bladder cooling test in children with nonneurogenic bladder problems. J Urol. 2004; 172(3):1095-8.

Gladman AS. Davidson SRH. Easty AC. Joy ML. Sherar MD. Infrared thermographic SAR measurements of interstitial hyperthermia applicators: Errors due to thermal conduction and convection. Int J Hyperthermia. 2004; 20(5): 539-555.

Glatz V. Indikationen zur ultrasonographischen Untersuchung der weiblichen BrustBericht eines niedergelassenen Gynaekologen. Ultraschall in der Medizin 3(3): 125-136. 1982

Glavas S Analysis of C(sub(2)-C(sub(4) peroxyacyl nitrates and C(sub(1)-C(sub(5) alkyl nitrates with a non-polar capillary column. Journal of Chromatography A 2001, 915(1-2): 271-274

Glenn RE Jr, Spindler KP, Warren TA, McCarty EC, Secic M. Cryotherapy decreases intraarticular temperature after ACL recon- struction. Clin Orthop. 2004 Apr;(421):268-72.

Glicksman CA, Glicksman AS, Courtiss EH. Breast imaging for plastic surgeons. Plastic and Reconstructive Surgery 90:1106-1111. 1992

Gmelin E, Fischer R, Stitzinger R. Sub-micrometer thermal physics - An overview on SThM techniques. Thermochimica Acta 310(1)-2: 1-17. 1998

Goadsby PJ, Gebski VJ, Keech AC. Statistical methods in clinical trials (multiple letters). Med J Australia. 2003; 179(2): 119-120.

Göblyös P , J.ÖrleY.Modern iconographical methods in pediatric senology. Thermol Österr2:S28. 1992

Göblyös P [12th International Conference of Heat Technology and Thermography, Budapest, 13-15 June 2001] Orv Hetil 2002, 143(12): 636.

Göblyös P, J, ÖrleY.. Modern iconographical methods in pediatric senology . IN. Benkö I, I.Lovak, I.Kovacscs, A.Faludi (ed): 8th International Conference on Thermal Engineering and Thermogrammetry, 2.-4.Juni 1993. Scientific Society of Measurement and Automation (MATE). Branch of Thermo Technical Measurements and Thermogrammetry, p.311-314. Budapest 1993

Göblyös P. Farewell to breast-liquid-crystal thermography. IN. Benkö I, A.Balogh, I.Kovacsics, I Lovak(eds): Abstracts of the 10th International Conference on Thermogrammetry and Thermal Engineering in Budapest 18-20. June 1997. MATE, Budapest, p, 184-195.1997

Göblyos, L. Nemes, G.KralL. A new method for exact demonstration of hemophilic soft-tissue bleedings (abstract). IN. Benkö I, I.Lovak, I.Kovacsics(eds):9th International Conference on Thermal Engineering and Thermogrammetry (THERMO). Budapest. p-120-125. 1995

Godek SF. Bartolozzi AR. Hydration and core temperature in a football player during preseason: A case study. Athletic Therapy Today. 2004. 9(4)64-70.

Godek SF. Godek JJ. Bartolozzi AR. Thermal responses in football and cross-country athletes during their respectivepractices in a hot Environ. J Athletic Training. 2004;39(3): 235-240.

Godushhauri MO, Sepiashvili AO. Thermographic diagnosis of bone cysts and giant cell tumors in children. Ortop Travmatol Protez (8(1)990):45-49. 1990

Goetz TE, Manohar M, Hassan AS, Baker GJ Nasal strips do not affect pulmonary gas exchange, anaerobic metabolism, or EIPH in exercising thoroughbreds, Journal of Applied Physiology 2001, 90(6): 2378-2385

Goetzl L. Rivers J. Evans T. Citron DR. Richardson BE. Lieberman E. Suresh MS. Prophylactic acetaminophen does not prevent epidural fever in nulliparous women:A double-blind placebo-controlled trial. J Perinatology. 2004; 24(8): 471-475.

Gohlke O, Busch M Reduction of combustion by-products in WTE plantS. O2 enrichment of underfire air in the MARTIN SYNCOM process. Chemosphere 2001. 42 (5-7) 545-50

Göhring E. Fiebertherapie. Thermodiagnostik 2(1): 25-26. 1986

Golay S. Haeberli C. Delachaux A. Liaudet L. Kucera P. Waeber B. Feihl F. Local heating of human skin causes hyperemia without media- tion by muscarinic cholinergic receptors or prostanoids. J Appl Physiol. 2004.; 97(5)1781-1786.

Gold JE, Cherniack M, Buchholz B. Infrared thermography for examination of skin temperature in the dorsal hand of office workers. Eur J Appl Physiol. 2004; 93(1-2):245-51.

Goldberg DJ. Nonablative laser technol:Radiofrequency. Aesthetic Surg J. 2004.24(2)180-181.

Goldberg G. Use of thermography for evaluation of hand paIn. Thermol Österr4:177. 1994

Goldberg G.S. Case Studies of Sympathetic Dysfunction. (abstract). Thermol Österr 5: 109. 1995

Goldberg G.S. Sympathetic pain in ThermographY. Discussion through case study. (abstract). Thermol Österr 5: 160. 1995

Goldberg G.S.Infrared Imaging in the Evaluation of Hand PaIn. (abstract). Biomed Thermol 15: 27. 1995

Goldberg GS.The status of thermology in the United States. Thermol Österr2:S41. 1992

Goldberg SN, Dupuy DE Image-guided Radiofrequency Tumor AblatioN. Challenges and Opportunities—Part I J. Vasc. Interv. Radiol. 2001, 12: 1021 - 1032.

Goldberg SN, Gazelle GS, Compton CC, Mueller PR, Tanabe KK. Treatment of intrahepatic malignancy with radiofrequency ablatioN. radiologic-pathologic correlation. Cancer. 2000,88(11):2452-63.

Goldberg SN, Gazelle GS, Mueller PR. Thermal ablation therapy for focal malignancY. a unified approach to underlying principles, techniques, and diagnostic imaging guidance. AJR Am J Roentgenol. 2000,174(2):323-31.

Goldberg SN, Hahn PF, Halpern EF, Fogle RM, Gazelle GS. Radio-frequency tissue ablatioN. effect of pharmacologic modulation of blood flow on coagulation diameter. Radiology 1998. 209 (3): 761-7

Goldberg SN. Image-guided thermal ablation with radiofrequency: new approaches and clinical experience. In. Proceedings of The First Joint BMES/EMBS Conference Serving Humanity, Advancing Technology, Atlanta, 1999, pp.1266

Goldie I. Is there any benefit in the surgery of rheumatoid arthritis? Current Orthopaedics 7: 120-126.1993

Goldoni M, Catalani S, De Palma G, Manini P, Acampa O, Corradi M, Bergonzi R, Apostoli P, Mutti A. Exhaled breath condensate as a suitable matrix to assess lung dose and effects in workers exposed to cobalt and tungsten. Environ Health Perspect. 2004; 112(13):1293-8.

Goldschmidt H. Heart treatment with infrared thermal sauna ca- bins. Tagliche Praxis. 2004;45(3): 541-542.

Goldschmidt H. Heat treatment with infrared thermal sauna cabins. Padiat Prax. 2003; 63(1):44-45.

Goldsmith JR, Lidtke RH, Shott S. The Effects of Range-of-Motion Therapy on the Plantar Pressures of Patients with Diabetes Mellitus J Am Podiatr Med Assoc 2002, 92: 483 - 490.

Goldstein RJ, E. R. G. Eckert, W. E. Ibele, S. V. Patankar, T. W. Simon, T. H. Kuehn, P. J. Strykowski, K. K. Tamma, J. V. R. Heberlein, J. H. Davidson et al. Heat transfer—a review of 2001 literature, Int J Heat Mass Trans, 2003; 46, (11): 1887-1992.

Golja P. Kacin A. Tipton MJ. Eiken O. Mekjavic IB. Hypoxia increases the cutaneous threshold for the sensation of cold. Eur J Appl Physiol. 2004; 92(1-2): 62-68.

Golomb D, Barry E, Ryan D, Lawton C, Swett P. Limestone-particle- stabilized macroemulsion of liquid and supercritical carbon dioxide in water for ocean sequestration. Environ Sci Technol. 2004; 38(16): 4445-50.

Golombeck M-A, Dossel O, Raiser J. Improvement of patient return electrodes in electrosurgery by experimental investigations and numerical field calculations. Med Biol Eng Comput. 2003; 41(5):519-528.

Goluboff ET, Chang DT, Kirsch AJ, Fisch H. Incidence of external spermatic veins in patients undergoing inguinal varicocelectomy. Urology 44:893-895. 1994

Gomes GF, Vargas JV, Filho ED. Utilization of temperature distribution in expiratory speaking flow as a new parameter for speech production analysis. J Med Eng Technol. 2004;28(1) :22-31.

Gomez RS. Silva YP. Peluso CP. Anesthesia for orthopedic surgery in a child susceptible to malignant hyperthermia. Case report. Rev Brasilil Anestesiol. 2003; 53(1):52-57.

Gomez-Vega JM, Saiz E, Tomsia AP, Marshall GW, Marshall SJ. Bioactive glass coatings with hydroxyapatite and Bioglass particles on Ti-based implants. 1. Processing. Biomaterials. 2000,21(2):105-11.

Gonzalez de Zarate J, Olmos A, Alvarez JC, Ruiz N, De Andres B, Gonzalez-Fajardo JA : Cambios Termicos Centrales Y Cutaneos En El Miembro Superior Despues De La Induccion Anestesica (Core and cutaneous thermal changes in the upper limb after anesthetic induction). Revista Espanola de Anestesiologia y Reanimacion 2000: 47(7): 287-292

Gonzalez JM. Jurado V. Laiz L. Zimmermann J. Hermosin B. Saiz-Jimenez C. Pectinatus portalensis nov. sp., a relatively fast- growing, coccoidal, novelPectinatus species isolated from a wastewater treatment plant. Antonie van Leeuwenhoek Int J Gen Mol Microbiol 2004;. 86(3): 241-248.

Gonzalez M, Argarana CE, Fidelio GD. Extremely high thermal stability of streptavidin and avidin upon biotin binding. Biomolecular Engineering 1999, 16(1-4):67-72

Gonzalez-Escalada JR, De la Calle JL, Perucho A. Flujometria Campimetrica Por Laser Doppler. Un Nuevo Procedimiento Diagnostico Y Evaluativo Del Dolor[Campimetric fluxmetric with Doppler laseR. A new procedure for the diagnosis and assessment of pain] Revista de la Sociedad Espanola del Dolor 1999, 6(3): 187-98.

Gonzalez-Gomez F, Vergara F, Fernandez A, Pedrosa C, Ramirez JP, Castilla JA. Ruiz R. Galan JJ. Ruiz A. Real LM. Detection of Pvull polymorphism within intron 1 of ESR1 gene by real-time PCR. Clin Chem Labor Med. 2003; 41(3):392-393.

Gonzalez-Perez A. Del Castillo JL. Czapkiewicz J. Rodriguez JR. Thermodynamics of micellization of decyldimethylbenzylammonium bromide inaqueous solution. Colloids Surf A-Physicochem Engin As- pects. 2004;232(2-3):183-189.

Gonzalez-Perez JA, Gonzalez-Vila FJ, Almendros G, Knicker H. The effect of fire on soil organic matter—a review. Environ Int. 2004; 30(6):855-70.

Goodarzi M, Shier NH, Grogan DP. Does sympathetic blockade prevent the physiologic changes associated with tourniquet use in children? Journal Of Pediatric Orthopedics 17(3): 289-292. 1997

Goodman S. “Cooling-off” vs immediate revascularization for patients with acute coronary syndromes. JAMA. 2004; 291(6):691-692

Goolsby HA, Blanton JR, Cotter PZ, Prien SD. Preliminary trial: motility comparisons of a unique freezing technology (UFT) to liquid nitrogen mist methodology for cryopreservation of porcine sperma tozoa. Reprod Domest Anim. 2004; 39(5):328-32.

Gorbach AM, Heiss J, Kufta C, Sato S, Fedio P, Kammerer WA, Solomon J, Oldfield EH. Intraoperative infrared functional imaging of human brain. Ann Neurol. 2003 54(3): 297-309.

Gorbach AM. Infrared imaging of brain function. Advances in Experimental Medicine and Biology 333: 95-123. 1993

Gorbach AM. Local alternated temperature gradients as footprints of cortical functionalactivation. J Thermal Biol. 2004;29(7-8 Spec. Iss.): 589-598.

Gorbachev VO. Thermography in the early diagnosis of heterotopic ossificates in patiens with spinal cord injuries. Khirurgiia (Mosk)(12(1)991): 100-101. 1991

Gordeev MI, Ejov MN. Global warming and variation in the chromosomal composition of Siberian molaria mosquito populations. Dokl Biol Sci. 2004; 395:136-9.

Gordon AL, Susanto RD, Vranes K. Cool Indonesian throughflow as a consequence of restricted surface layer flow. Nature. 2003; 425(6960):824-828.

Gordon CJ, Becker P, Padnos B. Comparison of heat and cold stress to assess thermoregulatory dysfunction in hypothyroid rats. American Journal of Physiology - Regulatory Integrative and Comparative Physiology 2000, 279(6): R2066-R2071)

Gordon CJ, Fogarty AL, Greenleaf JE, Taylor NAS, Stocks JM. Direct and indirect methods for determining plasma volume during thermoneutral and cold-water immersion. Eur J App Physiol. 2003; 89(5):471-474.

Gordon CJ. Effect of cage bedding on temperature regulation and metabolism of group-housed female mice. Comp Med. 2004; 54(1): 63-8.

Gordon CJ. Haley CD. McLennan PL. Tipton MJ. Mekjavic IB. Taylor NAS. An open-loop model for investigating mammalian thermosensitivity. J Thermal Biol. 2004.29(7-8 Spec. Iss.)703-707.

Gordon CJ. McMahon B. Richelson E. Padnos B. Katz L. Neurotensin analog NT77 induces regulated hypothermia in the rat. Life Sci. 2003; 73(20):2611-2623.

Gordon N, Rispler S, Sideman S, Shofti R, Beyar R. Estimation of coronary blood flow by ECG gated cardiac thermography in open-chest conditions. Physiological Measurement 1998. 19 (3): 353-66.

Gordon N, Rispler S, Sideman S, Shofty R, Beyar R. Thermographic imaging in the beating hearT. a method for coronary flow estimation based on a heat transfer model. Medical Engineering And Physics 1998. 20 /6: 443-51.

Gordon T. Metalworking fluid—the toxicity of a complex mixture. J Toxicol Environ Health A. 2004; 67(3):209-19.

Gorelik FG, Kozlovskii EB. Novye tipy mul'tiformatnykh kamer. [New types of multi-size cameras]Meditsinskaia Tekhnika 1999.(2): 44-6.

Gorenek G. Akyilmaz E. Dinckaya E. Immobilization of catalase by entrapping in alginate beads and catalasebiosensor preparation for the determination of hydrogen peroxide decomposition. Artif Cells Blood Subst Immobil Biotechnol. 2004; 32(3):453-461.

Gorins A, Dilhuydy MH, Petit JY, Contesso G. When must a mastopathy at risk be operates on? The viewpoint of the clinician, the ardiologist, the surgeon, and the antomopathologist. Rev Fr Gynecol Obstet 86.15-20. 1991

Gorins A, Kottler ML. What is mastopathy at risk ? Epidemiologic and clinical basis. Rev Fr Gynecol Obstet 86:4-8. 1991

Gorins A, Tournant B, Perret F, Degrelle He, Nahoul K, Kottler ML. B reast cysts. Verh K Acad Geneedkd Belg 53: 101-120. 1991

Gornushkin IB, Omenetto N, Smith BW, Winefordner JD. Determination of the maximum temperature at the center of an optically thick laser-induced plasma using self-reversed spectral lines. Appl Spectrosc. 2004; 58(9):1023-31.

Gorski S, Wosilski S, Hausa R. Thermographic assessment of impact of the energy stimulator ADR4 in man with generalised peripheral blood circulation disorders (abstract). Thermol intern 1999, 9(4):

Gosalia K, Weiland J, Humayun M, Lazzi G. Thermal elevation in the human eye and head due to the operation of a retinal prosthesis. IEEE Trans Biomed Eng. 2004; 51(8):1469-77.

Gostin LO, Bayer R, Fairchild AL. Ethical and Legal Challenges Posed by Severe Acute Respiratory Syndrome: Implications for the Control of Severe Infectious Disease Threats JAMA, 2003; 290: 3229 - 3237.

Goto E, Monden Y, Takano Y, Mori A, Shimmura S, Shimazaki J, Tsubota K Treatment of non-inflamed obstructive meibomian gland dysfunction by an infrared warm compression device Br. J. Ophthalmol. 2002, 86: 1403 - 1407.

Goto S, M. Shikano, N. Imai, K.Ishigo, F. Sugita, A. TakagI. Seasonal Changes In Skin Temperature Hands Of Diabetic Patients Exposed To Stress Of Cold Exposure Test - Changes In Skin Temperature On The Contralateral Non-Stressed Side. (abstract). Biomed Thermol 11: 301. 1991

Goto S. A case of arteriosclerosis obliterans with monitored regional oxygen saturation during treatment with a lumbar sympathetic ganglion block, Reg Anesth Pain Med, 2003; 28, (5): 485.

Gotsadze DT, Sepiashvili AO, Daneliia EV. Termosemiotika vospalitel ´nykh i opukholevyk zabolevanii iaichka. (Thermography in inflammatory and neoplastic diseases of the testis). Vopr Onkol 36 (4): 476-479. 1990

Gotszalk T, Grabiec P, Rangelow IW. Piezoresistive sensors for scanning probe microscopy. Ultramicroscopy 2000, 82(1-4): 39-48

Gottloeber P, Krahn G, Peter RU. Das kutane StrahlensyndroM. Klinik, Diagnostic und Therapie Cutaneous radiation syndromE. Clinical features, diagnostic criteria and therapy. Hautarzt¸ 2000, 51(8): 567-574

Gottloeber P, Bezold G, Weber L, Gourmelon P, Cosset JM, Bahren W, Hald HJ, Fliedner TM, Peter RU The radiation accident in GeorgiA. clinical appearance and diagnosis of cutaneous radiation syndrome. J Am Acad Dermatol. 2000 Mar,42(3):453-8.

Goudkamp JE, Seebacher F, Ahern M, Franklin CE. Physiological thermoregulation in a crustacean? Heart rate hysteresis in the freshwater crayfish Cherax destructor. Comp Biochem Physiol A Mol Integr Physiol. 2004 ; 138(3):399-403.

Govindan S, A.M. ElrifaI. Thermography Criteria For Extracranial CBF Measurement. (abstract) European Journal of Thermology 1997, 7(3):157-158.

Govindan S, E. GovindaN. Extracranial Imaging Of Trigeminovascular System In Chronic Fatigue Syndrome. (abstract) European Journal of Thermology 1997; 7(3):160-161.

Govindan S, E. GovindaN. How to Start a Thermography Laboratory (abstract).European Journal of Thermology 1998; 8: 112.

Govindan S, E.Govindan. Imaging the effect of betablocker (abstract), Thermol Österr 1996; 6(3):105-106.

Govindan S, Elrifai A . Protocol For Microcirculation Imaging in Neurosurgical Intensive Care Units (abstract). Thermol intern 1999, 9(3): 113

Govindan S, G.MadupU. Extracranial CBF Measurement Using ThermographY. Pediatric Applications. (abstract). Thermol Österr 1994, 4: 123-124.

Govindan S, J.J.KatimS. Thermography in Disability Medicine (abstract). European Journal of Thermology 1998, 8: 111.

Govindan S, T.J.Romano, J.WallacE. Application of Thermography and Tissue Compliance Testing in Forensic Medicine. (abstract) Thermol Österr 1997; 7(2): 72-73.

Govindan S, Thanning L. Monitoring Postmortem Cooling Of The Human Head (abstract). Thermol intern 1999, 9(3): 113-114.

Govindan S, The Role Of Non-Thermal Factors On Facial Thermography (abstract).European Journal of Thermology 1998, 8: 105.

Govindan S, Thermography in Workers' compensation. Thermol intern 2001, 11(3):138.

Govindan S. , A. Jung. Extracranial CBF In Sleep Disorders. (abstract). European Journal of Thermology 1998, 8: 181.

Govindan S. : Extracranial Perfusion Imaging. (abstract). Thermol Österr 1995, 5: 109-110.

Govindan S. Complex regional pain syndrome: Update (abstract). Thermol int 2004, 14(3): 104.

Govindan S. Extracranial Imaging of Trigeminovascular System. (abstract) Thermol Österr 1997, 7(2): 66-67.

Govindan S. Extracranial Microcirculation Imaging During Biofeedback Treatment (abstract). Thermol intern 1999, 9(3): 111-112.

Govindan S. Extracranial Perfusion Imaging in Rebound Headache. (abstract). Thermol Österr 1995, 5: 109.

Govindan S. Imaging Extracranial Trigeminovascular System in Chronic Pain Syndromes.(abstract) Thermol intern 2001, 11(2):92-93

Govindan S. Imaging the Effect of Estrogen on Cranial Microcirculation (abstract). Thermol intern 1999, 9(3): 112-113.

Govindan S. Imaging Trigeminovascular System in Chronic Fatigue Syndrome. (abstract). European Journal of Thermology 8: 182. 1998

Govindan S. Infrared imaging of extracranial microcirculation: A review. Thermology International. 2003; 13(3):91-98.

Govindan S. Microcirculation imaging in sleep disorders(abstract). Thermology intern 2000, 10(3):146-7

Govindan S. Microcirculation Pathophysiology in Chronic Regional Pain Syndromes. (abstract). Thermol intern 2001, 11(2):85-87

Govindan S. Monitoring cold patch in clinical practicE. an update(abstract). Thermology intern 2000, 10(3):140-1

Govindan S. Neurogenic Inflammation In Chronic Regional Pain Syndrome. Thermol int 2003,13,40-41

Govindan S. Protocol For Monitoring Drug Effect With Thermography. (abstract) Thermol Österr 7(1):31. 1997

Govindan S. Role Of Thermography In Sleep Disorders. (abstract) Thermol Österr 1997, 7(1):25.

Govindan S. RSD/CRPS I; Vascular Abnormalities, Pain And Hyperalgesia. (abstract). Thermol int 2003,13.38

Govindan S. Thermal Imaging Of The Face And Hyperoxia Stress.(abstract) European Journal of Thermology 1998, 8: 106 ,

Govindan S. Thermography As A Diagnostic Method For Headache Pathophysiology Of Cold Patch. (abstract) Thermol Österr 1997, 7(2): 65.

Govindan S. To Image the Effect of Antimigraine Drug on Trigeminovascular System (abstract) European Journal of Thermology 8: 114 , 1998

Govindan S., A. Elrifai : Extracranial CBF Monitoring in Subarachnoid Hemorrage (abstract) European Journal of Thermology 1998, 8: 112 ,

Govindan S."Complex Regional Pain Syndrome. Thermol intern 2001, 11(3):139

Govindan S."Extracranial CBF Imaging, Clinical Implications. Thermol intern 2001, 11(3):142-143

Govindan S.Thermography in sleep medicine. Thermol Österr 1992, 2:S22-23.

Govindan, S. Chronic pain syndromes, role of central sensitization (abstract). Thermol int 2004, 14(3): 105.

Gowadia HA, Settles GS The natural sampling of airborne trace signals from explosives concealed upon the human body. J Forensic Sci 2001, 46(6): 1324-31.

Gowlett DJ, McDonald PC. The effect of energisation current on the calibration of silicon diode thermometers. IN. DewHughes D, Scurlock RG, Watson JHP,editors,International Cryogenic Engineering Conference 1998, IOP PUBLISHING LTD, BRISTOL, 1998, p.775-9.

Gozzoli V, Treggiari MM, Kleger GR, Roux-Lombard P, Fathi M, Pichard C, Romand JA. Randomized trial of the effect of antipyresis by metamizol, propacetamol or external cooling on metabolism, hemo-dy namics and inflammatory response. Intensive Care Med. 2004; 30(3): 401-7.

Graber J. Professor E. Francis J. Ring, DSc. Thermol Österr 1996, 6(1): 29.

Gradisar M, Lack L. Relationships between the circadian rhythms of finger temperature, core temperature, sleep latency, and subjective sleepiness. J Biol Rhythms. 2004; 19(2): 157-63.

Graf P, Hofmeister F, Schaff J, Biemer E. Morbidität des Spenderbezirkes von Dorsalis pedis-Lappen. (Morbidity of the donor site of the dorsalis pedis flap) Handchirurgie, Mikrochirurgie, Plastische Chirurgie, 1992, 24:239-242.

Graf von Schweinitz D. Thermographic diagnostics in equine back paIn. Veterinary Clinics of North America. Equine Practice 1999. 15 (1):161-77.

Graff-Radford SB, Ketelaer MC, Gratt BM, Solberg WK. Thermographic assessment of neuropathic facial paIn. Journal of Orofacial Pain 1995, 9: 138-146.

Graham JM. The biological terraforming of Mars: planetary ecosynthesis as ecological succession on a global scale. Astrobiology. 2004; 4(2):168-95.

Graham SJ, Chen L, Leitch M, Peters RD, Bronskill MJ, Foster FS, Henkelman RM, Plewes DB. Quantifying tissue damage due to focused ultrasound heating observed by MRI. Magnetic Resonance In Medicine 1999. 41 (2): 321-8.

Grassi W, Filippucci E, Carotti M, Salaffi F. Imaging modalities for identifying the origin of regional musculoskeletal pain. Best Pract Res Clin Rheumatol. 2003; 17(1):17-32.

Gratt BM, Anbar M. Thermology and facial telethermographY. Part II. Current and future clinical applications in dentistry. Dento-Maxillo-Facial Radiology 27(2):68-74. 1998

Gratt BM, Graff-Radford S. Electronic Facial Thermography for the Assessment of Chronic Toothache and Facial PaIn. (abstract). Thermol Österr 5: 110. 1995

Gratt BM, Graff-Radford SB, Shetty V, Solberg WK, Sickles EA.A 6-year clinical assessment of electronic facial thermography. Dento-Maxillo-Facial Radiology 25 /5: 247-255. 1996

Gratt BM, Halse A, Hollender L. Pilot Study of Facial Telethermography Used as a Screening Test for Detecting Elderly Individuals at Risk for Stroke. Thermol intern 2002. 12:7-13

Gratt BM, Shetty V, Saiar M, Sickles EA. Electronic thermography for the assessment of inferior alveolar nerve deficit. Oral Surgery, Oral Medicine, Oral Pathology, Oral Radiology and Endodontics, 80: 153-160.1995

Gratt BM, Sickles EA, CE.Wexler, JB.RosS. Thermographic characterization of internal derangement of the temporomandibular joint. Journal Of Orofacial Pain 8:197-206.1994

Gratt BM, Sickles EA, CE.WexleR. Thermographic characterization of osteoarthrosis of the temporomandibular joint. Journal of Orofacial Pain, 7: 345-353. 1993

Gratt BM, Sickles EA, JB. Ross, CE.Wexler, JA.GornbeIn. Thermographic assessment of craniomandibular disorderS. diagnostic interpretation versus temperature measurement analysis. Journal Of Orofacial Pain 8: 278-288.1994

Gratt BM, Sickles EA, Shetty V. Thermography for the clinical assessment of inferior alveolar nerve deficiT. a pilot study.Journal of Orofacial Pain, 8: 369-374. 1994

Gratt BM, Sickles EA. Electronic facial thermographY. an analysis of asymptomatic adult subjects. Journal Of Orofacial Pain 9 (3): 255-265. 1995

Gratt BM, Sickles EA. Thermographic characterization of the asymptomatic temporomandibular joint. Journal of Orofacial Pain, 7: 7-14. 1993

Gratt BM, Sickless EA, Ross JB. Electronic thermography in the assessment of internal derangement of temporomandibular joint. A pilot study. Oral Surg Oral Med Oral Pathol 71: 364-370. 1991

Gratt BM, Sickless EA. :Future applications of electronic thermography. J Am Dent Assoc 122: 28-36. 1991

Gravel JF, Luo Q, Boudreau D, Tang XP, Chin SL.Sensing of halocarbons using femtosecond laser-induced fluorescence. Anal Chem. 2004; 76(16):4799-805.

Gravenstein D, Lampotang S, Huda W, Sultan A. Basic principles of optical radiation and some common applications in anesthesia. Journal Of Clinical Monitoring 12 /6: 445-454.1996

Gray RE, Seng N, Mackay IR, Rowley MJ. Measurement of antibodies to collagen II by inhibition of collagen fibril formation in vitro. J Immunol Methods. 2004; 285(1):55-61.

Greatbatch W, Miller V, Shellock FG Magnetic resonance safety testing of a newly-developed fiber-optic cardiac pacing lead. J Magn Reson Imaging 2002, 16(1): 97-103.

Grebenik MV, Shved NI, Belozetskaia SI, Kornatskii VM. Ispol'zovanie termograficheskikh i immunologicheskikh pokazatelei pri vybore adek-vatnogo lecheniia bol'nykh revmatoidnym artritom i deformiruiushchim artrozom. (The use of thermographic and immunological indices in choosing adequate treatment for patients with rheumatoid arthritis and arthrosis deformans) Vrachebnoe De-lo, (3): 26-29. 1992

Greco F, L.de Palma, N.Specchia, M.Mannarini, A.GigantE. The role of instrumental diagnostic methods in the staging of Sudeck's disease. Acta Orthopaedica Belgica 59: 344-351. 1993

Green H, Thermography (letter).Neurology 42: 701-703. 1992

Green J. Thermography [letter]Neurology, 39 (11) 1560.1989

Green LJ. Chronic pain and the lawyer. Trauma 1999. 41(3):5-26

Green SL, Moorhead RC, Bouley DM. Thermal shock in a colony of South African clawed frogs (Xenopus laevis). Vet Record. 2003; 152(11):336-337

Greenberg AR, Shojaie SS, Krantz WB, Tantekin-Ersolmaz SB. Use of infrared thermography for temperature measurement during evaporative casting of thin polymeric films. Journal of Membrane Science. 107:249-261.1995

Greene SA. Benson GJ. Tranquilli WJ. Grimm KA. Effect of isoflurane, atracurium, fentanyl, and noxious stimulation onbispectral index in pigs. Comparative Med. 54(4): 397-403. 2004;

Greenes DS, Fleisher GR Accuracy of a noninvasive temporal artery thermometer for use in infants. Archives of Pediatrics and Adolescent Medicine 2001. 155 (3) 376-81

Greenstein D, TF.Brown, RC.KesteR. Assessment of chemical lumbar sympathectomy in critical limb ischaemia using thermal imaging. International Journal of Clinical Monitoring and Computing 11: 31-34. 1994

Gregory JM, Huybrechts P, Raper SC. Climatology: threatened loss of the Greenland ice-sheet. Nature. 2004 ; 428(6983):616.

Greguss P. Panoramic thermal imaging and temperature monitoring. Thermol Österr2:S18. 1992

Greguss PaL. The controversial problem of thermal and nonthermal effects of radiation with tissue. Thermol Österr2:S34. 1992

Greig JE, Carnie JA, Tallis GF, Ryan NJ, Tan AG, Gordon IR, Zwolak B, Leydon JA, Guest CS, Hart WG. An outbreak of Legion-n aires' disease at the Melbourne Aquarium, April 2000: investigation and case-control studies. Med J Aust. 2004;180(11):566-72.

Greimer MS, MI Feigin, EP Saburenkova, OK Giaorgieva, Be Knoring, MO Papp, II Dantsig, IB SavIn. Tuberculosis und pneumonia. Probl tuberk (7(1)991):27-30. 1991

Greiner T, C. Forster, H. 0. HandwerkeR. Quantitative analysis of time series of thermal images after noxious stimuli applied to anaesthetised and non-anaesthetised skIn. IN. Ammer K, EFJ Ring (eds): The Thermal Image in Medicine and Biology, Uhlen Verlag, Wien,pp. 210-213. 1995

Greiner T, C.Forster, HO HandwerkeR. Quantitative analysis of time series of thermal images noxious stimuli applied to anaesthetised and non-anaesthetised skIn. Thermol Österr4:181. 1994

Greish YE, Brown PW. Preparation and characterization of calcium phosphate-poly(vinyl phosphonic acid) composites. Journal of Materials SciencE. Materials in Medicine 2001, 12(5): 407-411

Grenier G, Berube G, Gicquaud C. Effects of new triphenylethylene platinum/II. complexes on the interaction with phosphatidylcholine liposomes. Chemical and Pharmaceutical Bulletin 1998, 46/9: 1480-3.

Grenn, M. W.Recent Advances in Portable Infrared Imaginig Systems- Proc 1996 IEEE Engineering in Medicine & BiologY.1091-1092. 1996

Greve B, Raulin C. Prospective study of port wine stain treatment with dye laser: comparison of two wavelengths (585 nm vs. 595 nm) and two pulse durations (0.5 milliseconds vs. 20 milliseconds). Lasers Surg Med. 2004; 34(2):168-73.

Griebel G, Simiand J, Steinberg Rg M, Gully D, Roger P, Geslin M, Scatton B, Maffrand J-P, Soubrié P. 4-(2-Chloro-4-methoxy-5-methylphenyl)-*N*-[(1*S*)-2-cyclopropyl-1-(3-fluoro-4-methylphenyl)ethyl]5-methyl-*N*-(2-propynyl)-1. 3-thiazol-2-amine Hydrochloride (SSR125543A), a Potent and Selective Corticotrophin-Releasing $Factor_1$ Receptor Antagonist. II. Characterization in Rodent Models of Stress-Related Disorders. J. Pharmacol. Exp. Ther. 2002, 301: 333 - 345. .

Griffith BT, Arasteh D. Buildings research using infrared imaging radiometers with laboratory thermal chambers. IN. LeMieux DH, Snell JR, editorS. Thermosense XXI,Proceedings of the Society of Photo-Optical Instrumentation Engineers (SPIE), Vol.3700, Bellingham, 1999. p.502-13.

Griffiths WAD. The red face - An overview and delineation of the MARSH syndrome. Clinical and Experimental Dermatology 1999, 24(1):42-7.

Grigg A, Solal-Celigny P, Hoskin P, Taylor K, McMillan A, Forstpointer R, Bacon P, Renwick J, Hiddemann W, Blaise D, Coiffier B, Drach J, Fitzsimons E, Freund M, Green M, Hancock B, Jaeger U, Maschmeyer G. Open-label, randomized study of pegfilgrastim vs. daily filgrastim as an adjunct to chemotherapy in elderly patients with non-Hodgkin's lymphoma. Leukemia Lymphoma. 2003; 44(9):1503-1508.

Grigor'eva IV, DR Rakita, VI GarmasH. Effect of endovascular laser irradiation of the blood of patients with diabetic angiopathies. Probl Endokrinol (Mosk) 37:28-30. 1991

Grigor'eva VN, Danil'tseva GM, Mel'nikova TV. Funktsional'naia radiotermometriia v diagnostike sindroma vegetativnoi distonii. (Functional radiothermometry in the diagnosis of the autonomic dystonia syndrome). Zhurnal Nevropatologoo I Psikhiatrii Imeni S. S. Korsakova, 92 (5-12): 11-2.1992

Grigull P, McCormick K, Feng Y, Werner A, Brakel R, Ehmler H, Gadelmeier F, Hartmann D, Hildebrandt D, Jaenicke R.et al.. Influence of magnetic field configurations on divertor plasma parameters in the W7-AS stellarator, J Nuc Mat, 2003; 313-316: 1287-1291.

Grigull P, McCormick K, Renner H, Masuzaki S, König R, Baldzuhn J, Bäumel S, Burhenn R, Brakel R,. Ehmler H et al. Divertor operation in stellarators: results from W7-AS and implications for future devices, Fus Eng Design, 2003; 66-68: 49-58..

Grillo MH. The impact of a vocal improvement course in a speech language and hearing science prevention context. Pro Fono. 2004; 16(2):159-68.

Grimault S, Lucas T, Quellec S, iette F. Quantitative measurement of temperature by proton resonance frequency shift at low field: a general method to correct non-linear spatial and temporal phase deformations. J Magn Reson. 2004; 170(1):79-87.

Anonymous [Structurization of cortical layer of loach yolk cell after wounding as a "minimal" model of morphogenesis] Ontogenez. 2004; 35(3):190-7.

Grimm D. Science weathers the storms. Science. 2004; 306(5693): 37-39.

Grinzato E, Peron F, Strada MS. Moisture monitoring of historical buildings by long period temperature measurements. IN. LeMieux DH, Snell JR, editorS. Thermosense XXI,Proceedings of the Society of Photo-Optical Instrumentation Engineers (SPIE), Vol.3700, Bellingham, 1999. p. 471-82

Grissom CK. Radwin MI. Scholand MB. Harmston CH. Muetter- ties MC. Bywater TJ. Hypercapnia increases core temperature cooling rate during snow burial. J Appl Physiol. 2004; 96(4): 1365-1370.

Gritti F. Guiochon G. Accuracy and precision of adsorption iso- therm parameters measured by dynamicHPLC methods. J Chromat. A.. 2004;1043(2): 159-170.

Grobe J, Rowland N, Katovich M. Role of angiotensin II and the subfornical organ in the pharmacological actions of ethanol. Alcohol Alcohol. 2004; 39(5):410-7.

Grocott HP. Mathew JP. Carver EH. Phillips-Bute B. Landolfo KP. Newman MF. A Randomized Controlled Trial of the Arctic Sun Temperature Management SystemVersus Conventional Methods for Preventing Hypothermia during Off-Pump CardiacSurgery. Anesth Analg. 2004; 98(2): 298-302.

Gronqvist A, Wistrom J, Axner O, Monsen TJ Bactericidal effect of pulsed 1.064 nm ND.YAG laser light on Staphylococcus epidermidis is of photothermal origIn. An in vitro study. Lasers in Surgery and Medicine 2000, 27(4): 336-340

Groom RC, Rassias AJ, Cormack JE, DeFoe GR, DioDato C, Krumholz CK, Forest RJ, Pieroni JW, O'Connor B, Warren CS, Olm-s tead EM, Ross CS, O'Connor GT; Northern New England Cardiovascular Disease Study Group. Highest core temperature during cardiopulmonary bypass and rate of mediastinitis. Perfusion. 2004; 19(2): 119-25.

Gros XE. Nondestructive measurement of alumina/graphite ceramic tubes using eddy currents and infrared thermography. IN. Takeda N, Sheppard LM, Kon J, editors,Ceramic Material Systems With Composite Structures Towards Optimum Interface Control and Design, Amer Ceramic Soc, Westerville, 1998, p. 477-80.

Grosjean D, EL.Williams II, E.Grosjean E, T. NovakoV. Evolved gas analysis of secondary organic aerosols Aerosol Science and Technology 21: 306-324. 1994

Groß D, G. Schäfer, H. PfeifeR. Faktorenanalytische Untersuchungen zum thermischen Profil bei Gesunden und Kranken. ThermoMed 11: 68-76. 1995

Groß D, G.Schäfer, H.PfeifeR. Regulationsthermographische Untersuchungen an gesunden - eine kritische Überprüfung des Normwertthermogramms. ThermoMed 8: 67-74. 1992

Groß D, H.PfeifeR. Alkoholabhängige Veränderungen des dermalen WärmeprofilS.Thermographische Untersuchungen bei Leberkranken. Ther- moMed 9:12-21. 1993

Groß D. Die geschichtliche Entwicklung der Thermographie. Teil 1: Von der Antike bis zu den Studien Carl August Wunderlichs. ThermoMed 12:13-21. 1996

Groß D. Die geschichtliche Entwicklung der Thermographie.Teil 2: Von den Studien Carl August Wunderlichs bis zur Gegenwart. ThermoMed 12: 82-92. 1996

Gross H, M.del ReY. Thermography. Neurology 42:702-703.1992

Grossi FS, D'Elia A, Barnaba D, Larocca L, Sallustio G, De Michele V, Raguso G. Evaluation of acute scrotum by color-coded Doppler ultrasonographY. A prospective study with surgical confirmation of the diagnosis. Acta Urologica Italica 9:173-176. 1995

Grote L, Zou D, Kraiczi H, Hedner J. Finger plethysmography—a method for monitoring finger blood flow during sleep disordered breathing, Respir Physiol Neurobiol, 2003; 136, (s 2-3): 141-152 .

Groth M, Fenstermacher ME, Boedo JA, Brooks NH, Gray DS, Lasnier CJ, Leonard AW, Porter GD, Watkins JG. High time-resolved, 2D imaging of type-I ELMs in DIII-D using a image-intensified CID camera, J Nuc Mat, 2003; 313-316: 1071-1075.

Guan J. Spencer JL. Sampath M. Devenish J. The fate of a geneti-c ally modified Pseudomonas strain and its transgene during the com-p osting of poultry manure. Can J Microbiol. 2004;50(6): 415-421.

Guarna M, Bianchi E, Bartolini A, Ghelardini C, Galeotti N, Bracci L, Neri C, Sonetti D, Stefano G. Endogenous morphine modulates acute thermonociception in mice J. Neurochem. 2002, 80: 271 - 277.

Güdel M Stellar Radio AstronomY. Probing Stellar Atmospheres from Protostars to Giants. Annu. Rev. Astron. Astophys. 2002, 40: 217 - 261.

Guduru PR, Singh RP, Ravichandran G, Rosakis AJ. Dynamic crack initiation in ductile steels. Journal of the Mechanics and Physics Of Solids 1998, 46(1)0: 1997-2016

Guerin JC, Demotomue S, Brudon JR. Sympatholyse thoracique par thoracoscapie. A propos de 15 cas.(Thoracic sympathectomy by thoracoscopy. Apropos of 15 cases). Rev Mal Respir, 7 (4): 327-330. 1990

Guerrisi M, Vannucci I, Canichella, Gentili S, Voles O, Franconi C. In vivo assessment of heat-induced changes in tissue by impedance spectroscopy. IN. Hutten H, Krösel P, eds. Proceedings Part I, EMBEC´02. 2.European Medical & Biological Engineering Conference. IFMBE, Graz, 2002. pp.132-133

Guest JD, Vanni S, Silbert L. Mild hypothermia, blood loss and complications in elective spinal surgery. Spine J. 2004; 4(2):130-7.

Guetta E, Gordon D, Simchen MJ, Goldman B, Barkai G. Hematopoietic progenitor cells as targets for non-invasive prenatal diagnosis: detection of fetal CD34+ cells and assessment of post-delivery persistence in the maternal circulation. Blood Cells, Mol Dis, 2003; 30 (1): 13-21.

Guiavarc'h Y. Van Loey A. Zuber F. Hendrickx M. Development characterization and use of a high-performance enzymatic time-temperature integrator for the control of sterilization process' impacts. Bio-t echnol BioEngin. 2004; 88(1): 15-25.

Guibal E. Vincent T. Chitosan-supported palladium catalyst. IV. Influence of temperature onnitrophenol degradation and thermodynamic parameters. J Environ Manag. . 2004 71(1): 15-23;

Guillamon M. Villagrasa M. Eljarrat E. Barcelo D. Development of a liquid chromatography-electrospray mass spectrometric methodfor the simultaneous analysis of benzoxazolinones and their degradation products. J Chromat. A.. 2004;1052(1-2): 53-59.

Guillarme D. Heinisch S. Rocca JL. Effect of temperature in reversed phase liquid chromatography. J Chromat. A.. 2004;1052(1-2): 39-51.

Guillemot F, Mordon S, Maunoury V, Boniface M, Pappo M, Alberola B, Cortot A, Delmotte J-S. Thermometrie tissulaire de contact et eva- luation des muqueuses gastriques (1) Tissular thermometry for assessment of gastric mucosa (1). Gastroenterologie Clinique et Biologique. 17: 226- 227.1993

Guillot A, Collet C, Molinaro C, Dittmar A. Expertise and peripheral autonomic activity during the preparation phase in shooting events. Percept Mot Skills. 2004; 98(2):371-81.

Guiot C, Madon E, Allegro D, Pianta PG, Baiotto B, Gabriele P Perfusion and thermal field during hyperthermia. Experimental measurements and modelling in recurrent breast cancer. Physics in Medicine and Biology 1998, 43(1)0: 2831-43.

Guiot C, Cavalli R, Gaglioti P, Danelon D, Musacchio C, Trotta M, Todros T. Temperature monitoring using ultrasound contrast agents: in vitro investigation on thermal stability. Ultrasonics. 2004; 42(1-9): 927-30.

Gula LJ, Skanes A, Krahn AD, Klein GJ. Novel approach to diagnosis of a wide-complex tachycardia. J Cardiovasc Electrophysiol. 2004;15(4):466-9.

Gulevich SJ, Conwell TD, Lane J, Lockwood B, Schwettmann RS, Rosenberg N, Goldman LB. Stress infrared telethermography is useful in the diagnoses of complex regional pain syndrome, type I (formerly reflex sympathetic dystrophy) (abstract). Thermol int 2004, 14(3): 104-105

Gulevich SJ, Conwell TD, Lane J, Lockwood B, Schwettmann RS, Rosenberg N, Goldman LB. Stress infrared telethermography is useful in the diagnosis of complex regional pain syndrome type I /formerly reflex sympathetic dystrophy. Clinical Journal Of Pain 13(1): 50-59.1997

Guliaev IuV, AG.Markov, LG.Koreneva, AV. Tarasov, AM.FisheR. (Regulation of circulation in the human palm) Doklady Akademii Nauk 337 266-270. 1994

Gulston M. de Lara C. Jenner T. Davis E. O'Neill P. Processing of clustered DNA damage generates additional double-strand breaks in mammalian cells post-irradiation. Nucleic Acids Res. 2004; 32(4): 1602-1609.

Gulyaev YV, Markov AG, Koreneva LG, Zakharov PV. Dynamical infrared thermography in humans IEEE Engineering in Medicine and Biology Magazine 14: 766-770. 1995

Gummer J; Lun GA. Ignitions of explosive dust clouds by smouldering and flaming agglomerates, J Loss Prevent Process Indust, 2003; 16, (1): 27-32.

Gumusderelioglu M. Karakecili AG. Uses of thermoresponsive and RGD/insulin-modified poly (vinyl ether)-based hydrogels in cell cultures. J Biomat Sci, Polymer Edition. 2003; 14(3):199-211

Gundel H, Greiner A, Ceballos-Baumann AO, Ladwig KH, Von Rad M, Forstl H, Jahn T. Alexithymia is no risk factor for exacerbation in spasmodic torticollis patients. J Psychosom Res. 2004; 56(6):699-705.

Gunduz U. Evaluation of viscosities of aqueous two-phase systems containing protein. J Chromat B: Analyt Techn BioMed LifeSci. 2004;807(1): 157-161.

Guner ES, Hashimoto N, Kadosaka T, Imai Y, Masuzawa T. A novel, fast-growing Borrelia sp. isolated from the hard tick Hyalomma aegyptium in Turkey. Microbiol. 2003;149(9): 2539-2544.

Guo B; Casscells W; Bearman G; McNatt J; Naghevi M; Malik BA; Gul K; Willerson JT. Atherosclerotic Plaque Temperature Measurements with Infrared Fiber Optic Imaging. In Proceedings of The First Joint BMES/EMBS Conference Serving Humanity, Advancing Technology, Atlanta, 1999, pp.1106

Gupta AK, Al-Rawi PG,. Hutchinson PJ, Kirkpatrick PJ. Effect of hypothermia on brain tissue oxygenation in patients with severe head injury Br. J. Anaesth. 2002, 88: 188 - 192.

Gupta JP, Edwards DW. A simple graphical method for measuring inherent safety. J Hazard Mat. 2003; 104(1-3):15-30.

Gupta KC, Khandekar K. Temperature-responsive cellulose by ceric(IV) ion-initiated graft copolymerization of N-isopropylacrylamide. Biomacromol. 2003; 4(3):758-765.

Gurisik E. Arica MY. Bektas S. Genc O. Comparison of the heavy metal biosorption capacity of active, heat-inactivatedand NaOH-treated phanerochaete chrysosporium biosorbents. Engin Life Sci. 2004; 4(1): 86-89.

Gurtovoi BI, Ozerova OE, Nauryzbaeva BU. Clinical value of telethermography in the diagnosis of puerperal mastitis. Akush Ginekol (Mosk) (12(1)990): 36-38. 1990

Gush R. Iontophoresis and factors affecting responses measured by laser Doppler. Thermol intern 2002. 12: 70

Khan F, Belch JJF. Laser Doppler flowmetry in the assessment of Raynaud's phenomenon. Thermol intern 2002. 12: 70

Gusta LV, Wisniewski M, Nesbitt NT, Gusta ML. The effect of water, sugars, and proteins on the pattern of ice nucleation and propaga- tion in acclimated and nonacclimated canola leaves. Plant Physiol. 2004; 135(3):1642-53.

Gustov AV, Gusev EI, Nifontova LN, Tseitlina VN. Entsefaloradiotermometriia v diagnostike rannikh stadii sosudisto-mozgovoi nedostatochnosti. (Encephaloradiothermometry in the diagnosis of early stages of cerebrovascular insufficiency). Zh Nevropatol Psikhiatr, .89 (9): 27-31. 1989

Gyorgy E. Toricelli P. Socol G. Iliescu M. Mayer I. Mihailescu IN. Bigi A. Werckman J. Biocompatible Mn2+-doped carbonated hydroxy-ap atite thin films grown by pulsedlaser deposition. J BioMed Materials Res Part A. 2004; 71(2): 353-358.

Haack A. Maintenance and repair of underground structures and tunnels. IN. Negro A, Ferreira AA (eds): Tunnels And Metropolises, Vols 1 and 2. A A Balkema, Rotterdam, pp. 459-475. 1998

Haake M, Willenberg T, Sauer F, Griss P [Effect of extracorporeal shockwave therapy on vascular regulation. Infrared thermography in epicondylitis humeri radialis] Swiss Surg 2002, 8(4): 176-80.

Haas NA, Plumpton K, Justo R, Jalali H, Pohlner P. Postoperative junctional ectopic tachycardia (JET). Z Kardiol. 2004; 93(5):371-80.

Haber C- Thermal imaging outcome assessments within evidence based practice (abstract). Thermol int 2004, 14(3): 112.

Habes DJ, A.Bhattacharya, M.MilliroN. Evaluation of occupational knee-joint stress using liquid crystal thermographY. a case study. Applied Ergonomics 25:111-115.1994

Hadad E, Rav-Acha M, Heled Y, Epstein Y, Moran DS. Heat stroke : a review of cooling methods. Sports Med. 2004; 34(8):501-11

Hadad E. Moran DS. Epstein Y. Cooling heat stroke patients by available field measures [2]. Intensive Care Med. 2004.30(2)338.

Haddjeri N, Faure C, Lucas G, Mnie-Filali O, Chouvet G, Astier B, Renaud B, Blier P, Debonnel G. In-vivo modulation of central 5-hydroxytryptamine (5-HT1A) receptor-mediated responses by the cholinergic system. Int J Neuropsychopharmacol. 2004; 1-9

Hadjipavlou AG, Simmons JW, Pope MH. An algorithmic approach to the investigation, treatment, and complications of surgery for low back paIn. Seminars in Spine Surgery 10(2): 193-218. 1998

Haebler HJ, Stegmann JU, Timmermann L, Jaenig W. Functional evidence for the differential control of superficial and deep blood vessels by sympathetic vasoconstrictor and primary afferent vasodilator fibres in rat hairless skIn. Experimental Brain Research 118(2): 230-234. 1998

Haelewyn B, Yvon A, Hanouz JL, MacKenzie ET, Ducouret P, Gerard JL, Roussel S. Desflurane affords greater protection than halothane against focal cerebral ischaemia in the rat. BJA: Br J Anaesth. 2003; 91(3):390-396.

Haemmerich D, Wright AW, Mahvi DM, Lee Jr FT, Webster JG. Hepatic bipolar radiofrequency ablation creates coagulation zones close to blood vessels: finite element study. Med Biol Eng Comput 2003; 41(3):317-323.

Hafemann B, Ghofrani K, Gattner H-G, Stieve H, Pallua N. Cross-linking by 1-ethyl-3-(3-dimethylaminopropyl)-carbodiimide (EDC) of a collagen/elastin membrane meant to be used as a dermal substitutE. Effects on physical, biochemical and biological features in vitro. Journal of Materials SciencE. Materials in Medicine 2001, 12(5): 437-446

Hafezi B. Telethermography ClinicalApplications For The Definative Diagnosis Of Soft Tissue Injuries (abstract). European Journal of Thermology 8: 106 , 1998

Hafezi FF. Treatment of myofascial pain syndrome anf fibromyalgia and related neuropathic pain, a novel method. Thermol intern 2001, 11(3):144

Häfner J, Golombeck MA, Dössel O Development of a cost-effective and MRI compatible temperature measurement system. Biomed Tech (Berl) 2002, 47 Suppl 1 Pt 2: 664-7.

Hagiwara K, Ougizawa T, Inoue T, Hirata K, Kobayashi Y Studies on the free volume and the volume expansion behavior of amorphous polymers. Radiation Physics and Chemistry 2000: 58(5-6): 525-530

Hagobian TA. Jacobs KA. Kiratli BJ. Friedlander AL. Foot Cooling Reduces Exercise-Induced Hyperthermia in Men with Spinal Cord Injury. Med Sci Sports Exerc. 2004; 36(3) 411-417.

Hagooly A, Sasson R, Rozen S. A novel method for the preparation of a,a' -difluoroesters and acids using BrF3. J Org Chem 2003; 68(21):8287-8289.

Hahn M. Junger M. Shore AC. The effect of prostaglandin E1 on nailfold capillary blood pressure and red blood cell velocity in humans. Clin Hemorheol Microcirc. 2004.31(3)227-234.

Haimovici N. Bemerkungen zum Thema der thermischen Physiologie und Pathophysiologie der Gelenke ThermoMed 5: 23-28. 1989

Haimovici N. Die Elektronische Computerisierte Contakt Thermographie (ECCT System) als Oberflächentemperatur-Bestimmungsmethode und ihre Ergebnisse bei gesunden peripheren Gelenken. Ein weiterer Beitrag zum Thema der Thermologie der Gelenke. ThermoMed 7: 38-45. 1991

Haines ST, Bussey HI. Diagnosis of deep vein thrombosis. American Journal of Health-System Pharmacy 54(1):66-74. 1997

Haker E, Egekvist H, Bjerring P. Effect of sensory stimulation (acupuncture) on sympathetic and parasympathetic activities in healthy subjects. J Auton Nerv Syst. 2000,79(1):52-9.

Hakguder A, Birtane M, Gurcan S, Kokino S, Nesrin Turan F. Efficacy of low level laser therapy in myofascial pain syndrome: An algometric and thermographic evaluation. Lasers Surg Med. 2003;33(5):339-43.

Halabe UB, Martinelli DR, Petro SH. Enhancing quality control in transportation construction through nondestructive testing. IN. Baaklini GY, Lebowitz CA, Boltz ES, editors, Nondestructive Evaluation of Aging Materials and Composites III, Proceedings Of The Society Of Photo-Optical Instrumentation Engineers (SPIE) Vol.3585.Bellingham, 1999, p.190-6.

Halachmi I. Designing the automatic milking farm in a hot climate. J Dairy Sci. 2004; 87(3):764-75.

Halaj M, Kurekova E, Neuschl S. Bezdotykove Meranie Povrchovych Teplot V Medicine [Non-Contact measurement of the surface temperature in medicine]. Lekar a Technika 1999, 30(1): 4-10.

Haldeman S. Diagnostic tests for the evaluation of back and neck paIn.Neurologic Clinics 14:103-117. 1996

Hale KD, Weigent DA, Gauthier DK, Hiramoto RN, Ghanta VK. Cytokine and hormone profiles in mice subjected to handling combined with rectal temperature measurement stress and handling only stress. Life Sci. 2003; 72(13):1495-1508.

Hales J. R.S. Practical considerations in the use of microspheres for evaluation of cardiovascular and thermoregulatory interactions. IN. Mabuchi K, S.Mizushina, B.Harrison (eds.) Advanced Techniques and Clinical Application in Biomedical Thermologie, harwood academic publishers Chur/Schweiz p. 127-146. 1994

Hales J. R.S. Use of microspheres for evaluation of cardiovascular and thermoregulatory interactions. (abstract) Biomed Thermol 12: 272-273. 1992

Haley CD. Gordon CJ. Taylor NAS. Jenkins AB. Investigating high-amplitude oscillations in rat tail skin blood flow during core heating and cooling. J Thermal Biol. 2004. 29(7-8 Spec. Iss.)779-783.

Haley CD. Zeyl A. Taylor NAS. Jenkins AB. Novel, high-amplitude blood-flow oscillations in vasodilating human skin. J Thermal Biol. 2004; 29(7-8 Spec. Iss.)717-723.

Haley JC. Lodge TP. Failure of time-temperature superposition in dilute miscible polymer blends. Colloid & Polymer Sci 2004; 282(8): 793-801.

Hall A, Girkin JM. A review of potential new diagnostic modalities for caries lesions. J Dent Res. 2004;83 Spec No C:C89-94.

Hall DM, Buettner GR, Oberley LW, Xu L, Matthes RD, Gisolfi CV Mechanisms of circulatory and intestinal barrier dysfunction during whole body hyperthermia. American Journal of Physiology - Heart and Circulatory Physiology 2001, 280(2): H509-H521

Hall M, Shurr DG, Zimmerman MB, Saltzman CL. Plantar foot surface temperatures with use of insoles. Iowa Orthop J. 2004; 24:72-5.

Hallard R, Merienne MC. Aerospike nozzle tests. IN. Harris RA, editor, Proceedings of the Third European Symposium On Aerothermodynamics For Space Vehicles, ESA Special Publications, Vol.420, Paris, 1999, p. 387-394

Hall-Craggs MA. Interventional MRI of the breasT. minimally invasive therapy. Eur Radiol. 2000,10(1):59-62.

Halldorsson A. Thordarson P. Kristinsson B. Magnusson CD. Haraldsson GG. Lipase-catalysed kinetic resolution of 1-O-alkyl- glycerols by sequentialtransesterification. Tetrahedron-Asymmetry. 15(18): 2893-2899. 2004;

Halle B. Biomolecular cryocrystallography: Structural changes du- ring flash-cooling. Proc Nat Acad Sci USA. 2004. 101(14) 4793-4798.

Halliday SP. Beggs CB. Desiccant cooling at the University of Lincoln: A case study. Indoor Built Environ. 2004; 13(4)277-285.

Halvorson I, R Zimmerman J ThornhilL. Computer interface and software analysis for multi-channel, on-line temperature recording to any micro-computer. Computers in Biology and Medicine 22: 83-95. 1992

Ham JM, Heilman J L. Experimental Test of Density and Energy-Balance Corrections on Carbon Dioxide Flux as Measured Using Open-Path Eddy Covariance. Agron J. 2003; 95: 1393 - 1403.

Haman F, Legault SR, Rakobowchuk M, Ducharme MB, Weber JM. Effects of carbohydrate availability on sustained shivering II. Relating muscle recruitment to fuel selection. J Appl Physiol. 2004; 96(1):41-9.

Haman F, Legault SR, Weber JM. Fuel selection during intense shivering in humans: EMG pattern reflects carbohydrate oxidation. J Physiol. 2004; 556(Pt 1):305-13.

Hamilton MM. Laser treatment of pigmented and vascular lesions in the office. Facial Plast Surg. 2004 ; 20(1):63-9.

Hammiche A, Price DM, Dupas E, Mills G, Kulik A, Reading M, Weaver JM, Pollock HM. Two new microscopical variants of thermomechanical modulatioN. scanning thermal expansion microscopy and dynamic localized thermomechanical analysis. J Microsc. 2000,199 (Pt 3):180-90

Hammiche A. Bozec L. Pollock HM. German M. Reading M. Progress in near-field photothermal infra-red microspectroscopy. J Microscopy. 2004; 213(2): 129-134.

Hamsch M, Hoffmann R, Buff W, Binhack M, Klett S. An inter- roation unit for passive wireless SAW sensors based on fourier trans- form. IEEE Trans Ultrason Ferroelectr Freq Control. 2004; 51(11): 1449-56.

Han B, Bischof JC. Direct cell injury associated with eutectic crystallization during freezing. Cryobiology. 2004; 48(1):8-21.

Han B, Bischof JC. Thermodynamic Nonequilibrium Phase Change Behavior and Thermal Properties ofBiological Solutions for Cryobiol Applications. J Biomechl Engin. 126(2): 196-203. 2004;

Han J, Goncharov V, Kaledin LA, Komissarov AV, Heaven MC. Electronic spectroscopy and ionization potential of UO2 in the gas phase. J Chem Phys. 2004; 120(11):5155-63.

Han J-Y., Kim Y-S, Lee K-S. Cold Stress Test For The Diagnosis of Cold Hypersensitivity On Hands. (abstract). Thermol int 2003,13, 38

Han KY, Kim YS, Lee KS. The Relatinship between Peripheral Blood Flow and Cerebral Blood Supply on D.I.T.I. and TCD. J Korean Med Thermol 2002, 2(1):68-69

Han SC, Harrison P. Myofascial pain syndrome and trigger-point management. Regional Anesthesia 22(1): 89-101. 1997

Han SK, Nedashkovskaya OI, Mikhailov VV, Kim SB, Bae KS. Salinibacterium amurskyense gen. nov., sp. nov., a novel genus of the family Microbacteriaceae from the marine environment. Int J Sys Evol Microbiol. 2003; 53(6): 2061-2066.

Han YM, Bjarnason H, Gu X, Kong H, Urness M, Gunter R, Amplatz K Renal artery embolization with diluted hot contrast mediuM. an experimental study. Journal Of Vascular And Interventional Radiology 2001. 12 (7) 862-8

Hancox CI. Doret SC. Hummon MT. Luo L. Doyle JM. Magnetic trapping of rare-earth atoms at millikelvin temperatures. Nature. 2004;; 431(7006): 281-284.

Hand JW, Lagendijk JJ, Hajnal JV, Lau RW, Young IR SAR and temperature changes in the leg due to an RF decoupling coil at frequencies between 64 and 213 MHz. Journal Of Magnetic Resonance Imaging 2000. 12 (1) 68-74

Hand JW, Van Leewen GMJ, Mizushina S, Van de Kamer JB, Maruyama K, Sugiura T, Azzopardi DV, Edwards AD Monitoring of deep brain temperature in infants using multi-frequency microwave radiometry and thermal modelling. Physics in Medicine and Biology 2001, 46(7) 1885-1903

Handelsman H. Thermography for indications other than breast lesions. Health Technol Assess Rep (2): 1-32.1989

Handwerker HO. Der Wirkungsnachweis von Ibuprofen und anderen nichtsteroidalen Antirheu-matika in der experimentellen Algesimetrie. Z Rheumatol 50: Suppl 1:15-18. 1991

Hanneman SK, Jesurum-Urbaitis JT, Bickel DR. Comparison of methods of temperature measurement in swine. Lab Anim. 2004; 38(3): 297-306.

Hannerz J, Greitz D, Hansson P, Ericson K. SUNCT may be another manifestation of orbital venous vasculitis. Headache, 32:384-389. 1992

Hans D, Ojasoo T, Dore J-C. Deaths from breast canceR. Tackling multidimensionality and non-linearity by correspondence analysis. Journal of Steroid Biochemistry and Molecular Biology 2001, 74(4): 195-202

Hansen J, Nazarenko L. Soot climate forcing via snow and ice albedos. Proc Natl Acad Sci U S A. 2004; 101(2):423-8.

Hansen J, Sato M. Greenhouse gas growth rates. Proc Natl Acad Sci U S A. 2004; 101(46):16109-14.

Hansen J. Defusing the global warming time bomb. Sci Am. 2004; 290(3):68-77.

Hansen PR. [Thermography: a hot trail in the search for the vulnerable atherosclerotic plaque?] Ugeskr Laeger. 2003 May 12;165(20):2095-6.

Hansen RD, Amos D, Leake B.Infrared tympanic temperature as a predictor of rectal temperature in warm and hot conditions.Aviation Space And Environmental Medicine 67(1)1: 1048-1052. 1996

Hansen RD, Olds TS, Richards DA, Richards CR, Leelarthaepin B. Infrared thermometry in the diagnosis and treatment of heat exhaustion. International Journal of Sports Medicine 17:66-70.1996

Hanson BL, Schall CA, Bunick GJ. New techniques in macromolecular cryocrystallography: macromolecular crystal annealing and cryogenic helium, J Struct Biol 2003; 142, (1): 77-87

Hanssler L, Breukmann H. Hauttemperaturmessungen bei Frühgeborenen. Vergleich der Infrarot-Telethermographie und der elektrischen Berührungsthermometrie. Klinische Pädiatrie 204: 355-358. 1992

Hanssler L, Liu Y, Blank M. Infrarot-Telethermographie in der NeonatologiE. Hauttemperaturmessungen bei Neugeborenen. ThermoMed 7: 85-88. 1991

Hanssler L, Roll C, Breukmann H. Laser-Doppler -Flussmessungen bei Neugeborenen mit niedrigem Geburtsgewicht. Der Einfluß unterschiedlicher relativer Luftfeuchtigkeit auf die periphere Durchblutung. Klinische Pädiatrie 204: 359-361. 1992

Hanssler L, Roll C. Neonatal infrared-telethermography and laser doppler flowmetrY. Measurement of Skin Blood flow in low birth weight. Thermol Österr2:S19. 1992

Hanssler L, Y. Liu, d M. BlanK. Infrarot-Telethermo graphie in der NeonatologiE. Hauttemperaturmessungen bei Neugeborenen.ThermoMed 7: 85-88. 1991

Hanssler L, Y. LiU. Infrarot-TelethermographiE. Untersuchungen zum Hauttemperaturverhalten Früh- und Reifgeborener. ThermoMed 11:77-80.1995

Hanssler L, Hendricks O, J.Ranft, M.BlanK. Reaktive Hyperaemie nach arterieller OkklusioN. Vergleich der Infrarot-Tele-Thermographie und der Laser-Doppler-Fluxmetrie. VASA 24: 148-154. 1995

Hanssler L,H.BreukmanN.Einfluß unterschied- licher relativer Luftfeuchtigkeit im Inkubator auf die Hauttemperatur Neugeborener mit niedrigem Geburtsgewicht (Effect of different relativ humidity in the incunator on skin temperature of newborn infants with low birth weight). Monatsschrift für Kinderheilkunde 141:487-490. 1993

Hanus J, Zahora J. Miniature multithermocouple sensor for invasive measurement of temperature profiles. IN. Hutten H, Krösel P, eds. Proceedings Part I, EMBEC´02. 2.European Medical & Biological Engineering Conference. IFMBE, Graz, 2002. pp.316-317

Hao L, Gallop JC, Reed RP, Macfarlane JC, Romans E. Shunted YBCO bi-crystal junctions for noise thermometry. Applied Superconductivity 1997, 5/7-12: 297-301

Happersberger R, Heidrich H. Kontaktplattenthermographie mit Kaelteprovakationstests in der Diagnostik des Raynaud-Phaenomens.(Contact plate thermography with cold pravocation tests for the diagnosis of Raynaud's phenomenon). Vasa, 19 (2): 112-118. 1990

Harada N. Cold-stress tests involving finger skin temperature measurement for evaluation of vascular disorders in hand-arm vibration syndromE. review of the literature. Int Arch Occup Environ Health 2002, 75(1-2): 14-9.

Harada J, Dohi M, Yoshihiro A, Mogami T, Kuwada T, Nakata N. Interventional MRI. Japanese Journal of Clinical Radiology 2000. 45(6):733-44

Harada J, Ogawa K. X-ray diffraction analysis of nonequilibrium states in crystals: observation of an unstable conformer in flash-cooled crystals. J Am Chem Soc. 2004;126(11):3539-44.

Harada K, Shen W-J, Patel S, Nat V, Wang J, Ousa J-I, Ishibashi S, Kraemer FB Resistance to high-fat diet-induced obesity and altered expression of adipose-specific genes in HSL- deficient mice Am J Physiol Endocrinol Metab, 2003; 285: 1182 - 1195.

Harangi SZ,. Downes H,. Kósa L, Szabó CS,. Thirlwall MF, Mason PRD, Mattey D, Almandine Garnet in Calc-alkaline Volcanic Rocks of the Northern Pannonian Basin (Eastern–Central Europe): Geochemistry, Petrogenesis and Geodynamic Implications J. Petrology 2001, 42: 1813 - 1843.

Harazin B, Kuprowski J, Harazin-Lechowska A. [Comparison of vibrotactile thresholds in women obtained with two psychophysical measurement methods] Med Pr. 2004;55(4):321-8.

Harden N, Weber R, Alves A, Gross M, Bercaw B, Lomazo S, Leon-Barth C, Morariu A, Fuessner G, Ng K, et al. Comment on the AAN thermography report. Neurology 40 (4): 728. 1990

Harders H, Heisig N, Tilsmer V. Iinfrarotthermographie beim Paget-v. Schroetter-Syndrom. (Infrared thermography in Paget-von Schroetter Syndrome). Angiologica, 4 (5): 295-298. 1967

Hardin MT, Mitchell DA, Howes T. Approach to designing rotating drum bioreactors for solid-state fermentation on the basis of dimensionless design factors. Biotechnology and Bioengineering 2000, 67(3): 274-282

Harding G, Thran A, David B. Liquid metal anode X-ray tubes and their potential for high continuous power operation, Radn Phys Chem, 2003; 67 (1): 7-14.

Harding J. R, A.M. WrighT. Non-Invasive Imaging in the Investigation of Deep Vein Thrombosis in Pregnancy. Proc 1996 IEEE Engineering in Medicine & BiologY.126-127. 1996

Harding J. R, Wright A. M. Non-Invasive imaging in the investigation of deep veln thrombosis in pregnancy. IN. Balageas D, Busse G, Carlomagno, C, Więcek B, editors, Quantitative InfraRed Thermography 4: Medical InfraRed Thermography, MIRT´98. Eurotherm Seminar 60 Proceedings, Łódź, 1999. p.29-31

Harding J.R , D.F.Wertheim, R.J.Williams, J.M.Melhuish, D. Banerjee, K.G.HardinG. Infrared Imaging In Diabetic Foot Ulceration European Journal of Thermology 8: 145-149 , 1998

Harding J.R, Liquid crystal thermography in the investigation of deep venous thrombosiS. A prospective study of 800 patients. Thermol Österr4:183. 1994

Harding J.R, Wertheim DF, Williams RJ, Melhuish JM, Banerjee D, , Harding KG. Thermographic Monitoring of Antibiotic Therapy for Osteomyelitis in Patients with Diabetic Foot Ulcers (abstract). Thermol intern 1999, 9(4):

Harding J.R. : Infra-Red Imaging In Deep Vein Thrombosis (abstract). European Journal of Thermology 8: 107 , 1998

Harding J.R. Thermal imaging in the investigation of deep venous thrombosis. IN. Balageas D, Busse G, Carlomagno, C, Więcek B, editors, Quantitative InfraRed Thermography 4: Medical InfraRed Thermography, MIRT´98. Eurotherm Seminar 60 Proceedings, Łódź, 1999. p.26-28

Harding J.R. Thermal imaging in the investigation of deep venous thrombosis. (abstract) Thermol Österr 7(2): 69. 1997

Harding J.R. Thermal Imaging in the Investigation of DVT. European Journal of Thermology 8: 7-120. 1998

Harding J.R.LCT in the Investigation of Suspected Deep Venous Thrombosis in Pregnancy. (abstract). Thermol Österr 5: 111. 1995

Harding J.R.Thermography can make conventional investigations of deep venous thrombosis unnecessary. ThermoMed 1996, 12: 72-81.

Harding JR, Melhuish JM, Krishnamoorthy L, Wertheim DF, Clark M, Williams RJ, Harding KG.Assessment of Raynaud's Phenomenon Using a Hand Held Infrared Scanner (abstract) Thermol intern 2000, 10(2):100

Harding JR, Barnes K M. Is DVT excluded by normal thermal imaging? - an outcome study of 700 c.ases. IN. Balageas D, Busse G, Carlomagno, C, Więcek B, editors, Quantitative InfraRed Thermography 4: Medical InfraRed Thermography, MIRT´98. Eurotherm Seminar 60 Proceedings, Łódź, 1999. p.32-35

Harding JR, Barnes KM. Is DVT excluded by normal thermal imaging? - An outcome study of 700 cases.IN.Proceedings of the 19th Annual International Conference of the IEEE Engineering in Medicine and Biology Society, Vol 19. PTS 1-6. IEEE, New York, 1997, P. 649-51.

Harding JR, DF Wertheim, RJ Williams , JM Melhuish, D Banerjee, KG HardinG. Infra-Red Imaging In Diabetic Foot Ulceration (abstract). European Journal of Thermology 8: 183 , 1998

Harding JR, DF Wertheim, RJ Williams ,JM Melhuish , D.Banerjee,KG HardinG. Infra-Red Imaging in Diabetic Foot Ulceration (abstract). European Journal of Thermology 8: 117 , 1998

Harding JR, Melhuish JM, Krisnamoorthy J, Harding KG, Wertheim DF, Clark M. Assessment of Raynaud's phenomenon with a hand held infra-red scanner. Thermol intern 2002. 12: 68

Harding JR, Wertheim DF, Williams RJ, Melhuish JM, , Harding KG. Thermal imaging in diabetic foot ulceration. Thermol intern 2002. 12: 78

Harding JR, Wertheim DF, Williams RJ, Melhuish JM, Banerjee D, Harding KG. Infrared imaging in diabetic foot ulceration. IN. Chang HK, Zhang YT, editors,Proceedings of Annual International Conference Of The IEEE Engineering in Medicine and Biology Society, Biomedical Engineering Towards The Year 2000 And Beyond, Vol.20. Part 1-6.IEEE, New York, 1998. p. 916-8.

Harding JR, Wertheim DF, Williams RJ, Melhuish JM, Banerjee RD, Harding KG. Infrared Imaging in Diabetic Foot Ulceration. (abstract). Thermol intern 1999, 9(1): 31.

Harding JR, Wertheim DF, Williams RJ,.Melhuish JM, Banerjee D, Harding KG. Infra-red Imaging in Diabetic Foot Ulcers (abstract). Thermol intern 2000, 10 (1): 39-40.

Harding JR, Wright AM. Non-invasive imaging in the investigation of deep vein thrombosis in pregnancy. IN. Boom H, Robinson C, Rutten W, Neuman M, Wijkstra H (eds): Proceedings of the 18th Annual International Conference of the IEEE Engineering in Medicine ind Biology Society, Vol 18. Pts 1-5. I E E E New York, pp. 2095-2096. 1997

Harding JR, Wright AM. Thermal Imaging in the Investigation of Deep Vein Thrombosis in Pregnancy. Thermol intern 1999, 9(3):106-109

Harding JR,.Wertheim DF, Williams RJ, Melhuish JM, Banerjee D, Harding KG. Thermographic Monitoring of Antibiotic Therapy for Osteomyelitis in Patients With Diabetic Foot Ulcers. (abstract) Thermol intern 1999, 9(2):71.

Harding JR,.Wertheim DF, Williams RJ, Melhuish JM, Banerjee D, Harding KG. Infrared imaging in diabetic foot ulceration. IN. Balageas D, Busse G, Carlomagno, C, Więcek B, editors, Quantitative InfraRed Thermography 4: Medical InfraRed Thermography, MIRT´98. Eurotherm Seminar 60 Proceedings, Łódź, 1999. p.36-39.

Harding JR. Diagnosing pulmonary embolism (letter, comment). BMJ, 310: 467.1995

Harding JR. Investigating deep venous thrombosis with infrared imaging. IEEE Engineering In Medicine And Biology Magazine 1998. 17 (4): 43-6.

Harding JR. LCT in the Investigation of DVT. A Prospective Study of 800 Patients. (abstract). Thermol Österr 5: 111. 1995

Harding JR. Thermal imaging in deep vein thrombosis. Imaging 1998, 10(3)-4: 139-43.

Harding JR. Thermal imaging in the investigation of deep vein thrombosis. Thermol intern 2002. 12: 77

Harding JR; Banerjee D; Wertheim DF; Williams RJ; Melhuish JM; Harding KG. Infrared Imaging in the Long-term Follow Up of Osteomyelitis Complicating Diabetic FootUlceration. In Proceedings of The First Joint BMES/EMBS Conference Serving Humanity, Advancing Technology, Atlanta, 1999, pp.1104

Harding JR; Wertheim DF; Williams RJ; Melhuish JM; Banerjee D, Harding KG. Infrared Imaging in Diabetic Foot Ulceration. In: Proceedings of the 20th Annual International Conference of the IEEE-EMBS,Hong Kong, 1998, p. 916

Harding, J. R.. Kathryn M BarneS. Is DVT Excluded By Normal Thermal Imaging? - An Outcome Study Of 700 Cases. (abstract). European Journal of Thermology 8: 183. 1998

Hardinig J.R. Liquid crystal thermography in the investigation of deep venous thrombosiS. A prospective study of 800 patients IN. Ammer K, EFJ Ring (eds): The Thermal Image in Medicine and Biology, Uhlen Verlag, Wien,pp. 232-236. 1995

Hardy PA, Bowsher DR Contact thermography in idiopathic trigeminal neuralgia and other facial .pains. Br J Neurosurg, 3 (3): 399-401. 1989

Hardy PAJ. Studies of the mechanism of transcutaneous electrical nerve stimulation using thermal thresholds and skin thermography. Pain Clinic 6:233-239.1993

Harff GA, Vrijland CCA, Dijkstra JB, Van den Bosch MJA. Schonberger JPAM. Impact of allogenic blood transfusions on temperature, platelet count and differential leukocyte count of patients after coronary artery bypass grafting. Clin Laboratory. 2003; 49(3-4):143-146).

Harig R. Passive remote sensing of pollutant clouds by Fourier- transform infrared spectrometry: signal-to-noise ratio as a function of spectral resolution. Appl Opt. 2004; 43(23):4603-10.

Harikishan S. Sung S. Cattle waste treatment and Class A biosolid production using temperature-phased anaerobic digester. Adv Environl Res. 2003; 7(3):701-706

Harioka T, Matsukawa T, Ozaki M, Nomura K, Sone T, Kakuyama M, Toda H. 'Deep-forehead' temperature correlates well with blood temperature. Canadian Journal of Anesthesia 2000, 47(10): 980-983

Harjunpaa S, Rouvinen-Watt K. The development of homeo-t hermy in mink (Mustela vison). Comp Biochem Physiol A Mol Integr Physiol. 2004; 137(2):339-48.

Harkins JD, Mundy GD, Stanley S, Woods WE, Sams RA, Richardson DR, Tobin T. Character and duration of pharmacological effects of intravenous isoxsuprine. Equine Veterinary Journal 28 (4): 320-326.1996

Harley SL, Carrington DP The Distribution of H_2O between Cordierite and Granitic MelT. H_2O Incorporation in Cordierite and its Application to High-grade Metamorphism and Crustal Anatexis J. Petrology 2001, 42: 1595 - 1620.

Harley SL. On the occurrence and characterization of ultrahigh-temperature crustal metamorphism. IN. Taylor PJ, Obrien PJ, editorS. What Drives Metamorphism and Metamorphic Reactions? Geological Society Special Publication, Issue 138. p.81-107

Harlov DE, Förster H-J. High-Grade Fluid Metasomatism on both a Local and a Regional ScalE. the Seward Peninsula, Alaska, and the Val Strona di Omegna, Ivrea–Verbano Zone, Northern Italy. Part II. Phosphate Mineral Chemistry J. Petrology 2002, 43: 801 - 824. .

Harlov DE, Förster H-J. High-Grade Fluid Metasomatism on both a Local and a Regional ScalE. the Seward Peninsula, Alaska, and the Val Strona di Omegna, Ivrea–Verbano Zone, Northern Italy. Part I. Petrography and Silicate Mineral Chemistry J. Petrology 2002, 43: 769 - 799. .

Harnes P.C, D. V,Land.- Finite element analysis of microwave thermographic images. IN. Ammer K, EFJ Ring (eds): The Thermal Image in Medicine and Biology, Uhlen Verlag, Wien,pp. 70-75. 1995

Harness P.C, D.V.LanD. Finite element analysis of microwave thermographic images. Thermol Österr4:162. 1994

Harper B. Uncooled detector Systems. Thermol Österr4:160. 1994

Harper CM Jr, Low Pa, Fealey RD, Chemlimsky TC, Proper CJ, Gillen DA. Utility of thermography in the diagnosis of lumboscaral radiculopathy. Neurology 41: 1010-1014. 1991

Harper D.L.Normal and Abnormal Thermal Patterns in Equine Feet. Thermol intern 2001, 11(3):140-141

Harper D.L.Obtaining Images in Less Than Ideal Environments. Thermol intern 2001, 11(3):140

Harper DL. Practical Considerations In Evaluating Thermal Images For Peripheral Sympathetic Nerve Dysfunction. Thermol int 2003,13,41.

Harper DL. Restoring credibility to Vet thermographic exams (abstract). Thermol int 2004, 14(3): 108.

Harper LA. Sharpe RR. Parkin TB. De Visscher A. Van Cleemput O. Byers FM. Nitrogen cycling through swine production systems: Ammonia, dinitrogen, andnitrous oxide emissions. J Environ Quality. 2004;33(4): 1189-1201.

Harré E-M, Roth J, Pehl U, Kueth M, Gerstberger R, Hübschle T. Molecular Biology of ThermoregulatioN. Selected ContributioN. Role of IL-6 in LPS-induced nuclear STAT3 translocation in sensory circumventricular organs during fever in rats J Appl Physiol 2002, 92: 2657 - 2666.

Harrigan MT. Industrial Biotechnology Education: A Model of Collaboration between Industry and Academia. Biochem Educ., 2003; 31: 142 - 144.

Harrington RA. Antithrombotic therapy and the invasive cardiac catheterization management strategy: the intracoronary stenting with antithrombotic regimen cooling-off trial. Curr Cardiol Rep. 2004; 6(4): 271.

Harris J., Smith JW, Pascoe DD. Thermography of skin temperatures following running at different intensities (abstract). Thermol int 2004, 14(3): 111-112.

Harris N, Elvins D, Mc Hugh N. A laser Doppler imaging protocol for patients with connective tissue disease. Thermol intern 2002. 12: 71

Harrison B, Mabuchi K. Biomedical infrared imaging in Japan. IEEE Engineering In Medicine And Biology Magazine 1998. 17 (4): 66-70.

Harrison B, Mabuchi K. Biomedical infrared imaging in JapaN. Present status and future strategies.IN.Proceedings of the 19th Annual International Conference of the IEEE Engineering in Medicine and Biology Society, Vol 19. PTS 1-6. IEEE, New York, 1997, P. 640-3

Harrison BA. Shine TSJ. De Ruyter ML. Murray MJ. Kottenber g- Assenmacher EPeters J. Spinal Cord Temperature [8] (multiple letters). Anesthesiology. 100(1): 198-199. 2004;

Harrison DK, Cook AIM. Breast tumour detection using functional parametric thermographic imaging.- Thermol intern 2002. 12: 75

Harrison DK, Hanson JM, Hawthorn IE. Thermographic imaging and skin oxygen saturation measurements applied to routine clinical prediction of amputation level viability. Thermol intern 2002. 12: 78

Harrison DK, NC.Abbot, JS. Beck, PT. McColluM. Laser doppler perfusion imaging compared with lightguide laser doppler flowmetry, dynamic thermographic imaging and tissue spectrophotometry for investigating blood flow in human skIn. Advances In Experimental Medicine And Biology 345:853-859.1994

Harrison RM, Smith SO, Poberts JA. Testicular temperatures measured by thermistor probe and contact thermography. Fertil Steril, 54 (1): 173-174. 1990

Hart J, Owens EF Jr. Stability of paraspinal thermal patterns during acclimation. J Manipul Physiol Ther. 2004; 27(2):109-17.

Harte J, Ostling A, Green JL, Kinzig A. Biodiversity conservation: climate change and extinction risk. Nature. 2004 Jul 1;430(6995):33

Hartinger J, Kulbs D, 2003; kers P, Cussler K. Suitability of temperature-sensitive transponders to measure body temperature during animal experiments required for regulatory tests. ALTEX. 2003;20(2):65-70.

Hartmann C, Delgado A, Szymczyk J. Convective and diffusive transport effects in a high pressure induced inactivation process of packed food, J Food Eng, 2003; 59, (1) 33-44

Harto SL, Miranda OB, Garcia PB, Yague JIM, Vicente MAM. La Consulta de Patologia Mamaria. GINE-DIPS 28/5:193-229. 1997

Harun-Ar-RashiD. importance of thermovision in radial mononeuropathy of compressive and ischaemic origIn. Bangladesh Med Res Counc Bull, 15 (2): 60-66. 1989

Harvey SD, Peters TJ, Wright BW. Safety considerations for sample analysis using a near-infrared (785 nm) Raman laser source. Appl Spectrosc. 2003 ;57(5):580-7.

Harway RA, Wetzel FT. The treatment of chronic extremity pain in failed lumbar surgerY. the role of lumbar sympathectomy (letter, comment) SPINE, 18: 2367-2368.1993

Harway RA. Reflex sympathetic dystrophy and pain dysfunction in the lower extremity (letter) Journal of Bone ond Joint Surgery. American Volume 79(1)2: 1894-1895. 1997

Haschke JM, Allen TH, Morales LA : Reaction of plutonium dioxide with wateR. Formation and properties of PuO(2+ x). Science 2000, 287(5451): 285-287

Hasegawa A, Hamada Y, Mehandjiev T, Koyama K. In vitro growth and maturation as well as fertilization of mouse preantral oocytes from vitrified ovaries. Fertil Steril. 2004; 81 Suppl 1:824-30.

Hasegawa H, Ishiwata T, Saito T, Yazawa T, Aihara Y, Meeusen R. Inhibition of the preoptic area and anterior hypothalamus by tetrodotoxin alters thermoregulatory functions in exercising rats. J Appl Physiol. 2004; Epub ahead of print

Hasegawa T. Hashikawa S-N. Nakamura T. Torii K. Ohta M. Factors determining prognosis in streptococcal toxic shock-like syn-d rome:Results of a nationwide investigation in Japan. Microbes Infect. 2004; 6(12): 1073-1077.

Haselkorn JK, JA.Turner, PK.Diehr, MA. Ciol, RA.DeyO. Meta-analysiS. A useful tool for the spine researcher Spine 19 (Suppl): 2076S-2082S,1994/

Haseloh S. Sung YC. Mamak M. Coombs N. Petrov S. Chopra N. Ozin GA. Towards flexible inorganic 'mesomaterials': One-pot low temperature synthesis ofmesostructured nanocrystalline titania. Chemi Communic. 2004;10(13): 1460-1461.

Hasenfuss G, Mulieri LA, Holubarsch C, Pieske B, Just H, Alpert NR. Energetics of calcium cycling in nonfailing and failing human myocardium. Basic Research in Cardiology, 87 (Suppl 2): 81-92. 1992

Hashiguchi K, Hashimoto K. Effects of KrF excimer laser irradiation on human dental enamel. Okajimas Folia Anat Jpn. 2000,76(6):321-33.

Hashiguchi N, Tochihara Y, Ohnaka T, Tsuchida C, Otsuki T. Physiological and subjective responses in the elderly when using floor heating and air conditioning systems. J Physiol Anthropol Appl Human Sci. 2004;23(6):205-13.

Hashimoto M, Yamamoto N. Decrease in heart rates by artificial CO2 hot spring bathing is inhibited by beta1-adrenoceptor blockade in anesthetized rats. J Appl Physiol. 2004; 96(1):226-32.

Hashiro M, Y.Fujio, T.Tanimoto, M.OkumurA. Regression of Two Lesions of Cutaneous T-cell Lymphoma After Moxibustion. European Journal of Dermatology 4:117-120.1994

Hassan M, Kimura Y, Asai A, Shimase A, Fukuoka M, Togawa T. Imaging of skin thermal properties by changing ambient radiation temperature - An electrical control system for stepwise change in ambient radiation temperature. IN. Chang HK, Zhang YT, editors,Proceedings of Annual International Conference Of The IEEE Engineering in Medicine and Biology Society, Biomedical Engineering Towards The Year 2000 And Beyond, Vol.20. Part 1-6.IEEE, New York, 1998. p. 936-9

Hassan M, Little RF, Vogel A, Aleman K, Wyvill K, Yarchoan R, Gandjbakhche AH. Quantitative assessment of tumor vasculature and response to therapy in kaposi's sarcoma using functional noninvasive imaging. Technol Cancer Res Treat. 2004; 3(5):451-7.

Hassan M, Togawa T Observation of skin thermal inertia distribution during reactive hyperaemia using a single-hood measurement system. Physiological Measurement 2001. 22 (1) 187-200

Hau PP-Y, Scudds RA, Harth M. An evaluation of mechanically induced neurogenic flare by infrared thermography in fibromyalgia. Journal of Musculoskeletal Pain 43: 3-20. 1996

Hauer JL, OM Boland, DJ Ewing, BF ClarkE. Hand skin flow in diabetic patients with autonomic neuropathy and microangiopathy. Diabetes Care 14: 897-902. 1991

Hauert R, Müller U. An overview on tailored tribological and biological behavior of diamond-like carbon, Diamond Rel Mat, 2003; 12, (2): 171-177.

Haufschild T, Prunte C, Messerli J, Flammer J. Increased endo-t helin-1 plasma level in young adults with retinal vascular occlusive diseases. Klin Monatsbl Augenheilkd. 2004; 221(5):357-9.

Haussecker H, Schimpf U, Jahne B. Measurements of the air-sea gas transfer and its mechanisms by active and passive thermography. IN. Stein TI (ed): IGARSS 98 - 1998 International Geoscience and Remote Sensing Symposium, Proceedings Vols 1-5 Sensing and Managing the Environment, I E E E, New York, pp. 484-486. 1998

Havea P, Carr AJ, Creamer LK. The roles of disulphide and non-covalent bonding in the functional properties of heat-induced whey protein gels. J Dairy Res. 2004; 71(3):330-9.

Haveman J, Smals OAG, Rodermond HM. Effects of hyperthermia on the rat bladder: A pre-clinical a study on thermometry and functional damage after treatment. Int J Hyperther. 2003; 19(1):45-57

Hawkins GF, Johnson EC, Nokes JP. Detecting manufacturing flaws in composite retrofits. IN. Chase SB, editor, Nondestructive Evaluation of Bridges and Highways III, Proceedings of the Society of Photo-Optical Instrumentation Engineers (SPIE) Vol.3587.Bellingham, 1999. p. 97-104

Hawkins MG, Wright BD, Pascoe PJ, Kass PH, Maxwell LK, Tell LA. Pharmacokinetics and anesthetic and cardiopulmonary effects of propofol in red-tailed hawks (Buteo jamaicensis) and great horned owls (Bubo virginianus). Am J Vet Res. 2003; 64(6):677-683

Hay AD, Peters TJ, Wilson A, Fahey T.The use of infrared thermo- m etry for the detection of fever. Br J Gen Pract. 2004; 54(503):448-50.

Hay JE. Acute Liver Failure. Curr Treat Options Gastroenterol. 2004; 7(6):459-468.

Hayama T. Ogawa H. Contralateral representation of tongue thermal information in the rat thalamus. Brain Res. 2003; 991(1-2):245-248

Hayase Y, Wakasa T, Uemura M, Adachi K, Ochi S, Kishi K. Clinical evaluation of thermography in the diagnosis of malignant tumors in the oral and maxillofacial region. Oral Radiology 8:11-17. 1992

Hayashi C, Tokura H. The effects of two kinds of mask (with or without exhaust valve) on clothing microclimates inside the mask in participants wearing protective clothing for spraying pesticides. Int Arch Occup Environ Health. 2004 Jan;77(1):73-8

Hayashi K, Hecht P, Thabit G 3rd, Peters DM, Vanderby R Jr, Cooley AJ, Fanton GS, Orwin JF, Markel MD. The biologic response to laser thermal modification in an in vivo sheep model. Clin Orthop. 2000,(373):265-76.

Hayashi K, Peters DM, Thabit G 3rd, Hecht P, Vanderby R Jr, Fanton GS, Markel MD. The mechanism of joint capsule thermal modification in an in-vitro sheep model. Clin Orthop. 2000,(370):236-49.

Hayashi K. Honda Y. Ogawa T. Wada H. Kondo N. Nishiyasu T. Effects of brief leg cooling after moderate exercise on cardiorespiratory responses to subsequent exercise in the heat. Eur J Appl Physiol. 2004; 92(4-5): 414-420.

Hayashi M. Temperature-electrical conductivity relation of water for Environalmonitoring and geophysical data inversion. Environal Monitoring & Assessment. 96(1-3): 119-128. 2004;

Hayden G. Milne HC. Patterson MJ. Nimmo MA. The reproducibility of closed-pouch sweat collection and thermoregulatory responses to execise-heat stress. Eur J Appl Physiol. 2004. 91(5-6)748-751.

Hayek SM. Mekhail NA. Complex Regional Pain Syndrome: Re-de fining Reflex Sympathetic Dystrophy and Causalgia. Physician Sports Med. 2004; 32(5.

Hayes BT. Merrick MA. Sandrey MA. Cordova ML. Three-MHz ultrasound heats deeper into the tissues than originally theorized. J Athletic Training. 2004; 39(3): 230-234.

Hayt DB, Binkert BL. An overview of noninvasive methods of deep vein thrombosis detection. Clin Imaging 14: 179-197. 1990

Hazelton DJ, Bowd KL, Liddle JLM, Balcomb AC, Hazelton KA. Vaccine storage. Medical Journal of Australia 201, 174(10): 545

Hazle JD, RJ Stafford, Price RE. MR guided focused ultrasound ablation in an animal model. In. Proceedings of The First Joint BMES/EMBS Conference Serving Humanity, Advancing Technology, Atlanta, 1999, pp.1269

He C, Sun J, Deng C, Zhao T, Deng M, Chen X, Jing X. Study of the synthesis, crystallization, and morphology of poly(ethylene glycol)- poly(epsilon-caprolactone) diblock copolymers. Biomacromolecules. 2004; 5(5):2042-7.

He Y, Dong Q, Tiersch TR, Devireddy RV. Variation in the membrane transport properties and predicted optimal rates of freezing for spermatozoa of diploid and tetraploid Pacific oyster, Crassostrea gigas. Biol Reprod. 2004; 70(5):1428-37.

Head J.F, Lipari C.A, Elliott R. L.Determination of Mean Temperatures of Normal Whole Breast and Breast Quadrants by Infrared Imaging and Image Analysis. Thermol intern 2001, 11(3):145

Head JF, Elliott RL, Keyserlingk JR, Gavin RJ, Diakides NA. Development and early results of a breast infrared database (MedATR) (abstract). Thermol int 2004, 14(3): 104.

Head JF, Elliott RL, Sterns EE. ThermographY. Its relation to pathologic characteristics vascularity proliferation rate and survival of patients with invasive ductal carcinoma of the breast.(2). Cancer 791:186-188. 1997

Head JF, Lipari CA, Elliott RL. Computerized image analysis of digitized infrared images of the breasts from a scanning infrared imaging system.IN. Andresen BF, Strojnik M, editors, Infrared Technology and Applications XXIV, Pts 1-2. Proceedings of the Society of Photo-Optical Instrumentation Engineers (SPIE) Vol.3436. Part 1-2.Bellingham, 1998, p. 290-4.

Head JF, Lipari CA, Wang F, Davidson JE, Elliott RL. Application of second generation infrared imaging with computerized image analysis to breast cancer risk assessment. IN. Boom H, Robinson C, Rutten W, Neuman M, Wijkstra H (eds): Proceedings of the 18th Annual International Conference of the IEEE Engineering in Medicine ind Biology Society, Vol 18. Pts 1-5. I E E E New York, pp. 20939-2094. 1997

Head JF, Lipari CA, Wang F, Elliott RL. Image analysis of digitized infrared images of the breasts from a first generation infrared imaging system. IN.Proceedings of the 19th Annual International Conference of the IEEE Engineering in Medicine and Biology Society, Vol 19. PTS 1-6. IEEE, New York, 1997, P. 681-4.

Head JF, Wang F, Lipari CA, Elliott RL. The important role of infrared imaging in breast cancer. IEEE Eng Med Biol Mag. 2000,19(3):52-7.

Head JF, Wang F, RL. ElliotT. Breast thermography is a noninvasive prognostic procedure that predicts tumor growth rate in breast cancer patients. Annals Of The New York Academy Of Sciences 698: 153-158.1993

Head JF., Lipari C. A,. F. Wang, J. E Davidson,. R. L.ElliotT. Application of Second Generation Infrared Imaging with Computerized Image Analysis to Breast Cancer Risk Assessment. Proc 1996 IEEE Engineering in Medicine & BiologY. 1019-1020.m 1996

Head JF., Lipari CA., Elliott RL. Determination of Mean Temperatures of Normal Whole Breast and Breast Quadrants by Infrared Imaging and Image Analysis

Head JF; Lipari CA; Elliott RL. Comparison of Mammography and Breast Infrared Imaging: Sensitivity, Specificity, False Negatives, False Positives, Positive Predictive Value and Negative Predictive Value. In Proceedings of The First Joint BMES/EMBS Conference Serving Humanity, Advancing Technology, Atlanta, 1999, pp. 1116

Head MJ,Dyson S Talking the temperature of equine thermography. Vet J 2001, 162(3): 166-7.

Healy C, Mulhall KJ, Nelligan M, Murray P, Bouchier-Hayes D. Postoperative stiffness and adhesion formation around repaired and immobilized Achilles tenotomies are prevented using a model of heat shock protein induction. J Surg Res. 2004; 120(2):225-9.

Heap DM, Herrmann MG, Witter CT. PCR amplification using electrolytic resistance for heating and temperature monitoring. BioTechniques 2000, 29(5): 1006-1012

Hearn CM. Chandradeva K. Cooke RPD. Catchpole M. Maintaining perioperative normothermia [2] (multiple letters). Br Med J. 2003; 326(7404):1457

Hearn K. Choosing the right tools. RadiolTechnol 62 : 240-243. 1991

Heath A. M, R.C. Purohit, E. SartIn. Thermography And Ultrasonography For Evaluation Of Male Infertility. (abstract) Thermol Österr 7(1):32. 1997

Heath AM, Carson RL, Purohit RC, Sartin EM, Wenzel JG, Wolfe DE Effects of testicular biopsy in clinically normal bulls. J Am Vet Med Assoc 2002, 220(4): 507-12.

Heath AM, Pugh DG, Sartin EA, Navarre B, Purohit RC Evaluation of the safety and efficacy of testicular biopsies in llamas. Theriogenology, 2002, 58(6): 1125-30.

Heckel M. Fiebertherapie und Ganzkörperhyperthermie - bessere Verträglichkeit und Effizienz durch thermoregulatorisch ausgewogene, kombinierte Anwendung beider Verfahren. ThermoMed 8:14-19. 1992

Heckel M. Infrarot - Hyperthermie (IRHT). ThermoMed 7: 3-7. 1991

Hecker RB, Brownfield RM, Rubal BJ. Bayesian analysis of noninvasive versus oral temperature measurements to determine hypothermia in postoperative patients. Southern Medical Journal, 89:71-77.1996

Hegewisch-Becker S, Braun K, Otte M, Orotic A, Atanackovic D, Nierhaus A, Hossfeld DK, Pantel K. Effects of Whole Body Hyperthermia (41.8°C) on the Frequency of Tumor Cells in the Peripheral Blood of Patients with Advanced Malignancies Clin Cancer Res, Jun 2003; 9: 2079 - 2084.

Hegewisch-Becker S, Gruber Y,. Corovic A, Pichlmeier U, Atanackovic D, Nierhaus A, Hossfeld DK. Whole-body hyperthermia (41.8°C) combined with bimonthly oxaliplatin, high-dose leucovorin and 5-fluorouracil 48-hour continuous infusion in pretreated metastatic colorectal canceR. a phase II study Ann. Onc. 2002, 13: 1197 - 1204.

Hehr T, Lamprecht U, Glocker S, Classen J, Paulsen F, Budach W, Bamberg M Thermoradiotherapy for locally recurrent breast cancer with skin involvement International Journal of Hyperthermia 2001/ 17(4):291-301

Hehr T. Wust P. Bamberg M. Budach W. Current and potential role of thermoradiotherapy for solid tumours. Onkologie. 2003; 26(3):295-302.

Heida T, Rutten WLC, Marani E. Dielectrophoretic trapping of dissociated fetal cortical rat neurons. IEEE Transactions on Biomedical Engineering 2001, 48(8):921-930

Heidelbach W. Störeinflüsse auf elektrisch betriebene Meß- und Registriergeräte im medizinischen Bereich, ThermoMed 6:58-61. 1990

Heidenreich T, Giuffre M, Doorley J. Temperature and temperature measurement after induced hypothermia. Nursing Research 41:296-300. 1992

Heilmeier I. Die Regulationsthermohgraphie nachRost- wischen Schulmedizin und naturheilkunde (am Beispiel funktioneller Erkrankungen). Thermomed 2001/2002,18/19, 52-54.

Heilmeier I. Die Regulotionsthermogrophie noch Rost – zwischen Schulmedizin und Naturheilkunde (am Beispiel funktioneller Er-kra nkungsbilder). Thermomed 2003,18/19: 52-54

Heilmeier I. Postcholecystektomie Syndrom. Prä- und post-ope rative Abklärung durch Regulationsthermogrophie nach Prof Rost. Ther- momed 2003,18/19:55-58

Heilmeier I. Postcholecystektomie Syndrom. Prä- und postoperative Abklärung durch Regulationsthermohgraphie nach Prof. Rost. Thermomed 2001/2002,18/19,55-58

Heimbach D, Engrav L, Grube B, Marvin J. Burn deptH. A review. World Journal of Surgery 16:10-15. 1992

Hein L, D.Kropfreiter, K.Ammer, G.StöckelE. Verlauf der Hauttemperatur während Narkose und unter sogenannter psychogalvanischer Belastung (abstract). ThermoMed 5: 57. 1989

Hein L. Grundlagen der Sensortechnik bei Kontaktthermometrie (abstract). ThermoMed 6:86. 1990

Hein L. Grundlagen der Sensortechnik bei Kontakttherometrie . IN. Ammer K, O.Rathkolb (Hrg): Kontaktthermometrie, Thermographie, LBF f.Physikalische Diagnostik, Wien, S.9.-15. 1990

Heindl S. Struck J. Wellhoner P. Sayk F. Dodt C. Effect of facial cooling and cold air inhalation on sympathetic nerve activity in men. Respir Physiol Neurobiol. 2004. 142(1)69-80.

Heines J. Das Kopfthermogramm aus internistischer Sicht.ThermoMed 12: 35-39. 1996

Heines J. Konstitution und thermografisches Bild Constitution and thermographic picture. Ärztezeitschrift fur Naturheilverfahren 2000. 41(8):559-562/

Heinrich H, Dahlem KH. Thermography of glazings in fire tests.IN. LeMieux DH, Snell JR, editorS. Thermosense XXI,Proceedings of the Society of Photo-Optical Instrumentation Engineers (SPIE), Vol.3700, Bellingham, 1999. p. 494-501

Heinrich H. Die historische Entwicklung der Infrarot - Meßtechnik. Thermol Österr2: 6-15. 1992

Heinrich H.Das Redoxpotential - ein Maß zur Feststellung biologischer Unordnung - ein Indikator für KrankseIn. ThermoMed 13: 66-77. 1997

Heinrich U, H Tronnier , D Stalleicken ,M Vilbig : Experimentelle Untersuchungen über Wirkungseintritt und Verlauf lokal aufgetragener Corticosteroide am Beispiel von Betamethasondipropionat. Aktuelle Dermatologie 17:327-331. 1991

Heins S, H.Oellinger, U. FlescH. VergleicH. Punktuelle Oberflächen Thermographie vs. konventionelle Infrarot-Thermographie in der Mammadiagnostik. ThermoMed 7: 116-119. 1991

Heins, S, H. Oellinger, U. FlescH. VergleicH. Punktuel le Oberflächen-Thermographie vs. konventionelle Infrarot-Thermographie in der Manimadiagnostik ThermoMed 7: 116-119. 1991

Heiri O, Tinner W, Lotter AF. Evidence for cooler European summers during periods of changing meltwater flux to the North Atlantic. Proc Natl Acad Sci U S A. 2004; 101(43):15285-8.

Heisterkamp J, Matheijssen NAA, Van Hillegersberg R, Van Vaals JJ, Lameris JS, Stoker J, Jzermans JNMI. Accuracy of MR phase mapping for temperature monitoring during interstitial laser coagulation /ILC. in the liver at rest and simulated respiration. Magnetic Resonance in Medicine 1999, 41/5: 919-25.

Heisterkamp J, Van Hillegersberg R, IJzermans JNM. Critical temperature and heating time for coagulation damagE. Implications for interstitial laser coagulation (ILC) of tumors. Lasers in Surgery and Medicine 1999. 25(3):257-62

Heitman JL., Basinger JM, Kluitenberg GJ, Ham JM, Frank JM, Barnes PL. Field Evaluation of the Dual-Probe Heat-Pulse Method for Measuring Soil Water Content Vadose Zone J., 2003; 2: 552 - 560.

Hejazi S, M.AnbaR. Effects of topical skin treatment and of ambient light on infrared thermal images. Biomed Thermol 12: 300-305. 1992

Hekmatyar SK, Poptani H, Babsky A, Leeper DB,Bansal N Non-invasive magnetic resonance thermometry using thulium-1.4.7.10-tetraazacyclododecane-1.4.7.10-tetraacetate (TmDOTA(-)). Int J Hyperthermia 2002, 18(3): 165-79.

Helbing J, Bonacina L, Pietri R, Bredenbeck J, Hamm P, van Mourik F, Chaussard F, Gonzalez-Gonzalez A, Chergui M, Ramos- Alvarez C, Ruiz C, Lopez-Garriga J. Time-resolved visible and infrared study of the cyano complexes of myoglobin and of hemoglobin I from Lucina pectinata. Biophys J. 2004;87(3):1881-91.

Heled Y, Epstein Y, Moran DS. Heat strain attenuation while wearing NBC clothing: dry-ice vest compared to water spray. Aviat Space Environ Med. 2004; 75(5):391-3966.

Heled Y, Moran DS, Mendel L, Laor A, Pras E, Shapiro Y. Human ACE I/D polymorphism is associated with individual differences in exercise heat tolerance. J Appl Physiol. 2004; 97(1):72-6.

Heled Y, Rav-Acha M, Shani Y, Epstein Y, Moran DS. The “golden hour” for heatstroke treatment. Mil Med. 2004; 169(3):184-6.

Helliwell PS. "The cool patella sign" [letter] Journal of Rheumatology, 19: 1006. 1992

Helliwell V, Adelman D. Detecting temperature change at 41degreesC [2] (multiple letters). Critl Care Med 2003; 31(6): 1887-1888).

Helsing KJ, Hoffman SC, Comstock GW. Temperature variations in chest-type mechanical freezers (1). Clinical Chemistry 2000. 46(11): 1861

Hemmerling TM, Prieto I, Choiniere JL, Basile F, Fortier JD. Ultra-fast-track anesthesia in off-pump coronary artery bypass grafting: a prospective audit comparing opioid-based anesthesia vs thoracic epidural-based anesthesia. Can J Anaesth. 2004; 51(2):163-8.

Henderickx HJW, Duchateau ALL, Raemakers-Franken PC.Chiral liquid chromatography–mass spectrometry for high- throughput screening of enzymatic racemase activity, J Chromatogr A, 2003; 1020, (1): 69-74

Hendershot RJ, Lasko SS, Fellmann M-F, Oskarsdottir G, Delgass WN, Snively CM, Lauterbach J. A novel reactor system for high throughput catalyst testing under realistic conditions, App Catalysis A: Gen, 2003; 254, (1) 107-120

Hendler N. Role of Thermography in Diagnosis of RSD, Thoracic Outlet, and Myofascial Syndromes (abstract). Thermol Österr 4: 121. 1994

Hendry WF. Effects of left varicocele ligation in subfertile males with absent or atrophic right testes. Fertility and Sterility 57:1342-1343. 1992

Heng BC, Kuleshova LL, Bested SM, Liu H, Cao T.The cryopreserva- tion of human embryonic stem cells. Biotechnol Appl Biochem. 2004; Epub ahead of print

Heng BC, Yu YJ, Ng SC. Slow-cooling protocols for microcapsule cryopreservation. J Microencapsul. 2004 ; 21(4):455-67.

Henley DE. Glatthaar C. ADHD: A diabetic hyperglycemic d-i lemma [3]. Diabetes Care. 2004; 27(12): 3020-3021.

Hennig GW. Hirst GDS. Park KJ. Smith CB. Sanders KM. Ward SM. Smith TK. Propagation of pacemaker activity in the guinea-pig antrum. J Physiol. 2004; 556(2): 585-599.

Henry HA, Cleland EE, Field CB, Vitousek PM. Interactive effects of elevated CO(2), N deposition and climate change on plant litter quality in a California annual grassland. Oecologia. 2004; Epub ahead of print

Hentrich G. Stability of drugs. Int Prax. 2003; 43(4): 864-865.

Hentschel C, M.Lindner, E.ErnsT. Kontaktregulations-ThermographiE. ein brauchbares Diagnoseverfahren? Acta Medica Austriaca 21: 121- 124. 1994

Hentschel M, Dreher W, Wust P, Roell S, Leibfritz D, Felix R. Fast spectroscopic imaging for non-invasive thermometry using the Pr (MOE-DO3A) complex. Physics in Medicine and Biology, 1999, 44 (10) 2397-408

Hentschel M, Findeisen M, Schmidt W, Frenzel T, Wlodarczyk W, Wust P, Felix R. Is absolute noninvasive temperature measurement by the Pr[MOE-DO3A] complex feasible. MAGMA. 2000, 10(1):52-9.

Hentschel M, Wust P, Wlodarczyk W, Frenzel T, Sander B, Hosten N,Felix R. Non-invasive MR thermometry by 2D spectroscopic imaging of the Pr/MOE-DO3A. complex.International Journal Of Hyperthermia 1999. 14 /5: 479-93.

Heo NH. Park SC. Kang H. Effects of mixture ratio and hydraulic retention time on single-stage anaerobicco-digestion of food waste and waste activated sludge. J Environ Sci Health Part A-Toxic/Hazard Subst Environ Engin. 2004; 39(7): 1739-1756.

Herenyi L. Szigeti K. Fidy J. Temesvari T. Schlichter J. Friedrich J. Aging dynamics in globular proteins: Summary and analysis of experimental results and simulation by a modified trap model. Eur Biophys J. 2004; 33(1): 68-75.

Herman IP. Optical diagnostics for thin film processing. Annu Rev Phys Chem. 2003;54:277-305.

Hermann H.Training, Qualification and Certification of Thermographers and Development of Standards (abstract). Thermol intern 2000, 10 (1):35.

Herrera AG. Testing disinfectants in the food factory: phenol coefficient method. Methods Mol Biol. 2004; 268:281-8.

Herrick A, K.El-Hadidy, D.Marsh, M.JaysoN. Abnormal thermoregulatory responses in patients with reflex sympathetic dystrophy syndrome. Journal of Rheumatology 21:1319-1324.1994

Herrick AL, Clark S. Quantifying digital vascular disease in patients with primary Raynauds phenomenon and systemic sclerosis. Annals of the Rheumatic Diseases 57(2): 70-78. 1998

Herrick AL, Hutchinson C. Vascular imaging. Best Pract Res Clin Rheumatol. 2004, 18(6):957-79.

Herrick R.T, Molloy J.M, Pascoe D.D, Purohit R.C. "Thermography Evaluation of Hypothernar HAmmer Syndrome. Thermol intern 2001, 11(3):142

Herrick RT, Herrick S, Purohit RC, Smith LA. Liquid crystal thermography in detection of carpal tunnel syndrome. Academy of Neuromuscular Thermography, Clinical Proc. Post Graduate Medicine. Special Report. Pub. by McGraw Hill, March, pp 124-126. 1986

Herrick RT, Herrick SK. Tarsal tunnel syndrome. Ala Med 60:42-48. 1990

Herrick RT, Purohit RC, Merrit TW, Smith LA. Thermography as a diagnostic tool for carpal tunnel syndrome. IN. Abernathy M, S.Uematsu (eds): Medical Thermology , American Academy of Thermology. pp 124-126. 1986

Herrick RT, Purohit RC, Merritt TW, Smith LA. Thermography as a diagnostic tool for carpal tunnel syndrome. Proc Annual meeting of American Academy of Thermology 1984.

Herrick RT. Thermography. Neurology, 40 (7) 1146. 1990

Herrick RT. Update On Thermography In Sports Medicine. Thermol int 2003,13, 40

Herrmann A, Eich T, Jachmich S, Laux M, Andrew P, Bergmann A, Loarte A, Matthews G, Neuhauser J, ASDEX Upgrade team and Contributors to EFDA-JET work programme. Stationary and transient divertor heat flux profiles and extrapolation to ITER. J Nuc Mat, 2003; 313-316: 759-767.

Herrmann A, Fuchs CJ, Rohde V, Weinlich M. Heat flux distribution in the divertor-II of ASDEX Upgrade. Journal of Nuclear Materials 1999, 269: 291-5.

Herry CL, Frize M. Quantitative assessment of pain-related ther- mal dysfunction through Clin digital infrared thermal imaging. Biomed Eng Online. 2004; 3(1):19.

Herz C. Zum 80.Geburtstag von Prof. Dr. Arno Rost. ThermoMed, 1999. 15: 8-9

Herz Ch. DasWärmebild des Jugendlichen. Thermodiagnostik 3(1): 18-21. 1987

Herz Ch. Die Hierarchie der Regulationsebenen in der Regulationsthermographie und Neuraltherapie. (abstract) ThermoMed 12: 104. 1996

Herzlinger G. Inductive warming of intravenous fluids. Anesthesiology. 2004: 101(4)1021-1022.

Herzum C, Boit C, Kolzer J, Otto J, Weiland R. High resolution temperature mapping of microelectronic structures using quantitative fluorescence microthermography. Microelectronics Journal 29/ 4-5: 163-170. 1998

Hess K, Reinecke M, Clodius L, Schwarz U. Paradoxical focal hyperhidrosis in response to cold after faulty regeneration. Eur Neurol. 2004;51(4):241-3

Hessler AM, Lowe DR, Jones RL, Bird DK. A lower limit for atmospheric carbon dioxide levels 3.2 billion years ago. Nature. 2004; 428(6984):736-8.

Hetsroni G, Mewes D, Enke C, Gurevich M, Mosyak A, Rozenblit R. Heat transfer to two-phase flow in inclined tubes, Int J Multiphase Flow, 2003; 29, (2). 173-194.

Heuberger E. Redhammer S. Buchbauer G. Transdermal absorp- tion of (-)-linalool induces autonomic deactivation but has no impact on ratings of well-being in humans. Neuropsychopharmacology. 2004; 29(10)1925-1932.

Heusch AI ,McCarthy PW..Physiological Factors affecting the Reliability of Infrared Thermometry: Choice of Ear. (abstract) Thermol int 2003, 13: 63.

Heusch AI, McCarthy PW. Physiological factors that affect the emmited surface temperature (abstract). Thermol int 2004, 14(3): 110.

Heusch AI, McCaffery C. & McCarthy PW Cooling curves: is time important? (abstract). Thermol int 2004, 14(4): 144

Heusch AI, McCarthy CW. The effect of somatotype on thermographic imaging of the back and whole body. Thermol intern 2002. 12: 77

Heusch AI, Ridley I & McCarthy PW. Raynaud's "cold" pro-vo cation test: a fair test? (abstract). Thermol int 2004, 14(3): 109-110.

Heusch AI. McCarthy PW. Somatotype and infrared thermo-g raphic imaging. Therm Int. 2004; 14(2):51-56.

Heutelbeck A. Rinnau E. Luthin S. Thiemich J. Forster G. Noring R. Rabente T. Glade T. Warfolomeow I. Dunkelberg H. Schulz TG. Hailier E. Allergy testing for fungal allergy in workers handling cooling lubricants fluids in the metal industry. Zentralbl Arbeitsmed, Arbeits- schutz Ergonomie. 2004; 54(5)138-145.

Heyes DJ. Hunter CN. Identification and characterization of the product release steps within thecatalytic cycle of protochlorophyllide oxidoreductase. Biochemistry. 2004;43(25): 8265-8271.

Heymann WR. Rosacea subtype-directed therapy. JAm Acad Derma- tol 2004. 51(1)90-92.

Heywang-Kobrunner SH. Nonmammographic breast imaging techniques. Current Opinion in Radiology 4:146-154. 1992

Heywang-Koebrunner SH, I.SchreeR. Radiologische Diagnostik bei Mammakarzinomen. Schweizerische Rundschau für Medizin, Praxis, 84: 361- 365. 1995

Hibner M. Magrina JF. New technologies in controlling hemor-r hage during pelvic surgery. Cme J Gynecc Oncol. 2004; 9(1): 41-44.

Hickey RW, Kochanek PM, Ferimer H, Graham SH, Safar P. Hypothermia and hyperthermia in children after resuscitation from cardiac arrest. Pediatrics 2000: 106(1): 118-122

Hildebrand F, Giannoudis PV, van Griensven M, Chawda M, Pape HC. Pathophysiologic changes and effects of hypothermia on outcome in elective surgery and trauma patients. Am J Surg. 2004; 187(3):363-71.

Hildebrandt D, Gadelmeier F, Grigull P, McCormick K, Naujoks D, Sünder D, and W7-AS Team. Thermographic observation of the divertor target plates in the stellarators W7-AS and W7-X. J Nuc Mat, 2003; 313-316:738-742.

Hildebrandt G. Tagesrhythmik der Thermoregulation.Thermomed 9: 56-66. 1993

Hildreth MB, Blunt DS, Oaks JA. Lethal effects of freezing Echinococcus multilocularis eggs at ultralow temperatures. J Parasitol. 2004; 90(4):841-4.

Hilgenfeld MS. Simon S. Blowey D. Richmond W. Alon US. Lack of seasonal variations in urinary calcium/creatinine ratio in school-age children. Pediatric Nephrology. 2004; 19(10): 1153-1155.

Hilger I, Andrae W, Hergt R, Hiergeist R, Schubert H, Kaiser WA : Electromagnetic heating of breast tumors in interventional radiologY. In vitro and in vivo studies in human cadavers and mice. Radiology 2001, 218(2):570-575

Hilger I, Frühauf, Andrä, Hiergeist R, Gergt R, Kaiser WA. Magnetic Heating as a Therapeutic Tool. Therrmology international 2001, 11(3): 130-136

Hill DT, Payton JD. Effect of plant fill ratio on water temperature in constructed wetlands. Bioresource Technology 2000, 71(3): 283-289

hillips PK, Heath JE. Comparison of surface temperature in 13-lined ground squirrel (Spermophilus tri imlineatus) and yellow- bellied mot (mota flaviventris) during arousal from hibernation. Comp Biochem Physiol A Mol Integr Physiol. 2004; 138(4):451-7.

Hilmann E. Mayer C. Schrader L. Lying behaviour and adreno-co rtical response as indicators of the thermaltolerance of pigs of different weights. Animal Welfare. 2004; 13(3): 329-335.

Himmelbach A, Yang Y, Grill E. Relay and control of abscisic acid signaling, Curr Op Plant Biol, 2003; 6, (5):470-479

Himmelseher S, Werner C. [Therapeutic hypothermia after traumatic brain injury or subarachnoid hemorrhage Current practices of German anaesthesia departments in intensive care.] Anaesthesist. 2004; 53(12):1168-76.

Hindley J, Gedroyc WM, Regan L, Stewart E, Tempany C, Hynnen K, Macdanold N, Inbar Y, Itzchak Y, Rabinovici J, Kim K, Geschwind JF, Hesley G, Gostout B, Ehrenstein T, Hengst S, Sklair-Levy M, Shushan A, Jolesz F. MRI guidance of focused ultrasound therapy of uterine fibroids: early results. AJR Am J Roentgenol. 2004; 183(6): 1713-9.

Hindley JT, Gedroyc WMW, Regan L, Visvanathan D, Connell R, Hall-Craggs M, Cutner A, Bown S. Interstitial laser coagulation for uterine myomas [6] (multiple letters). Am J Obstet Gynecol. 2003; 188(3):859-860.

Hindmarsh JP. Wilson DI. Johns ML. Measuring self-diffusion in super-cooled liquid droplets with pulsed gradient spin echo (PGSE) techniques. Colloids Surf A-Physicochem Engineer Aspects. 2004; 234(1-3) 129-134.

Hinds T. McEwan I. Perkes J. Dawson E. Ball D. George K. Effects of massage on limb and skin blood flow after quadriceps exercise. Med Sci Sports Exerc. 2004. 36(8)1308-1313.

Hing WA, Poole CA, Jensen CG, Watson M. An integrated environmental perfusion chamber and heating system for long-term, high resolution imaging of living cells. J Microsc. 2000,199 (Pt 2):90-5

Hippchen A. NachruF. Professor Dr.Leo Priebe. Thermomed 7:37. 1991

Hippchen A.M. Thermographie bei Herd erkrankungen mittels kontaktlos messender Infrarot-Thermometer. Thermodiagnostik 2(1): 21-24. 1986

Hippchen AM. The quasi-constant distribution of heat in the human skin as a presupposition for the diagnosis of tumour in load thermogram. Thermol Österr2:S26. 1992

Hiraishi T, Kajima M, Tabata K, Abe H, Yamato I, Doi Y. Biochemical and molecular characterization of poly(aspartic acid) hydrolase-2 from Sphingomonas sp. KT-1. Biomacromol. 2003; 4(5):1285-1292.

Hiraizumi Y, Fujimaki E. The effect of neurotropin on local cutaneous and muscular blood flow in patients with neck symptoms, especially neck stiffness. Japanese Pharmacology and Therapeutics 25(4): 251-255. 1997

Hiraki Y, Nakajo M, Miyaji N, Takeshita T, Churei H, Ogita M. Effectiveness of RF capacitive hyperthermia combined with radiotherapy for Stages III and IV oro-hypopharyngeal cancerS. A non-randomized comparison between thermoradiotherapy and radiotherapy. International Journal of Hyperthermia 1998, 14/5: 445-57.

Hiraki Y, Nakajo M. Effectiveness of RF capacitive hyperthermia combined with radiotherapy for Stages III and IV oro-hypopharyngeal cancerS. A nonrandomized comparison between thermoradiotherapy and radiotherapy 1] International Journal of Hyperthermia 1998, 14/6: 593-4.

Hiraki Y, Nakajo M, Takeshita T, Churei H. The position of the opposite flat applicator changes the SAR and thermal distributions of the RF capacitive intracavitary hyperthermia. Int J Hyperthermia. 2000,16(3):193-203.

Hiraki Y, Nakajo M, Takeshita T, Churei H. The size and distance of the opposite flat applicator change the SAR and thermal distributions of RF capacitive intracavitary hyperthermia. Int J Hyperthermia. 2000,16(3):205-18.

Hirano K, M.Yabe, M.SuzukI. Thermography for Pain Relief - Application of Thermography to Whiplash Injury and Herpes Zoster. (abstract). Biomed Thermol 15: 30. 1995

Hirano T, Nakagawa A, Uenohara H, Ohyama H, Jokura H, Takayama K, Shirane R, Gaab M. Pulsed liquid jet dissector using holmium:YAG laser A novel neurosurgical device for brain incision without impairing vessels. Acta Neurochir. 2003; 145(5):401-406.

Hirano T. , K. Aoki, S. Teranishi, N. Suzuki, M. Fukuoka. Clinical Study Of Shoulder Surface Temperature In Patients With Periarthritis Scapulohumeralis. (abstract). Biomed Thermol 11: 303. 1991

HiranoK, M.Yabe, M. SuzukI. Thermography for Pain Clinic. Application of Thermography to a Whiplash Injury and Herpes Zoster. Biomed Thermol 15:125-128.

Hiraoka K, Hiraoka K, Kinutani M, Kinutani K. Blastocoele collapse by micropipetting prior to vitrification gives excellent survival and pregnancy outcomes for human day 5 and 6 expanded blastocysts. Hum Reprod. 2004; 19(12):2884-8.

Hiraoka K, Hiraoka K, Kinutani M, Kinutani K. Case report: successful pregnancy after vitrification of a human blastocyst that had completely escaped from the zona pellucida on day 6. Hum Reprod. 2004; 19(4):988-90.

Hirasawa N, Ishise S, Miyata H, Danjo K. An Attempt to Stabilize Nilvadipine Solid Dispersion by the Use of Ternary Systems. Drug Devel Indust Pharm. 2003; 29(9):997-1004

Hiratai M, Sakakibara H, Toibana N. Medial plantar nerve con-du ction velocities among patients with vibration syndrome due to rock- drill work. Ind Health. 2004; 42(1):24-8.

Hirayama H, Inoue K.,. Inuzumi K, Hitoi A., Matsuoka A.. Changes In Peripheral Skin Temperature Due To Cooling Of The Forehead In Normal Subjects. (abstract). Biomed Thermol 10: 312. 1990

Hirayama H, Murase N, Inuzumi K,. Miyauchi M, Matsuoka A. Peripheral Skin Temperature Response In Diabetic Patients. (abstract). Biomed Thermol 11: 300. 1991

Hirsch J, Bach R, Menzebach A, Welters ID, Dietrich GV, Hempelmann G. Temperature course and distribution during plasma heating with a microwave device. Anaesthesia. 2003; 58(5):444-447.

Hirschl M, Katzenschlager R, Ammer K, Melnizky P, Rathkolb O, Kundi M. Double-blind, randomised, placebo controlled low level laser therapy study in patients with primary Raynaud's phenomenon. Vasa 2002, 31(2): 91-4. .

Hirschl M, Katzenschlager R, Francesconi C, Kundi M. Low level laser therapy in primary Raynaud's phenomenon—results of a placebo controlled, double blind intervention study. J Rheumatol. 2004; 31(12): 2408-12.

Hirschl M. Raynaud's Phenomenon. J Kardiole. 2004; 11(3): 90-99.

Hisa T, Nakagawa K, Fushida H, Ishii M, Furukawa M, Nishimura T, Hamada T. The effects of lipo prostaglandin E sub (1) on periarteritis nodosa follow its clinical course by thermographic observation. Skin Research 34:395-401. 1992

Hiserodt RD, Adedeji J, John TV, Dewis ML. Identification of monomenthyl succinate, monomenthyl glutarate, and dimenthyl glu-ta rate in nature by high performance liquid chromatography-tandem mass spectrometry. J Agric Food Chem. 2004; 52(11):3536-41.

Hitoi A, Matsuoka A. Patho-physiological analysis on peripheral circulation using thermography as an example of functional body imaging. Rinsho Byori 38:1119-1125. 1990

Hjollund NHI, Storgaard L, Ernst E, Bonde JPE, Christensen K, Olsen J. Correlation of scrotal temperature in twinS. Brief Communication Hum. Reprod. 2002, 17: 1837 - 1838.

Hlinak AJ, Saleki-Gerhardt A. An evaluation of fluid bed drying of aqueous granulations. Pharmaceutical Development and Technology 2001: 5(1): 11-17

Hobbins W. Breast CanceR. New Paradigms 21st Century- Infrared Imaging + Antiangiogenesis Therapy. Thermol intern 2001, 11(3):146

Hobbins W.B, Autonomic vasomotor skin changes in pain stateS.significant or insignificant (abstract). Thermol Österr4:175. 1994

Hobbins W.B, K.Ammer. ControversY. Why is a paretic limb colD.High activity of the sympathetic nerve system or weakness of the muscles?. Thermol Österr 6: 42-45. 1996

Hobbins W.B. Role Of Thermography In Breast Cancer Screening Under The Age Of 50. (abstract) Thermol Österr 7(1):32. 1997

Hobbins W.B.What can infrared imaging contribute to the "puzzle of reflex sympathetic dystrophy (C.R.P.S.). (abstract) Thermol Österr 7(2): 73-74. 1997

Hobbins WB. Autonomic Vasomotor Skin Changes in Pain StateS. Significant or Insignificant? (abstract). Biomed Thermol 15: 31. 1995

Hobbins WB. Breast Thermal Imaging - Angiogenesis Of Breast Disease (abstract). Thermol int 2003,13.33

Hobbins WB. Breast Thermal Imaging- Angiogenesis of Breast Disease. J Korean Med Thermol 2002, 2(1):51

Hobbins WB.Annual Breast Cancer screening with Thermography. (abstract). Thermol Österr 5: 159. 1995

Hobbins WB.Autonomic vasomotor skin changes in pain stateS.significant or insignificant? Thermol Österr 5:5-14. 1995

Hobbins WB.Dermal Blood Flow - How, When, Why, and What For.Is Your Surface Hot or Cold? (abstract). Thermol Österr 5: 111-112. 1995

Hochi S, Terao T, Kamei M, Kato M, Hirabayashi M, Hirao M. Successful vitrification of pronuclear-stage rabbit zygotes by minimum volume cooling procedure. Theriogenology. 2004; 61(2-3):267-75.

Hochman G, Yitzhaky Y, Kopeika NS, Lauber Y, Citroen M, Stern A. Restoration of images captured by a staggered time delay and integration camera in the presence of mechanical vibrations. Appl Opt. 2004; 43(22):4345-54.

Hoeksma AF, Faber WR. Assessment of skin temperature by palpation in leprosy patientS. interobserver reliability and correlation with infrared thermometry. Int J Lepr Other Mycobact Dis. 2000,68(1):65-7

Hoekstra P, Renaissance of Breast Thermography (abstract). Thermol intern 1999, 9(3): 114.

Hoekstra PP III. Physics and Physiology of breast Therm (abstract). Thermol int 2004, 14(3): 103.

Hoekstra PP. Thermology As A Tool In The Differential Diagnosis Of Malignant And Fibro-Cystic Breast Disease. Thermol int 2003,13, 40

Hoffken K. [A warming by the German Cancer Society. Risk of breast cancer caused by deoderant sprays containing paraben? (Interview by Christine Vetter)] MMW Fortschr Med. 2004; 146(7):13.

Hoffman GM, Stuth EA, Jaquiss RD, Vanderwal PL, Staudt SR, Troshynski TJ, Ghanayem NS, Tweddell JS. Changes in cerebral and somatic oxygenation during stage 1 palliation of hypoplastic left heart syndrome using continuous regional cerebral perfusion. J Thorac Cardio- vasc Surg. 2004; 127(1):223-33.

Hoffman RM, Kent DL, Deyo RA. Diagnostic accuracy and clinical utility of thermography for lumbar radiculopathy. A meta-analysis.Spine 16:623-628. 1991

Hoffmann AL, De la Rosette J JMC, Wiikstra H. Qualitative evaluation of thermotherapy in postmortem prostates using a non-invasive thermal imaging system, Eur Urology Supplements, 2003; 2, (1):105

Hoffmann AL, de la Rosette JJ, Wijkstra H Intraprostatic temperature monitoring during transurethral microwave thermotherapY. status and future developments. Journal Of Endourology 2000. 14 (8) 637-42

Hoffmann B, Th.BäR. Das Ruhetemperaturmuster der Hautoberfläche in verschiedenen Körperregionen - kontinuierliche Registrierungen der Hautoberflächentemperatur. Thermomed 9: 67-73. 1993

Hoffmann R, Largiader F. Perioperative Thromboembolieprophylaxe mit Standardheparin und niedrigmolekularem Heparin, Wertung der postoperativen Blutung. Eine doppelblinde, prospektive, randomisierte und monozentrische Untersuchung. Langenbecks Archiv für Chirurgie 377: 469-475. 1992

Hoffmann R. The thrombo-embolic risk in surgery. Hepatogastroenterology 38:272-278. 1991

Hoffmann RT, Schmelz M. Time course of UVA- and UVB-induced inflammation and hyperalgesia in human skIn. European Journal of Pain 1999, 3(2):131-9.

Hoffmann W, Rhein KH, Wojcik F, Noeske R, Seifert F, Wlodarczyk W, Föhling H, Wust P, Rinneberg H Performance and use of current sheet antennae for RF-hyperthermia of a phantom monitored by 3 tesla MR-thermography. Int J Hyperthermia 2002, 18(5): 454-71.

Höfft J. Anmerkungen zur Genauigkeit einer Thermographieanlage, ThermoMed 6:10-11. 1990

Hofmann A, Pelletier M, Michot L, Stradner A, Schurtenberger P, Kretzschmar R. Characterization of the pores in hydrous ferric oxide aggregates formed by freezing and thawing. J Colloid Interface Sci. 2004; 271(1):163-73.

Hoitsma E. Reulen JPH. De Baets M. Drent M. Spaans F. Faber CG. Small fiber neuropathy: A common and important Clin disorder. J Neurol Sci. 2004; 227(1)119-130.

Holah G.D. Some practical aspects of thermography in competition horses. IN. Ammer K, EFJ Ring (eds): The Thermal Image in Medicine and Biology, Uhlen Verlag, Wien,pp. 156-163. 1995

Holah G.D. Some practical aspects of thermography in competition horses. Thermol Österr4:172-173. 1994

Holah GD, A Wilson, A.GoodshiP. The use of thermography to monitor the responseof equine skeletal tissue to athletic training. Thermol Österr2:S22. 1992

Holden C Polygraph screening. Panel seeks truth in lie detector debate. Science 2001. 291 (5506) 967

Holden C. Dr. Quinn counsels the house. Science 1999, 283/5407:1445.

Hollstein P. Clearly less concomitant diseases with levocetirizine. Pharmazeutische Zeitung. 2004; 149(11): 28.

Hollywood MA, Woolsey S, Walsh IK, Keane PF, McHale NG, Thornbury KD. T- and L-type Ca2+ currents in freshly dispersed smooth muscle cells from the human proximal urethra. J Physiology. 2003; 550(3):753-764.

Holmer I. Cold but comfortable? Application of comfort criteria to cold environments. Indoor Air. 2004;14 Suppl 7:27-31.

Holmes JL, Bachus KN, Bloebaum RD. Thermal effects of the electron beam and implications of surface damage in the analysis of bone tissue. Scanning. 2000,22(4):243-8.

Holmes LC, Gaughan EM, Gorondy DA, Hogge S, Spire MF. The effect of perineural anesthesia on infrared thermographic images of the forelimb digits of normal horses. Cann Vet J. 2003; 44(5):392-396.

Holmgren K, Jacobsson H, Johnssoh H, Loefsjoegard -NiIsson E. Thermography and plethysmography a non-invasive alternative to venography in the diagnosis of deep vein thrombosis.J Intern Med, 228 (1): 29-33. 1990

Holness MB, Watt GR. The Aureole of the Traigh Bhàn na Sgùrra Sill, Isle of MulL. Reaction-Driven Micro-cracking During Pyrometamorphism J. Petrology 2002, 43: 511 - 534.

Holtmann S. Die Ohr-Thermometrie aus otologischer Sicht.[Ear thermometry from the otologic viewpoint] Laryngo- Rhino- Otologie 1999. 78(1): 9-11.

Holtzclaw BJ. Shivering in acutely ill vulnerable populations. AACN Clin Issues. 2004;15(2):267-79.

Holtzclaw BJ. Monitoring body temperature. AACN Clinical Issues in Critical Care Nursing, 4: 44-55. 1993

Holtzclaw BJ. New trends in thermometry for the patient in the ICU. Critical Care Nursing Quarterly 1998, 21(3): 12-25.

Hom C. Vasquez P. Pozos RS. Peripheral skin temperature effects on muscle oxygen levels. J Thermal Biol. 2004;29(7-8 Spec. Iss.) 785-789.

Hongratanaworakit T, Buchbauer G. Evaluation of the harmoni- zing effect of ylang-ylang oil on humans after inhalation. Planta Med. 2004; 70(7):632-6.

Hongratanaworakit T, Heuberger E, Buchbauer G. Evaluation of the effects of East Indian sandalwood oil and alpha-santalol on humans after transdermal absorption. Planta Med. 2004; 70(1):3-7.

Hood PB. Reflex sympathetic dystrophy syndromE. a review. Radiology 190:652.1994/

Hook GJ. Spitz DR. Sim JE. Higashikubo R. Baty JD. Moros EG. Roti Roti JL. Evaluation of parameters of oxidative stress after in vitro exposure to FMCW-and CDMA-modulated radiofrequency radiation fields. Radiation Res. 2004; 162(5): 497-504.

Hooper P. Monitoring the washer-disinfector. Zentralsterilisation - Central Service. 2003; 11(2):125-128.

Hooshmand H The Role of Infrared Thermal Imaging in Diagnosis and Management of CRPS. (abstract). Thermol intern 2001, 11(2):88-89

Hooshmand h, Hashmi M, Phillips EM Nerve Blocks For Neuropathic Pain. Thermol int 2003,13, 40.

Hooshmand h, Hashmi M, Phillips EM. Thermography As A Guide In Pain Management Part I of II. (abstract). Thermol int 2003,13, 39

Hooshmand h, Hashmi M, Phillips EM. Thermography As A Guide In Pain Management Part II. (abstract). Thermol int 2003,13, 39

Hooshmand H, Phillips EM. The Role of Infrared Imaging (ITI) In The Diagnosis And Management Of Headaches With Special Reference To Trigeminovascular SysteM. A Meta-Analysis (abstract). Thermol intern 1999, 9(3): 114.

Hooshmand H, Phillips EM. The Role of Neuro-Inflammation In Thermal Regulation (abstract). Thermol intern 1999, 9(3): 114.

Hooshmand H. Limitations of Infra-Red Thermology (abstract) European Journal of Thermo-logy 8: 117 , 1998

Hooshmand H. The role of infrared thermography in diagnosis and management of paIn.IN.Proceedings of the 19th Annual International Conference of the IEEE Engineering in Medicine and Biology Society, Vol 19. PTS 1-6. IEEE, New York, 1997, P. 625-30

Hooshmand H. The therapeutic role of thermography in the manmagement of pain. Thermol intern 2001, 11(3):140

Hooshmand H; Masood H; Phillips EM. The Role of Infrared Thermal Imaging (ITI) in Management of Neuropathic PaIn. In Proceedings of The First Joint BMES/EMBS Conference Serving Humanity, Advancing Technology, Atlanta, 1999, pp.1102

Hooshmandi H, Hashmi M, Phillips E.M. Infrared Thermal Imaging as a Tool in Pain Mangement- An 11 Year study, Part II. Thermol intern 2001. 11(3): 117-129

Hooshmandi H, Hashmi M, Phillips E.M. Infrared Thermal Imaging as a Tool in Pain Mangement- An 11 Year study, Part I. Thermol intern 2001. 11(2):53-55

Hoover RB, Pikuta EV, Bej AK, Marsic D, Whitman WB, Tang J, Krader P. Spirochaeta Ama sp. nov., new haloalkaliphilic, obligately anaerobic spirochaete isolated from soda Mono Lake in California. Int J Sysc Evol Microbiol. 2003; 53(3):815-821.

Hopkins D, Nakagawa S, Nihei K, Turler D. Imaging flaws in adhesive joints using acoustic techniques and infrared thermography. IN. Thompson DO, Chimenti DE (eds): Review of Progress in Quantitative Nondestructive Evaluation, Vols 17a And17b. Plenum Press, New York, pp. 1387-1394. 1998

Horacek J, Pitts RA, Stangeby PC, Batishchev O, Loarte A. Predicted effects of parallel temperature gradients on the overestimation of TCV divertor target Langmuir probe Te measurements, J Nuc Mat, 2003; 313-316: 931-935.

Horan M, Ichiba S, Firmin RK, Killer HM, Edwards D, Azzopardi D, Hodge R, Kotecha S, Field D. A pilot investigation of mild hypothermia in neonates receiving extracorporeal membrane oxy-ge nation (ECMO). J Pediatr. 2004; 144(3):301-8.

Hori H, Hayakawa E, Einaga H, Kutsuna S, Koike K, Ibusuki T, Kiatagawa H, Arakawa R. Decomposition of environmentally per-s istent perfluorooctanoic acid in water by photochemical approaches. Environ Sci Technol. 2004; 38(22):6118-24.

Horn JR, Russell D, Lewis EA, Murphy KP Van't Hoff and calorimetric enthalpies from isothermal titration calorimetrY. Are there significant discrepancies? Biochemistry 2001, 40(6) 1774-1778

Hornbach MJ, Saffer DM, Holbrook WS. Critically pressured free-gas reservoirs below gas-hydrate provinces. Nature. 2004; 427 (6970):142-4.

Horndl M, Yoshida S, Tokesi K, Burgdorfer J. Comment on “Radiative recombination enhancement of bare ions in storage rings with electron cooling”. Phys Rev Lett. 2004; 93(20):209301-2.

Hornof M, Weyenberg W, Ludwig A, Bernkop-Schnürch A. Mucoadhesive ocular insert based on thiolated poly(acrylic acid): development and in vivo evaluation in humans, J Control Release, 2003; 89, (3): 419-428

Horns KM Neoteric physiologic and immunologic methods for assessing early-onset neonatal sepsis. Journal Of Perinatal And Neonatal Nursing 2001. 13 (4) 50-66

Hornstein OP, Boissevain F, Wittmann H. Non-invasive measurements of the vascular dynamics of dermographism - comparative study in atopic and non-atopic subjects. J Dermatol 18:79-85. 1991

Hornstein OP, Keller J, Boissevain F. Abnormalities of cutaneous microcirculation in atopic eczematics. Acta Dermato-Venereologica. Supplementum, 176: 86-89. 1992

Horny N. FPA camera standardisation, Infrared Phys Tech, 2003; 44, (2): 109-119

Horowitz PE. Delagarza MA. Pulaski JJ. Smith RA. Flow rates and warming efficacy with Hotline and Ranger blood/fluid warmers Anesth Analg. 2004; 99(3)788-792.

Horzic M, Bunoza D, Maric K. Three-dimensional observation of wound temperature in primary healing. Ostomy/Wound Management 42/8: 38-47. 1996

Hoshin T, D.HashimotO. Evaluation of subsequent viability of transplated organs using thermography (abstract). Biomed Thermol 12: 288-289. 1992

Hossain M, Nakamura Y, Yamada Y, Murakami Y, Matsumoto K. Compositional and structural changes of human dentin following caries removal by Er,CR.YSGG laser irradiation in primary teeth. J Clin Pediatr Dent 2001, 26(4): 377-82.

Hosseini-Pooya M. Jafarizadeh M. Effect of reader and oven annealing on the glow curve structure and fading ofLiF:Mg,Cu,P TL dosimeter. J Radiolog Protect 2004; 24(2): 173-178.

Hothorn M, D’Angelo I, Marquez JA, Greiner S, Scheffzek K. The invertase inhibitor Nt-CIF from tobacco: a highly thermostable four- helix bundle with an unusual N-terminal extension. J Mol Biol. 2004; 335(4):987-95.

Hou J-S. Chen H. Zhao Y-H. Gao Q. Wang F-G. Automatic control system of heat conduction mainly composed of silver needle. Zhongguo Linchuang Kangfu. 2004; 8(20)4054-4055.

.Hou M-H, Robinson H, Gao Y-G, Wang AHJ. Crystal structure of actinomycin D bound to the CTG triplet repeat sequences linked to neurological diseases Nucleic Acids Res. 2002, 30: 4910 - 4917.

Hou NC. The infrared thermography diagnostic technique of high-voltage electrical equipments with internal faults. In POWERCON '98: 1998 International Conference on Power System Technology - Proceedings, Vols 1 and 2,IEEE, New York, 1998, p. 110-5.

Hoveyda AH. Catalyst discovery through combinatorial chemistry. Chemistry And Biology 1998. 5 /8: R187-91.

Howards SS., Subclinical varicocele. Fertility and Sterility 57:725-726. 1992

Howarth FC. Qureshi A. Singh J. Effects of acidosis on ventricular myocyte shortening and intracellular Ca2+ instreptozotocin-induced diabetic rats. Molecular & Cellular Biochemistry. 2004; 261(1): 227-233.

Howell K,L.F.Kennedy, R.E. Smith, C. M. BlacK.Temperature of the toes in Raynaud’s phenomenon measured using infra-red thermography. European Journal of Thermology 7(3):132-137. 1997

Howell K.J, L.Kennedy, R.E.Smith. C.M.BlacK. Temperature of the toes on Raynaudïs phenomenon measured using infra-red thermography. (abstract) Thermol Österr 7(2): 78. 1997

Howell KJ Future prospects for medical infrared thermography. Thermol intern 2002. 12: 79

Howell KJ, *Smith RE, Wilson H, Black CM. The Cold Challenge Test And Infrared Thermography For The Objective Assessment Of Digital Vasospasm In Outpatients Referred To A Dedicated Raynaud's Phenomenon Clinic. (abstract) Thermol int 2003, 13: 68.

Howell KJ, Cherkas LF, Carter L, Spector TD, Black CM, MacGregor AJ Diagnosis Of Primary Raynaud's Phenomenon Using A Portable Radiometer. Thermol intern 2001, 11(2): 90

Howell KJ, Martini G, Murray KJ, Smith RE, Black CM.Infrared Thermography for the Assessment of Localised Scleroderma in Children. Thermol intern 2000 , 10(4):209-14

Howell KJ, Smith RE, Knight CJ, Dziadzio M, Martini G, White AG, Black CM.Thermography in Rheumatology (abstract). Thermol intern 2000, 10 (1): 36.

Howell KJ, Visentin M, Lavorato A, Jones CD, Martini G, Smith RE, Denton CP, Zulian F, Black CM, Harper JI, Woo P.Thermography, photography, laser Doppler flowmetry and 20 MHz B-scan ultrasound for the assessment of morphoea activity: a pilot protocol. (abstract). Thermol int 2004, 14(4): 144-145

Howing J, Gustafsson T, Thomas JO. Lithium vanadate Li(3+x) V6O13 at low temperature. Acta Crystallogr C. 2004; 60(Pt 7):i66-i68.

Hoyano A, Asano K, Kanamaru T. Analysis of the sensible heat flux from the exterior surface of buildings using time sequential thermography. Atmospheric Environment 1999, 33(2)4:3941-51.

Hoyt JJ, Asta M, Karma A. Atomistic and continuum modeling of dendritic solidification, Mats Sci Eng: R: Reports, 2003; 41, (6):121-163.

Hozhenko AI, Peresun'ko OP, Orenchuk VS, Vysochyna KV. Aktyvna dystantsiina radiatsiina teplometriia v kompleksnii diahnostytsi pukhlyn iaiechnykiv. (Active radiation telethermometry in the complex diagnosis of ovarian tumors). Likarska Sprava, 1999. (5) 119-24

Hrazdira I, Maryskova V. Termovize - Jeji Soucasny Vyznam Pro Lekarskou Diagnostiku. Thermovision - Its actual importance for medical diagnostics. Lekar a Technika 1999. 30(5):117-20

Hryciuk M, Nowakowski A, Renkielska A. Multi-layer thermal model of healthy and burned skIn. IN. Hutten H, Krösel P, eds. Proceedings Part II, EMBEC´02. 2.European Medical & Biological Engineering Conference. IFMBE, Graz, 2002. pp.1614-1617

Hsieh JC, Chan KH, Lui PW, Lee TY. Clinical application of infrared thermography in diagnosis and therapeutic assessment of vascular ischemic paIn. Ma Tsui Hsueh Tsa Chi 28:493-501. 1990

Hsiung R, Nivea H, Clavert A. Scrotal hyperthermia and varicocele. Adb Exp Med Biol 286:241-244. 1991

Hu L, Gupta A, Gore JP, Xu LX. Effect of forced convection on the skin thermal expression of breast cancer. J Biomech Eng. 2004; 126(2):204-11.

Hu X, B.Wu, P.WanG. (Displaying of meridian courses travelling over human body surface under natural conditions) Chen Tzu Yen Chiu Acupuncture Research, 18: 83-89. 1993

Huang C, Dong Q, Tiersch TR. Sperm cryopreservation of a live-bearing fish, the platyfish Xiphophorus couchianus. Theriogenology. 2004; 62(6):971-89.

Huang C-H, Yuan I-C, Ay H. A three-dimensional inverse problem in imaging the local heat transfer coefficients for plate finned-tube heat exchangers, Int J Heat Mass Trans, 2003; 46, (19): 3629-3638

Huang CH, Bates R, Kronrad GD, Cheng S. Economic Analyses of Sequestering Carbon in Loblolly Pine, Cherrybark Oak, and Nor- thern Red Oak in the United States. Environ Manage. 2004 Jan 20;32(2) Epub ahead of print

Huang J, Holt RG, Cleveland RO, Roy RA. Experimental validation of a tractable numerical model for focused ultrasound heating in flow-through tissue phantoms. J Acoust Soc Am. 2004; 116(4 Pt 1):2451-8.

Huang J, T. Ishiwada, H. Seshimo, Y. Kimura, H. Saito, T. TogawA. Imaging Skin Thermal Properties from Thermogramns at a Stepwise Change in Ambient Radiation Temperature. Biomed Thermol 15: 104-108. 1995

Huang J, T.Ishiwada, H.Seshimo, Y.Kimura, H.Saito, T.TogawA. Imaging Thermal Properties of Skin Using Thermograms Taken after Stepwise Changes in Ambient Radiation Temperature. (abstract). Biomed Thermol 15: 20. 1995

Huang J, Togawa T. Improvement of imaging of skin thermal properties by successive thermographic measurements at a stepwise change in ambient radiation temperature. Physiological Measurement, 16: 295-301.1995

Huang J, Togawa T. Measurement of the thermal inertia of the skin using successive thermograms taken at a stepwise change in ambient radiation Temperature.PHYSIOLOGICAL MEASUREMENT, 16: 213-225. 1995

Huang JJ, Kurz A Body warmer and upper extremities position affect the accuracy of cutaneous thermometers during anesthesia. Journal of Clinical Anesthesia 2001,13(4) 241-243

Huang KN,. Huang CF, Li YC, Young MS.A new method for temperature measurement in an infant incubator. In. Proceedings of The First Joint BMES/EMBS Conference Serving Humanity, Advancing Technology, Atlanta, 1999, pp. 897

Huang L. Thermal resistance of Listeria monocytogenes, Sal-mo nella Heidelberg, and Escherichia coli O157:H7 at elevated tem-pe ratures. J Food Prot. 2004; 67(8):1666-70.

Huang M.-H., Buick IS, Hou LW. Tectonometamorphic E2003; ution of the Eastern Tibet Plateau: Evidence from the Central Songpan–Garzê Orogenic Belt, Western China. J Petrol, 2003; 44: 255 - 278.

Huang PP, Li SZ, Han MZ, Xiao ZJ, Yang RC, Qiu LG, Han ZC. Autologous transplantation of peripheral blood stem cells as an effec- tive therapeutic approach for severe arteriosclerosis obliterans of lower extremities. Thromb Haemost. 2004; 91(3):606-609.

Hubbard J. Technology Assessment of Thermography. (abstract). Thermol Österr 4: 128. 1994

Hubbard J.E. Neuromuscular ThermographY. An Analysis of Criticisms, Thermology 3:160-165. 1990

Hubbard JE. Thermography (letter).Neurology 42:700-701. discussion 702-703. 1992

Hubbard TJ, Denegar CR. Does Cryotherapy Improve Outcomes With Soft Tissue Injury? J Athl Train. 2004 ; 39(3):278-279.

Hubbard W. Pluto's atmospheric surprise. Nature. 2003; 424(6945):137-138.

Hubel A. Carlquist D. Clay M. McCullough J. Liquid storage, shipment, and cryopreservation of cord blood. Transfusion. 2004; 44(4): 518-525.

Huber PE, Jenne JW, Rastert R, SimiantonakisI, Sinn H-P, Strittmatter H-J, von Fournier D, Wannenmacher MF, Debus J. A New Noninvasive Approach in Breast Cancer Therapy Using Magnetic Resonance Imaging-guided Focused Ultrasound Surgery Cancer Res. 2001, 61: 8441 - 8447.

Hufana-Duran D, Pedro PB, Venturina HV, Hufana RD, Salazar AL, Duran PG, Cruz LC. Post-warming hatching and birth of live calves following transfer of in vitro-derived vitrified water buffalo (Bubalus bubalis) embryos. Theriogenology. 2004; 61(7-8):1429-39.

Huffnagle F. Cost Effectiveness of the Utilization of Infrared Thermography in the Algorithm of the Treatment of Patients with Low Back PaIn. (abstract). Thermol Österr 5: 112. 1995

Hugger S. Thomann R. Heinzel T. Thurn-Albrecht T. Semicrystal- line morpholoy in thin films of poly(3-hexylthiophene). Colloid P olymer Sci. 2004; 282(8): 932-938.

Hughes-Formella B. New trends in dermatology Clin Res. Epc - Eur Pharmaceutical Contractor. Issue 2004; SPRING: 92-95.

Hugunin PA, Straub G. The importance of time variables in temperature studies. BioPharm 2000, 13(2): 73-74

Huh HM, Bae DK, Nam SG, Whang KH. Park W. Gabapentin for the Treatment of Neuropathic PaIn. Case report. J Korean Med Thermol 2002, 2(1):71

Huidobro C. Bolmsjo M. Larson T. La De Rosette J. Wagrell L. Schelin S. GoreckiT. Mattiasson A. Evaluation of microwave thermo- therapy with histopathology, magnetic resonanceimaging and tempera- ture mapping. J Urology. 2004;171(2 I): 672-678.

Huijbregts PA Muscle injury, regeneration, and repair. Journal of Manual and Manipulative Therapy 2001, 9(1): 9-16

Huizenga C. Zhang H. Arens E. Wang D. Skin and core tempera- ture response to partial- and whole-body heating and cooling. J Thermal Biol. 2004. 29(7-8 Spec. Iss.)549-558.

Hulshof MCCM. Raaymakers BW. Lagendijk JJW. Koot RW. Crezee H. Stalpers LJAGonzalez Gonzalez D. A feasibility study of interstitial hyperthermia plus external beam radiotherapyin glioblasto- ma multiforme using the Multi Electrode Current Source (MECS) system. Int J Hyperthermia. 2004; 20(5): 451-463.

Hulteen JC, Schaible SM. Analysis of anions in hydrofluoro ethers by ion chromatography. J Chromatogr A. 2004 1039(1-2):119-22.

Hund M, Rickert S, Kinkelin I, Naumann M, Hamm H. Does wrist nerve block influence the result of botulinum toxin A treatment in palmar hyperhidrosis? J Am Acad Dermatol. 2004; 50(1):61-2.

Hung OL, Kwon NS, Cole AE, Dacpano GR, Wu T, Chiang WK, Goldfrank LR. Evaluation of the physician's ability to recognize the presence or absence of anemia, fever, and jaundice. Acad Emerg Med. 2000,7(2):146-56.

Hunold S, Mietzsch E, Werner J. Thermographic studies on patterns of skin temperature after exercise. European Journal of Applied Physiology and Occupational Physiology, 65: 550-554. 1992

Hunt V. Application of infrared breast thermography to monitor breast health in Clin practice (abstract). Thermol int 2004, 14(3): 104.

Hunt V. Breast health (abstract). Thermol int 2004, 14(3): 112.

Hunter CJ, Blood AB, Power GG. Cerebral metabolism during cord occlusion and hypoxia in the fetal sheep: A novel method of continuous measurement based on heat production. J Physiol. 2003; 552(1):241-251.

Hunter RHF, Bogh IB, Einer-Jensen N, Muller S, Greve T. Pre-ovulatory Graafian follicles are cooler than neighbouring stroma in pig ovaries. Human Reproduction 2000, 15(2):273-83

Hurwitz MD, Kaplan ID, Svensson GK, Hynynen K, Hansen MS Feasibility and patient tolerance of a novel transrectal ultrasound hyperthermia system for treatment of prostate cancer. International Journal Of Hyperthermia 2001. 17 (1) 31-7

Husser CS. Chamblee B. Brown MJ. Long TR. Wass CT. Inductive warming of intravenous fluids: Overheating of the toroid heating element during rapid infusion. Anesthesiology. 2004.101(4): 1019-1021.

Hussey DL, Biagioni PA, Lamey PJ. Thermographic measurement of temperature change during resin composite polymerization in vivo. JOURNAL OF DENTISTRY, 23: 267-271.1995

Hussey DL, Biagioni PA, McCullagh JJ, Lamey PJ. Thermographic assessment of heat generated on the root surface during post space preparation. International Endodontic Journal 30(3): 187-190. 1997

Husstedt IW, Grotemeyer HK, Schlake HP. Standardisation of neurophysiological norm va-lues. Relevance of the position of the heating element and the temperature measurement sensor. Electromyogr Clin Neurophysiol 31:61-64. 1991

Hutcheon, RC, JA Davis, EHT EdwardS.A novel technique for measuring deep body temperature transcutaneously. Thermol Österr2:S29. 1992

Huxtable S, Cahill DG, Fauconnier V, White JO, Zhao JC. Thermal conductivity imaging at micrometre-scale resolution for com- binatorial studies of materials. Nat Mater. 2004; 3(5):298-301E

Huybrechts W, Mijoin J, Jacobs PA, Martens JA. Development of a fixed-bed continuous-flow high-throughput reactor for long-chain n-alkane hydroconversion, App Catalysis A: Gen, 2003; 243, (1): 1-13

Huygen FJ, Niehof S, Klein J, Zijlstra FJ. Computer-assisted skin videothermography is a highly sensitive quality tool in the diagnosis and monitoring of complex regional pain syndrome type I. Eur J Appl Physiol. 2004; 91(5-6):516-24..

Hwang EY. Pappas D. Jeevarajan AS. Anderson MM. Evaluation of the paratrend multi-analyte sensor for potential utilization in long- duration automated cell culture monitoring. BioMed Microdevices. 2004; 6(3): 241-249.

Hwang SJ, Iyer RG, Trikalitis PN, Ogden AG, Kanatzidis MG. Cooling of melts: kinetic stabilization and polymorphic transitions in the KInSnSe 4 system. Inorg Chem. 2004; 43(7):2237-9.

Hynynen K, McDannold N, Mulkern RV, Jolesz FA. Temperature monitoring in fat with MRI. Magn Reson Med. 2000,43(6):901-4.

Hynynen K, McDannold N, Vykhodtseva N, Jolesz FA. Noninvasive MR Imaging–guided Focal Opening of the Blood-Brain Barrier in Rabbits Radiology 2001, 220: 640 - 646.

Hynynen K. , D. Anhalt, J.Catone, J. Hiett, M.Buchanan, H. Fosmire, B. DalkIn. B-scan guided transrectal ultrasound hyperthermia system for the treatment of prostate cancer. (Abstract). Biomed Thermol 12. 249. 1992

Hynynen K. , D. Anhalt, J.Catone, J. Hiett, M.Buchanan, H. Fosmire, B. DalkIn. B-scan guided transrectal ultrasound hyperthermia system for the treatment of prostate cancer. IN. Mabuchi K, S.Mizushina, B.Harrison

(eds.) Advanced Techniques and Clinical Application in Biomedical Thermologie, harwood academic publishers Chur/Schweiz p. 1-12. 1994

Hynynen K. Clement GT. McDannold N. Vykhodtseva N. King R. White PJ. Vitek SJolesz FA. 500-Element ultrasound phased array system for noninvasive focal surgery of thebrain: A preliminary rabbit study with ex vivo human skulls. Magn Reson Med. 2004; 52(1): 100-107.

Hynynen K. MacDannold N. MRI guided and monitored focused ultrasound thermal ablation methods: A reviewof progress. Int J Hyper- thermia. . 2004; 20(7): 725-737

Hyun MH. Characterization of liquid chromatographic chiral separation on chiral crown ether stationary phases. J Separat Sci. 2003; 26(3-4):242-250.

Iaizzo PA, Jeon YM, Sigg DC. Facial warming increases the threshold for shivering. Journal of Neurosurgical Anesthesiology, 1999. 11 (4) 231-9

Iannetti GD, Leandri M, Truini A, Zambreanu L, Cruccu G, Tracey I. Adelta nociceptor response to laser stimuli: selective effect of stimulus duration on skin temperature, brain potentials and pain per- ception. Clin Neurophysiol. 2004; 115(11): 2629-37.

Iazo F. Other Thermal Ablation Techniques: Microwave and Interstitial Laser Ablation of Liver Tumors Ann Surg Oncol, 2003; 10: 491 - 497.

Ibarra MS. Hsu J. Mirza N. Wu I-H. Ying G-S. Mainster MA. Tolentino MJ. Retinal temperature increase during transpupillary ther- motherapy: Effects ofpigmentation, subretinal blood, and choroidal blood flow. Invest Ophthalmol Visual Sci. 2004; 45(10): 3678-3682.

Ibe OE, Austin T, Sullivan K, Fabanwo O, Disu E. Costello AM deL. A comparison of kangaroo mother care and conventional in- cubator care for thermalregulation of infants <2004;0 g in Nigeria using continuous ambulatory temperaturemonitoring. Ann Tropical Paedia- trics. 2004;24(3): 245-251.

Ibishov ShF, AO Degtiarev AO, Tamm TI, Petlenko IA. The current possibilities for optimizing the diagnosis of acute cholecystitis. Vestnik Khirurgii Imeni I.I.Grekova 146 (6(1)991):13-19. 1991

Ibrahim W. Lee U-S. Chow CK. Endotoxin increases hepatic susceptibility to lipid peroxidation: A possiblerole of iron. J Biochem Mol Toxicology. 18(1): 23-29. 2004;

Iejima D. Saito T. Uemura T. A collagen-phosphophoryn sponge as a scaffold for bone tissue engineering. J Biomat Sci, Polymer Edition. 2003; 14(10):1097-1103.

Iemwananonthachai N, Chansilpa Y, Pattaranutaporn P, Sukkasem M. Hyperthermia in combination with radiation therapy for treatment of advanced inoperable breast cancer. J Med Ass Thailand. 2003; 86(8):715-721.

Ieropoli S, Masullo P, Santo Mdo E, Sansone G. Effects of extender composition, cooling rate and freezing on the fertilisation viability of spermatozoa of the Pacific oyster (Crassostrea gigas). Cryo- biology. 2004 ; 49(3):250-7.

Igarashi K. Pathogenesis of lumbar-sacral ner-ve root lesioN.from the view point of thermographic findings of the lower limb. Nippon Geka Hokan 59 (391-401):391-401. 1992

Igarashi S, S.SekiS, H.Sasaki, A.Nagaba, Y.NakanO. Autonomic nerve function in patients with Meniere's disease. An analysis using pulse wave velocity, RR interval and thermography Equilibrium Research 53:417-421.1994

Igarashi T. Morisaki H. Goto N. Molecular Characterization of Dextranase from Streptococcus rattus. Microbiol Immunol. 48(3): 155-162. 2004;

Igawa S, L. S. Gill, M. Hamada, L.W. Ki, H. Takahashi, Y. MoritA.Effect Of Psychological State On Temperature Regulation In Athletes. (abstract). Biomed Thermol 11: 297. 1991

Ignacio D, A.Pavot, E.Jacob, R.AzaR. Role of Thermography in the Management of Carpal Tunnel Syndrome. (abstract). Thermol Österr 4: 122. 1994

Ignacio D. R. Thermography In Cerebral Vascular Diseases. (abstract) European Journal of Thermology 7(3):155. 1997

Ignat'ev EI, TG.Raigorodskaia, VN.Koshelev, IKh.VarakS.(The diagnostic value of thermography in arterial obliterative diseases of the lower extremities) Vestnik Khirurgii Imeni I. I. Grekova, 152: 41-43. 1994

Ignat'ev VK. Kompleksnaia otzenka lakal'nogo vospaleniia u bol'nykh revmatoidnym artritom. (The complex assessment of local inflammation in rheumatoid arthritis patients). Ter Arkh, 61 (12): 115-117. 1989/

Ihalamulla RL. Liyanage CPG. Karunaweera ND. A simple device to maintain in vitro cultures of Leishmania in tropicalcountries. Trans Royal Socf Tropical Med Hygiene. 2004; 98(5):315-317.

Ihas GG, Frederick L, McFarland JP. Low temperature thermometry in high magnetic fields. Journal of Low Temperature Physics 1998, 113/5-6: 963-8.

Iinuma Y. Boge O. Gnauk T. Herrmann H. Aerosol-chamber study of the a -pinene/O3 reaction: Influence of particleacidity on aerosol yields and products. Atmospheric Environ. 38(5): 761-773. 2004;

Iio T, M. Nakano, K. Matsui, S. Murakami, Y. MikI. Emissivity And Its Effect On Temperature In Normal And Abnormal Human SkIn. (abstract). Biomed Thermol 10: 313. 1990

Iivonen S, Saranpaa P, Sutinen ML, Vapaavuori E. Effects of temperature and nutrient availability on plasma membrane lipid com- position in Scots pine roots during growth initiation. Tree Physiol. 2004; 24(4):437-46.

Ikeda J, Yamauchi S, Hashimoto F, Tomita K, Yoshimura M. Digital replantation in children. a long term follow-up study. Microsurgery 11: 261-264. 1990

Ikeda M, Sugiyama T, Suzuki K, Moriya T, Shibata S, Allen CN, Yoshioka T. PLC beta 4-independent Ca sup(2)+ rise via muscarinic receptors in the mouse suprachiasmatic nucleus. NeuroReport 2000, 11(5): 907-912

Ikeda T, Seo T, Mori H, Kumoi T. A thermographic study of autonomic effect of TTS-sco-polamine(II):Thermographic investigation. Equilibrium Research 50 SUPPL. 7:88-92. 1991

Ikeda Y, Suehiro T, Abe T, Yoshida T, Shinoki T, Tahara K, Nishiyama M, Okabayashi T, Nakamura T, Itoh H, Hashimoto K. Severe diabetic scleredema with extension to the extremities and effective treatment using prostaglandin E1. Internal Medicine 1998: 37(1)0: 861-4

Ikeda Y. Iki M. Precision control and seasonal variations in quanti- tative ultrasound measurement of the calcaneus. J Bone Minl Metabol 2004. 22(6)588-593.

Ikegawa S, K.Mabuchi, K.Taniguchi, T.Suzuki, I.Fujimasa, K.AtsumI. Use Of Thermography In The Diagnosis Of Obstetric Palsy. (abstract) Thermol Österr 7(1):31. 1997

Ikematsu Y. Characteristics of and interventions for fever in Japan. Int Nurs Rev. 2004; 51(4):229-39.

Iketani T, Takazawa K, Ibukiyama C. Evaluation of arterial sclerosis by thermography. Nippon Rinsho. Japanese Journal Of Clinical Medicine 55/Suppl 1: 697-700. 1997

Ikeuchi Y, Bito H, Katoh T, Sato S Quantification of the degradation products of sevoflurane using four brands of CO sub(2) absorbent in a standard anesthetic circuit. Journal of Anesthesia 2000, 14(3): 43-146

Ileri R, Sengil IA, Kulac S, Damar Y. Treatment of mixed pharmaceutical industry and domestic wastewater by sequencing batch reactor. J Environ Sci Health Part A-Toxic/Hazard Subst Environ Eng. 2003; 38(10):2101-2111.

Illeova V, Polakovic M, Stefuca V, Acai P. Juma M. Experimental modelling of thermal inactivation of urease. J Biotech. 2003; 105(3):235-243.

Iloki LH, G Lefebvre, Y Darbois, P RanbaloC. Hydatid cyst of the breast. Case report. Rev Fr Gynecol Obstet 87:35-38. 1992

Ilowite NT, GA Walco, R PochaczevskY. Assessments of pain in patients with juvenile rheu-matoid arthritiS. relation between pain intensity and degree of joint inflammation. Annals of the Rheumatic Diseases 51:343-346. 1992

Il'yasov KA, Hennig J. Single-shot diffusion-weighted RARE sequencE. application for temperature monitoring during hyperthermia session. Journal Of Magnetic Resonance Imaging, 1998, 8/6: 1296-305.

Imamura M, Matsukawa T, Ozaki M, Sessler DI, Nishiyama T, Okuyama K, Kumazawa T. Nitrous oxide decreases shivering threshold in rabbits less than isoflurane. BJA: Br J Anaesth. 2003; 90(1):88-90.

In Jeong S. Kim B-S. Lee YM. Ihn KJ. Kim SH. Kim YH. Morphology of elastic poly(L-lactide-co-epsilon-caprolactone) copoly- mers and invitro and in vivo degradation behavior of their scaffolds. Biomacromolecules. 2004; 5(4): 1303-1309.

Inada Y, Tamai S, Kawanishi K, Omokawa S, Akahane M, Shimo- bayashi M, Tsuruzono M, Takakura Y, Inada M. Free dorsoulnar perforator flap transfers for the reconstruction of severely injured digits. Plast Reconstr Surg. 2004; 114(2): 411-20.

Inagaki F. Takai K. Nealson KH. Horikoshi K. Sulfurovum litho- trophicum gen. nov., sp. nov., a novel sulfur-oxidizing chemolitho- autotroph within the E-Proteobacteria isolated from Okinawa Trough hydrothermal sediments. Int J Syst Evol Microbiol. 2004; 54(5): 1477-1482.

Inagaki M, Ohno K, Hisatome I, Tanaka Y, Takeshita K. Relative hypoxia of the extremities in Fabry disease. Brain and Development, 14: 328-333. 1992

Inai Y, Ousaka N, Okabe T. Mechanism for the noncovalent chiral domino effect: New paradigm for the chiral role of the N-terminal segment in 310-helix. J Am Chem Soc. 2003; 125(27): 8151-8162.

Inbar O. Morris N. Epstein Y. Gass G. Comparison of thermo- regulatory responses to exercise in dry heat among prepubertal boys, young adults and older males. Exper Physiol. 2004; 89(6)691-700.

Indman PD,PA Lovoi, WW Brown 3d, RT LucerO. Uterine surface temperature changes caused by endometrial treatment with the ND.YAG laser. J Reprod Med 36:505-512. 1991

Inglezakis VJ. Loizidou MD. Grigoropoulou HP. Studies on the pretreatment of zeolite clinoptilolite in packed beds. Environal Tech- nol. 2004; 25(2): 133-139.

Inoue K, Nishioka J, Kobori T, Nakatani Y, Hukuda S. The use of thermography in the assessment of the rheumatoid knee- the thermographic index and the heat distribution index. Ryumachi 30:356-361. 1990

Inoue S, Kawaguchi M, Sakamoto T, Iwata T, Kawaraguchi Y, Furuya H, Sakaki T Amrinone can accelerate the cooling rate of core temperature during deliberate mild hypothermia for neurosurgical procedures. British Journal of Anaesthesia 2001, 86(5): 663-668

Inoue S. Thoracic outlet syndrome and anaesthetic problems [2]. Acta Anaesth Scand. 2004;. 48(1): 136.

Inoue T, Nibu Y. Phase behavior of hydrated lipid bilayer composed of binary mixture of phospholipids with different head groups. Chemistry and Physics of Lipids 1999, 100(1)-2:139-150.

Inoue T, Hisatsugu Y, Ishikawa R, Suzuki M. Solid-liquid phase behavior of binary fatty acid mixtures. 2. Mixtures of oleic acid with lauric acid, myristic acid, and palmitic acid. Chem Phys Lipids. 2004; 127(2):161-73.

Inoue T, Y.NibU. Miscibility of binary phospholipid mixtures under hydrated and non-hydrated conditions. III. Reinvestigation of phosphatidic acids with different acyl chain length. Chemistry and Physics of Lipids 76:171-179.1995

Inoue Y, Kuwahara T, Araki T. Maturation- and Aging-related Changes in Heat Loss Effector Function. J Physiol Anthropol Appl Human Sci. 2004; 23(6):289-94.

Inoue Y, T. Hamamoto, M. Ono, K. Torikai, T. HasegawA. Thermographic Study Of Peripheral Vascular Involvement In Connective Tissue Disease (Part 2). (abstract). Biomed Thermol 10: 313. 1990

Introna RPS, Blair JR, Martin DC, Yodlowski EH, Magnusdottir H, Kirno K, Ricksten S-E, Elam M. Measurement of sympathetic blockadE. Effect of epidural and spinal anesthesia (6) Anesthesiology 2000, 93(1):301-3

Ionov DA, Bodinier J-L, Mukasa SB, Zanetti A Mechanisms and Sources of Mantle MetasomatisM. Major and Trace Element Compositions of Peridotite Xenoliths from Spitsbergen in the Context of Numerical Modelling J. Petrology 2002, 43: 2219 - 2259.

Ippolito F, Di Carlo A, Carducci M, Leone G, Frascione P. Cyclosporin A and psoriasiS. a thermographic study. Acta Derm Venereol Suppl (Stockh) 146: 155-158. 1989

Ippolito F, Di Carlo A, Leone G. Hyperthermic halo in malignant melanomA. immunohistochemical study. Thermol Österr2:S19. 1992

Ippolito F, Di Carlo A, Leone G. Infrared thermography in atopic childreN. dysregulation of cutaneous vasomotility. Thermol Österr2:S19-20. 1992

Ippolito F, Di Carlo A. Telethermography in the study of cutaneous metastatic melanoma. Thermol Österr2:S18. 1992

Irie M, Mishima N, Nagata S. Psychophysiological effect of first-time autogenic training on healthy beginners. Japanese Journal of Psychosomatic Medicine 36:299-305. 1996

Iriki M., T. SaigusA. Body temperature regulation by the autonomic nervous system.(abstract) Biomed Thermol 12: 270-271. 1992

Iriki M., T. SaigusA. Body temperature regulation by the autonomic nervous system. IN. Mabuchi K, S.Mizushina, B.Harrison (eds.) Advanced Techniques and Clinical Application in Biomedical Thermologie, harwood academic publishers Chur/Schweiz p. 115-126. 1994

Irmak MK. Korkmaz A. Erogul O. Selective brain cooling seems to be a mechanism leading to human craniofacial diversity observed in different geographical regions. Med Hypotheses. 2004; 63(6): 974-979.

Isachenko E, Isachenko V, Katkov II, Rahimi G, Schondorf T, Mallmann P, Dessole S, Nawroth F. DNA integrity and motility of human spermatozoa after standard slow freezing versus cryoprotectant- free vitrification. Hum Reprod. 2004 ; 19(4):932-9.

Isachenko V, Isachenko E, Katkov II, Montag M, Dessole S, Nawroth F, Van Der Ven H. Cryoprotectant-free cryopreservation of human spermatozoa by vitrification and freezing in vapor: effect on motility, DNA integrity, and fertilization ability. Biol Reprod. 2004; 71(4):1167-73]

Isachenko V, Montag M, Isachenko E, Zaeva V, Krivokharchenko I, Shafei R, van der Ven H. Aseptic technology of vitrification of human pronuclear oocytes using open-pulled straws. Hum Reprod. 2004; Epub ahead of print

Isachenko V, Selman H, Isachenko E, Montag M, El-Danasouri I, Nawroth F. Effect of cryoprotectants on the ultrastructure of cooled human pronuclear oocytes. Fertil Steril. 2004; 81(3):720-2.

Isard HJ, Cotton P. Thermography in breast cancer [letter]. JAMA, 268: 3074. 1992

Isard HJ. Mondor DiseasE. Detection by breast thermography. Breast Disease 7:277-280.1994/

Isefuku S, Joyner CJ, Simpson AHRW. Gentamicin may have an adverse effect on osteogenesis. J Orthop Trauma. 2003; 17(3):212-216.

Iserson KV, Knauf MA, Anhalt D. Rapid admixture blood warminG. technical advances. Crit Care Med 18:1138-1141. 1990

Isgro G, Kleverlaan CJ, Wang H, Feilzer AJ. Thermal dimensional behavior of dental ceramics. Biomaterials. 2004; 25(12):2447-53.

Ishay JS, Pertsis V, Neufeld A, Bergman DJ. Subcuticular micro- structure of the hornet's gaster: Its possible function in thermore- gulation. J Nanobiotechnology. 2004; 2(1):1.

Ishibashi S, Yokota T, Inaba A, Yamada M, Mizusawa H, Iwai T, Shiojiri T Mexiletine is effective on segmental hyperhidrosiS. report of two cases J. Neurol. Neurosurg. Psychiatry 2002, 72: 122.

Ishibashi T, Akiyama M, Onoue H, Abe T, Furuhata H Can Transcranial Ultrasonication Increase Recanalization Flow With Tissue Plasminogen Activator? Stroke 2002, 33: 1399 - 1404. .

Ishida N. Naito S. Kano H. Loss of moisture from harvested rice seeds on MRI. Magn Reson Imaging. 22(6): 2004;871-875.

IshigoK, M.o Shikano, N. Imai, F. Sugita, A. Takagi, S. GotO. Seasonal Changes In Skin Temperature In Hands Of Diabetic Patients Exposed To Stress Of Cold Exposure Test - Changes In Skin Temperature On The Stressed Side. (abstract). Biomed Thermol 11: 300. 1991

Ishiguro R, Ishikawa O, Yamashita M, Sasaki Y, Fukuda K, Kubota M, Ishimoto H, Packard RE, Takagi T, Ohmi T, Mizusaki T. Vortex formation and annihilation in three textures of rotating superfluid 3He-A. Phys Rev Lett. 2004 ; 93(12):125301.]

Ishihara M, Arai T, Sato S, Morimoto Y, Obara M, Kikuchi M. Measurement of the surface temperature of the cornea during ArF excimer laser ablation by thermal radiometry with a 15-nanosecond time response. Lasers Surg Med 2002, 30(1): 54-9.

Ishihara M, Sato M, Sato S, Arai T, Obara M, Kikuchi M. Assessment of expressions of heat shock protein (HSP 72) and apo- ptosis after ArF excimer laser ablation of the cornea. J Biomed Opt. 2004-; 9(1):187-92.

Ishihara Y, Watanabe H, Okamoto K, Kanamatsu T, Tsukada Y. Temperature monitoring of internal body heating induced by decoupling pulses in animal sup(13)C-MRS experiments. Magnetic Resonance in Medicine 2000, 43(6): 796-803

Ishii K, Ohkoshi N, Tamaoka A, Mizusawa H, Shoji S. Pseudoradicular sensory impairment caused by parietal lesionS. report of two cases. Rinsho Shinkeigaku. Clinical Neurology 36/8: 951-956. 1996

Ishizaki NT. Matsumoto K. Kimura Y. Wang X. Kinoshita J-I. Okano SM. Jayawardena JA. Thermographical and morphological stu- dies of Er,Cr:YSGG laser irradiation onroot canal walls. PhotoMed Laser Surg. 2004; 22(4): 291-297.

Islam N. Bulla NA. Islam S. Transport of ions across peritoneal membrane. Biochim Biophys Acta - Biomembranes. 2004; 1667(2): 174-181.

Isogai H, K. Uegaito, T. Tsukahara, N. Kurozumi, H. Kamiishi, I. Sakata A System For Monitoring Digital Replantation Using Intraoperative Thermography. (abstract). Biomed Thermol 10: 307. 1990

Isogai N, Fukunishi K, Kamiishi H. Patterns of thermoregulation associated with cold intolerance after digital replantation. Microsurgery 16:556-565.1995

Isogai N, K. Uegaito, H. Kamiishi, T. Ouno, M. Kamada, A. ImadA. Usefulness Of Thermographic Monitoring Of The Arterio-Venous Shunt For Hemodialysis. (abstract). Biomed Thermol 11: 305. 1991

Isogai N, Kamiishi H. Application of medical thermography to the diagnosis of Frey's syndrome. Head And Neck 19(2): 143-147. 1997

Isogai N, M.Kosaka, K.Fukunishi, H.KamiiishI. Application of Medical Thermography to the Diagnosis of Freys Syndrome. (abstract). Biomed Thermol 15: 26. 1995

Isogai N, Miyasato Y, Asamura S. Prostacyclin analogue (ber ost) relief of cold intolerance after digital replantation and revascularization. J Hand Surg [Br]. 2004; 29(4):406-8.

Ito A, Kakami K, Matsushita H, Fukaya M. Effects of ND. YAG low power laser irradiation on the ulnar nerve. Aichi Gakuin Daigaku Shigakkai Shi 2: 1-8. 1989

Ito T, H. SuzukI. Skin temperature of the extremities of patients with cerebrovascular diseases. IN. Mabuchi K, S.Mizushina, B.Harrison (eds.) Advanced Techniques and Clinical Application in Biomedical Thermologie, harwood academic publishers Chur/Schweiz p. 245-254. 1994

Ito T, Y.Igarashi, H.SuzukI.Skin temperature of extremities in cerebrovascular diseases. Thermol Österr2:S23. 1992

Ito T, Y.IgarashI. Clinical Applications of Contact Thermography in Japan (abstract) Biomed Thermol 12: 267. 1992

Ito T. Yamaguchi T. Osmotic pressure control in response to a spe- cific ion signal at physiologicaltemperature using a molecular recogni- tion ion gating membrane. J Am Chem Soc. 2004; 126(20): 6202-6203.

Itoh T : Imaging diagnosis of breast cancer. Nippon Ika Daigaku Zasshi 57:357-358. 1990

Itoh T, T. Kato, Y. Igarashi, K. Ishihara, H. Sasanori, T.Sekiya, H. SatO.Contact Thermography In Breast Cancer Mass Screening. (abstract). Biomed Thermol 10: 304. 1990

Itoh Y,K.AraI. Use of recovery-enhanced thermography to localize cutaneous perforators. Annals of Plastic Surgery 34:507-511. 1995

Ittner KP, Bachfischer M, Zimmermann M, Taeger K. Convective air warming is more effective than resistive heating in an experimental model with a water dummy. Eur J Emerg Med. 2004; 11(3):151-3.

Iuchi T, Furukawa T, Wada S. Emissivity modeling of metals during the growth of oxide film and comparison of the model with experimental results. Appl Opt, 2003; 42(13): 2317-26.

Iudel'son IaB, NP.GribovA. (The diagnosis and treatment of cervical radiculomyeloischemia). Zhurnal Nevropatologii I Psikhiatrii Imeni S. S. Korsakova 94: 55-59.1994

Iudin IaB, Nurmaganbetov TK. Diagnostika khronicheskogo gematogennogo osteomielita (obzor literatury). (Diagnosis of chronic hematogenic osteomyelitis (review of the literature). Ortop Travmatol Protez (2): 67-71. 1990

Iukelis LI. Tactics and Methods of early detection of tuberculosis in adults. Probl Tuberk (11(1)991): 25-27. 1991

Ivanov IT. Changes in passive electric parameters of human erythrocyte membrane during hyperthermiA. role of spectrin phosphorylation. General Physiology and Biophysics 1999. 18 (2) 165-80

Ivanov VV, Bagauri NM. Rol' teplovideniia v diagnostike obliteriruiushchikh zabolevanii sosudov nizhnikh konechnostei. (The role of thermography in the diagnosis of obliterating vascular diseases of the lower extremities). Khirurgiia, (5-6): 38-40. 1992

Ivanova EP. Gorshkova NM. Bowman JP. Lysenko AM. Zhukova NV. Sergeev AFMikhailov VV. Nicolau DV. Shewanella pacifica sp. nov., a polyunsaturated fatty acid-producing bacteriumisolated from sea water. Int J Syst Evol Microbiol. 2004; 54(4):1083-1087.

Ivanova EP. Gorshkova NM. Zhukova NV. Lysenko AM. Zele- puga EA. Prokof'eva NGMikhailov VV. Nicolau DV. Christen R. Characterization of Pseudoalteromonas distincta-like sea-water isolates anddescription of Pseudoalteromonas aliena sp. nov. Int J SystEvol Microbiol. 2004; 54(5):1431-1437.

Ivanova EP. Nedashkovskaya OI. Sawabe T. Zhukova NV. Fro- lova GM. Nicolau DVMikhailov VV. Bowman JP. Shewanella affinis sp. nov., isolated from marine invertebrates. Int J Syst Evol Microbiol. 2004; 54(4):1089-1093.

Ivanova R. Staneva R. Geppert S. Heck B. Walter B. Gronski W. Stuhn B. Interplay between domain microstructure and nematic order in liquidcrystalline/isotropic block copolymers. Coll Polymer Sci. 2004; 282(8): 810-824.

Ivanova TN,Napyl'nikova NI. Sostoianie tsentral'noi i perifericheskoi gemodinamiki u bol'nykh tuberkuleznym spondilitom so spinnomozgovymi rasstroistvami. (Central and peripheral hemodynamics in patients with tuberculous spondylitis and spinal cord disorders). Problemy Tuberkuleza, (7-8): 29-32. 1992

Ivarsson R, Obermuller S, Rutter GA, Galvanovskis J, Renstrom E. Temperature-sensitive random insulin granule diffusion is a prerequisite for recruiting granules for release. Traffic. 2004; 5(10): 750-62.

Ivatani M. Application of Thermography to Vascular Diseases. (abstract). Biomed Thermol 15: 43. 1995

Ivey MA, Simeon DT, Monteil MA. Climatic variables are associated with seasonal acute asthma admissions to accident and emergency room facilities in Trinidad, West Indies. Clin Exp Allergy. 2003; 33(11):1526-1530.

Ivleva VB, Elkin YN, Budnik BA, Moyer SC, O'Connor PB, Costello CE. Coupling thin-layer chromatography with vibrational cooling matrix-assisted laser desorption/ionization Fourier transform mass spectrometry for the analysis of ganglioside mixtures. Anal Chem. 2004; 76(21):6484-91.

Ivnitsky JJ. Schafer TV. Malakhovsky VN. Rejniuk VL. Inter- mediates of Krebs cycle correct the depression of the whole body oxygen consumption and lethal cooling in barbiturate poisoning in rat. Toxicology. 2004. 202(3)165-172.

Iwase S, T. Mano, J. Sugenoya, Y. Sugiyama, T. Matsukawa, T. Okamoto, K. YamamotO. Microneurographic study on sympathetic control of sweating and skin blood flow. IN. Mabuchi K, S.Mizushina, B.Harrison (eds.) Advanced Techniques and Clinical Application in Biomedical Thermologie, harwood academic publishers Chur/Schweiz p. 147-162.1994

Iwase S, T.Mano, J.Sugenoya, Y.Sugiyama, T.Matsukawa, T.Okamoto, K,.YamamotO. Sympathetic Control of Skon Blood Flow and Sweating. A microneurographic Analysis.(abstract) Biomed Thermol 12: 274-275. 1992

Iwase T, M. Yoshimoto, S. Watanabe, F. Kasumi, M.Nishii, Y. Ohashi, I. UchidA.Relationship Between Hot Spots And Tumor Location In Breast Cancer Thermograms. (abstract). Biomed Thermol 10: 305. 1990

Iwata G, Deguchi E, Nagashima M, Yanagihara J, Iwai N, Yamada K. Thermography in a child with varicocele. European Journal of Pediatric Surgery, 2: 308-310. 1992

Iwata O, Iwata S, Tamura M, Nakamura T, Sugiura M, Ogiso Y. Brain temperature in newborn piglets under selective head cooling with minimal systemic hypothermia. Pediatrics Int . 2003; 45(2):163-168.

Iwata T, Inoue S, Kawaguchi M, Takahashi M, Sakamoto T, Kitaguchi K, Furuya H, Sakaki T. Comparison of the effects of sevoflurane and propofol on cooling and rewarming during deliberate mild hypothermia for neurosurgery. BJA: Br J Anaesth. 2003; 90(1):32-38.

Iwatani M. Application of Thermography to Vascular Diseases. Biomed Thermol 15: 153-156. 1995

Iyer GK, GD Jindal, SA Pednekar, KI Ta-hilkar, GB ParulkaR. Evaluation of state of circulation in radiation injury using impedance plethys- mography. J Postgrad Med 36:219-221. 1990

Izumi S, Tsubahara A Improvement of peripheral neuropathy by testosterone in a patient with 48. XXYY syndrome. Tokai Journal Of Experimental And Clinical Medicine 2000. 25 (2) 39-44

Jaaskelainen J. Non-invasive transcranial high intensity focused ultrasound (HIFUS) under MRI thermometry and guidance in the treatment of brain lesions. Acta Neurochir Suppl. 2003;88:57-60.

Jackson GL, Kennedy KA, Sendelbach DM, Talley DH, Aldridge CL, Vedro DA, Laptook AR. Problem identification in apparently well neonateS. Implications for early discharge. Clinical Pediatrics 2000, 39(10): 581-590

Jackson VP, RE Hendrick, SA Feig, DB KopanS. Imaging of the radiographic dense breast. Radiology 188:297-301. 1993

Jacob JH. Khalil AM. Maslat AO. In vitro cytogenetic testing of an organoselenium compound and its sulfuranalogue in cultured rat bone marrow cells. J Carcinogenesis. 2004; 3: 9p.

Jacobi J,. Jang JJ, Sundram U, Dayoub H, Fajardo LF, Cooke JP. Nicotine Accelerates Angiogenesis and Wound Healing in Genetically Diabetic Mice Am. J. Pathol. 2002, 161: 97 - 104.

Jacobsen S, Stauffer P Non-invasive temperature profile estimation in a lossy medium based on multi-band radiometric signals sensed by a microwave dual-purpose body-contacting antenna. Int J Hyperthermiar 2002, 18(2): 86-103.

Jacobsen S, Stauffer PR, Neuman DG Dual-mode antenna design for microwave heating and noninvasive thermometry of superficial tissue disease. IEEE Transactions On Biomedical Engineering 2000. 47 (11) 1500-9

Jacobsen S, Stauffer PR. Nonparametric 1-D temperature restoration in lossy media using tikhonov regularization on sparse radiometry data. IEEE TransactBiomed Eng. 2003; 50(2): 178-188.

Jacobson R, Image quality criteria for hard copy from electronic images. Thermol Österr4:167. 1994

Jacobson R. Image quality criteria for hard copy from electronic images IN. Ammer K, EFJ Ring (eds): The Thermal Image in Medicine and Biology, Uhlen Verlag, Wien,pp. 11-120. 1995

Jafri AA. Green SM. Partington PF. McCaskie AW. Muller SD. Pre-heating of components in cemented total hip arthroplasty. J Bone Joint Surg (Br) 2004; 86(8): 1214-1219.

Jahnke DA, Sandor BI. Forced diffusion thermography for nondestructive evaluation of microstructures. IN. Mahidhara RK, Frear DR, Sastry SML, Murty KL, Liaw PK, Winterbottom WL (eds): Design & Reliability of Solders ond Solder Interconnections, Minerals, Metals & Materials Soc, Warrendale, PA, pp. 43-47. 1997

Jaime M, Correa VF, Harrison N, Batista CD, Kawashima N, Kazuma Y, Jorge GA, Stern R, Heinmaa I, Zvyagin SA, Sasago Y, Uchinokura K. Magnetic-field-induced condensation of triplons in Han Purple pigment BaCuSi2O6. Phys Rev Lett. 2004; 93(8):087203.

Jain AK, Panchagnula R. Effect of temperature on imipramine hydrochloride permeation: Role of lipid bilayer arrangement and chemical composition of rat skin. Int J Pharm. 2003; 250(1):287-293.

Jain MK, Wolf PD. Effect of Electrode Contact on Lesion Growth During Temperature Controlled Radiofrequency Ablation. In: Proceedings - 20th Annual International Conference - IEEE/EMBS 1998, Hong Kong, p.245

Jakubowska T, Więcek B, Peszyński-Drews C, Wysocki M. Statistical parameters of thermographic images for early diagnosis of breast diseases. Thermol intern 2002. 12: 154-155

Jakubowska T, Wiecek B, Wysocki M, Peszynski-Drews C. Neural network in classification of breast thermal images (abstract). Thermol int 2004, 14(2): 80.

Jakubowska T, Więcek B.,. Wysocki M, Peszyński-Drews C.Symmetry in classification of healthy and malignant breast thermography. (abstract) Thermol int 2003, 13: 68-69

Jalan R, Olde Damink SW, Deutz NE, Hayes PC, Lee A. Moderate hypothermia in patients with acute liver failure and uncontrolled intra- cranial hypertension. Gastroenterology. 2004; 27(5):1338-46.

Jamal M, Ameno K, Kumihashi M, Ameno S, Kubota T, Wang W. Ijiri I. Microdialysis for the determination of acetaldehyde and ethanol concentrations in the striatum of freely moving rats. J Chromatogr B: Anall Tech Biomed Life Sci. 2003; 798(1):155-158.

Jameel F, Amsberry KL, Pikal MJ Freeze drying properties of some oligonucleotides. Pharmaceutical Development and Technology 2001: 6(2): 151-157

James ER. Parasite cryopreservation by vitrification. Cryobiology. 2004; 49(3):201-10.

James PL, Brown T, Fox KR. Thermodynamic and kinetic stability of intermolecular triple helices containing different proportions of C+GC and TAT triplets. Nuc Acids Res. 2003; 31(19):5598-5606

Janak KE, Parkin G. Experimental Evidence for a Temperature Dependent Transition between Normal and Inverse Equilibrium Isotope Effects for Oxidative Addition of H 2 to Ir(PMe2Ph)2(CO)Cl. J Am Chem Soc 2003; 125(43): 13219-13224.

Janda P, Sroka R, Mundweil B, Betz CS, Baumgartner R, Leunig A. Comparison of thermal t(effects induced by contact application of fiber guided laser systems. Lasers Surg Med. 2003; 33(2):93-101), 2003.

Jang JB, Cho JH, Lee KS. A Comparative Study between Severity and Abdominal Temperature in Dysmenorrhea Patients. J Korean Med Thermol 2002, 2(1):64

Janjikhel RK, Adeyeye CM. Stereospecific formulation and characterization of sustained release ibuprofen microspheres. Journal of Microencapsulation 144: 409-426.1997

Jansky L, Vybiral S.Thermal homeostasis in systemic inflamma tion: modulation of neuronal mechanisms. Front Biosci. 2004; 9: 3068-84.

Jansky L. Vavra V. Jansky P. Kunc P. Knizkova I. Jandova D. Slovacek K. Skin temperature changes in humans induced by local peripheral cooling. J Ther Biol. 2003; 28(5):429-437.

Janssens GK, van Dam PA, van Goethem ML, Buytaert P A logit model to evaluate the performance of diagnosis of solid palpable breast tumours. Eur J Obstet Gynecol Reprod Biol, 34 (1-2): 157-165. 1990

Janssens LA. Trigger point therapy. Problems in Veterinary Medicine 4:117-124.1992

Janwantanakul P. Different rate of cooling time and magnitude of cooling temperature during icebag treatment with and without damp towel wrap. Physical Ther Sport. 2004; 5(3): 156-161.

Jasiak-Tyrkalska B, Franczuk B. Ocena obrazu termowizyjny w zespole bolowym niestabilnosci szyjnego odcinka kregoslupa. [Evaluation of thermovision images in pain syndrome associated with instability of the cervical segment of the spine] Przeglad Lekarski 1998. 55 /5: 246-9.

Jasim ZF, Woo WK, Handley JM. Long-pulsed (6-ms) pulsed dye laser treatment of rosacea-associated telangiectasia using subpurpuric clinical threshold. Dermatol Surg. 2004; 30(1):37-40.

Jaszberenyi M, Bujdoso E, Telegdy G. Behavioral, neuroendocrine and thermoregulatory actions of apelin-13. Neuroscience. 2004; 129(3): 811-6.

Jawan B, Luk H-N, Chen Y-S, Wang C-C, Cheng Y-F, Huang T-L, Eng H-L, Liu P-P, Chiu K-W, Chen C-L. The effect of liver graft-body weight ratio on the core temperature of pediatric patients during liver transplantation. Liver Transplant. 2003; 9(7):760-763)

Jay O, Havenith G. Skin cooling on contact with cold materials: the effect of blood flow during short-term exposures. Ann Occup Hyg. 2004; 48(2):129-137.

Jay O, Havenith G. Finger skin cooling on contact with cold materials: a comparison between male and female responses during short-term exposures. Eur J Appl Physiol. 2004; 91(4): 373-81.

Jay O. Havenith G. Finger skin cooling on contact with cold materials: An investigation of male and female responses during short-term exposures with a view on hand and finger size. 2004. Eur J Appl Physiol. 93(1-2)1-8.

Jayanetti S, Smith CP, Moore T, Jayson MI, Herrick AL. Thermography and nailfold capillaroscopy as noninvasive measures of circulation in children with Raynauds phenomenon. Journal of Rheumatology 25/5: 997-999. 1998

Jayasundar R, Hall LD, Bleehen NM. A magnetic resonance-compatible experimental set-up for hyperthermia studies. Australasian Radiology 1999. 43(4):466-71

Jayasundar R, Hall LD, Bleehen NM RF coils for combined MR and hyperthermia studieS. II. MR coil as an hyperthermic applicator. Magnetic Resonance Imaging 2001, 19(1): 117-122

Jayawardhana K, Van Walsum GP. Modeling of carbonic acid pretreatment process using ASPEN-Plus. Appl Biochem Biotechnol. 2004 Spring;113-116:1087-102.

Jeffery CJ. Molecular mechanisms for multitasking: Recent crystal structures of moonlightingproteins. Curr Opin Struct Biol. 2004; 14(6): 663-668.

Jefimow M, Wojciechowski M, Tegowska E. Daily variations in the influence of noradrenaline on preferred ambient temperature of the Siberian hamster. Comp Biochem Physiol Part A, Mol Integr Physiol. 2003; 134(4):717-726.

Jegadeesan G, Mondal K, Lalvani SB. Comparative study of selenite adsorption on carbon based adsorbents and activated alumina. Environ Tech. 2003; 24(8):1049-1059.

Jenniskens P, Stenbaek-Nielsen HC. Meteor wake in high frame- rate images—implications for the chemistry of ablated organic com- pounds. Astrobiology. 2004 Spring; 4(1): 95-108.]

Jenquin MR, Sarabia RE, Liebowitz SM, McGinity JW. Relationship of film properties to drug release from monolithic films containing adjuvants. Journal of Pharmaceutical Sciences 81: 983-989.1992

Jensen BN, Jensen FS, Madsen SN, Lossl K Accuracy of digital tympanic, oral, axillary, and rectal thermometers compared with standard rectal mercury thermometers. European Journal Of Surgery 2000. 166 (11) 848-51

Jensen F, Kakuta T, Shikama T, Sagawa T, Narui M, Nakazawa M. Optical measurements of high temperatures for material investigations in nuclear reactor environments. Fusion Engineering and Design 1998, 42:449-54.

Jensen O. Nye elektroniske kliniske temperaturmalemetoder. (New electronic methods for clinical measurement of temperature). Tidsskrift for den Norske Laegeforening, 112: 3815-3817. 1992

Jeon B. C, S. W, Seo, H. D. LeE. Can D.I.T.I. Predict A Sequestered Lumbar Disc? . (abstract) European Journal of Thermology 7(3):155. 1997

Jeon B.-C, S.-W. Seo, J.-S. Lee,,H. KiM. Retrospective Outcome Evaluation Of Cervical Chemonucleolysis With Digital Infrared Thermographic Imaging. (abstract) Thermol Österr 7(1):26. 1997

Jeon B.C, S.W. Seo, T.Y. KiM. Retrospective Outcome Evaluation Of Cervical Chemonucleolysis With Digital Infrared Thermographic Imaging. (abstract) European Journal of Thermology 7(3):160. 1997

Jeon B-C, Cho Y-W, Kwon G-Y, Ch J-Y. Thermographic Assessment of Ozone Chemonucleolysis with Digital Infrared Thermographic Imaging. J Korean Med Thermol 2002, 2(1):64

Jeon BC. Outcome Evaluation of Anterior Cervical Sequestrectomy with Digital Infrared Thermographic Imaging. (abstract) Thermol intern 2001, 11(2):98-99

Jeon S, Turner J, Granick S. Noncontact temperature measurement in microliter-sized 2003; umes using fluorescent- labeled DNA oligomers. J Am Chem Soc. 2003; 125(33): 9908-9909.

Jeong B, Wang L-Q, Gutowska A Biodegradable thermoreversible gelling PLGA-g-PEG copolymers. Chemical Communications 2001:7(16):1516-1517

Jeong H. Yi H. Sekiguchi Y. Muramatsu M. Kamagata Y. Chun J. Clostridium jejuense sp. nov., isolated from soil. Int J Syst Evol Micro- biol. 2004; 54(5):1465-1468.

Jeong IS. [Effect of progressive muscle relaxation using bio- feedback on perceived stress, stress response, immune response and climacteric symptoms of middle-aged women.] Taehan Kanho Hakhoe Chi. 2004; 34(2):213-24.

Jeracitano D, RG Cooper, LJ Lyon, MI JaysoN. Abnormal temperature control suggesting sympathetic dysfunction in the shoulder skin of patients with frozen shoulder. British Journal of Rheumatology 31: 539-542. 1992

Jerschow A. Thermal convection currents in NMR. flow profiles and implications for coherence pathway selection. J Magn Reson. 2000,145(1):125-31.

Jespers L, Schon O, Famm K, Winter G. Aggregation-resistant domain antibodies selected on phage by heat denaturation. Nat Bio- technol. 2004; 22(9):1161-5.]

Jette FX, Dionne JP, Rose J, Makris A. Effect of thermal manikin surface temperature on the performance of personal cooling systems. Eur J Appl Physiol. 2004;92(6):669-72.

Jetzki M, Bonnamy A, Signorell R. Vibrational delocalization in ammonia aerosol particles. J Chem Phys. 2004; 120(24):11775-84.

Jewell D. June Focus. Br J Gen Pract 2004; 54(503): 409.

Jewkes F. Woollard M. The ABC of community emergency care. 6 Assessment and management of paediatricprimary survey negative patients. Emerg Med J. 2004; 21(5): 595-605.

Jiang C-H. Hermanson O. Cooling of the urinary bladder activates neurons in the dorsal horn of the spinal cord. Neuroreport. 2004, 15(2)351-355.

Jiang T. Lv S-W. Zhang S-W. Li H. Pang Y-H. He W-T. Altera- tions of liver temperature during hepatic fibrosis. World Chin J Di- gestology. 2004; 12(9): 2111-2114.

Jibry N, Heenan RK, Murdan S. Amphiphilogels for drug delivery: formulation and characterization. Pharm Res. 2004; 21(10): 1852-61.

Jimenez Castro D, Diaz G, Perez-Rodriguez E, Light RW. Prognostic features of residual pleural thickening in parapneumonic pleural effusions. Eur Respir J. 2003; 21(6):952-955.

Jin J, Sioutis I, Tarczay G, Gopalakrishnan S, Bezant A, Miller TA. Dispersed fluorescence spectroscopy of primary and secondary alkoxy radicals. J Chem Phys. 2004; 121(23): 11780-11797.

Jin YJ, Li SZ, Zhao ZS, An JJ, Kim RY, Kim YM, Baik JH, Lim SK. Carnitine palmitoyltransferase-1 (CPT-1) activity stimulation by ceru- lenin via sympathetic nervous system activation overrides cerulenin's peripheral effect. Endocrinology. 2004; 145(7):3197-204.

Jinks SL,. Antognini JF,. Martin JT,. Jung S-W, CarstensE, Atherley R Isoflurane, but Not Halothane, Depresses C-Fos Expression in Rat Spinal Cord at Concentrations that Suppress Reflex Movement After Supramaximal Noxious Stimulation Anesth. Analg. 2002, 95: 1622 - 1628.

Joanofarc J, Sangeeta J, Jayakumari S, Sadish Kumar S, Gopinadh B, Gnana K, Sam S. Antipyretic and diuretic activity of Ammania baccifera. Natural Product Sci. 2003; 9(3):180-182.

Job G., Lankau T. How Harmful Is the First Law? Ann NY Acad Sci. 2003; 988: 171 - 181.

Job S, Gusev V, Lotton P, Bruneau M. Acoustic streaming measurements in annular thermoacoustic engines. J Acoust Soc America. 2003;113(4 Pt 1):1892-9.

Jochelson M. The Practice of MammographY. Pathology—Technique—Interpretation—Adjunct Modalities Am. J. Roentgenol. 2002, 178: 1410.

Jofre L, Hawley MS, Broquetas A, de los Reyes E, Ferrando M, Elias-Fuste AR. Medical imaging with a microwave tomographic scanner. IEEE Trans Biomed Eng 37 (3): 303-312. 1990

Johann C, Garidel P, Mennicke L, Blume A. New approaches to the simulation of heat-capacity curves and phase diagrams of pseudobinary phospholipid mixtures. Biophysical Journal 71/6: 3215-3228. 1996

Johann T, Brenner A, Schwickardi M, Busch O, Marlow F, Schunk S, Schüth F. Listening to catalysis—a real time parallel method for high throughput product analysis, Catalysis Today, 2003; 81, (3): 449-455.

Johannessen EA, Wang L, Cui L, Tang TB, Ahmadian M, Astaras A, Reid SW, Yam PS, Murray AF, Flynn BW, Beaumont SP, Cumming DR, Cooper JM. Implementation of multichannel sensors for remote bioMed measurements in a microsystems format. IEEE Trans Biomed Eng. 2004; 51(3): 525-35.

Johannsen M, Jordan A, Scholz R, Koch M, Lein M, Deger S, Roigas J, g K, Loening S. Evaluation of magnetic fluid hyperthermia in a standard rat model of prostate cancer. J Endourol. 2004; 18(5): 495-500.

Johansson AE, Gustavsson AM, Oquist MG, Svensson BH. Methane emissions from a constructed wetland treating waste water— seasonal and spatial distribution and dependence on edaphic factors. Water Res. 2004; 38(18):3960-70.

John C, Wu D, Salerno A, Busse G, Lost C. Applying phase sensitive modulated thermography to ground sections of a human tooth. IN. Green RE, editor, Nondestructive Characterization of Materials VIII, Plenum Press, New York, 1998, p. 757-62

John C, Wu D, Salerno A, Loest C, Busse G. Die phasenempfindliche Modulationsthermographie als eine neue Methode zur beruehrungslosen in vitro-Messung am menschlichen Zahn. Biomedizinische Technik 42 (Suppl): 215-216. 1997

Johnsen A.0. Im BlickpunkT. Flüssigkristall-Thermographie. Thermodiagnostik 2(1): 15-19. 1986

Johnsen A.O. Flüssigkristall-Thermographie, ThermoMed 6:6-7. 1990

Johnson CH, Elliott JA, Foster R. Entrainment of circadian programs. Chronobiol Int . 2003; 20(5):741-774.

Johnson CM, Cooper A, Stockley PG. Differential scanning calorimetry of thermal unfolding of the methionine represore proteien (NET) From Escherichia coli. Biochemistry 31(4)0:9717-9724. 1992

Johnson EA, O'Callaghan JP, Miller DB. Brain concentrations of d-MDMA are increased after stress. Psychopharmacology (Berl). 2004; 173(3-4):278-86.

Johnson GJ.The environment and the eye. Eye. 2004; 18(12): 1235-50.

Johnson JM, Yen TC, Zhao K, Kosiba WA. Sympathetic, Sensory and Non-Neuronal Contributions to the Cutaneous Vascular Response to Local Cooling. Am J Physiol Heart Circ Physiol. 2004; Epub ahead of print

Johnson Jr W. Final Report on the Safety Assessment of Octo- xynol- 1,-3,-5,-6,-7,-8,-9,-10,-11,-12,-13,-16,-20,-25,-30,-33,-40,-70,-9 Carboxylic Acid, Octoxynol-20Carboxylic Acid, Potassium Octo- xynol-12 Phosphate, Sodium Octoxynol-2 EthaneSulfonate, Sodium Octoxynol-2 Sulfate, Sodium Octoxynol-6 Sulfate, and Sodium Octo- xynol-9 Sulfate. Int J Toxicol. 2004;23(Suppl. 1): 59-111.

Johnson KJ, Bhattia P, Bell EF. Infrarred thermometry of newborn infants, Pediatrics 87: 34-380. 1991

Johnson L., N. Thakor, D.HanleY. Study of Near Infrared Imaging of a Model of Brain Edema. Proc 1996 IEEE Engineering in Medicine & BiologY. 671-672. 1996

Johnson PC, Chung YC, Duerkl JL, Saidel GM.Tissue temperature field dynamics from mri during radiofrequency ablation. In. Proceedings of The First Joint BMES/EMBS Conference Serving Humanity, Advancing Technology, Atlanta, 1999, pp.1273

Johnson RI, Fox MA, Grayson A, Jackson M, Fabri BM Should we rely on nasopharyngeal temperature during cardiopulmonary bypass? Perfusion 2002, 17(2): 145-51.

Johnson TE, Gibson RL, Brown M, Buick IS, Cartwright I. Partial Melting of Metapelitic Rocks Beneath the Bushveld Complex, South Africa J Petrol, 2003; 44: 789 - 813.

Johnston A J, Steiner, LA, Gupta AK., Menon DK. Cerebral oxygen vasoreactivity and cerebral tissue oxygen reactivity Br J Anaesth. 2003; 90: 774 – 786.

Johnston RL, Tufail A, Lightman S, Luthert PJ, Pavesio CE, Cooling RJ, Charteris D. Retinal and choroidal biopsies are helpful in unclear uveitis of suspected infectious or malignant origin. Ophthal- mology. 2004; 111(3):522-8.

Jolesz FA. Hynynen K. McDannold N. Freundlich D. Kopelman D. Noninvasive thermal ablation of hepatocellular carcinoma by using magneticresonance imaging-guided focused ultrasound. Gastro entero- logy. 2004;127(Suppl.): S242-S247.

Jolin SW, Howell JM. Infrared emission detection tympanic thermometry (letter) American Journal of Emergency Medicine, 13: 605.1995

Jolin SW, JM.Howell, DP.Milzman, TO.Stair, CA.ButzIn. Infrared emission detection tympanic thermometry may be useful in diagnosing acute otitis media. American Journal Of Emergency Medicine 13: 6-8. 1995

Joly M, Giraudeau B, Monchi M, Oswald AM. [Is measurement of body temperature by infrared tympanic thermometry reproducible?] Ann Fr Anesth Reanim 2001, 20(10): 833-7.

Jomaa S, Shanableh A, Khalil W, Trebilco B. Hydrothermal decomposition and oxidation of the organic component of municipal and industrial waste products. Adv Environ Res. 2003; 7(3):647-653

Jomha NM. Anoop PC. McGann LE. Intramatrix events during cryopreservation of porcine articular cartilage using rapid cooling. 2004; J Orthop Res. 22(1): 152-157.

Jones AAM. Spinal deformity Screening. Seminars In Spine Surgery 5:167-170.1993

Jones B. F, E. F. J.RinG. A Searchable Archive of Thermology Papers and BibliographieS. 1972-1997 (abstract)European Journal of Thermology 8: 117 , 1998

Jones B.F.A CD-Rom Database Of Medical Infra Red Thermal ImagingPublications (abstract). European Journal of Thermology 8: 106 , 1998

Jones BF [1], Ring EF [2], Jones CD An Update to the Searchable Archive of Thermal Imaging for Medicine Papers. (abstract) Thermol int 2003, 13: 69..

Jones BF Content Based Image Retrieval a database of medical thermal images . (abstract) Thermol int 2003, 13: 69.

Jones BF, Ring EF. A database of archival infrared thermal imaging in medicine papers.IN.Proceedings of the 19th Annual International Conference of the IEEE Engineering in Medicine and Biology Society, Vol 19. PTS 1-6. IEEE, New York, 1997, P. 654-5

Jones BF, Ring EF. A Searchable Archive of Thermal Imaging for Medicine Papers on CD-ROM. Thermol intern 2000 , 10(4):205-8

Jones BF, Ring EFJ. A searchable archive of thermal imaging for medicine papers on CD ROM (abstract). (abstract). Thermol intern 2000, 10 (3):139

Jones BF, Ring EFJ. An archive of early thermal imaging for medicine papers (abstract). Thermol intern 2000, 10 (1):30-1

Jones BF. A reappraisal of the use of infrared thermal image analysis in medicine. IEEE Transactions On Medical Imaging 1998. 17/6: 1019-27.

Jones C, Plassman P, Ring EF.Optimised registration of infrared images for comparison of standard views of normal human subjects. (abstract) Thermol int 2003, 13: 69.

Jones CD, Howell KJ. Registration of Clin photography and infrared thermograms. (abstract). Thermol int 2004, 14(4): 147

Jones HG, Archer N, Rotenberg E, Casa R. Radiation measurement for plant ecophysiology J Exp Bot. 2003; 54: 879 - 889.

Jones HG, Stoll M, Santos T, de Sousa C, Chaves MM, Grant OM. Use of infrared thermography for monitoring stomatal closure in the fielD. application to grapevine J. Exp. Bot. 2002, 53: 2249 - 2260.

Jones HG. Irrigation scheduling: advantages and pitfalls of plant- based methods. J Exp Bot. 2004; 55(407):2427-36.

Jones HL, Kleber CB, Eckert GJ, Mahon BE. Comparison of rectal temperature measured by digital vs. mercury glass thermometer in infants under two months old. Clin Pediat. 2003; 42(4):357-359.

Jones JC On the extrapolation of results from oven heating tests for propensity to self-heating. Combustion and Flame 2001, 124(1-2): 334-336

Jones JG. Ulnar tunnel syndrome. Am Fam Physician 44:497-502. 1991

Jones JM, Widmann M. Atmospheric science: early peak in Antarctic oscillation index. Nature. 2004; 432(7015): 290-1.

Jones NF, Gupta R : Postoperative monitoring of pediatric toe-to-hand transfers with differential pulse oximetry. Journal of Hand Surgery 2001, 26(3): 525-529

Jones NG. Slater R. Cadiou H. McNaughton P. McMahon SB. Acid-induced pain and its modulation in humans. J Neurosci. 2004. 24(48) 10974-10979.

Jonnalagadda S, Robinson DH. The effect of additives on the thermal properties and release characteristics of polylactide delivery systems. Proceedings of the Controlled Release Society 1999. 26:1092-3

Jonsson H, Nyström L, Törnberg S, Lundgren B, Lenner P. Service screening with mammography. Long-term effects on breast cancer mortality in the county of Gävleborg, Sweden, Breast, 2003; 12, (3): 183-193.

Joo MH. Maehata E. Adachi T. Ishida A. Murai F. Mesaki N. The relationship between exercise-induced oxidative stress and the men- strualcycle. Eur J Appl Physiol. 2004; 93(1-2): 82-86.

Joost M, Guldager H. Bladder temperature versus tympanic membrane and forehead skin temperature Ugeskr Laeger. 2003 May 26;165(22):2296-8.

Jordan A, Scholz R, Wust P, Fahling H, Felix R. Magnetic fluid hyperthermia /MFH. Cancer treatment with AC magnetic fieldinduced excitation of biocompatible superparamagnetic nanoparticles.Journal of Magnetism and Magnetic Materials 1999,201:413-9.

Jordan V, Gutsche B Development of an environmentally benign process for the production of fatty acid methyl esters. Chemosphere 2001, 43(1): 99-105

Jorg J. Jock S. Boucsein W. Schafer F. Autonomic dysregulation in conjunction with freezing of patients with idiopathic Parkinson's disease (PD): An ambulatory monitoring study. Akt Neurol. 2004; 31(7)338-346.

Joseph LP. Breast cancer detection [news] Science 1999. 284 /5415: 743.

Joukhadar C, Stases H, Müller-Zellenberg U, Lackner E, Ovar F, Minar E, Müller M. Penetration of Moxifloxacin into Healthy and Inflamed Subcutaneous Adipose Tissues in Humans Antimicrob. Agents Chemother, 2003; 47: 3099 -3103.

Journeau C, Boccaccio E, Brayer C, Cognet G, Haquet J-F, Jégou C, Piluso P, Monerris J. Ex-vessel corium spreading: results from the VULCANO spreading tests, Nuc Eng Design, 2003; 223, (1): 75-102

Journeay WS. Reardon FD. Jean-Gilles S. Martin CR. Kenny GP. Lower body positive and negative pressure alter thermal and hemo- dynamic responses after exercise. Aviat Space Environ Med. 2004. 75(10)841-849.

Journeay WS. Reardon FD. Martin CR. Kenny GP. Control of cutaneous vascular conductance and sweating during recovery from dynamic exercise in humans. J Appl Physiol. 2004. 96(6) 2207-2212.

Jouyban-Gharamaleki A, Romero S, Bustamante P, Clark BJ. Multiple solubility maxima of oxolinic acid in mixed solvents and a new extension of Hildebrand solubility approach. Chemical and Pharmaceutical Bulletin 2000. 48 (2):175-8

Ju K-C, Chen Y-Y, Lin W-L, Kuo T-S. One-dimensional phased array with mechanical motion for conformal ultrasound hyperthermia. Phys Med Biol. 2003; 48(2):167-182.

Ju KC, Tseng LT, Lin WL, Chen YY, Kuo TS. Design of scanned cylindrical ultrasound system for breast hyperthermia. IN. Hutten H, Krösel P, eds. Proceedings Part II, EMBEC´02. 2.European Medical & Biological Engineering Conference. IFMBE, Graz, 2002. pp.1334-1335

Judge RB, Palamara JEA, Taylor RG, Davies HMS, Clement JG. Description of a photoelastic coating technique to describe surface strain of a dog skull loaded in vitro, J Prosthetic Dent, 2003; 90, (1): 92-96.

Judovits L, Prime RB, Jaffe M.. Dr. Bernhard Wunderlich at 70. Thermochim Acta, 2003; 396, (s 1-2): 1-32.

Juers DH, Matthews BW. The role of solvent transport in cryo-annealing of macromolecular crystals. Acta Crystallogr D Biol Crystallogr. 2004 Mar;60(Pt 3):412-21. Epub 2004 Feb 25.

Juffermans JHM, Hanssens PEJ, Van Putten WLJ, Van Rhoon GC, Van der Zee J. Reirradiation and hyperthermia in rectal carcinoma: A retrospective study on palliative effect. Cancer. 2003; 98(8):1759-1766.

Jull A Evaluation of studies of assessment and screening tools, and diagnostic tests Evid. Based Nurs. 2002, 5: 68 - 72.

Julsing HG, McCrindle RI. The recovery of precious metals from acidic effluents using sodium formate. Water Science and Technology 2000, 42(5-6): 63-65

Julsrud ME. An unusual cause of tarsal tunnel syndrome. Journal of Foot and Ankle Surgery 34: 289-293.1995

Jung A, Kalicki B, Żuber J, Murawski P, Muszyńska J Thermal Imaging In Asthma Control. (abstract) Thermol int 2003, 13: 71-72

Jung A, Żuber J, Kalicki B, Perdzyński W, Klewar M, Murawski P. Infrared Imaging of Varicocele. (abstract) Thermol int 2003, 13: 71

Jung A, Żuber J, Kalicki B, Perdzyński W, Klewar M, Murawski P. Thermographic Investigation for the Diagnosis of Thrombosis in the Femoral Vein. (abstract) Thermol int 2003, 13: 72.

Jung A, Żuber J, Kalicki B, Murawski P, Kuligowski R, Grenda R, Jobs K. Thermographic Monitoring of Blood Flow In Arteriovenous Fistulae. (abstract) Thermol int 2003, 13: 72-73.

Jung A, Żuber J, Kalicki B, Murawski P, Muszyńska J , Ligęziński A. Application Of Thermovision In The Diagnosis Of Inflammatory Changes Of Nasal Sinusitis. (abstract) Thermol int 2003, 13: 70

Jung A, Żuber J, Kalicki B, Murawski P, Muszyńska J Thermal Imaging For Screening of Crural Varices In Adolescents. (abstract) Thermol int 2003, 13: 72.

Jung A, Żuber J, Kalicki B, Stańczyk M, Osiecki M, Twarkowski P, Murawski P.Infrared Thermographic Imaging Of Critical Leg Ischaemia. (abstract) Thermol int 2003, 13: 70-71

Jung A, Eberl M, Schill W-B. Improvement of semen quality by nocturnal scrotal cooling and moderate behavioural change to reduce genital heat stress in men with oligoasthenoteratozoospermia. Reproduction 2001, 121(4): 595-603

Jung A, Frank-Piskorsaka A, Zuber j, Kalicki B, Murawski P Monitoring of vasodilating treatment by thermal imaging

Jung A, J. Zuber , B. Kalicki, P. Sacha, J. Lukasiewicz, S. J. KlosowicZ.Thermal imaging diagnostics in paediatric allergy. European Journal of Thermology 8: 45 , 1998

Jung A, J.Zuber, B.Kalicki, J.GrodowskI. Use- fulness of thermovision in monitoring pneumonia in children (abstract). European Journal of Thermology 8: 75 , 1998

Jung A, J.Zuber, B.Kalicki, P.Sacha, J.Lukasiewicicz, S,KlosowicZ.Thermographic Analysis of the Tuberculin Reactions of Children. European Journal of Thermology 7(3):127-131. 1997

Jung A, J.Zuber, B.Kalicki, P.Sacha, J.Lukasiewicz, S,KlosowicZ. Thermovision imaging for estimation of the skin prick test in children. (abstract) Thermol Österr 7(2): 91-92. 1997

Jung A, J.Zuber, B.Kalicki, P.Sacha, J.Lukasiewicz, S,KlosowicZ. Thermographic Analysis of the Tuberculine Reaction of Children. (abstract) Thermol Österr 7(2): 92. 1997

Jung A, J.Zuber, B.Kalicki, P.Sacha, J.Lukasiewicz, S.Klosowic, J.RutkA.Thermovision Monitoring of Changes in Kidney Parenchyma After ESWL inChildren With Nephrolithiasis. European Journal of Thermology 7(4) :192-196. 1997

Jung A, J.Zuber, B.Wiecek, S.ZwoleniK. Thermal and Radiological Image Processing in Monitoring of Pneumonia (abstract). European Journal of Thermology 8: 72 , 1998

Jung A, J.Zuber,, P.Sacha, J.Lukasiewicz, S,Klosowicz, B.Kalicki, J.RutkA. Thermovision monitoring of changes on kidney parenchyma after ESWL in children with nephrolithiasis. (abstract) Thermol Österr 7(2): 92. 1997

Jung A, Kalicki B, Zuber J, Gawron L, Rówycki R, Stankiewicz A. Thermographic monitoring of ophthalmic surgery –extraction of cataract. Thermol intern 2002. 12: 62

Jung A, Kalicki B, Żuber J, Gawron L, Różycki R, Stankiewicz A, Murawski P.Thermographic Monitoring of Cataract Extraction. (abstract) Thermol int 2003, 13: 71

Jung A, Kalicki B, Żuber J, Gawron L, Różycki R, Stankiewicz A, Murawski A. Thermal Imaging for the Diagnosis of Allergy. (abstract) Thermol int 2003, 13: 71.

Jung A, Wiecek B, Zuber J, Kalicki B, Klosovicz SJ, Perdzynski W.The evaluation of venous system pathologies with thermal imaging (abstract). Thermol intern 2000, 10 (1): 39.

Jung A, Zuber J, Kalicki B, Klosowicz SJ. Usefulness of thermography for detecting pathology of the venous system, and ischaemia of lower limbs. (abstract). Thermol intern 2000, 10 (4): 210

Jung A, Zuber J, Kalicki B, Murawski P, Klosowicz SJ. Thermological Screening for Varicose Veins of the Lower Limbs (abstract). Thermol intern 2000, 10 (4): 210

Jung A, Żuber J, Kalicki B, Murawski P, Muszyńska J. Thermographic Examination for the Indentification of Changes in the Thyroid Gland. (abstract) Thermol int 2003, 13: 72.

Jung A, Żuber J, Kalicki B, Muszyńska J, Murawski P, Płusa T, Thermography For Diagnosis And Monitoring Of Allergic And Non-Allergic Pneumonia. (abstract) Thermol int 2003, 13: 73.

Jung A, Żuber J, Kalicki B, Perdzyński W, Klewar M, Murawski P.Infrared Imaging Of Angiomatosis Syndrome (Klippel – Trenaunay Syndrome. (abstract) Thermol int 2003, 13: 70

Jung A, Zuber J, Kalicki B, Perdzynski W, Klosowicz SJ.Thermographic evaluation of selected cases of pathology of the venous system in children Thermol intern 2001, 11(2): .66-71

Jung A, Zuber J, Kalicki B, Rutka J, Klosowicz SJ, Czuprynski KL,Zmija J. Application of liquid - crystalline thermographic foils in diagnostics of prick skin tests for children. IN. Rutkowska J, Klosowicz SJ, Zielinski J, Zmija J (eds): Liquid CrystalS. Physics, Technology and Applications. Proceedings of The Society of Photo-Optical Instrumentation Engineers (SPIE) Vol.3318. Bellingham, pp. 508-510. 1998

Jung A, Zuber J, Kalicki B, Sacha P, Lukasiewicz J, Klosowicz S. Usefulness of thermography methods for skin prick test monitoring in children. Journal of Investigational Allergology and Clinical Immunology 7/5: 542. 1997

Jung A, Zuber J, Kalicki B, Wiêcek B, Zwolenik S, Klosowicz SJ.Thermography in monitoring diseases of peripheral vessels (abstract) Thermol intern 2000, 10(2):101

Jung A, Zuber J, Kalicki B. Usefulness of thermovision in the allergy diagnostics (abstract). Thermol intern 1999, 9(4):

Jung A, Zuber J, Kalicki E, Dadas E, Murawski Thermal imaging for the visualisation of the bronchial tree in asthmatic patients - a preliminary study(abstract). Thermol intern 2001, 11(2). 100.

Jung A, Zuber J, Wiecek B, Kalicki B, Stanczyk M, Osiecki M, Twardowski P. Infrared thermographic imaging of critical leg ischaemia. (abstract) Thermol intern 1999, 9(2):72.

Jung A, ZuberJ, Kalicki B, Wiecek B, Zwolenik S, Klosowicz SJ. Thermography in monitoring of diseases peripheral vessels (abstract). Thermology intern 2000, 10(3):152-3

Jung A, ZuberJ, Kalicki B, Wiecek B, Zwolenik S, Klosowicz SJ. Thermal imaging in screening diagnosis of crural varices in adolescents (abstract). Thermology intern 2000, 10(3):153

Jung A. , J.Zuber, B.Kalicki, J.GrodowskI. Thermovision examination for recognition of chan-ges in the thyroid gland (abstract). European Journal of Thermology 8: 76 , 1998

Jungmayr P, Muller-Bohn T. Report of the North German cytostatics workshop. Deutsche Apotheker Zeitung. 2003; 143(7): 62-72.

Junila J, Kaarela O, Waris T. The formation of the demarcation line at experimental frostbite. International Journal Of Circumpolar Health 1999. 58(1):44-51.

Junila J, O.Kaarela, J.Maekaeraeinen, T.WariS. Assessment of tissue viability by thermography after experimentally produced frostbite of the rabbit ear. Acta Radiologica, 34: 622-624. 1993

Junker B Technical evaluation of the potential for streamlining of equipment validation for fermentation applications. Biotechnology and Bioengineering 2001,74(1): 49-61

Jursinic PA Implementation of an in vivo diode dosimetry program and changes in diode characteristics over a 4-year clinical history Medical Physics 2001:28(8):1718-1726

Jusot JF, Vanhems P, Benzait F, Berthelot P, Patural H, Teyssier G, Fabry J, Pozzetto B, The Paediatricians Of The Participating Wards. The procedures of hygiene to control hospital-acquired diarrhoea in paediatric wards: a multicentre audit. J Hosp Infect. 2004; 57(1):44-51.

Justino LM, Tames DR, Demarco FF. In situ and in vitro effects of bleaching with carbamide peroxide on human enamel. Oper Dent. 2004; 29(2):219-25.

Jyothi TM, Raja T, Talawar MB, Sreekumar K, Sugunan S, Rao BS. Selective methylation of phenol, aniline and catechol with dimethyl carbonate over calcined Mg-Al hydrotalcites. Synthetic Communications 2000: 30(21) 3929-3934

Kaatee RS, Nowak PC, van der Zee J, de Bree J, Kanis BP, Crezee H, Levendag PC, Visser AG Clinical thermometry, using the 27 MHz multi-electrode current-source interstitial hyperthermia system in brain tumours. Radiotherapy And Oncology 2001. 59 (2) 227-31

Kaatee RSJP, Crezee H, Visser AG. Temperature measurement errors with thermocouples inside 27 MHz current source interstitial hyperthermia applicators. Physics in Medicine and Biology 1999, 44/6:1499-1511.

Kaatz GW. Seo SM. Effect of substrate exposure and other growth condition manipulations on norAexpression. J of Antimicrobial Chemotherapy. 54(2): 364-369. 2004;

Kabanov NIa, EIu OsintseV. (Closed method of surgical treatment in postinjection purulent complications) Khirurgiia (2): 60-63.1993

Kabanov NIa, EIu OsintseV. (The follow-up and prognosis of the course of the wound process in patients with a soft-tissue surgical infection based on liquid-crystal thermographic data) Vestnik Khirurgii Imeni I. I. Grekova, 152:) 97-99. 1994

Kaburag H, J,-i. Matsuda, K. YahatA. Quantitative Estimation Of Thermograms Using A Spectral-Histogram Method. (abstract). Biomed Thermol 10: 315. 1990

Kaburagi H, J.-i. Matsuda, K. YahatA. Study Of Sympathetic Nerve Disturbance In Autonomic Neuropathy. Analysis Of Thermograms Using A Spectal-Histogram Method. (abstract). Biomed Thermol 11: 302. 1991

Kaczanowski R, Laszczyñska J.The effect of rapid alveolar oxygen tension changes on the peripheral blood flow under hypoxia condition. (abstract). Thermol intern 2000, 10 (4): 210

Kaczmarek M, Nowakowski A, Renkielska A, Grudzinski J, Stojek W Investigation of Skin Burns Basing on Active Thermography

Kaczmarek M, Nowakowski A, Siebert J, Rogowski J. Infrared thermography - applications in heart surgery. IN. Nowakowski A, Chachulski B, editors, Optoelectronic and Electronic Sensors III, Proceedings of the Society of Photo-Optical Instrumentation Engineers, SPIE, Vol.3730. Bellingham, 1999, p.184-8.

Kaczmarek M,. Ruminski J, Nowakowski A. Data processing method for dynamic thermography. IN. Hutten H, Krösel P, eds. Proceedings Part II, EMBEC´02. 2.European Medical & Biological Engineering Conference. IFMBE, Graz, 2002. pp.1098-1099

Kaddour Djebbar M, Nguyen QT, Clement R, Germain Y. Pervaporation of aqueous ester solutions through hydrophobic poly (ether-block-amidecopolymer membranes. Journal of Membrane Science 146(1): 125-133. 1998

Kadioglu M, Saylan L Trends of growing degree-days in Turkey. Water, Air, and Soil Pollution 2001, 126(1-2): 83-96

Kadirvelu K, Namasivayam C. Activated carbon from coconut coirpith as metal adsorbent: Adsorption of Cd(II) from aqueous solution. Adv Environ Res. 2003; 7(2):471-478.

Kadohisa M. Rolls ET. Verhagen JV. Orbitofrontal cortex: Neur- onal representation of oral temperature and capsaicinin addition to taste and texture. Neurosci. 2004;127(1): 207-221.

Kagan J, Snidman N, Peterson E Temperature asymmetry and behavior. Developmental Psychobiology 2000, 37(3): 186-193

Kagawa H, Ozaki Y, Nagahama M, Matsumoto N, Shimizu T, Iguchi T, Nomura S, Fukuhara S. The effect of 5-HT sub(2): antagonist on the coagulation activity in patients with collagen diseases with Raynaud's phenomenon. Therapeutic Research 1998, 19/9:263-9.

Kai M, Yamauchi A, Tominaga K, Koga A, Kai H, Kataoka Y. Soybean isoflavones eliminate nifedipine-induced flushing of tail skin in ovariectomized mice. J Pharmacol Sci. 2004; 95(4):476-8.

Kainz A, A. Ehn, W BilY.Die Infrarotthermographische Überprüfung der Effekte der Manipulation bei Blockierungen im Bereich der Wirbelsäule (abstrakt). Thermol Österr1: 34. 1991

Kainz A, A. Ehn,W.Bily. Thermographische Objektivierung der Manualtherapie bei Patienten mit Wirbelsäulenbeschwerden.Thermol Österr2: 30-33. 1992

Kainz A, B.Biber, W.Bily, T.Kienbacher, D.RaschaueR. Thermographische Überprüfung der Wärmewirkung des Ultraschalls bei verschiedenen Intensitätsstufen, ThermoMed 6:88. 1990

Kainz A, E.Uher, L.Schindl, H.Kern. Überprüfung vom hyperämisierenden Therapieformen der physikalischen Medizin mit Hilfe der IR-Thermographie (abstract). ThermoMed 5: 53. 1989

Kainz A, R.Birkelbach, H.KerN. Thermographischer Nachweis der Wirksamkeit von funktioneller Elektrostimulation bei spastisch und schlaff gelähmter Muskulatur. (abstract). ThermoMed 5: 53. 1989

Kainz A,B.Biber,W.Bily,T.Kienbacher,D.RaschaueR. Thermographische Überprüfung der Wärmewirkung des Ultraschalls bei verschiedenen Intensitätsstufen. IN. Ammer K, O.Rathkolb (Hrg): Kontaktthermometrie, Thermographie, LBF f.Physikalische Diagnostik, Wien, S.47-50. 1990

Kainz A. Generalversammlung der Österreichischen Gesellschaft für Thermologie. European Journal of Thermology 7(3):151. 1997

Kainz A. Quantitative Überprüfung der Massagewirkung im Thermogramm.Thermol Österr 3:79-83.1993

Kainz A. Quantitative Überprüfung der Massagewirkung mit IR-Thermographie. (abstract). Thermol Österr 3: 68-69. 1993

Kainz W, Neubauer G, Uberbacher R, Alesch F, Chan D Temperature measurement on neurological pulse generators during MR scans. Biomed Eng Online, 2002, 1(1): 2.

Kaiser DA. Knight KL. Huff JM. Jutte LS. Carlson P. Hot-pack warming in 4- and 8-pack Hydrocollator units. J Sport Rehabil. 2004; 13(2): 103-113.

Kaiser WA, K.Diedrich, M.Reiser, D.KrebS. Moderne Diagnostik der Mamma. Geburtshilfe und Frauenheilkunde 53:1-14.1993

Kaiser WA. MR-Mammographie. Radiologe 33: 292-299. 1993

Kaiyala KJ, Ramsay DS. Assessment of Heat Production, Heat Loss and Core Temperature During Nitrous Oxide Exposure: A New Paradigm For Studying Drug Effects and Opponent Responses. Am J Physiol Regul Integr Comp Physiol. 2004; Epub ahead of print

Kakitsuba N. Dynamic changes in sweat rates and evaporation rates through clothing during hot exposure. J Thermal Biol. 2004; 29(7-8 Spec. Iss.)739-742.

Kakuta N; Yokoyama S; Mabuchi K. Development of a Human Thermal Model and Its Applications for Thermographic Diagnosis. In Proceedings of The First Joint BMES/EMBS Conference Serving Humanity, Advancing Technology, Atlanta, 1999, pp. 1103

Kaletunc G. Lee J. Alpas H. Bozoglu F. Evaluation of Structural Changes Induced by High Hydrostatic Pressure in Leuconostoc mesen- teroides. Appl Environ Microbiol. 2004; 70(2): 1116-1122.

Kalicki B, J.Zuber. Anna Jung, J.Rutka, A. Ligêziñski, A. Chmurzyñska, St. J. KlosowicZ. Application of thermovision in diagnosis of ethmoid and maxillary sinusitis (abstract). European Journal of Thermology 8: 177. 1998

Kalili TK, Gratt BM. Electronic thermography for the assessment of acute temporomandibular joint paIn. Compendium of Continuing Education in Dentistry, 17(1)0: 979-983. 1996

Kalinin AP, Filonenko AA, Mit'kov VV. Znachenie ekho rafii v diagnostike zabolevanii shchitovidnoi i okoloshchitovignykh zhelez. (Significance of echography in the diagnosis of diseases of the thyroid and parathyroid glands). Med Radiol (Mosk) 35 (4): 56-60. 1990

Kaliuzhnaia LD. The use of thermography for the objective assessment of treatment efficacy for atopic dermatitis patients. Vrach Delo (12(1)990): 88-90. 1990

Kalkan T, Demir M, Ahmed AS, Yazar S, Dervisoglu S, Uner HB, Cetinkale O. A dynamic study of the thermal components in electrical injury mechanism for better understanding and management of electric trauma: an animal model. Burns. 2004; 30(4):334-40.

Kallenbach A, Bard A, Coster D, Dux R, Fuchs C, Gafert J, Herrmann A, Schneider R. New results on carbon release and transport in ASDEX-Upgrade. Journal of Nuclear Materials 1999, 269: 343-7

Kalodiki E, Calahoras L, Geroulakos G, Nicolaides AN. Liquid crystal thermography and duplex in the preoperative marking of varicose veins. Phlebology 10:110-114. 1995

Kalodiki E, L.Calaboras-, A.N. NicolaideS. Liquid crystal thermography and U/S Duplex in the preoperative marking of varicose veins. IN. Ammer K, EFJ Ring (eds): The Thermal Image in Medicine and Biology, Uhlen Verlag, Wien,pp. 225-231. 1995

Kalodiki E, L.Calahoras, AN NicolaideS. Liquid crystal thermography and Duplex in the preoperative marking of varicose veins. Thermol Österr4:182-183. 1994

Kalodiki E, R Marston, N Volteas, M Leon, N Labropoulos, CM Fisher, D Christopoulos, R Touquet, AN NicolaideS. The combination of liquid crystal thermography and duplex scanning in the diagnosis of deep vein thrombosis. European Journal of Vascular Surgery 6:311-316.1992

Kalodiki E.Ph, L.S.Calahoras. S.K.Volteas, A.N.NicolaideS. Liquid Crystal Thermography is not for screening total hip replacement patients for deep venous thrombosis. Thermol Österr 5: 54-59. 1995

Kalogirou SA. Artificial intelligence for the modeling and control of combustion processes: a review, Prog Energy Combust Sci, 2003; 29, (6): 515-566

Kalton G. "Neuromuscular Thermography in Orthopaedic Surgery. A Usage Poll" by Charles J Ash M.D.and Melvin V.Foster, Ph.D., Orthopaedic Review, June 1988 Issue, Thermology 3:166. 1990

Kalugin VA, VP Pishak, VI ProniaeV. (Radiation thermometry used in the study of normal kidney functional activity). Vrachebnoe Delo (5-6): 55-58. 1994

Kalugin VA. Primenenie dinamicheskoi radiatsionnoi teplometrii v diagnostike khronicheskogo glomerulonefrita. (Application of dynamic radiation thermometry in the diagnosis of chronic glomerulanephritis). Ter Arkh, 61 (6): 110-113. 1989

Kalugin VA. Radiatsionnaia i teplometriia i kontaktnaia termo'metriiia u bol'nykh pielonefritom.(Radiation thermometry and contact thermometry in patients with pyelonephritis). Vrach Delo (10): 46-48. 1989

Kaluzyñska A, Czupryniak A, Zwolenik S, Jander A, Finke D, Wiêcek B. Thermography for the diagnosis of bone pain in renal replacement therapy patients with secondary hyperparathyroidism – preliminary study (abstract). Thermol intern 2000, 10 (4): 210

Kaluzynska A. Czupryniak A. Zwolenik S. Lis M. Wiecek B. Nowicki M. The Raynaud phenomenon and selected markers of ento- thelial condition inhemodialysed patients. Pediatria Polska. 2004; 79(2): 157-162.

Kamal H, Raouf A, Gouda N. Effects of amino acid-enriched solution on recovery from continuous infusion of pancuronium in ICU. Egypt J Anaesth. 2003; 19(3):291-296.

Kamei T, Toriumi Y, Tomioka H Effect of Mao-bushi-saishin-to on infection of ofloxacin resistant bacteria and of unknown origIn. Complementary Therapies in Medicine 2000, 8(4): 276-279

Kamijo YI, Lee K, Mack GW. Active cutaneous vasodilation in resting humans during mild heat stress. J Appl Physiol. 2004; Epub ahead of print

Kaminski A, Jouglar J, Volle C, Natalizio S, Vuillermoz PL, Laugier A. Non destructive characterisation of defects in devices using infrared thermography. TherminiC. Collection of Papers Presented at the International Worksop on Thermal Investigations of ICs and Microstructures, IEEE Test Technology Technical Committee, Amissville, 1998, p. 143-6

Kamiyama T, Sadahide Y, Nogusa Y, Gekko K. Polyol-induced molten globule of cytochrome C. An evidence for stabilization by hydrophobic interaction. Biochimica et Biophysica Acta - Protein Structure and Molecular Enzymology 1999. 1434(1):44-57

Kammel C. Regulations-Thermographie während einer Kur bei M. Bechterew-Patienten Thermodiagnostik 2(1): 13-14. 1986

Kamolz L-P, Andel H, Haslik W, Donner A, Winter W, Meissl G, Frey M. Indocyanine green video angiographies help to identify burns requiring operation. Burns, 2003; 29 (8): 785-791.

Kampen J. Liess C. Casadio C. Tonner PH. Reuter M. Scholz J. Safety of the Pulsiocath for haemodynamic monitoring during magnetic resonanceimaging [5]. Anaesthesia. 2004; 59(8): 828-829.;

Kampmeier J, Russ D, Schafer S, Lang GE, Lasser T, Steiner R, Lang GK. Corneal morphology in vitro after superficial keratectomy with q-switched ER.YSGG and free-running ER.YAG lasers. J Refract Surg. 2000,16(3):341-8.

Kan C, Akimoto S, Abe M, Okada K, Ishikawa O Preliminary thermographic evaluation of new nitroglycerine tape on the peripheral circulatory disturbance in systemic sclerosis Ann. Rheum. Dis 2002, 61: 177 - 179.

Kan C-W. Doherty EAS. Buchholz BA. Barron AE. Thermor- esponsive N,N-dialkylacrylamide copolymer blends as DNA sieving matriceswith a thermally tunable mesh size. Electrophoresis. 2004; 25(7-8): 1007-1015.

Kanai S, Okano H, Abe H. Efficacy of toki-shigyakuka-gosyuyu-syokyo-to (danggui-sini-jia-wuzhuyu-shengjiang-tang) on peripheral circulation in autonomic disorders. American Journal Of Chinese Medicine 25 (1): 69-78. 1997

Kanai S. Taniguchi N. Kawamoto M. Endo H. Higashino H. Effect of static magnetic field on pain associated with frozen shoulder. The Pain Clinic. 2004; 16(2): 173-179.

Kanal E, Meltzer CC, Anderson PD, Scheuer MP. Platinum subdural griD. MR imaging compatibility testing. Radiology 1999, 211(3). 886-8

Kanamori T, A. Maeda, R.Sakaki, N. Ihashi, Y. Suzuki, H. Takahashi, H. Sekine, M. Nakamura, T. Yazumi, H. Ito, H. Yoshizawa, M. Nagae, S. YoshiuE.Circadian Rhythm Of Body Temperature. Biomed Thermol 11: 292-293. 1991

Kandori K. Ishikawa T. Study on the hydrothermal reaction of FeCl3 solution in the presence ofpoly(vinyl alcohol). Coll Polymer Sci 2004;282(10): 1118-1125.

Kandzari DE, Chu A, Brodie BR, Stuckey TA, Hermiller JB, Vetrovec GW, Hannan KL, Krucoff MW, Christenson RH, Gibbons RJ, Sigmon KN, Garg J, Hasselblad V, Collins K, Harrington RA, Berger PB, Chronos NA, Hochman JS, Califf RM. Feasibility of endovascular cooling as an adjunct to primary percutaneous coronary intervention (results of the LOWTEMP pilot study). Am J Cardiol. 2004; 93(5):636-9.

Kanehara K, Kinbara K. Relationship between survival period and results of endoluminal thermometry in hyperthermia treatment for the patients with deep-seated pelvic tumor. Japanese Journal of Clinical Radiology 1999. 44(9):1025-30

Kaneko M, He P, Nishimura T, Sugiyama A, Shimizu T, Ichinohe K, Kisamori M, Teshima T, Miyazaki Y, Kageyama T, et aL. Laser transmission photo-scanneR. Clinical application in breast tumor detection (report 3). Radiat Med, 7 (4): 173-175. 1989

Kanesaka S, Watanabe T, Matsukawa S. Binding effect of Cu(2+) as a trigger on the sol-to-gel and the coil-to-helix transition processes of polysaccharide, gellan gum. Biomacromolecules. 2004; 5(3):863-8.

Kang HY, Lee SH Infrared image in HNP patients associated with obstruction of femoropopliteal artery(abstract). Thermology intern 2000, 10(3):154

Kang J. M, M. H. LeE. The Role Of Thermography In The Diagnosis Of Breast Cancer. (abstract) Thermol Österr 7(1): 32-33. 1997

Kang PB, Hoffman SN, Krimitsos E, Rutkove SB. Ambulatory foot temperature measurement: new technique in polyneuropathy evaluation. Muscle Nerve. 2003; 27(6):737-742.

Kang SK. Cho KK. Ahn JK. Kang SH. Han KH. Lee HG. Choi YJ. Cloning and expression of thermostable beta-glycosidase gene from Thermusfiliformis Wai33 A1 in Escherichia coli and enzyme cha- racterization. J Microbiol Biotechnol. 2004; 14(3): 584-592.

Kangarlu A, Shellock FG, Chakeres DW. 8.0-Tesla human MR system: Temperature changes associated with radiofrequency-induced heating of a head phantom. J Mag Res Imag. 2003; 17(2):220-226.

Kanibolotsky AL. Berridge R. Skabara PJ. Perepichka IF. Bradley DDC. Koeberg M. Synthesis and properties of monodisperse oligo- fluorene-funcfionalized truxenes:Highly fluorescent star-shaped archi- tectures. J he Am Chem Soc. 2004;126(42): 13695-13702.

Kanie R. , Y. Nonogaki, M. NozakI. Pre- And Post-Operative Thermograms On Osteoarthritis Of The Hip. (abstract). Biomed Thermol 11: 303. 1991

Kanie R. Clinical application of thermography to osteoarthritis of the hip (abstract). Thermology intern 2000, 10(3):144-5

Kanie R. Thermographic Evaluation of Osteoarthritis of the Hip. Biomed Thermol 15: 72-76. 1995

Kanie R.Clinical Application of thermography to osteoarthritis of the hip. Thermol intern 2001, 11(1): 19-24

Kanie R.Thermographic Evaluation of Osteoarthritis of the Hip. (abstract). Biomed Thermol 15. 3. 1995

Kao B, Kelly KM, Aguilar G, Hosaka Y, Barr RJ, Nelson JS. Evaluation of cryogen spray cooling exposure on in vitro model human skin. Lasers Surg Med. 2004; 34(2):146-54.

Kao M-C Operative monitoring of hand and axillary temperature during endoscopic superior thoracic sympathectomy for the treatment of palmar hyperhidrosis. European Journal of Surgery 2001,167(3): 237-238

Kao M-C. Percutaneous CT-guided chemical thoracic sympath- ectomy for patients with palmar hyperhidrosis after transthoracic endoscopic sympathectomy: Commentary. Surg Neurol. 2004. 62(6): 505.

Kaplan A, Manor Y, Bekkerman A, Tsipinyuk B, Kolodney E. The dynamics of endohedral complex formation in surface pick-up scattering as probed by kinetic energy distributions: experiment and model calculation for Cs@C(60) (+). J Chem Phys. 2004; 120(3): 1572-84.

Kaplan P, Babusikova E, Lehotsky J, Dobrota D. Free radical-induced protein modification and inhibition of Ca2+-ATPase of cardiac sarcoplasmic reticulum. Mol Cell Biochem. 2003; 248(1-2):41-47).

Kapros T. Atmoszféra keringtetési kérdések konvektív üzemü ipari kemencéknél (Questions of atmosphere ventilation in convective industrial furnaces) Mérés és Automatika 39(Suppl 2): 106-110 1991

Kapural L. Hayek SM. Stanton-Hicks M. Mekhail N. Decreased Insulin Requirements with Spinal Cord Stimulation in a Patient with Diabetes. Anesth Anal. 2004; 98(3): 745-746.

Karanasiou IS. Uzunoglu NK. Stergiopoulos S. Wong W. A passive 3D imaging thermograph using microwave radiometry. ITBM- RBM. 2004; 25(4): 227-239.

Karatas S, Altlndal S, Türüt A; Özmen A. Temperature dependence of characteristic parameters of the H-terminated Sn/p-Si(1 0 0) Schottky contacts, App Surface Sci. 2003; 217, (s 1-4): 250-260..

KargerKocsis J, Czigany T. Effects of interphase on the fracture and failure behavior of knitted fabric reinforced composites produced from commingled GF/PP yarn. Composites Part A-Applied Science And Manufacturing, 29/9-10: 1319-30

Karki A. Karppi P. Ekberg J. Selfe J. A thermographic investi- gation of skin temperature changes in response tothermal washout of the knee in healthy young adults. Thermol Int. 2004; 14(4): 137-141.

Karlsson JOM.Modeling of microscale biothermal processes: from freezing to fever. In. Proceedings of The First Joint BMES/EMBS Conference Serving Humanity, Advancing Technology, Atlanta, 1999, pp.1261

Karpov RS, Dudko VA. AteroskleroZ. nekotorye sovremennye voprosy patogeneza, diagnostiki, lecheniia i profilaktiki. (AtherosclerosiS. some topical issues of pathogenesis, diagnosis, treatment and prevention): Klinicheskaia Meditsina, 1999, 77 (12) 9-13

Karstetter KW, Sherman RA. Use of thermography for initial detection of early reflex sympathetic dystrophy. J Am Podiatr Med Assoc 81:198-205. 1991

Kartal SN. Imamura Y. Tsuchiya F. Ohsato K. Preliminary evalua- tion of fungicidal and termiticidal activities of filtratesfrom biomass slurry fuel production. Bioresource Technol. 2004; 95(1): 41-47.

Kasai M, Mukaida T. Cryopreservation of animal and human embryos by vitrification. Reprod Biomed Online. 2004; 9(2):164-70.

Kasai T, Kato H, Uchida N, Sugihara M, Sugimura K Improved reliability of repetitive RF interstitial heating in combination with brachytherapY. The effective use of water. : International Journal of Hyperthermia 2001,17(2): 160-171

Kasai T, Nakajima Y, Matsukawa T, Uen~o H, Sunaguchi M, Mizobe T. Effect of preoperative amino acid infusion on thermoregulatory response during spinal anaesthesia. BJA: Br J Anaesth. 2003; 90(1):58-61.

Kasner SE, WeinT, PiriyawatP, Villar-Cordova CE, Chalela JA, Krieger DW, Morgenstern LB, Kimmel SE, Grotta JC, Koennecke H-C. Acetaminophen for Altering Body Temperature in Acute StrokE. A Randomized Clinical Trial • Editorial CommenT. A Randomized Clinical Trial Stroke 2002, 33: 130 - 135.

Kassab AJ, Hsieh CK, Pollard J. The inverse geometric problem applied to the IR-CAT method for the detection of an irregular subsurface cavity. IN. Tanaka M, Dulikravich GS, editors,Inverse Problems in Engineering Mechanics, Elsevier Science Publ Amsterdam, 1998, p. 111-20

Kastberger G, Stachl R. Infrared imaging technology and biological applications. Behav Res Methods Instrum Comput. 2003 Aug;35(3):429-39.

Kastelic JP, Cook RB, Coulter GH.Contribution of the scrotum and testes to scrotal and testicular thermoregulation in bulls and rams. Journal Of Reproduction And Fertility 108(1): 81-85. 1996

Kastner C, Hochreiter W, Huidobro C, Cabezas J, Miller P.Cooled transurethral microwave thermotherapy for intractable chronic pro- statitis-results of a pilot study after 1 year. Urology. 2004; 64(6):1149-54.

Kasumov AYu, Kociak M, Gueron S, Reulet B, Volkov VT, Klinov DV, Bouchiat H. Proximity-induced superconductivity in DNA. Science 2001, 291(5502): 280-282

Kasuya D, T. Sakai, H. Isobe, K.Matsuta, K. ItoU.Use Of Thermography In A Clinical Study On The Application Of Acupuncture To Lumbar Spinal Stenosis. (abstract). Biomed Thermol 11: 307. 1991

Kaszli FA, Krieglstein GK. Tear film deficiencies pharmacology of eye drops and toxicity. Current Opinion in Ophthalmology 7(4): 12-16. 1996

Kataoka M, Y Nishiyama, T Fujii, M Kawamura, H.Mogami H Itoh, A Ilio, K HamamotO. Temperature distribution and geometry of the elec-trodes in RF interstitial hyperthermia using circular and interstitial electrodes. Nippon Igaku Hoshasen Gakkai Zasshi. Nippon Acta Radiologica 52: 646-652. 1992

Katiyar V. Goel R. Improved plant growth from seed bacteri- zation using siderophore overproducingcold resistant mutant of Pseu- domonas fluorescens. J Microbiol Biotechnol. 2004; 14(4): 653-657.

Katkov II. Levine F. Prediction of the glass transition temperature of water solutions: Comparison ofdifferent models. Cryobiol. 2004; 49(1): 62-82.

Kato H, Yoshimura K, Kuroda M, Yoshida A, Hanamoto K, Kawasaki S, Shibuya K, Yamamoto Y, Tsunoda M, Takemoto M, Hiraki Y. Development of a phantom compatible for MRI and hyperthermia using carrageenan gel—relationship between dielectric properties and NaCl concentration. Int J Hyperthermia. 2004; 20(5):529-38.

Kato K, J.-i MatsudA. Estimation of temperature distribution in a human body during hyperthermia treatment using blood flow rate data derived from SPECT images.(abstract) Biomed Thermol 12: 250-253. 1992

Kato K. , K. Ishikawa , J.-i MatsudA. Estimation of temperature distribution in a human body during hyperthermia treatment using blood flow rate data derived from SPECT images. IN. Mabuchi K, S.Mizushina, B.Harrison (eds.) Advanced Techniques and Clinical Application in Biomedical Thermologie, harwood academic publishers Chur/Schweiz p. 13-24. 1994

Katoh A, J-.i. Matsuda, K. Mabuchi, I.FujimasA. Analysis Of Skin Surface Temperature By Computer Simulation (Stationary Case) (abstract). Biomed Thermol 10: 315. 1990

Katoh K, Kawai T, Narita M, Uemura J, Tani K, Okubo T. Use of prostoglandin E sub (1) (lipo-PGE sub (1)) to treat Raynaud's phenome-non associated with connective tissue diseasE. Thermographic and subjective assessment. Journal of Pharmacy and Pharmacology 44:442-444. 1992

Katz ES, McGrath S, Marcus CL.Late-onset central hypoventilation with hypothalamic dysfunctioN. a distinct clinical syndrome. Pediatr Pulmonol. 2000, 29(1):62-8. Review.

Katz LM, Young A, Frank JE, Wang Y, Park K.Neurotensin- induced hypothermia improves neurologic outcome after hyp- oxic- ischemia. Crit Care Med. 2004; 32(3): 806-10

Katz LM, Young AS, Frank JE, Wang Y, Park K. Regulated hypothermia reduces brain oxidative stress after hypoxic-ischemia. Brain Res. 2004; 1017(1-2):85-91.

Kaufmann.D, Tinschert S, Algermissen B. Is the distribution of dermal neurofibromas in neurofibromatosis type 1 (NF1) related to the pattern of the skin surface temperature? Eur J Dermatol 2001, 11(6): 521-6.

Kaukuntla H, Harrington D, Bilkoo I, Clutton-Brock T, Jones T, Bonser RS. Temperature monitoring during cardiopulmonary by- pass—do we undercool or overheat the brain? Eur J Cardiothorac Surg. 2004; 26(3):580-5.

Kaukuntla H, Walker A, Harrington D, Jones T, Bonser RS; Study Group. Differential brain and body temperature during cardiopul- monary bypass—a randomised clinical study. Eur J Cardiothorac Surg. 2004; 26(3):571-9.

Kauppinen T, Alamaki P, Lilja J, Ruotsalainen K. Thermography in the condition monitoring of refractory lining. IN. LeMieux DH, Snell JR, editorS. Thermosense XXI,Proceedings of the Society of Photo-Optical Instrumentation Engineers (SPIE), Vol.3700, Bellingham, 1999. p. 214-26.

Kaushik RM. Mahajan SK. Rajesh V. Kaushik R. Stress profile in essential hypertension. Hypertension Res. 2004; 27(9)619-624.

Kavanagh S. Jong AD. Care of burn patients in the hospital. Burns. 2004; 30(8): A2-A6.

Kawada J, Lutke-Eversloh T, Steinbuchel A, Marchessault RH. Physical properties of microbial polythioesters: Characterization of poly(3-mercaptoalkanoates) synthesized by engineered Escherichia coli. Biomacromol. 2003; 4(6):1698-1702).

Kawaguchi M. Drummond JC. Cole DJ. Kelly PJ. Spurlock MP. Patel PM. Effect of Isoflurane on Neuronal Apoptosis in Rats Subjected to Focal CerebralIschemia. Anesth Analg. 2004;98(3): 798-805.

Kawai Y. Thermal transition profiles of bacteriophage T4 and its DNA. Journal of General and Applied Microbiology 1999. 45(3):135-8

Kawamata T, Iseki H, Okada Y, Hori T Clinical application of an ultrasonically activated scalpel in neurosurgery. Neurological Research 2001, 23(1): 64-66

Kawamoto M, O. Fujikawa, F. Yamada, T. Horikawa, S.i Sakaguchi, M. Yamamoto, A. NishigorI. Effects Of Acupuncture Stimulation On The Recovery Function Of Skin Temperature After 5 Minutes Immersion In 15 C Water. (abstract). Biomed Thermol 11: 295. 1991

Kawamura A, Matsukawa T, Ozaki M, Okuyama K, Ohkawa I, Kumazawa T. Use of modified infrared aural canal thermometers during cardiac surgery. Japanese Journal of Anesthesiology 49(7): 792-795

Kawano T, Tsuboi N, Tsujii H, Sugiyama T, Asakura Y, Uda T. Stability test and improvement of hydrogen analyzer with trace reduc- tion detector. J Chromatogr A. 2004; 1023(1):123-7.

Kawano Y, Araki E, Arakawa K, Matsumono S, Yamada T, Kira J. (A case of progressive hemifacial atrophy with Pourfour de Petit syndrome which was successfully treated by stellate ganglion block). Rinsho Shinkeigaku. Clinical Neurology, 1999, 39 (7) 731-4

Kaya H, Chan HS. Simple two-state protein folding kinetics requires near-levinthal thermodynamic cooperativity. Proteins: Structure, Function, Genetics. 2003; 52(4):510-523.

Kaye JZ. Marquez MC. Ventosa A. Baross JA. Halomonas nep- tunia sp. nov., Halomonas sulfidaeris sp. nov., Halomonasaxialensis sp. nov. and Halomonas hydrothermalis sp. nov.: Halophilic bacteria isola- ted from deep-sea hydrothermal-vent Environs. Int J Syst Evol Micro- biol. 2004; 54(2):499-511.

Kayikcioglu A. Two practical devices for monitoring temperature [22]. Plastic Reconstr Surg. 2003; 111(5):1778-1779.

Kayman H. Managment of fever: Making evidence-based decisions. Clin Ped. 2003; 42(5):383-392.

Kazui T. Post-operative neuropsychological function unaffected by SjO2 monitoring inDHCA. Eur J Cardio-Thoracic Surg. 2004; 25(3): 406-408.

Keatinge WR. Donaldson GC. The impact of global warming on health and mortality. Southern Med J. 2004; 97(11): 1093-1099

Keck T, Leiacker R, Kuehnemann S, Rettinger G. Heating of air in the nasal airways in patients with chronic sinus disease before and after sinus surgery. Clinical Otolaryngology and Allied Sciences 2001, 26(1): 53-58

Keck T, Leiacker R, Riechelmann H, Rettinger G. Temperature profile in the nasal cavity. Laryngoscope 2000: 110(4): 651-654

Keeling EB. Thermoregulation and axillary temperature measurements in neonateS. a review of the literature. Maternal-Child Nursing Journal, 20: 124-40. 1992

Keener KM, Anderson KE, Curtis PA, Foegeding JB. Deter- mination of cooling rates and carbon dioxide uptake in commercially processed shell eggs using cryogenic carbon dioxide gas. Poult Sci. 2004; 83(1):89-94.

Keguang Y, Zhiguang J, Tingfan X, Xijing L, Jianjin H. Heat transfer mechanism of local surface temperature variation during the occurrence of thermo-focus in the abdominal cavity of human body. Chinese Journal of Biomedical Engineering 1999, 18(1):109-112+117.

Keith LG, Oleszczuk JJ, Laguens M. Circadian rhythm chaoS. a new breast cancer marker. Int J Fertil Womens Med 2001, 46(5): 238-47.

Kelechi TJ, Haight BK, Herman J, Michel Y, Brothers T, Edlund B. Skin temperature and chronic venous insufficiency1, J Vasc Nursing, 2003; 21 (3): 98-105.

Kelechi TJ, Haight BK, Herman J, Michel Y, Brothers T, Edlund B. Skin temperature and chronic venous insufficiency. J Wound Ostomy Continence Nurs. 2003 ;30(1):17-24.

Keller E, Imhof H-G, Gasser S, Terzic A, Yonekawa Y. Endovascular cooling with heat exchange catheters: new method to induce and maintain hypothermia. Intens Care Med. 2003; 29(6):939-943.

Keller JM. McClellan-Green P. Effects of organochlorine com- pounds on cytochrome P450 aromatase activity in animmortal sea turtle cell line. Marine Environ Res. 2004;58(2-5): 347-351.

Keller TS, Szpalski M, Gunzburg R, Spratt KF. Assessment of trunk function in single and multi-level spinal stenosis: a prospective clinical trial, Clin Biomech, 2003; 18, (3):173-181.

Kelley PB,Abraham EC. Thermally induced disintegration of the oligomeric structure of aB-crystallin mutant F28S is associated with diminished chaperone activity. Mol Cell Biochem. 2003; 252(1-2):273-278.

Kells BE, Kennedy JG, Biagioni PA, Lamey PJ Computerized infrared thermographic imaging and pulpal blood floW. Part 2. Rewarming of healthy human teeth following a controlled cold stimulus. International Endodontic Journal 2000. 33 (5) 448-62

Kells BE, Kennedy JG, Biagioni PA, Lamey PJ Computerized infrared thermographic imaging and pulpal blood floW. Part 1. A protocol for thermal imaging of human teeth. International Endodontic Journal 2000. 33 (5) 442-7

Kelly J, Rudd A, Lewis RR, and Hunt BJ. Screening for subclinical deep-vein thrombosis QJM 2001, 94: 511 - 519.

Kelly KM, Svaasand LO, Nelson JS. Further investigation of pigmentary changes after alexandrite laser hair removal in conjunction with cryogen spray cooling. Dermatol Surg. 2004; 30(4 Pt 1): 581-2.

Kelso M, D. VLand, R.D.Sturrock.- Recent investigations of cornbined thermal and microwave modelling of body tissue regions for the interpretation of micowave images. IN. Ammer K, EFJ Ring (eds): The Thermal Image in Medicine and Biology, Uhlen Verlag, Wien,pp. 76-82. 1995

Kelso M, D.V.Land, R.D.SturrocK. Recent investigations of combined thermal and microwavemodelling of body tissue regions for the interpretation of micowave images. Thermol Österr4:163-163. 1994

Kempińska A, Parafiniuk M A Comparison of The Faces of Monozygotic Twins and Thermal Phenotypes. Thermol intern 2002. 12: 155-156

Kemppainen P, Forster C, Handwerker HO The importance of stimulus site and intensity in differences of pain-induced vascular reflexes in human orofacial regions. Pain 2001. 91 (3) 331-8

Kemuriyama T, Niitsuma J, Yano H, Komeda T. Analysis of skin temperature changes on compressed area for pressure sores using animal models. Japanese Journal of Medical Electronics and Biological Engineering 2000, 38(1) 49-56

Kenefick RW. Hazzard MP. Mahood NV. Castellani JW. Thirst sensations and AVP responses at rest and during exercise-cold ex- posure. Med Sci Sports Exerc. 2004; 36(9): 1528-1534.

Kenefick RW. Mahood NV. Hazzard MP. Quinn TJ. Castellani JW. Hypohydration effects on thermoregulation during moderate ex- ercise in the cold. Eur J Appl Physiol. 2004; 92(4-5): 565-570.

Kennedy N, Gondwe L, Morley DC. Temperature monitoring with ThermoSpots in Malawi. Lancet 2000: 355(9212): 1364

Kenneth J. Severe acute respiratory syndrome (SARS): The new epidemic. Nat Med J India. 2003; 16(2): 115-116).

Kenny GP, Periard J, Journeay WS, Sigal RJ, Reardon FD. Effect of exercise intensity on the postexercise sweating threshold. J App Physiol. 2003; 95(6):2355-2360.

Kenny GP, Reardon FD, Ducharme MB, Reardon ML, Zaleski W Ultra-sound imaging for precision implantation of a multi sensor temperature probe in skeletal muscle tissue. Can J Appl Physiol 2002, 27(5): 527-32.

Kent P, Wilkinson D, Parkin A, Kester RC. Comparing subjective and objective assessments of the severity of vibration induced white fingers J Biomed Eng 13:260-262. 1991

Kerbl R, Schwinger W, Lackner H, Dornbusch HJ, Urban CE Peripheral harlequin-like thermal imbalance after Wilms' tumor. Journal Of Pediatrics 2000. 137 (6) 887

Kerfoot K. Warming your heart: the energy solution. Urol Nurs. 2004; 24(2):136-7.

Kerl J. Wenzel M. Kohler D. Thermal imaging of mask leakage during pressure-controlled ventilation (Bipaptherapy). Somnologie. 2004; 8(3): 83-86.

Kern G. Thermographisysteme von Inframetrics in Österreich Thermol Österr 6: 71-73. 1996

Kern H. Functional electrical stimulation in paraplegic spastic patients. Artificial Organs 21(3): 195-196. 1997

Kerr C. Ivey P. Particle Deposition in the GE90 Pyrometer Purge Air System. Particulate Science Technol. 2004; 22(1): 51-64.

Kerr RA. American Geophysical Union meeting. An early start for greenhouse warming? Science. 2004; 303(5656): 306.

Kerr RA. Paleoclimate: Tropical pacific a key to deglaciation. Science. 2003; 299(5604):183-184.

Kerstin Winbeck, Holger Poppert, Thorleif Etgen, Bastian Conrad, and Dirk Sander Prognostic Relevance of Early Serial C-Reactive Protein Measurements After First Ischemic Stroke Stroke 2002, 33: 2459 - 2464.

Kerttula A-M. Lyytikainen O. Salmenlinna S. Vuopio-Varkila J. Changing epidemiology of methicillin-resistant Staphylococcus aureus in Finland. J Hospital Infect. 2004;58(2): 109-114.

Kesenci K, Motta A, Fambri L, Migliaresi C Poly ((epsilon)-caprolactone-co-D,L-lactide)/silk fibroin composite materialS. Preparation and characterization. Journal of Biomaterials Science, Polymer Edition 2001, 12(3):337-351

Kessler M. Diagnostik des Mammakarzinoms. (Diagnosis of breast cancer). Krankenpfl J, 27 (12): 22-29. 1989

Kessler MR, Sottos NR, White SR. Self-healing structural composite materials, Composites Part A: App Sci Manufact, 2003; 34, (8):s 743-753.

Ketheesan N, Whiteman C, Malczewski AB, Hirst RG, La Brooy JT. Effect of cryopreservation on the immunogenicity of umbilical cord blood cells. Transfus Apheresis Sci. 2004; 30(1):47-54.

Ketolainen J, Ilkka J, Paronen P. Temperature changes during tabletting measured using infrared thermoviewer. International Journal of Pharmaceutics 92:157-166.1993/

Kevelam J, Engberts JBF, Blandamer MJ, Briggs B, Cullis PM. Anchoring of hydrophobically modified poly(sodium acrylate)s into DDP vesicle bilayerS. Hydrophobic match and mismatch. Colloid and Polymer Science 276(2): 190-194. 1998

Kevin Righter And José Rosas-Elguera Alkaline Lavas in the Volcanic Front of the Western Mexican Volcanic BelT. Geology and Petrology of the Ayutla and Tapalpa Volcanic Fields J. Petrology 2001, 42: 2333 - 2361.

Keyserling JR, Ahlgen PD, Yu E, Belliveau, M.YassA. Functional Infrared Imaging of the Breast. IEEE Eng Med Biol Mag. 2000,19(3): 30-41

Keyserlingk J.P, P.D. Ahlgren, E. YU. Infrared Imaging Of The BreasT. A Preliminary Reappraisal Using Ultrasensitive High Resolution Digital Technology In 62 Successive Cases Of Breast Cancer. (abstract) European Journal of Thermology 7(3):158-159. 1997

Khajavi K, Pavelko T, Mishra AK. Compartment syndrome arising from use of an electronic cooling pad. Am J Sports Med. 2004; 32(6):1538-41.

Khaled AR, Vafai K. Analysis of oscillatory flow disturbances and thermal characteristics inside fluidic cells due to fluid leakage and wall slip conditions. J Biomech. 2004; 37(5):721-9.

Khallaf A, RW.Williams, EFJ.Ring, DM ElvinS. thermographic study of heat loss from the face. Thermol Österr 4: 49-54. 1994

Khallaf A, Williams RW. Post-mortem cooling of the human heaD. an infrared thermology study J Forensic Sci Soc 31: 7-19. 1991

Khan MS, Washer GA, Chase SB. Evaluation of dual band infrared thermography system for bridge deck delamination surveys. IN. Medlock RD, Laffrey DC (eds): Structural Materials Technology III. SPIE Proceedings Series and NDT Conference Vol.3400. Bellingham, pp. 224-235. 1998

Khan SA, Shahani DT, Agarwala AK. Sensor calibration and compensation using artificial neural network. ISA Trans. 2003;42(3):337-52.

Khanagova RG. Termografiia i stsintigrafiia opukholei miagkikh tkanei u detei. (Thermography and scintigraphy of soft tissue tumors in children). Med Radiol (Mosk), 35 (5): 24-27.1990

Khanahmadi M. Roostaazad R. Safekordi A. Bozorgmehri R. Mitchell DA. Investigating the use of cooling surfaces in solid-state fermentation traybioreactors: Modelling and experimentation. J Chem Technol Biotechnol. 2004; 79(11): 1228-1242.

Khandoker AH, Fukazawa K, Dzialowski EM, Burggren WW, Tazawa H. Maturation of the homeothermic response of heart rate to altered ambient temperature in developing chick hatchlings (Gallus gallus domesticus). Am J Physiol Regul Integr Comp Physiol. 2004; 286(1): R129-37.

Kharalkar N, Valvano JW. Analysis of a thermal method for assessing endothelial dysfunction. Biomed Sci Instrum. 2004; 40:86-92.

Khatri KA. Diode laser hair removal in patients undergoing isotretinoin therapy. Dermatol Surg. 2004; 30(9):1205-7;

Kher N, Marsh JD. Pathobiology of atherosclerosis—a brief review. Semin Thromb Hemost. 2004; 30(6): 665-72.

Khizhnyak EP, MC ZiskIn. Heating patterns in biological tissue phantoms caused by millimeter wave electromagnetic irradiation. IEEE TRansactions on Biomedical Engineering 41:865-873. 1994

Khizhnyak EP, Ziskin MC. Temperature oscillations in liquid media caused by continuous (nonmodulated) millimeter wavelength electromagnetic irradiation. Bioelectromagnetics 17(3): 223-229. 1996

Khodel VA, Clark JW, Takano M, Zverev MV. Phase transitions in nucleonic matter and neutron-star cooling. Phys Rev Lett. 2004 Oct 8;93(15):151101.

Kholemovskaia MB. Potentials and perspectives for the use od thermographic methods in phti-siology and pulmonology. Probl Tuberk (9(1)991): 67-69. 1991

Kholodova NB, Kuznetsova GD, Sel'skii AG, Pasechnik VI, Trushin VI, Ianovich AV. Radioteplovoe kartirovanie gulovnogo mozga v ondalennye sroki posleluchevogo vozdeistviia.[Radio-thermal mapping of the brain late after radioactive irradiation] Zhurnal Nevrologii I Psikhiatrii Imeni S.S. Korsakova 1999. 99(4): 56-7.

Khorzad D, Khorzad A, Herche J, Reich R, Caputo R. Design and Operational Qualification of a Vapor-Phase Hydrogen Peroxide Biological Indicator Evaluator Resistometer (BIER) Unit. Pharm Tech. 2003; 27(11):84-90.

Khuong T-AV. Zepeda G. Sanrame CN. Dang H. Bartberger MD. Houk KNGarcia-Garibay MA. Crankshaft motion in a highly congested bis(triarylmethyl)peroxide J Am Chem Soc. 2004;126(45): 14778-14786.

Khuri SF. Evidence, sources, and assessment of injury during and following cardiac surgery Ann. Thorac. Surg. 2001, 72: 2205 - 2207.

Khvatova AV, LA Katargina, VP Lokhmanov, IN ZibaroV. Use of distant thermography in uveitis in children. Vestn Oftalmol 107/5:46-49. 1991

Kichko TI, Reeh PW. Why cooling is beneficial: non-linear temperature-dependency of stimulated iCGRP release from isolated rat skin. Pain. 2004; 110(1-2): 215-9.

Kido C. Mass screening of breast cancer with imaging diagnosis.GanToKagakuRyoho18: 2217-2222. 1991

Kiel JL, Alls JL, Holwitt EA, Stribling LJV, Parker JE. Thermochemiluminescence as a technique for radio frequency radiation dosimetry. Bioelectrochemistry and Bioenergetics 1998, 47(2):253-7.

Kiener C, Kurtz M, Wilmer H, Hoffmann C, Schmidt H -W, Grunwaldt J-D, Muhler M, Schüth F. High-throughput screening under demanding conditions: Cu/ZnO catalysts in high pressure methanol synthesis as an example. J Catalysis, 2003; 216, (s 1-2):110-119.

Kiesow LA, CM HurleY. Fogging in infrared tympanic and ear thermometry (6). Annals of Internal Medicine 122:634-635.1995

Kiiskinen HT, Pakarinen PI. Infrared thermography at examination of paper structure. IN. Snell JR, RN Wurzbach (eds): Thermosense XX. Proceedings of the Society of Photo-Optical Instrumentation Engineers (SPIE) Vol.3361. Bellingham,: pp.228-233. 1998

Kikkawa Y. Fujita M. Abe H. Doi Y. Effect of water on the surface molecular mobility of poly(lactide) thin film: Anatomic force micro- scopy study. Biomacromolecules. 2004; 5(4): 1187-1193.

Kikuta SB, Hietz P, Richter H. Vulnerability curves from conifer sapwood sections exposed over solutions with known water potentials J Exp Bot. 2003; 54: 2149 - 2155.

Kil'diushov EM. [Thermometry of cadavers]. Sud Med Ekspert. 2000,43(4):3-5

Kilduff LP. Georgiades E. James N. Minnion RH. Mitchell M. Kingsmore D. Hadjicharlambous M. Pitsiladis YP. The effects of creatine supplementation on cardiovascular, metabolic, and thermo- regulatory responses during exercise in the heat in endurance-trained humans. Int J Sport Nutrition Exercise Metabol. 2004.14(4) 443-460.

Kilkis B.Thieory and practice on solar energy assisted fluidized bed corn dryer. Mérés és Automatika 39(Suppl 2): 80-83. 1991

Kim CG, Lee HS, Yoon TI. Re-recovery of sludge as a micro-media in an activated sludge process. Adv Environ Res. 2003; 7(3):629-633.

Kim D-H. Choi E. Yun Z. Kim S-W. Nitrogen removal from piggery waste with anaerobic pretreatment. Water Sci Technol. 2004; 49(5-6): 165-171.

Kim H, Richardson C, Roberts K, Gren L, Lyon JL. Cold hands, warm heart. Lancet 351/9114: 1492. 1998

Kim HE, Park SJ. The effect of safety hat on thermal responses and working efficiency under a high temperature environment. J Physiol Anthropol Appl Human Sci. 2004; 23(5):149-53.

Kim H-G. Digital Infrared Thermographic imaging for the Diagnosis of TMJ Dysfunction. (abstract). Biomed Thermol 15. 10. 1995

Kim HI, Kim HC, Yoon BW. Automatic body temperature control system for small animal studies using dual mode PI control. IN. Chang HK, Zhang YT, editors,Proceedings of Annual International Conference Of The IEEE Engineering in Medicine and Biology Society, Biomedical Engineering Towards The Year 2000 And Beyond, Vol.20. Part 1-6.IEEE, New York, 1998. p. 1967-9

Kim H-J. Hyun Y. Park J-Y. Park M-J. Park M-K. Kim MD. Kim H-J. Lee MH. Moon JLee I. Kim J. A genetic link between cold responses and flowering time through FVE inArabidopsis thaliana. Nature Genetics. 2004; 36(2): 167-171.

Kim J, Cho M, Oh B, Choi S, Yoon J. Control of bacterial growth in water using synthesized inorganic disinfectant. Chemosphere. 2004; 55(5):775-80.

Kim J-H. Bae YH. Albumin loaded microsphere of amphiphilic poly(ethylene glycol)/poly(a-ester)multiblock copolymer. Eur J Pharm Sci. 2004;23(3): 245-251.

Kim JJ, Kim SJ. Environmental, mineralogical, and genetic characterization of ochreous and white precipitates from acid mine drainages in Taebaeg, Korea. Environ Sci Tech. 2003; 37(10):2120-2126.

Kim JM, Kim JC, Park WC, Seo JS, Chang HR. Effect of thermal preconditioning before excimer laser photoablation. J Korean Med Sci. 2004; 19(3):437-46.

Kim JM, Park KY, Kim YS. Comparison of Burn Risk with Hot Pack to Infrared for Physical Therapy. J Korean Med Thermol 2002, 2(1):55

Kim K-G.Thermography in TMJ disorders. (abstract). Thermol Österr 5: 160. 1995

Kim KH. Bang SW. Kim SR. Emotion recognition system using short-term monitoring of physiological signals. Med Biol Engineer Computing. 2004. 42(3): 419-427.

Kim KJ, Chung NS, Park WK. Direct myocardial depressant effect of naloxone: mechanical and electrophysiological actions in vitro. Acta Anaesth Scand. 2004; 48(1):102-10.]

Kim K-J. Kim K-N. Choi Y-J. Characterization of the arfA gene from Bacillus stearothermophilus No. 236 andits protein product, a-L-arbinofuranosidase. J Microbiol Biotechnol. 2004; 14(3): 474-482.

Kim M, Gomec CY, Ahn Y, Speece RE. Hydrolysis and acidogenesis of particulate organic material in mesophilic and thermophilic anaerobic digestion. Environ Tech. 2003; 24(9): 1183-1190.

Kim R, Cho JH, Kim YS, Lee KS. Using D.I.T.I. to Examine the Pattern of Subcutaneous Heat of the Climacteric Patients. J Korean Med Thermol 2002, 2(1):79-80

Kim S. The evaluation of central poststroke pain with infrared thermography. Reg Anesth Pain Med, 2003; 28 (Suppl. 1): 66.

Kim S-B, Cho Y-E, Him Y-S. Diagnostic Value of DITI(Digital Infrared Thermographic Imaging device) in Carpal Tunnel Syndrome. J Korean Med Thermol 2002, 2(1):63

Kim Y and Ling PP Machine vision guided sensor positioning system for leaf temperature assessment. Trans ASAE 2001, 44(6): 1941-7.

Kim Y.-S, D.-K. Chin, H.-Y. ZhanG. Correlation Between Pain Scale And D.I.T.I. In Lumbar Disc Herniations. (abstract) Thermol Österr 7(1):26. 1997

Kim Y.S, S. H. Oh, Y.E. ChO. Pre- and postoperative digital infrared thermographic imaging on the lumbar disc herniations. Thermol Österr2:S23-24. 1992

Kim Y.S, Y.E. Cho, H.Y. ZhanG. Diagnostic Accuracy Of DITI And Discography In Multi-Level Degenerative Lumbar Disc Diseases. (abstract) European Journal of Thermology 7(3):152. 1997

Kim Y.S, Y.E. ChO. Pre- and Postoperative Thermographic Imaging in Lumbar Disc Herniations IN. Ammer K, EFJ Ring (eds): The Thermal Image in Medicine and Biology, Uhlen Verlag, Wien,pp. 168.177. 1995

Kim Y.S, Y.-E. ChO. Pre- and postoperative thermographic imaging of lumbar disc herniations. IN. Mabuchi K, S.Mizushina, B.Harrison (eds.) Advanced Techniques and Clinical Application in Biomedical Thermologie, harwood academic publishers Chur/Schweiz p. 265-280. 1994

Kim Y.S. ,Y.E. Cho, H.Y.ZhanG. Correlation between Pain Scale and D.I.T.I. in Lumbar Disc Herniations. (abstract) Thermol Österr 7(2): 82. 1997

Kim Y.S. Pre- and postoperative thermographic imaging of lumbar disc herniations. (abstract) Biomed Thermol 12: 1992

Kim Y_S, Cho Y-E. Pre-and Postoperative Thermographic Imaging in Lumbar Disc Herniations. J Korean Med Thermol 2001, 1(1):3-10

Kim Y-C, Bahk J-H, Lee S-C, Lee Y-W. Infrared thermo- graphic imaging in the assessment of successful block on lumbar sympathetic ganglion. Yonsei Medl J. 2003; 44(1):119-124.

Kim YI, Hwang YJ, Lee JW, Chun BY, Kawano K, Kitano S. 101 hepatectomies under continuous inflow occlusion following simple in-situ liver cooling in patients with chronic liver diseases. Hepato- gastroenterology. 2004; 51(58):1093-8.

Kim Young-Soo, Cho Yong-Eun Digital Infrared Thermographic Imaging for diagnosis of osteoporotic compression fracture in elderly patients. (abstract). Thermol intern 2001, 11(2):95-96

Kim Young-Soo, Yong-Eun Cho, Ho-Yeal ZhanG. Clinical Significance of Digital Infra-Red Thermographic Imaging in Spinal Surgery for Multiple Disc Herniations (abstract). European Journal of Thermology1998, 8(3): 118.

Kim Young-Soo,Yong-Eun Cho,Ho-Yeal ZhanG. Pre- and Post-Operative Application of Digital Infra-Red Thermographic Imaging in Reflex Sympathetic Dystrophy (abstract). European Journal of Thermology 1999, 8(3): 118.

Kim YS, Cho YE, Zhang HY. Clinical application of D.I.T. Imaging as predictive factor for successful outcome of chymopapain chemonucleolysis in lumbar disk herniation (abstract). Thermology intern 2000, 10(3):147-

Kim YS, Cho YE, Zhang HY. Thermographic findings of the spinal cord tumours (abstract). Thermology intern 2000, 10(3):142

Kim Y-S, Cho Y-E. IR Image Standardisation of various Spinal diseases. (abstract). Thermol intern 2001, 11(2):94

Kim Y-S, Y-E.ChO. Digital Infrared Themographic Imaging (DITI) of Cervical Disc Herniations (abstract). Thermol Österr 1994, 4: 128-129.

Kim Y-S, Y-E.ChO.The efficacy of thermography in Multiple Lumbar Disc Herniations. Thermol Österr1994, 4: 129.

Kim Y-S,Y-E. Cho Significance of digital IRT in multiple herniations of the lumbar disc. Thermol Österr 1994, 4:174.

Kim Y-S. Correlation of Thermal differences with severity of pain in Lumbar Disc Hemiations. (abstract). Thermol Österr 1995, 5: 162.

Kim Y-S. Degree of Correlation ot Thermal Differences with Severity of Pain and Protrusion in Lumbar Disc Herniations.(abstract). Biomed Thermol 1995, 15. 6.

Kim Y-S. Recent Advances of IR-Image in Spinal Diseases. J Korean Med Thermol 2002, 2(1):51-52

Kim Y-S.The Correlation of DITI with Severity of Discogenic PaIn. (abstract). Thermol Österr 1995, 5: 112.

Kim Y-Sk, Lee K-S. Correlation between Women Infertility and DITI. Thermol intern 2001, 11(2):100

Kimme P, Fridrikssen S, Engdahl O, Hillman J, Vegfors M, Sjoberg F. Moderate hypothermia for 359 operations to clip cerebral aneurysms. Br J Anaesth. 2004; 93(3):343-7.

Kimmerlin T, Namoto K, Seebach D. Evidence from circular dichroism and from melting behavior for helix-inducing complexation of designed beta3-pentadecapeptide with DNA duplexes. Helv Chim Acta. 2003; 86(6):2104-2109.

Kimura KD, Miyawaki A, Matsumoto K, Mori I. The C. elegans thermosensory neuron AFD responds to warming. Curr Biol. 2004; 14(14):1291-5.

Kimura T, Y Goda, O Kemmotsu, Y Shi-madA. Regional difference in skin blood flow and tem-perature during total spinal anaesthesia. Can J Anaesth 1992, 39:123-127.

Kimura Y, Yu DG, Fujita A, Yamashita A, Murakami Y, Matsumoto K Effects of erbium,chromiuM.YSGG laser irradiation on canine mandibular bone. J Periodontol 2001, 72(9): 1178-82.

Kindig CA, McDonough P, Finley MR, Behnke BJ, Richardson Telin DJ, Erickson HH, Poole DC. NO inhalation reduces pulmonary arterial pressure but not hemorrhage in maximally exercising horses J Appl Physiol 2001, 91: 2674 - 2678.

Kinney TB, Daily PO, Pfeffer TA. Optimizing myocardial hypothermiA. I.temperature probe de-sign and clinical inferences. An Thorac Surg 1991, 51:278-283.

Kinnunen J. Rodriguez M. Torma P. Pairing gap and in-gap excitations in trapped fermionic superfluids. Science. 2004; 305(5687): 1131-1133.

Kinoshita T, Kanehira E, Omura K, Kawakami K, Watanabe Y. Experimental study on heat production by a 23.5-kHz ultrasonically activated device for endoscopic surgery. Surgical Endoscopy 1999. 13/6: 621-5.

Kinoshita T, Suzuki M, Shimada Y, Ogawa R. Effect of low-dose ketamine on redistribution hypothermia during spinal anesthesia se- dated by propofol. J Nippon Med Sch. 2004; 71(2):92-8.

Kinouchi S, Shimamoto C, Oka S, Fusa K, Yamazaki Y, Takada K, Kyoda N, Misaki T. Changes in tympanic and fingertip temperature during inhalation sedation with nitrous oxide-oxygen. Journal of Japanese Dental Society of Anesthesiology 2000, 28(3): 333-336

Kirby SH. Taking the temperature of slabs. Nature 2000, 403(6765): 31-34

Kirkpatrick JNP, T Spencer, A Manivannan, PF Sharp, JV ForresteR. Quantitative image analysts of macular drusen from fundus photograms and scanning laser ophthalmoscope images. Eye 9:48-55. 1995

Kirov SA, Petrak LJ, Fiala JC, Harris KM. Dendritic spines disappear with chilling but proliferate excessively upon rewarming of mature hippocampus. Neuroscience. 2004; 127(1): 69-80.

Kirsch KA, Mendez-Gil A, Koralewski E, Johannes B, Bünsch B, Gunga HC. Probleme der Thermoregulation während simulierter Schwerelosigkeit. ThermoMed, 1999. 15: 11-25

Kirton RS. Taberner AJ. Nielsen PMF. Young AA. Loiselle DS. Strain softening behaviour in nonviable rat right-ventricular trabeculae in thepresence and the absence of butanedione monoxime. Exper Physiol. 2004; 89(5): 593-604.

Kishen A, Murukeshan VM, Krishnakumar V, Lim CS, Asundi A.. Digital speckle pattern interferometric (DSPI) and thermo-graphic investigations on the thermal responds in human teeth. Optics Lasers Eng, 2003; 39, (4): 489-500.

Kishi R. Kihara H. Miura T. Structural observation of hetero- geneous poly(N-isopropyl acrylamide-co-acrylicacid) hydrogels in high- l y hydrated states. Coll Polymer Sci. 2004; 283(2): 133-138.

Kiss L.I,,A. ChiarettE. Optikai módszerek alkalmazása hömérséklet és sbességmezök vizsgálatára kemencékben (Optical techniques to study temperature and velocity fields inside furnaces) Mérés és Automatika 39(Suppl 2): 102-104. 1991

Kister G, Wang L, Ralph B, Fernando GF.. Self-sensing E-glass fibres, Optical Materials, 2003; 21, (4): 713-727.

Kistler A, Mariauzouls C, Von Berlepsch K. Fingertip temperature as an indicator for sympathetic responses. International Journal of Psychophysiology 29(1):35-41. 1998

Kistufell KB. Primitive Melt from the Iceland Mantle Plume J. Petrology 2002, 43: 345 - 373.

Kitade T, K.Ishimaru, S.Shinohara, M.HyodO. Clinical efficacy of electrical heat acupuncture (second report): warming characteristics. American Journal of Acupuncture 22:123-128.1994

Kitagawa H, Yamazaki T, Akiyama T, Mori H, Sunagawa K. Effects of moderate hypothermia on norepinephrine release evoked by ouabain, tyramine and cyanide. J Cardiovasc Pharmacol. 2003; 41(Suppl. 1):S111-S114.

Kitahara K, Kubo F, Takahashi J. Thermal expansion typed investments for casting titanium. Dent Mater J. 2004; 23(1):1-7.

Kitatani M, H.Mabuchi, K.UedA. Arteriosclerosis obliterans. Nippon Rinsho.Japanese Jour- nal of Clinical Medicine 51: 2160-2164.1993

Kitaya Y, Kawai M, Tsuruyama J, Takahashi H, Tani A, Goto E, Saito T, Kiyota M. The effect of gravity on surface temperatures of plant leaves. Plant Cell Environ. 2003; 26(4): 497-503.

Kitzinger E, Ammer K. Thermologie in der Akupunktur. Thermology in acupuncture. Deutsche Zeitschrift für Akupunktur 35:132-139.1992

Kitzinger E, K. Ammer. Thermographie des menschlichen Ohres. (abstract). Thermol Österr 3: 67. 1993

Kitzinger E, K.Ammer. Neue Ergebnisse zur akralen Temperaturreaktion der Akupunktur (abstract).Thermol Österr2: 44. 1992

Kitzinger E. Änderung der Haut-Temperatur an den Akren der Finger bei Stimulation von Akupunkturpunkten, ThermoMed 6:86. 1990

Kitzinger E. Änderungen der Hauttemperatur an den Akren der Finger bei Stimulation von Akupunkturpunkten. In.. Ammer K, O.Rathkolb (Hrg): Kontaktthermometrie, Thermographie, LBF f.Physikalische Diagnostik, Wien, S.16-22. 1990

Kitzinger E. Die akrale Temperatur-Reaktion (ATR) als Meßmethode in der Hydrotherapie. Thermol Österr 3:41-46.1993

Kitzinger E. Versuch einer Objektivierung der "Grande Piqure". Deutsche Zeitschrift für Aku-punktur 35:66-68. 1992

Kivelitz D, Wagner S, Schnorr J, Wetzler R, Busch M, Melzer A, Taupitz M, Hamm B. A vascular stent as an active component for locally enhanced magnetic resonance imaging: initial in vivo imaging results after catheter-guided placement in rabbits. Invest Radiol. 2003; 38(3):147-52.

Kiyatkin EA. Brown PL. Fluctuations in neural activity during cocaine self-administration: Clues provided by brain thermorecording. Neuroscience. 2003; 116(2): 525-538.

Kiyatkin EA. Brown PL. Modulation of physiological brain hyper- thermia by Environal temperature andimpaired blood outflow in rats. Physiol Behavior. 2004; 83(3): 467-474.

Klaer J, Luck I, BodenA, Klenk R, Gavilanes Perez I; Scheer R. Mini-modules from a CuInS2 baseline process, Thin Solid Films, 2003; 431-432: 534-537

Klappauf BG, Bidel Y, Wilkowski D, Chaneliere T, Kaiser R. Detailed study of an efficient blue laser source by second-harmonic generation in a semimonolithic cavity for the cooling of strontium atoms. Appl Opt. 2004; 43(12) :2510-27.

Klar E, Angelescu M, Zapletal C, Kraus T, Herfarth C. Impairment of hepatic microcirculation as an early manifestation of acute rejection after clinical liver transplantation. Transplantation Proceedings 1999. 31(1)-2: 385-7.

Klass M, Guissard N, Duchateau J. Limiting mechanisms of force production after repetitive dynamic contractions in human triceps surae. J Appl Physiol. 2004; 96(4):1516-21

Klede M, Handwerker HO, Schmelz M. Central origin of secondary mechanical hyperalgesia. J Neurophysiol. 2003; 90(1):353-359.

Klein J, StichertW, StrehlauW, Brenner A, Demuth D, Schunk SA, Hibst H, Storck S. Accelerating lead discovery via advanced screening methodologies, Catalysis Today, 2003; 81, (3): 329-335

Klein J, Zech T, Newsam JM, Schunk SA. Application of a novel Split&Pool-principle for the fully combinatorial synthesis of functional inorganic materials, App Catalysis A: Gen, 2003; 254, (1): 121-131

Kleinfeld JM. Finite element analysis as a tool for thermography. IN. LeMieux DH, Snell JR, editorS. Thermosense XXI,Proceedings of the Society of Photo-Optical Instrumentation Engineers (SPIE), Vol.3700, Bellingham, 1999. p. 6-13

Kleinhenz M, Bujok B, Fuchs S, Tautz J. Hot bees in empty broodnest cells: heating from within J Exp Biol., 2003; 206: 4217 - 4231.

Kleinstueck FS, Diederich CJ, Nau WH, Puttlitz CM, Smith JA, Bradford DS, Lotz JC. Temperature and thermal dose distributions during intradiscal electrothermal therapy in the cadaveric lumbar spine. Spine. 2003; 28(15):1700-1708).

Klentrou P, Cunliffe M, Slack J, Wilk B, Bar-Or O, De Souza MJ, Plyley M. Temperature regulation during rest and exercise in the cold in premenarcheal and menarcheal girls. J Appl Physiol. 2004; 96(4):1393-8.

Klimek L, Hundorf I, Delank KW, Hörmann K. Assessment of rhinological parameters for evaluating the effects of airborne irritants to the nasal epithelium. Int Arch Occup Environ Health 2002, 75(5): 291-7.

Klimley AP, Beavers SC Playback of acoustic thermometry of ocean climate /ATOC. -like signal to bony fishes to evaluate phonotaxis. Journal of the Acoustical Society of America 1998, 104(4): 2506-10.

Klingenberg M, Bohris C, Niemz MH, Bille JF, Kurek R, Wallwiener D. Multifibre application in laser-induced interstitial thermotherapy under on-line MR control. Lasers in Medical Science 2000. 15 (1):6-14

Klir JJ, Heath JE, Bennani N. An infrared thermographic study of surface temperature in relation to external thermal stress in the Mongolian gerbil, Meriones unguiculatus. Comp Biochem Physiol [A], 96 (1): 141-146. 1990

Kliukin LM, Namiot VA Metod rekonstruktsii uchastkov patologii v ob"eme zhivogo ob' 'ekta. (A method for reconstruction of pathological changes in the volume of a living body) Biofizika 2001. 46 (3) 524-9

Klosowicz SJ, Jung A, Żuber J, Murawski P Statistical aspects of thermographic studies. (abstract) Thermol int 2003, 13: 7.

Klötzli US, Koller F, Scharbert S, Höck V Cadomian Lower-crustal Contributions to Variscan Granite Petrogenesis (South Bohemian Pluton, Austria): a Reply J. Petrology, 2002, 43: 1783 - 1786.

Klötzli US, Koller F, Scharbert S, Höck V Cadomian Lower-Crustal Contributions to Variscan Granite Petrogenesis (South Bohemian Pluton, Austria): Constraints from Zircon Typology and Geochronology, Whole-Rock, and Feldspar Pb–Sr Isotope Systematics J. Petrology, 2001, 42: 1621 - 1642.

Klouche K, Avenas S, Amigues L, Ceballos P, Beraud JJ. [Epi- demiology and prognosis of hyperosmolar state in the elderly] Ann Fr Anesth Reanim. 2004; 23(4):339-43.

Kneip JC, Gong XJ, Aivazzadeh S. Moisture detection in sandwich plates using infrared thermography under microwave excitation. IN. Vautrin A, editor, Mechanics of Sandwich Structures,Kluwer Academic Publ, Dordrecht, 1998, p.311-7

Knisevskaja L, Engelson V, Berggren K -F. Singular integral equations method for computations of the scattering characteristics of a model heart exposed to electromagnetic radiation, App Math Comput, 2003; 138, (s 2-3): 545-553.

Knolle E, Windberger U, Ehrlich M, Heinze G, Oehmke MJ, Turkof E, Losert U, Kress HG. Intrathecal temperature is closely reflected by the aortic, but not by the rectal, temperature in rabbit model of spinal cord ischemia. Anesth Analg. 2003; 97(1):244-246.

Knott JC. Tan S-L. Street AC. Bailey M. Cameron P. Febrile adults presenting to the emergency department: Outcomes and markers of serious illness. Emergency Med J. 2004; 21(2): 170-174.

Knowles P, Baker IM. Mercury cadmium telluride staring arrays for mid-IR detection. IN. IEE Proceedings-Optoelectronics 144/5: 327-330. 1997

Knox PP, Heinnickel M, Rubin AB. Effect of Low Temperatures on Photochemical Activity of PS1 Reaction Centers from Synechocystis sp. Frozen under Illumination. Biochemistry (Mosc). 2004; 69(12): 1399-402.

Knutti R, Fluckiger J, Stocker TF, Timmermann A. Strong hemispheric coupling of glacial climate through freshwater discharge and ocean circulation. Nature. 2004; 430(7002):851-6.

Ko CN, Lewe KS, Clinical Application of DITI im Hwabyung Patients. J Korean Med Thermol 2002, 2(1):79

Ko H-K, Flemmer A, Haberl C, Simbruner G Methodological investigation of measuring nasopharyngeal temperature as noninvasive brain temperature analogue in the neonate. Intensive Care Medicine 2001,27(4) 736-742.

Ko JB. Cho OK. Kim YO. Yasuda K. Body Metabolism Provides a Foundation for Noninvasive Blood Glucose Monitoring. Diabetes Care. 2004; 27(5)1211-1212.

Kobashi T, Matsuda T. Branched hybrid vesseL. in vitro loaded hydrodynamic forces influence the tissue architecture. Cell Transplant. 2000,9(1):93-105.

Kobayashi H, Sakuma S. Treatment of superficial tumors by ionizing radiation combined with ultrasound. Nippon Igaku Hoshasen Gakkai Zasshi 51:149-154. 1991

Kobayashi H. Tagami H. Distinct locational differences observ- able in biophysical functions of the facial skin: With special emphasis on the poor functional properties of the stratum corneum of the perioral region. Int J Cosmetic Sci. 2004; 26(2): 91-101.

Kobayashi K, K Omote, E Homma, T Abe, M IitoyO. Sympathetic ganglion blockade for the management of hyperhidrosis. Journal Of Dermatology 21: 575-581.1994

Kobayashi M, Togawa J, Kanno T, Horiuchi J-I, Tada K. Dramatic innovation of propene epoxidation efficiency derived from a forced flow membrane reactor. J Chem Tech Biotech 2003; 78(2-3):303-307.

Kobayashi N, Komiyama O, Kimoto S, Kawara M. Reduction of shrinkage on heat-activated acrylic denture base resin obtaining gradual cooling after processing. J Oral Rehabil. 2004; 31(7):710-6.

Kobayashi T, Sakurai Y, Ishikawa M. A noninvasive dose estimation system for clinical BNCT based on PG-SPECT--conceptual study and fundamental experiments using HPGe and CdTe semiconductor detectors. Med Phys. 2000,M27(9):2124-32.

Kobayashi T, Shimo M, Sugi H. Infrared thermography of bullfrog skeletal muscle at rest and during an isometric tetanus. Japanese Journal Of Physiology 1998. 48 /6: 477-82.

Kobayashi T, Tamura M, Hayashi M, Itano Y, Tanabe H, Katsuura Y, Ohta T, Komoriya K. Effects of progesterone on the elevation of tail skin temperature in ovariectomized rats. Japanese Journal of Physiology 2000, 50(6): 651-656

Koberl M, Hinz H-J, Rapp G. Enthalpy is a proper criterion for comparability of monolayer and bilayer studieS. Isobaric temperature scanning measurements on glycolipid monolayers. Chemistry and Physics of Lipids 85(1):23-43. 1997

Koberl M, Hinz HJ, Rapp G. Temperature scanning simultaneous small- and wide-angle X-ray scattering studies on glycolipid vesicleS. Areas, expansion coefficients and hydration. Chemistry and Physics of Lipids 91(1): 13-37. 1998

Kobori Y. Iwata T. Doi Y. Abe H. Synthesis, solid-state structure, and surface properties of end-cappedpoly(L-lactide). Biomacromole- cules. 2004; 5(2): 530-536.

Kobylec SK, Howell KJ*, Smith RE. Recommendations For Image Quality Assurance In Clinical Thermography. (abstract) Thermol int 2003, 13: 7.

Kocak I, Orguel S, FlAmmer J. Variability in the measurement of corneal temperature using a noncontact infrared thermometer. Ophthalmologica, 1999. 213 (6) 345-9

Kociolek M, Wiecek B, De Mey G, Steenkeste F, Muntenau C.Braille printer on reusable thermoplastic sheets. In. Proceedings of The First Joint BMES/EMBS Conference Serving Humanity, Advancing Technology, Atlanta, 1999, pp.869

Kocoglu H, Goksu S, Isik M, Akturk Z, Bayazit YA Infrared tympanic thermometer can accurately measure the body temperature in children in an emergency room setting. Int J Pediatr Otorhinolaryngol 2002, 65(1): 39-43.

Koczocik-Przedpelska J, Gorski J. Double pattern of relationship between skin temperature, thermoregulation and sensory nerve conduction. Electromyogr Clin Neurophysiol 30: 435-442. 1990

Kodym A, Marcinkowski A, Kukula H. Technology of eye drops containing aloe (Aloe arborescens Mill. Liliaceae) and eye drops containing both aloe and neomycin sulphate. Acta Pol Pharm. 2003; 60(1):31-39

Koester E, Pawley AR, Fernandes LAD, Porcher CC, Soliani E. Jr. Experimental Melting of Cordierite Gneiss and the Petrogenesis of Syntranscurrent Peraluminous Granites in Southern Brazil J. Petrology 2002, 43: 1595 - 1616.

Koeteles GJ, Benkö I, Nemeth G. Use of thermography in diagnosis of local radiation injuries (letter, comment). Health Physics 74 (2): 264-265. 1998

Koga H, K.Mori, Y.TokunagA. Interstitial radiofrequency hyperthermia for brain tumors-preliminary laboratory studies and clinical application. Neurologia Medico-Chirurgica 33: 290-294. 1993

Koga K, Suehiro Y, Matsuoka S-T, Takahashi K. Evaluation of growth activity of microbes in tea field soil using microbial calorimetry. J Biosci Bioeng. 2003; 95(5):429-434.

Kogan SJ. Editorial comment, Urology, 2003; 62, (4): 746.

Kogut M, Wawrzynek A, Delpak R, Hu CW. Application of Thermography for Determination of Thermal Properties Using Inverse Heat Conduction Formulation (abstract). Thermol intern 2000, 10 (1):28-9

Kohara S, Suzuya K, Takeuchi K, Loong CK, Grimsditch M, Weber JK, Tangeman JA, Key TS. Glass formation at the limit of insufficient network formers. Science. 2004; 303(5664):1649-52.

Kohl KS. Marcy SM. Blum M. Jones MC. Dagan R. Hansen J. Nalin D. Rothstein E. Fever after immunization: Current concepts and improved future scientificunderstanding. Clin Infect Dis. 2004; 39(3): 389-394.

Kohler A, Hoffmann R, Platz A, Bino M. Diagnostic value of duplex ultrasound and liquid crystal contact thermography in preclinical detection of deep vein thrombosis after proximal femur fractures. Archives of Orthopaedic and Trauma Surgery 117(1)-2: 39-42. 1998

Kohles SS, Vanderby R JR. Thermographic strain analysis of the proximal canine femur. Medical Engineering and Physics 19(3): 262-266. 1997

Kohno H, Natori M, Aoki R, Takeuchi Y, Yoshimura Y. Effect of diagnostic-level ultrasound on mouse embryo development. Journal of Medical Ultrasound 2000, 8(2): 81-86

Koitka A, Legrand-Fernandez MS, Abraham P, Fizanne L, Fromy B, Sigaudo-Roussel D, Saumet JL. Low skin temperature impairs the cutaneous vasodilator response to local progressive pressure strain. Microvasc Res. 2004; 67(2): 203-6.

Koitka A. Abraham P. Bouhanick B. Sigaudo-Roussel D. Demiot C. Saumet JL. Impaired Pressure-Induced Vasodilation at the Foot in Young Adults with Type 1 Diabetes. Diabetes. 2004, 53(3)721-725.

Kok LP, Boon ME, Smid HM. The problem of hot spots in microwave equipment used for preparatory techniques - Theory and practice. Scanning 15:100-109.1993

Koken PJM, Piver WT, Ye F, Elixhauser A, Olsen LM, Portier CJ. Temperature, air pollution, and hospitalization for cardiovascular diseases among elderly people in Denver. Environl Health Perspect. 2003; 111(10):1312-1317.

Kolesnichenko AV, Grabelnych OI, Tourchaninova VV, Zykova VV, Koroleva NA, Pobezhimova TP, Korzun AM, Voinikov VK. Influence of stress protein CSP 310 and antiserum against this protein on oxygen uptake, lipid peroxidation, and temperature of winter wheat seedling shoots during cold stress. J Immunoassay Immunochem. 2003; 24(1):41-55.

Kolesov S, Pasmanik L, Tkachenk Yu, Troitsky A, UlianicheV. Radiothermometry as method for early diagnosis and control for effectiveness of treatment the diseases (abstract). Thermology intern 2000, 10(3):137-8

Kolesov SN, AB KibireV. the thermographic diagnosis of pneumonia in patients with acute cra-niocerebral trauma. Zhurnal Voprosy Neirokhirurgii Imeni N.N.Burdenko (6(1)991):8-11. 1991

Kolesov SN, Fraerman AP, Khitrin LKh, Pavlov SA, Krasnov DB. Diagnosticheskie vozmozhnosti funktsional'nogo teplovideniia ri povrezhdeniiakh perifericheskikh nervov na razlichnykh etapakh lecheniia. (The diagnostic possibilities of functional thermography in peripheral nerve damages at different stages of the treatment). Zh Vopr Neirokhir, (6): 9-12. 1989

Kolesov SN, Volovik MG, Priluchni MA. Diagnosis of lumbar Osteochondrosis at different stages of disease (abstract). Thermology intern 2000, 10(3):143-4

Kolesov VG, VG Il'In. Automated diagnosis of vibration disease. Zh Nevropathol Psikhiatr 91: 17-20. 1991

Koletzko B, Sauerwald T, Demmelmair H. Safety of stable isotope use. European Journal of Pediatrics 156(1): S12-S17. 1997

Kollar A, Kekesi V, Juhasz-Nagy A. Dopamine-induced aggravation of myocardial ischaemia in the paced hearT. cardiosurgical perspectives. Acta Chirurgica Hungarica, 32: 237-244. 1991

Kolos AI, Udod VM.Improvement of the transthoracic method of puncture sanitation in complex treatment of lung abscess. Grud serdechnososudistaia Khir (11(1)990):48-50. 1990

Kolotilov NN, Rozenfeld LG, Palamarchuk VV. .Close results of using new domestic immunomodulator Blasten in complex therapy of patients with cancer of larynx and oral pharynx. Zhurnal Ushnykh Nosovykh i Gorlovykh Boleznei (2) :19-23. 1997

Kolotilov NN. Thermoreactivity and thermo-regulation of organism of the patients with laryngeal cancer. Zhurnal Ushnykh Nosovykh i Gorlovykh Boleznei -(3): 6-11. 1998

Komatsu H, Hasegawa J, Mitsuhata H, Mat-sumoto S, Kimura K. (Evaluation of efficacy of a disposable monitor for surface temperature (PROCHECKER) compared with thermography) Masui. Japanase Journal of Anesthesiology, 41: 1340-1344. 1992

Komori R. Harumoto T. Fujisawa H. Takagi Y. A Paramecium tetraurelia mutant that has long autogamy immaturity period andshort clonal life span. Mechan Ageing Develop. 2004; 125(9): 603-613.

Komulainen S. Oja T. Rintamaki H. Virokannas H. Keinanen- Kiukaanniemi S. Blood pressure and thermal responses to whole body cold exposure in mildly hypertensive subjects. J Thermal Biol. 2004. 29(7-8 Spec. Iss.): 851-856.

Kondo K, Mabuchi K, Chinzei T, Nasu Y, Kakuta N, Suzuki T, Saito T, Ishigaki H Images of the Spectrum Analysis of the Changes in Skin Temperature and its Application for the Evaluation of Autonomic Nervous Function. Thermol intern 2001, 11(2): 81

Kondo K.; Ishigaki H.; Konishi Y.; Mabuchi K. Blood Flow Imaging Algorithm for Infrared Thermographic Systems. In Proceedings of The First Joint BMES/EMBS Conference Serving Humanity, Advancing Technology, Atlanta, 1999, pp. 1119

Kondo M, Mezaki T, Higuchi K, Watanabe Y, Kuzuhara S (Changes of autonomic functions by endoscopic upper thoracic sympathectomy on idiopathic hyperhidrosis). Rinsho Shinkeigaku. Clinical Neurology 2000. 40 (11) 1069-75

Kondo M, Nesterenko V, Antzelevitch C. Cellular basis for the monophasic action potential. Which electrode is the recording elec- trode? Cardiovasc Res. 2004; 63(4):635-44.

Kondo S, Okada Y, Iseki H, Hori T, Takakura K, Kobayashi A, Nagata H. Thermological study of drilling bone tissue with a high-speed drill. Neurosurgery 2000. 46 (5) 1162-8

Kondratyev AN. Usage of alpha-2 agonists and opioids in neuro- anesthesia: Twenty years ofexperience. Sem Anesth, Perioper Med Pain. 2004; 23(3): 192-195.

Konerding M A. 18. Jahrestagung der American Academy of Thermology. ThermoMed 5: 94. 1989

Konerding M. A, F. SteinberG. Computergestützte infra rot-thermographische und ultrastrukturelle Untersu chungen an xenotransplantierten menschlichen Tumoren auf Nacktmäusen ThermoMed 4: 11-22. 1988

Konerding M.A, B.Beutelstahl, S.Orlob, J.Herterich, H.Melchior, M.BlanK. Effects of Whole-Body Vibration on the Lumbar Vertebral ColumN. Experimental Infrared Thermographic Studies, Thermology 3:177-181. 1990

Kong J, Gouras P. The effect of body temperature on the murine electroretinogram. Doc Ophthalm. 2003; 106(3): 239-242.

Kong M-H, Cho Y-E, Chin D-K, Yoon Y-S, Kim Y-S. Thermographic Changes During Management of Bilateral Facila Weakness. J Korean Med Thermol 2002, 2(1):62-63

Kongpanichkul A, Bunjongpak S A comparative study on accuracy of liquid crystal forehead, digital electronic axillary, infrared tympanic with glass-mercury rectal thermometer in infants and young children. Journal Of The Medical Association Of Thailand 2000. 83 (9) 1068-76

Konik H, Wall A, Kop,rowski R, Wrobel Z.The Analysis of Thermograms in Children with Idiopathic Scoliosis. Thermol intern 2001, 11(3):140

Konik H, Wall A, Koprowski R, Wrobel Z.Computer Analysis of the Vertebral Column Thermography. Thermol intern 2001, 11(3):138-139

Konik H. Thermovision bei Patienten mit patellofemoralem Schmerzsyndrom. (abstract). Thermol Österr 5: 78. 1995

Kono A,I. FujimasA. The Evaluation of Pain Therapy With Low Power Laser.Comparative Study of Thermography & Double Blind Test. (abstract). Thermol Österr 5: 112. 1995

Kono H, Inokuma S. Visualization and functional consequence of pulmonary vascular impairment in patients with rheumatic diseases. Chest. 2003; 124(1):255-261).

Kono S, N.Teruya, I.Akamine, T.Kawamitsu, N.NakzatO. Sensations of Coldness and Skin Surface Temperature in Women. (abstract). Biomed Thermol 15: 32. 1995

Kono T, Yamaki T, Ercocen AR, Fujiwara O, Nozaki M. Treatment of leg veins with the long pulse dye laser using variable pulse durations and energy fluences. Lasers Surg Med. 2004; 35(1):62-7. P

Konychev AV, Kaiukov AV, Vishtaliuk SV, Kokorin KV. Rol' angiotrofonevroza verkhnei konechnosti v techenii oslozhnennykh form panaritsiia. [The role of angiotrophoneurosis of the upper extremity in the course of complicated forms of paronychia] Vestnik Khirurgii Imeni I. I. Grekova 1998. 157(4): 50-2

Konychev AV, Kaiukov AV. Parenteral'noe vvedenie terridekazy v lechenii gnoino-vospalitel'nykh zabolevanii kisti.[The parenteral administration of terridecase in the treatment of suppurative-inflammatory diseases of the hand] Vestnik Khirurgii Imeni I. I. Grekova 1998. 157 (3): 79-81.

Koopman MMW, EJR.van Beek, JW.Ten CatE. Diagnosis of deep vein thrombosis. Progress In Cardiovascular Diseases 37:1-12.1994

Koppel T, Lahdeniemi M, Ekholm A. Application of IR thermography for unsteady fluid-flow research. IN. Snell JR, RN Wurzbach (eds): Thermosense XX. Proceedings of the Society of Photo-Optical Instrumentation Engineers (SPIE) Vol.3361. Bellingham,: pp.40-48. 1998

Koprowski R, Konik H, Wróbel Z Computer Analysis of Thermograms From Spinal Deformities In Children. (abstract). Thermol intern 2001, 11(2):96-98

Koratkar N, Modi A, Lass E, Ajayan P. Temperature effects on resistance of aligned multiwalled carbon nanotube films. J Nanosci Nanotechnol. 2004; 4(7):744-8.

Kordikowski A, Shekunov T, York P. Polymorph control of sulfathiazole in supercritical CO(sub(2). Pharmaceutical Research 2001: 18(5): 682-688

Korecka L. Bilkova Z. Holeapek M. Kralovsky J. Benes M. Lenfeld J. Minc N. CecalR. Viovy J-L. Przybylski M. Utilization of newly developed immobilized enzyme reactors for preparation andstudy of immunoglobulin G fragments. J Chromat B: Analyt Technol Bio Med Life Sci. 2004; 808(1): 15-24.

Koren I, Kaufman YJ, Remer LA, Martins JV. Measurement of the effect of Amazon smoke on inhibition of cloud formation. Science. 2004; 303(5662):1

Korner C. Mountain biodiversity, its causes and function. Ambio. 2004; Spec No 13(13):11-7.

Korohoda P, Krawentek L, Pietrzyk J.Processing of sequential thermographic (TG) scans in vascular access evaluation. Thermol intern 2002. 12: 158-159

Korohoda P, Pietrzyk JA.Image Processing Techniques for Illustrating Significant Properties of the Forearms Blood essels In Hemodialyzed Patients. (abstract) Thermol int 2003, 13: 74

Korohoda P, Tadeusiewicz R.Compression Of Sequences of Thermograms Documenting Dynamic Forearm Studies In Hemodialyzed Patients. (abstract) Thermol int 2003, 13: 73-74

Korpan M.I, G.Vacariu, O,Schufried, D.Yang, V.Fialka. Dynamische Thermographie während der Akupunktur wegen sympathischer Reflexdystrophie- ein Fallbericht (abstract). Thermol Österr 1995, 5: 79-80.

Korpan M.I, K.L.Resch, S.Pawelka, T.Leitha, V.Fialka. Thermographie in der Diagnostik der sympathischen Reflexdystrophie (RSD)(abstract). Thermol Österr 1994, 4(3): 83-84.

Korpan MI, K.L.Resch, T.Leitha, V.Fialka. Thermographie in der Diagnostik der sympathischen Reflexdystrophie (RSD). Thermol Österr 1994, 4: 101-108.

Kortschik C. Plessing T. Peters N. Laser optical investigation of turbulent transport of temperature ahead of the preheat zone in a premixed flame. Combust Flame. 2004; 136(1-2): 43-50.

Koscheyev VS, Leon GR, Coca A, List N. Enhancing circulation to lower limbs during head-down tilt by warming upper body and thighs. Aviat Space Environ Med. 2004; 75(7): 596-602.

Kosinski S. Practical aspects of pre-hospital hypothermia manage- ment. Polski Przeglad Chirurgiczny. 2004; 76(1): 110-123.

Koslowsky S, Staubach C, Kramer M, Wieler LH. [Risk assess- ment of blue tongue disease incursion into Germany using geographic information system (GIS)] Berl Munch Tierarztl Wochenschr. 2004; 117(5-6):214-25.

Kostromina VP, Donets CT, Suslov EI, Podgaevskaia TP. Sravnitel'naia otsenka tuberkulinovykh reaktsii lineikoi i termograficheskoi plenkoi u morskikh svinok s gistologicheskim izucheniem papuly. (Comparative estimation of tuberculin reactions using a ruler and thermographic film followed by histological examination of the papule in guinea pigs). Probl Tuberk 1989, (7): 48-51./

Kotapati S. Nicolau DP. Nightingale CH. Kuti JL. Clin and economic benefits of a meropenem dosage strategy based on phar- macodynamic concepts. Am J Health-System Pharmacy. 2004; 61(12): 1264-1270.

Kotarbnska E. Attenuating properties of hearing protectors in versus time factor. Int J Occup Med Environ Health. 2003; 16(1):67-72.

Köteles G, Benkö I.: Infrared thermogrammetry in the practice of radiobiology. (abstract). IN. Benkö I, I.Lovak, I.Kovacsics (eds): 9th International Conference on Thermal Engineering and Thermogrammetry (THERMO). Budapest 1995. p.136-137.

Köteles G, Benkö I: Új adtok a termogrammetria alkalmazására helyi sugársérülések diagnózisában (New data on application of thermogrammetry in diag nosis of local radiation injury). Mérés és Automatika 1991, 39(Suppl 2): 88-93.

Köteles G,. Benkö I, Nemeth G, Petranyl J. Thermal approach to the investigation of the effects of beta-irradiation. (abstract). IN. Benkö I, I.Lovak, I.Kovacsics (eds): 9th International Conference on Thermal Engineering and Thermogrammetry (THERMO). Budapest 1995. p.138-139.

Köteles GJ, Benkö I, Nemeth G. Infra-red imaging of the effect of beta-irradiation on human body surface. (abstract) Thermol Österr 7(2): 88-89. 1997

Köteles GJ, Benkö I. Infrared thermogrammetry as a tool in radiation pathology. Thermol Österr 1992, 2:S34.

Köteles GJ, Benkö I. Recent data of IR thermogrammetry concerning human reactions against ionizing radiation. Thermol Österr4:181-182. 1994

Köteles GJ, Benkö I. Thermography in Radiation Injuries. Thermol Österr 1994, 4: 55-65.

Köteles GJ, Benkö I: IRThermogrammetry. a tool in the diagnosis of ionising radiation caused local injuries. IN. Benkö I, I.Lovak, I.Kovacscs, A.Faludi (ed): 8th International Conference on Thermal Engineering and Thermogrammetry, 2.-4.Juni 1993. Scientific Society of Measurement and Automation (MATE). Branch of Thermo Technical Measurements and Thermogrammetry, p.319. Budapest 1993

Köteles GJ, Horváth Gy,Benkő I. Local radiation injuries and the use of thermography in their diagnosis. In: Benkö I, Balogh A, Kovacsics I, Lovak I (eds): Abstracts of the 12th International Conference on Thermogrammetry and Thermal Engineering in Budapest 13-15, June 2001, MATE, Budapest, 2001, p.265-272

Köteles GJ, I,Benkö, Nemeth G. Infra-red detection of the skin surface temperature alterations following beta-irradiation. IN. Benkö I, A.Balogh, I.Kovacsics, I Lovak(eds): Abstracts of the 10th International Conference on Thermogrammetry and Thermal Engineering in Budapest 18-20. June 1997. MATE, Budapest, p, 163-169.1997

Kouchoukos NT. Masetti P. Total aortic arch replacement with a branched graft and limited circulatoryarrest of the brain. J Thoracic Cardiovasc Surg. 2004; 128(2): 233-237.

Kouri EM, McCarthy EM, Faust AH, Lukas SE. Pretreatment with transdermal nicotine enhances some of ethanol's acute effects in men. Drug Alcohol Depend. 2004; 75(1):55-65.

Kourous H, Shabestari BN, Luster S, Sacha J. On-line industrial thermography of die casting tooling using dual-wavelength IR imaging. IN. Snell JR, RN Wurzbach (eds): Thermosense XX. Proceedings of the Society of Photo-Optical Instrumentation Engineers (SPIE)Vol.3361. Bellingham,: pp. 218-227. 1998

Kovac C, Krapf M, Ettlin T,.Mennet P,. Stratz T, Müller W.. Nachweismethoden von Tonusveraenderungen der Muskulatur. Zeitschrift für Rheumatologie 53:26-36.1994

Kovacs MS, Smith JW, Strecker E, Pascoe DD.The efficacy of aluminum weave cooling jackets at reducing thermal load following exercise in a hot Environ (abstract). Thermol int 2004, 14(3): 111.

Kovar DR, Kuhn JR, Tichy AL, Pollard TD. The fission yeast cytokinesis formin Cdc12p is barbed end actin filament capping protein gated by profilin. J Cell Biol 2003; 161(5):875-887.

Kovrizhnykh NA, Korovin EI, Abdulaev EG. (Diffuse sympathetic block in the intensive therapy of pharyngeal and esophageal chemical burns) Vestnik Otorinolaringologii, (4): 25-28.1994

Kowalewski TA Particle Image Velocimetry and Thermometry for Two-Phase Flow Problems Ann. N.Y. Acad. Sci. 2002, 972: 213 - 222.

Koyama N, Hirata K, Hori K, Dan K, Yokota T. Biphasic vasomotor reflex responses of the hand skin following intradermal injection of melittin into the forearm skIn. Eur J Pain 2002, 6(6): 447-53.

Koyama N, Hirata K, Hori K, Dan K, Yokota T. Computer-assisted infrared thermographic study of axon reflex induced by intradermal melittIn. PaIn. 2000,84(2-3):133-9.

Koyama S, NakaharaT, WakeK, TakiM, Isozumi Y, Miyakoshi J. Effects of high frequency electromagnetic fields on micronucleus formation in CHO-K1 cells. Mutation Res/Genet Toxicol Environl Mutagen, 2003; 541, (s 1-2): 81-89

Koyama T, Sawada S, Tanigawa N, Tsutsumi S, Fujihara Y, Saito S, Katsube Y, Morioka N. In vitro study of radifrequency thermal angioplasty. Nippon Igaku Hoshasen Gakkai Zasshi 50:1016-1018. 1990

Kozak W, Kozak A Genetic Models in Applied Physiology: Selected Contribution: Differential role of nitric oxide synthase isoforms in fever of different etiologies: studies using *Nos* gene-deficient mice J Appl Physiol, 2003; 94: 2534 - 2544.

Kozakiewicz RT, Bowyer BL. Quantitative testing and thermography in carpal tunnel syndrome. Physical Medicine and Rehabilitation Clinics of North America 8(3): 503-511. 1997

Kozin F. Reflex Sympathetic Dystrophy SyndromE. Editorial Review. Current Opinion In Rheumatology. 6:210-216.1994

Kozlov VB, Kashchenko-Bogan VG. Primenenie teplovizionnogo issledovaniia dlia vyiavleniia nedostatochnosti soedinitel'nykh ven pri varikoznoi bolezni nizhnikh konechnostei. (Use of thermovision studies for detection of insufficiency of the communicating veins in varices of the lower limbs). Klin Khir (7): 73-74. 1989

Kozyreva TV. Gonsales EV. Eliseeva LS. beta-Adrenoreceptor participation in the formation of the thermoregulatory and immune responses under the effect of rapid deep cooling. J Thermal Biol. 2004. 29(7-8 SPEC. ISS.)819-824.

Krabbe KS, Bruunsgaard H, Hansen CM, Moller K, Fonsmark L, Qvist J, Madsen PL, Kronborg G, Andersen HO, Skinhoj P, Pedersen BK Ageing is associated with a prolonged fever response in human endotoxemia. Clinical and Diagnostic Laboratory Immunology 2001, 8(2): 333-338

Krake A, McCullough J, King B. Health hazards to park rangers from excessive heat at Grand Canyon National Park. AppOccup Environ Hygiene. 2003; 18(5):295-317.

Kraska T, Zwolenik S, Lipczyk Z, Wiecek B. Application of thermal imaging for diagnosis and follow up of children with orthopaedic diseases. (abstract) Thermol intern 2001, 11(4): 209

Kraska T, Zwolenik S, Więcek B.Examples of thermografic exarnination in pediatric orthopaedics. IN. Balageas D, Busse G, Carlomagno, C, Więcek B, editors, Quantitative InfraRed Thermography 4: Medical InfraRed Thermography, MIRT´98. Eurotherm Seminar 60 Proceedings, Łódź, 1999. p.61-65

Krauchi K. Cajochen C. Wirz-Justice A. Waking up properly: Is there a role of thermoregulation in sleep inertia?. J Sleep Res. 2004; 13(2): 121-127.

Krause MHJ, Xiong J, Gragoudas ES,. Young LHY Treatment of Experimental Choroidal Melanoma With an Nd:Yttrium-Lanthanum-Fluoride Laser at 1047 nm Arch Ophthalmol, 2003; 121: 357 - 363.

Krebs C, Henshaw TF, Cheek J, Huynh BH, Broderick JB Conversion of 3Fe-4S to 4Fe-4S clusters in native pyruvate formate-lyase activating enzymE. Moessbauer characterization and implications for mechanism. Journal of the American Chemical Society 2000, 122(50): 12497-12506

Kreisler M, Kohnen W, Marinello C, Schoof J, Langnau E, Jansen B, d'Hoedt B. Antimicrobial efficacy of semiconductor laser irradiation on implant surfaces. Int J Oral Maxillofac Implants. 2003; 18(5):706-11.

Krell T. Greco F. Engel O. Dubayle J. Dubayle J. Kennel A. Charloteaux BBrasseur R. Chevalier M. Sodoyer R. El Habib R. HIV-1 gp41 and gp160 are hyperthermostable proteins in a mesophilic En- viron:Characterization of gp41 mutants. Eur J Biochem. 2004; 271(8): 1566-1579.

Krenn CG. Hoda R. Nikolic A. Greher M. Plochl W. Chevtchik OO. Steltzer H. Assessment of ventricular contractile function during orthotopic livertransplantation. Transplant Int. 17(2): 101-104. 2004;4.

Kreyer I, Lehmann C, Kekesi V,, Dobi I, Luther B. Motility, haemodynamics and responsibility to vasoactive agents after revascularization of autotransplanted small intestine segments in the dog. Acta Chir Hung, 30 (4): 261-271. 1989

Kribus A, Vishnevetsky I, Rotenberg E, Yakir D. Systematic errors in the measurement of emissivity caused by directional effects. Appl Opt. 2003 Apr 1;42(10):1839-46.

Krieger DW, Yenari MA. Therapeutic hypothermia for acute ischemic stroke: what do laboratory studies teach us? Stroke. 2004; 35(6):1482-9.

Krinner G, Mangerud J, Jakobsson M, Crucifix M, Ritz C, Svend- sen JI. Enhanced ice sheet growth in Eurasia owing to adjacent ice-dammed lakes. Nature. 2004; 427(6973):429-32.

Krischek-Bremerich P, A BremericH. Thermoprofile im Gesichtsbereich. Teil II. Veränderungen bei Läsionen des Nervus trigeminus. ThermoMed 6:109-114. 1990

Krishchenko OP, Sarana VA, Stulii la, Terebkova IV, Kolotova LI. Ispol'zovanie kon"iunktival'noi biomikroskopii, zhidkokristallicheskoi termografii pri sakharnom diabete u detei i podrostkov.(The use of conjunctival biomicroscopy and liquid-crystal thermography in diabetes mellitus in children and adolescents). Probl Endokrinol (Mosk), 35 (5): 37-40. 1989

Kristmannsdóttir H, Ármannsson H. Environmental aspects of geothermal energy utilization, Geothermics, 2003; 32, (s 4-6):451-461

Krochal AR, Backen GS. Thermoregulation is the pits: use of thermal radiation for retreat site selection by rattlesnakes J Exp Biol. 2003; 206: 2539 - 2545.

Kroeze H, van de Kamer JB, de Leeuw AA, Kikuchi M, Lagendijk JJ. Treatment planning for capacitive regional hyperthermia. Int J Hyperther. 2003 ; 19(1):58-73.

Krohn TC, Hansen AK, Dragsted N. Telemetry as a method for measuring the impact of housing conditions on rats' welfare. Animal Welfare. 2003; 12(1):53-62.

Kronberg BI, Watt MJ. The precariousness of North American boreal forests. Environmental Monitoring and Assessment 2000: 62(3): 261-272

Kroner G, Fuchs H, Tatschl R, Glatter O. Determination of soot particle size in a diffusion flame: A dynamic light scattering study. Aerosol Sci Tech. 2003; 37(10):818-827.

Krones C, Klosterhalfen B, Fackeldey V, Junge K, Rosch R, Schwab R, Stumpf M, Klinge U, Schumpelick V. Deleterious effect of zinc in a pig model of acute endotoxemia. J Invest Surg. 2004; 17(5): 249-56.

Kropyvnytskyy I, Saunders F, Pols M, Zarowski C. Circadian rhythm of temperature in head injury. Brain Injury 2001. 15(6): 511-518

Kruger S, Fronek KS, Schmelz M, Horbach T, Hohenberger W, Schick CH. Differential effects of surgical sympathetic block at the T2 and T4 level on vasoconstrictor function. Clin Auton Res. 2003 13 (Suppl 1):I79-I82.

Krumper JR, Martin RL, Hay PJ, Yung CM, Veltheer J, Bergman RG. Synthesis and reactivity of the hydrido- and alkylrhenium methyli- dene complexes Cp*(PMe3)2(R)Re=CH2 (R = H, CH3). J Am Chem Soc. 2004; 126(45):14804-15.

Krupatkin AI. The diagnosis of nerve trauma late. Zh Vopr Neirokhir (5(1)990):28-31. 1990

Kruse RA Jr, Christiansen JA. Thermographic imaging of myofascial trigger pointS. A follow-up study. Archives of Physical Medicine and Reha-bilitation 73:819-823. 1992

Krustrup P, Ferguson RA, Kjaer M, Bangsbo J. ATP and heat production in human skeletal muscle during dynamic exercise: Higher efficiency of anaerobic than aerobic ATP resynthesis. J Physiol. 2003; 549(1):255-269.

Kruszewski J, Zuber J, Zmija J, Klosowicz S, Sacha P, Lukasiewicz J. Zastosowanie metod termograficznych do oceny wynikow punktowych testow skornych. I. Tlo temperaturowe obszarow wykonywania punktowych testow skornych, optymalne zakresy temperaturowej odpowiedzi barwnej mieszanin cieklokrystalicznych oraz warunki ich stosowania. (Use of thermography methods for evaluating skin prick tests. I. Background temperature of area where skin prick tests are performed. Optimal color scale of temperature differences registered by liquid crystals and conditions of their use) Pneumonologia I Alergologia Polska, 63:507-515.1995

Ku HS, Siu F, Siores E, Ball JAR. Variable frequency microwave (VFM) processing facilities and application in processing thermoplastic matrix composites, J Mat ProcessTech, 2003; 139, (s 1-3): 291-295.

Kublanov VS, Gasilov VL, Kazakov YE Features of electromagnetic radiation time-and-frequency fluctuation intensity distributions from human brain structures. Critical Reviews In Biomedical Engineering 2000. 28 (5-6) 160-82

Kubota M, H.Kobayashi, I.Sakurai, K.Anzai, Y.Shimizu, Y.Tokuda, T.Tajima, T.MotorI. Significance of Thermography in Breast Cancer Diagnosis. (abstract). Biomed Thermol 11: 296. 1991

Kudoh A. Takase H. Takazawa T. Chronic Treatment with Anti- psychotics Enhances Intraoperative Core Hypothermia. Anesth Analg. 2004; 98(1):111-115.

Kudriashov VK, Semenchenia VA. Informativnost 'spetsial'nykh issledovanii v ustanovlenii rasprostranennosti raka sigmovidnoi obodochnoi i priamoi kishki. (Informative value of special examinations in establishipg spreading of sigmoid colon and rectal cancer). Klin Khir (5): 4-5. 1990

Kuepeli S, Arikan N, Aydos K, Aytac S.Multiparametric evaluation of testicular atrophy due to varicocele. Urol Int 46:189-192. 1991

Kueppers LM, Southon J, Baer P, Harte J. Dead wood biomass and turnover time, measured by radiocarbon, along a subalpine eleva- tion gradient. Oecologia. 2004; 141(4):641-51.

Kuhn JM, Schroeder JI. Impacts of altered RNA metabolism on abscisic acid signaling, Curr Op Plant Biol, 2003; 6, (5): 463-469

Kühne KH, A.SchöndubE. Shunt presentation by liquid crystals in patients undergoing chronic haemodialysis. Thermol Österr2:S39. 1992

Kuklane K. The use of footwear insulation values measured on a thermal foot model. Int J Occup Saf Ergon. 2004;10(1):79-86.

Kuklane K. Sandsund M. Reinertsen RE. Tochihara Y. Fukazawa T. Holmer I. Comparison of thermal manikins of different body shapes and size. Eur J Appl Physiol. 2004; 92(6): 683-688.

Kukushkin AS, Pacher HD, Federici G, JaneschitzG, Loarte A, Pacher GW. Divertor tissues on ITER and extrapolation to reactors, FusEng Design, 2003; 65, (3):355-366.

Kuleshova LL, Wang XW, Wu YN, Zhou Y, Yu H. Vitrification of encapsulated hepatocytes with reduced cooling and warming rates. Cryo Letters. 2004; 25(4):241-54.

Kumagai S, Morinobu A, Ozaki S, Nakao K, Ishida H. Sarpogrelate hydrochloride for Raynauds phenomenon of patients with collagen diseases. Ryumachi 38(3): 504-510.1998

Kumagai Y, Kumagai E, Kumagai E, Cornelissen G, Halberg E, Halberg F, Schwartzkopff O, Halberg F. Circaseptan axillary temperature rhythm development in a chronomic and familial context. Neuroendocrin Lett 2003; 24(Suppl. 1):145-151.

Kumar N. The clinical presentation and natural history of Raynaud's phenomenon. Thermol intern 2002. 12: 66

Kumar RTR, Karunagaran B, Mangalaraj D, Narayandass SaK, Manoravi P, Joseph M, a Gopal V. Pulsed laser deposited vanadium oxide thin films for uncooled infrared detectors, Sens Act A: Phys, 2003; 107, (1): 62-67

Kumar S, Hussain M, Sharma TP, Husain M. Characterization of PbSe1-xTex thin films, J Phys Chem Solids, 2003; 64, (3): 367-376

Kumar V, Yang T, Yang Y. Interpolymer complexation. I. Preparation and characterization of a polyvinyl acetate phthalate-polyvinylpyrrolidone (PVAP-PVP) complex. International Journal of Pharmaceutics 1999. 188(2): 221-32

Kumaradas JC, Sherar MD. Edge-element based finite element analysis of microwave hyperthermia treatments for superficial tumours on the chest wall. Int J Hyperther. 2003; 19(4):414-430

Kumaradas JC, Sherar MD. Optimization of a beam shaping bolus for superficial microwave hyperthermia waveguide applicators using a finite element method. Phys Med Biol. 2003; 48(1):1-18.

Kummer S. Innovative uses of thermal imaging. Occup Health Saf. 2004; 73(11):38, 40.

Kuno S. [Prevention and treatment of malignant syndrome in patients with Parkinson's disease] Nippon Rinsho. 2004; 62(9):1721-4.

Kuntz KW, Snapper ML, Hoveyda AH. Combinatorial catalyst discovery. Current Opinion In Chemical Biology 1999, 3(3):313-9.

Kuntzer T, Michel P. Muscle membrane polarisation after provocative tests, and after cooling: the normal CMAP changes to be expected. Clin Neurophysiol.2004; 115(6):1457-63.

Kuntzer T. [Electrophysiological testing in muscle channelo- pathies] Rev Neurol (Paris). 2004; 160(5 Pt 2):S49-54.

Kuntzer T. Michel P. Muscle membrane polarisation after pro- vocative tests, and after cooling: The normal CMAP changes to be expected. Clin NeuroPhysiol. 2004. 115(6)1457-1463.

Kuo C-P. Wong C-S. Borel CO. Yang C-P. Yeh C-C. Lu C-H. Wu C-T. Cerebrospinal fluid rhinorhea after thermometer insertion through the nose. Anesth Analg. 2004; 99(2): 617-619.

Kuo T-C. Lin C-W. Ho F-M. The soreness and numbness effect of acupuncture on skin blood flow. Am J Chin Med. 2004; 32(1): 117-129

Kuo Y-M, Chen H-H, Shieh C-C, Chuang K-P, Cherng CG, Yu L. 4-Hydroxytamoxifen attenuates methamphetamine-induced nigrostriatal dopaminergic toxicity in intact and gonadetomized mice J. Neurochem., 2003; 87: 1436 - 1443.

Kuperman WA, D'Spain GL, Heaney KD Long range source localization from single hydrophone spectrograms. Journal Of The Acoustical Society Of America 2001. 109 (5 Pt 1) 1935-43

Kuramoto Y, J.MatsudA. The Measurement of Physiological Information by Photoacoustic Spectroscopy. (abstract). Biomed Thermol 15: 41. 1995

Kurganov BI, Lyubarev AE, Sanchez-Ruiz JM, Shnyrov VL. Analysis of differential scanning calorimetry data for proteins. Criteria of validity of one-step mechanism of irreversible protein denaturation. Biophysical Chemistry 69(2)-3: 125-135. 1997

Kurihara T, Higashi Y, Suemasu K, Kanoh T, Tabei T, Inoue K. (Usefulness of contact thermography for the evaluation of chemotherapeutic effectiveness in breast cancer). Gan To Kagaku Ryoho [Japanese Journal of Cancer and Chemotherapy], 20:915-920. 1993

Kurihara T, K.Suemasu, Y.HigashI. Significance of nipple hyperthermia in contact thermogram for the prediction of breast cancer extension to the nipplE. preliminary report. Nippon Geka Gakkai Zasshi. Journal Of Japan Surgical Society 94: 874. 1993

Kuritani T, Yokoyama T, Kobayashi K, Nakamura E. Shift and Rotation of Composition Trends by Magma Mixing: 1983 Eruption at Miyake-jima 2003; cano, Japan J Petrol, 2003; 44: 1895 - 1916.

Kuroda K, K. Abe, S. Tsutsumi, Y.Ishihara, Y. Suzuki, K. SatO. Non-invasive temperature mapping using water proton magnetic resonance spectroscopic imaging.(abstract) Biomed Thermol 12. 256-260. 1992

Kuroda K, K. Abe, S. Tsutsumi, Y.Ishihara, Y. Suzuki, K. SatO. Water proton magnetic resonance spectroscopic imaging. IN. Mabuchi K, S.Mizushina, B.Harrison (eds.) Advanced Techniques and Clinical Application in Biomedical Thermologie, harwood academic publishers Chur/Schweiz p. 43-62. 1994

Kuroda PK. Application of nuclear chemistry in the study of the universe. Journal of Radioanalytical and Nuclear Chemistry 2000, 243(1): 141-145

Kuroda S, Uchida N, Sugimura K, Kato H. Thermal distribution of radio-frequency inductive hyperthermia using an inductive aperture-type applicatoR. Evaluation of the effect of tumour size and depth. Medical and Biological Engineering and Computing 1999, 37(3): 285-90.

Kuroda S, Uchida N, Sugimura K, Kato H. Thermal distribution of radio-frequency inductive hyperthermia using an inductive aperture-type applicatoR. evaluation of the effect of tumour size and depth. Medical and Biological Engineering and Computing, 1999. 37 (3) 285-90

Kuroiwa K, Shibata T, Takada A, Nemoto N, Kimizuka N. Heat-set gel-like networks of lipophilic Co(II) triazole complexes in organic media and their thermochromic structural transitions. J Am Chem Soc. 2004; 126(7):2016-21.

Kurvers HA. Reflex sympathetic dystrophY. facts and hypotheses. Vascular Medicine 1998. 3(3): 207-14.

Kurz A. Prevention and treatment of perioperative hypothermia. Current Anaesthesia and Critical Care 2001, 2(2): 96-102

Kurzawa M, Dembinski B, Szydlowska-Czerniak A. Spectrophotometric determination of imipramine hydrochloride, doxepin hydrochloride and hydroxyzine dihydrochloride with Reinecke salt. Acta Poloniae Pharmaceutica - Drug Research 1999. 56(4):255-60

Kurzrock R, Cohen PR. Paraneoplastic erythromelalgia. Clinics in Dermatology 11:73-82. 1993

Kussman BD. Mulkern RV. Holzman RS. Iatrogenic hyperther- mia during cardiac magnetic resonance imaging. Anesth Analg. 2004; 99(4): 1053-1055.

Kutas M. Staring Array System For Thermal Imaging. (abstract) Thermol Österr 7(1):28-29. 1997

Kutas M. Staring array systems for thermal imaging. IN. Ammer K, EFJ Ring (eds): The Thermal Image in Medicine and Biology, Uhlen Verlag, Wien,pp. 40-46. 1995

Kutas M. Starring array systems for thermal imaging. Thermol Österr4:160-161. 1994

Kuzdak K. Amsolik M. Jozwik K. Koter M. Niedzwiecki S. Influence of hyperthermia on morphology and function of the thyroid gland in an experimental animal model. Thermology International. 2003 ; 13(2) :58-62.

Kuznetsova GD, Nezlina NI, Gurvich AM, Mutuskina EA. Dinamika teplovykh polei mozga krys v pozdnem postreanimatsionnom periode pri stresse. (The dynamics of the brain heat fields of rats in the late postresuscitation period during stress) Zhurnal Vysshei Nervnoi Deiatelnosti Imeni I. P. Pavlova, 42: 351-356.1992

Kuznetsova N, McBride DJ Jr, Leikin S Osteogenesis imperfecta murinE. Interaction between type I collagen homotrimers. Journal of Molecular Biology 2001: 309(3): 807-815

Kvellestad A, Dannevig BH, Falk K. Isolation and partial characterization of novel paramyxovirus from the gills of diseased seawater-reared Atlantic salmon (Salmon salar L.). J Gen Virol. 2003; 84(8):2179-2189.

Kwak YH, Lee DS, Kim HB. Vibrio harveyi nitroreductase is also chromate reductase. AppEnviron Microbiol. 2003; 69(8): 4390-4395

Kwan CL, Crawley AP, Mikulis DJ, Davis KD. An fMRI study of the anterior cingulate cortex and surrounding medial wall activations evoked by noxious cutaneous heat and cold stimuli. PaIn. 2000,85(3):359-74.

Kweh SW, Khor KA, Cheang P. Plasma-sprayed hydroxyapatite (HA) coatings with flame-spheroidized feedstocK. microstructure and mechanical properties. Biomaterials. 2000,21(12):1223-34.

Kwok P, Waldeck A, Strutz J. How do metallic middle ear implants behave in the MRI?. Laryngo- Rhino-Otologie. 2003; 82(1):13-18.

Kwon Y-S, Gromov AA, Ilyin AP, Popenko EM, Rim G-H. The mechanism of combustion of superfine aluminum powders. Mag Flame. 2003; 133(4):385-391.

Kyla-Nikkila K, Hujanen M, Leisola M, Palva A. Metabolic engineering of Lactobacillus helveticus CNRZ32 for production of pure L-(+)-lactic acid. Applied and Environmental Microbiology. 2000, 66(9): 3835-3841

Kyle MV, Belcher G, Hazleman BL. Placebo controlled study showing therapeutic benefit of iloprost in the treatment of Raynaud's phenomenon. Journal of Rheumatology, 19: 1403-1406. 1992

Kyle V, Hazleman B. Soft tissue rheumatism (Concurrent Session H). Br J Rheumatol 31: 135.1992

Kyle V, Tudor J, Wraight EP, Gresham GA, Hazleman BL.Rarity of synovitis in polymyalgia rheumatica.Ann Rheum Dis 49 (3): 155-157. 1990

Kyung-Sub LeE. A Study About Abdominal Temperature of Infertile Women (abstract)European Journal of Thermology 8: 119 , 1998

L'Haridon S, Reysenbach A-L, Banta A, Messner P, Schu- mann P, Stackebrandt E, Jeanthon C. Methanocaldococcus indicus sp. nov., a novel hyperthermophilic methanogen isolated from the Central Indian Ridge. Int J Sys Evol Microbiol. 2003; 53(6): 1931-1935.

L'vov SE, Kodin AV, Sapozhnikov VK, Filosofov AIU. Dinamika infrakrasnogo izlucheniia ruki pod vliianiem fizicheskoi nagruzki pri reabilitatsii bol'nykh s povrezhdeniiami sukhozhilii sgibatelei pal'tsev i nervov kisti. (The infrared radiation dynamics of the hand under the influence of physical loading in the rehabilitation of patients with tendon injuries to the flexor muscles of the fingers and the nerves of the hand) Voprosy Kurortologii, Fizioterapii I Lechebnoi Fizicheskoi Kultury (4) 21-24: 1993

LA : English

LA : English

LA : English

Laborde TC, JH.Ferguson, M. Dubinsky, PJ. KirscH. Reimbursement for unproven therapieS. the case of thermography (3): JAMA 270: 2558-2559. 1993

LaBorde TC. Thermography in diagnosis of radiculopathies. Clin J Pain 5:249-253. 1989

Lacey ME, Webb AG, Sweedler JV Monitoring temperature changes in capillary electrophoresis with nanoliter-volume NMR thermometry. Analytical Chemistry 2000. 72 (20) 4991-8

Lachaud C. Tesarik J. Can~adas ML. Mendoza C. Apoptosis and necrosis in human ejaculated spermatozoa. Human Reprod. 2004; 19(3): 607-610.

Lafitte HR, Courtois B. Interpreting Cultivar x Environment Interactions for Yield in Upland RicE. Assigning Value to Drought-Adaptive Traits Crop Sci. 2002, 42: 1409 - 1420.

Lafon C. Koszek L. Chesnais S. Theillere Y. Cathignol D. Feasibi- lity of a transurethral ultrasound applicator for coagulation inprostate. Ultrasound Med Biol. 2004; 30(1): 113-122.

Lagorsse S. Magalha~es FD. Mendes A. Carbon molecular sieve membranes: Sorption, kinetic and structural characterization. J Mem- brane Sci. 2004; 241(2): 275-287.

Lahaye T, Vogels JM, Gunter KJ, Wang Z, Dalibard J, Guery- Odelin D. Realization of a magnetically guided atomic beam in the collisional regime. Phys Rev Lett. 2004; 93(9):093003.

Lahl W. Jelonek M. Nagel T. Thermometric study on the perivasal temperature in endovenous laser therapy of varicosis. Vasomed. 2004; 16(4): 132.

Lahtinen J. Biancari F. Ala-Kokko T. Rainio P. Salmela E. Pokela R. Satta JLepojarvi M. Juvonen T. Pulmonary artery blood temperature at admission to the intensive care unit ispredictive of outcome after on-pump coronary artery bypass surgery. Scand Cardiovasc J. 2004; 38(2): 104-112.

Lai HS, Duh YC, Tsai WS, Sun WZ. Role of thermography in the diagnosis of undescended testes. European Urology 33(2): 209-213. 1998

Lai Y-C, Manninen PH. Anesthesia for cerebral aneurysmS. A comparison between interventional neuroradiology and surgery. Canadian Journal of Anesthesia 2001, 48(4): 391-395

Lajunen MK, Maunula T, Koskinen AMP. Co(II) catalysed oxidation of alpha -pinene by molecular oxygen. Part 2. Tetrahedron 2000: 56(41): 8167-8171

Lake CL : Fast tracking the paediatric cardiac surgical patient. Paediatric Anaesthesia 2000, 10(3): 231-236

Lake CL : Fast tracking the paediatric cardiac surgical patient. Paediatric Anaesthesia 2000, 10(3): 231-236

Lally J. ThermographY. A prototype of failed technology (editorial). Delaware Medical Journal, 65: 789-790.1993

Lamarque G. Viton C. Domard A. Comparative study of the second and third heterogeneous deacetylations of a- andbeta-chitins in a multistep process. Biomacromolecules. 2004;5(5): 1899-1907.

Lamarque JL, Pujol J, Rodiere MJ, Mourou MY.Methodes diagnostiques en senologie. Valeurs et limites. (Methods of breast disease diagnosis. Value and limits).Soins Gynecoi Obstet Pueric Pediatr (108): 13-15. 1990

Lambert H, GA De Mey, WG Dobbelaere, HJ De Cuyper, GG Vanderstraeten, FR De BischoP. Temperature evaluation after galvanotherapy, Thermol Österr 2: S36. 1992

Lamey PJ, Biagioni PA. Thermographic resolution of the prodromal phase of herpes labialis treated with acyclovir. Dento-Maxillo-Facial Radiology, 24: 201-203.1995

Lamfers B. Presentation On Medarray . (abstract). Thermol int 2003,13.36

Lamfers B. New Advances in Software for Medical Thermography & Thermography (abstract). Thermol intern 1999, 9(3): 115.

Laming JM. Relationship between oscillatory thermal instability and dynamical thin-shell overstability of radiative shocks. Phys Rev E Stat Nonlin Soft Matter Phys. 2004; 70(5 Pt 2):057402.

Lamm LC, E Wegner, D CollorD. Chiropractic scope of practicE. what the law allows—update 1993. JOurnal Of Manipulative And Physiological Therapeutics 18: 16-20. 1995

Lamprecht I, SchaarschmidT. B. Thermographische Untersuchung an einem Aronstabgewächs. ThermoMed 7:75-79. 1991

Lamprecht I, Schmolz E, Blanco L, Romero CM. Infrared thermography of a tropical water plant. Thermol intern 2002. 12: 91-99

Lamprecht, I. B. SchaarschmidT. Thermographische Untersuchungen an einem Aronstabgewächs. ThermoMed 7: 75-79. 1991

Lancey RA, Schaefer OP, McCormick MJ. Coronary artery bypass grafting and aortic valve replacement with cold cardioplegia in a patient with cold-induced urticaria. Ann Allergy Asthma Immunol. 2004; 92(2):273-5.

Land D.V. Measurements of the effect of dielectric stratification simulating realistic tissue layering, on the behavior of microwave thermography antennas. IN. Ammer K, EFJ Ring (eds): The Thermal Image in Medicine and Biology, Uhlen Verlag, Wien,pp. 64-69. 1995

Land D.V., Measurements of the effect of dielectric stratification simulating realistic tissue layering, on the behavior of microwave thermography antenna. Thermol Österr4:162. 1994

Land DV. Measurements of very-high-frequency and microwave biomedical antenna fields by the non-resonant pertubation method. Thermol Österr2:S32. 1992

Land DV. Microwave radiometry technique for medicine and industrial thermometry. (abstract). Thermol int 2004, 14(4): 146-147

Land DV. Recent measurements of microwave dielectric properties of tissues and tissue simulating materials. Thermol Österr2:S32. 1992

Landa M, Novak V, Sedlak P, Sittner P.Ultrasonic characterization of Cu-Al-Ni single crystals lattice stability in the vicinity of the phase transition. Ultrasonics. 2004; 42(1-9):519-26.

Landeryou MA, Yerworth RJ, Cottenden AM. Mapping liquid distribution in absorbent incontinence products. Proc Inst Mech Eng [H]. 2003;217(4):253-61.

Landini L, Santarelli MF, Pingitore A, Positano V. New technological developments in the clinical imaging of athero- sclerotic plaque. Curr Pharm Design. 2003; 9(29): 2403-2415.

Landry MD, Scudds RA. The cooling effects of electroacupuncture on the skin temperature of the hand.Journal Of Hand Therapy 9 (4), 359-366. 1996

Lane JE, Brigham RM, Swanson DL. Daily torpor in free-ranging whip-poor-wills (Caprimulgus vociferus). Physiol Biochem Zool. 2004; 77(2):297-304.

Lang E, A Spitzer, D Pfannmueller, D Claus, HO Handwerker, B NeundoerfeR. Function of thick and thin nerve fibers in carpal tunnel syndrome before and after surgical treatment. Muscle And Nerve 18: 207-215. 1995

Lang E, A.Spitzer, D.Pfannmüller, H.O.Handwerker, B.NeundörfeR. The quantitationof flare response . IN. Ammer K, EFJ Ring (eds): The Thermal Image in Medicine and Biology, Uhlen Verlag, Wien,pp. 146-149. 1995

Lang E, D Pfannmüller, B Neundörfer, HO HandwerkeR.Thermographic recording of sympathic reflex activity healthy subjects and in patients with carpal tunnel syndrome. Thermol Österr2:S20. 1992

Lang E, D.Claus, B.Neundoerfer, HO HandwerkE. Parameters of thick and thin nerve-fiber functions as predictors of pain in carpal tunnel syndrome. Pain 60: 295-302.1995

Lang E, D.P.Pfannmüller, D.Claus, HO.Handwerker, B.NeundörfeR.The quantitation of flare response by infrared thermography. Thermol Österr4:171. 1994

Lang E, Foerster A, Pfannmüller D, Handwerker HO. Quantitative assessment of sudomotor activity by capacitance hygrometry.Clin Auton Res 3:107-115.1993

Lang E, T.Greiner, B.Neumdörfer, HO.HandwerkeR. Assessment of local sweat gland activity by IRT. Thermol Österr4:179. 1994

Lang E, TGreiner, B.Neundörfer, H. 0.HandwerkeR. Assessment of local sweat gland activity by IRT. IN. Ammer K, EFJ Ring (eds): The Thermal Image in Medicine and Biology, Uhlen Verlag, Wien,pp. 197-200. 1995

Lang E, W.Magerl, H.O.Handwerker, B.NeundörfeR. Impaired Vasoreactivity to Cold Stress after Traumatic Transsection of the Median Nerve. (abstract) Thermol österr 7(2): 80-81. 1997

Lang E, W.Magerl, H.O.Handwerker, B.NeundörfeR. Thermographical evaluation of sympathetic Reflexes and Neurogenic Vasodilation after Traumatic Transsection of the Median Nerve. . (abstract) Thermol ™sterr 7(2): 81. 1997

Lang E. Stellenwert der Thermographie in der Diagnose peripherer Nervenkompressions-Syndrome. Thermol Österr 6: 85-92. 1996

Lang E. Stellenwert der Thermographie in der Diagnose peripherer Nervenkompressions-Syndrome (abstract). Thermol Österr 6: 66. 1996

Lang G, Vadasz P, Czebe K, Olah C, Furak J, Papp A, Csekeo A, Klepetko W. [Lung harvesting in Hungary—results of the first two years] Magy Seb. 2004; 57(4):195-200.

Lang N, Bromiker R, Arad I. The effect of wool vs. cotton head covering and length of stay with the mother following delivery on infant temperature. Int J Nurs Stud. 2004; 41(8):843-6.

Langevin HM, Churchill DL, J Wu, Badger GJ, Yandow JA, Fox JR, Krag MH. Evidence of Connective Tissue Involvement in Acupuncture FASEB J 2002, 109251. .

Lannig G, Bock C, Sartoris FJ, Portner HO. Oxygen limitation of thermal tolerance in cod, Gadus morhua L., studied by magnetic resonance imaging and on-line venous oxygen monitoring. Am J Phy- siol Regul Integr Comp Physiol. 2004; 287(4):R902-10.

Lantis JC 2nd, Carr KL, Grabowy R, Connolly RJ, Schwaitzberg SD. Microwave applications in clinical medicine.Surgical Endoscopy 12(2): 170-176. 1998

Lao B, A.Czyzyk, M.Szutowski, Z.SzczepaniK. Alcohol tolerance in patients with non-insulin-dependent (type 2) diabetes treated with sulphonylurea derivatives. Arzneimittel-Forschung Drug Re- search 44:727-734.1994

Lappa AV, Kazakov AA, Veresov SI, Privalov VA, Svetlakov AL, RevelMuroz JA, Kosel AI. Contact thermometry in intensive fields of laser radiation.IN. Bown SG, Delacretaz GP, Godlewski G, Muller GJ, Pini R, Reidenbach HD, Steiner RW, Svaasand LO, Tranberg KG. editors, Conference on Thermal Therapy, Laser Welding, and Tissue Interaction, Proceedings of the Society of Photo-Optical Instrumentation Engineers (SPIE) Vol.3565. Bellingham, 1998, p. 90-100

Larhrib H, Martin GP, Marriott C, Prime D. The influence of carrier and drug morphology on drug delivery from dry powder formulations. Int J Pharm. 2003; 257(1-2):283-296.

Lars Englberger, Beat Kipfer, Pascal A. Berdat, Urs E. Nydegger, and Thierry P. Carrel Aprotinin in coronary operation with cardiopulmonary bypasS. does "low-dose" aprotinin inhibit the inflammatory response? Ann. Thorac. Surg. 2002, 73: 1897 - 1904.

Lars G. Svensson, Edward M. Nadolny, and Wendy A. Kimmel Multimodal protocol influence on stroke and neurocognitive deficit prevention after ascending/arch aortic operations Ann. Thorac. Surg. 2002, 74: 2040 - 2046.

Larsen M, AF KasperseN. Infrared tympamnic thermography. a comparison of body temperature measured rectally and from tympanic membrane. Tidsskr Nor Laegeforen 111: 2542-2543. 1991

Larsolle A. Instantaneous Measurement of Reflectance Spectra in the Open Field using Diode Array Spectrometers. Biosystems Eng, 2003; 86, (1): 1-8.

Larson TR, Rrobertson DW, Corica A, Bostwick DG. In vivo interstitial temperature mapping of the human prostate during cryosurgery with correlation to histopathologic outcomes. Urology 2000, 55(4): 547-552

Lascelles BD, Robertson SA. Use of thermal threshold response to evaluate the antinociceptive effects of butorphanol in cats. Am J Vet Res. 2004; 65(8):1085-9.

Lass R, Skrbensky G. Cryoclamp- a modified clamp-design for biomechanical long-term tests. IN. Hutten H, Krösel P, eds. Proceedings Part I, EMBEC´02. 2.European Medical & Biological Engineering Conference. IFMBE, Graz, 2002. pp.210-211

Laszczynska J, Kaczanowski R, Biernat B, Kempa G.Thermal image of the human body gravitational changes in ± Gz axis (abstract).

Łaszczyńska J, Kaczanowski R, Kempa G.Skin blood flow changes under simulated altitude hypoxia conditions. Thermol intern 2002. 12: 154

Laszczyñska J,. Kempa G,. Biernat B. The Thermal Image of the Body Surface as Supporting Method in Anti – G straining Manoeuver Training. (abstract). Thermol intern 2000, 10 (4): 210

Laszczynska J. Diurnal changes of the human body temperature under repeated altitude hypoxia exposures (abstract). Thermol intern 1999, 9(4):

Laszczyñska J. Evaluation of adaptive changes to high altitude hypoxia in humans in thermovision picture. (abstract). European Journal of Ther- mology 8: 178. 1998

Laszczynska J. Pattern of skin head surface temperature under high altitude hypoxia exposure. IN. Benkö I, A.Balogh, I.Kovacsics, I Lovak(eds): Abstracts of the 10th International Conference on Thermogrammetry and Thermal Engineering in Budapest 18-20. June 1997. MATE, Budapest , p.155-158. 1997

Laszczynska J. Thermographic Evaluation of the Head and FaceUnder Differentiated Altitude Hypoxia. Thermol intern 1999, 9(2): 62-68.

LaszczyñskaJ. , R. KaczanowskI. Effect of exposure time to high altitude hypoxia on changes in temperature distribution within human body surface. (abstract). European Journal of Thermology 8: 179. 1998

Latal P, Kissner R, Bohle DS, Koppenol WH. Preventing nitrite contamination in tetramethylammonium peroxynitrite solutions. Inorg Chem. 2004; 43(21):6519-21.

Lataste JF, Sirieix C, Breysse D, Frappa M. Electrical resistivity measurement applied to cracking assessment on reinforced concrete structures in civil engineering, NDT & E Int , 2003; 36, (6): 383-394.

Latman NS, Hans P, Nicholson L, Delee Zint S, Lewis K, Shirey A Evaluation of clinical thermometers for accuracy and reliability. Biomedical Instrumentation and Technology 2001, 35(4):259-265

Latman NS. Clinical thermometry: Possible causes and potential solutions to electronic, digital thermometer inaccuracies. Biomed Instrum Tech. 2003; 37(3):190-196.

Latypov RM. The Origin of Marginal Compositional Reversals in Basic–Ultrabasic Sills and Layered Intrusions by Soret Fractionation J Petrol, 2003; 44: 1579 - 1618.

Lau SCK. Tsoi MMY. Li X. Plakhotnikova I. Wu M. Wong P-K. Qian P-Y. Loktanella hongkongensis sp. nov., a novel member of the a-Proteobacteriaoriginating from marine biofilms in Hong Kong wa- ters. Int Jsyst Evol Microbiol. 2004; 54(6):2281-2284.

Laurence JA, French PW, Lindner RA, Mckenzie DR. Biological effects of electromagnetic fields-mechanisms for the effects of pulsed microwave radiation on protein conformation. J Theor Biol. 2000,206(2):291-8.

Lautermann D, Specker C, Braun J. Angiological diagnostics in rheumatology. Akt Rheumatol. 2003; 28(2):73-80

Lauth G, Duda V, Thein T. Die Thermographie in der Diagnostik gutartiger Brusterkrankungen (Thermography in the diagnosis of benign breast diseases). Gynakologe 22 (4): 242-245. 1989

Lavery LA. Higgins KR. Lanctot DR. Constantinides GP. Za- morano RG. Armstrong DGAthanasiou KA. Agrawal CM. Home monitoring of foot skin temperatures to prevent ulceration. Diabetes Care. 2004; 27(11): 2642-2647.

Lavoie J, Bronsard M, Lebel M, Drouin R. Mouse telomere analysis using an optimized primed in situ (PRINS) labeling technique. Chromosoma. 2003; 111(7):438-444.

Lavrenova GV, Lykov AA, Moisiuk LM. Vliianie nosovoga dykhaniia na termoadaptatsionnuiu sposobnost' dykhatelnykh putei. (Effects of nasal respiration on the therma-adaptive capacity of the airways). Vestn Otorinolaringol (5) 41-43. 1989

Lavreshin PM, Shopen GN. : Znachenie zhidkokristallicheskoi termografii v vybore lechebnoi taktiki i sposoba operatsii u bol'nykh epitelial'nym kopchikovym khodom v stadii ostrogo vospaleniia. (The importance of liquid-crystal thermography in selecting the therapeutic procedure and method of the operation in patients with an epithelial coccygeal cyst at the acute inflammation stage). Vestnik Khirurgii Imeni I. I. Grekova 154 (4)-6: 99-101 1995

Lawrenson JG, Murphy PJ, Esmaeelpour M. The neonatal tear film, Contact Lens Ant Eye, 2003; 26, (4): 197-202

Lawson W, D.Beneliyahu, L.Meinken, J.Chernilas, H.Novotny, P.Cohn, J.DervaN. Infrared thermography in the detection and management of co- ronary artery disease. American Journal of Cardiology 72: 894-896.1993

Layden JD, Malkova D, Nimmo MA. During exercise in the cold increased availability of plasma nonesterified fatty acids does not affect the pattern of substrate oxidation. Metabolism. 2004; 53(2): 203-8.

Layden JD, Malkova D, Nimmo MA. Fat oxidation after aci- pimox-induced reduction in plasma nonesterified fatty acids during exercise at 0 degrees C and 20 degrees C. Metabolism. 2004; 53(9): 1131-5.

LDidoukh V, Seifter A, Pottlacher G, Jager H. Thermophysical properties of W-Re alloys above the melting region. International Journal Of Thermophysics, 19(3): 969-81.

Le BihanD, J. Mattiello, R. L. LevIn. Non-invasive temperature imaging by MRI. a review. IN. Mabuchi K, S.Mizushina, B.Harrison (eds.) Advanced Techniques and Clinical Application in Biomedical Thermologie, harwood academic publishers Chur/Schweiz p. 25-42. 1994

Le BihanD. Non-invasive temperature imaging by MRI.(abstract) Biomed thermol 12: 254-255.1992

Le Meins J-F, Tassin J-F. Elastic modulus and relaxation times in telechelic associating polymers. Coll Polymer Sci. 2003; 281(3):283-287.

Lea DW, Pak DK, Spero HJ. Climate impact of late quaternary equatorial Pacific sea surface temperature variations. Science 2000: 289(5485): 1719-1724

Lea J, Adesina AA Oxidative degradation of 4-nitrophenol in UV-illuminated titania suspension. Journal of Chemical Technology and Biotechnology 2001: 76(8):803-810

Lea SC, Landini G, Walmsley AD. Thermal imaging of ultrasonic scaler tips during tooth instrumentation. J Clin Periodontol. 2004; 31(5):370-5.

Leach AM, Potyrailo RA, Hieftje GM. Design and characterization of a radioluminescent temperature sensor. Analytica Chimica Acta 2000, 412(1-2): 47-53

Leach RA, Parker PL, Veal PS. PulStar differential compliance spinal instrument: a randomized interexaminer and intraexaminer reliability study, J Manipul Physiol Ther, 2003; 26, (8): 493-501.

Leanhardt AE, Pasquini TA, Saba M, Schirotzek A, Shin Y, Kielpinski D, Pritchard DE, Ketterle W. Cooling Bose-Einstein Condensates Below 500 Picokelvin Science, 2003; 301: 1513 - 1515.

Lear CH, Elderfield H, Wilson PA. Cenozoic deep-sea temperatures and global ice volumes from Mg Ca in benthic foraminiferal calcite. Science 2000. 287(5451):269-72

Lebbin P. Hosni M. Gielda T. Design and manufacturing of two thermal observation manikins for automobile applications. Eur J Appl Physiol. 2004; 92(6). 622-625.

LeBlanc J, Ducharme MB, Pasto L, Thompson M. Response to thermal stress and personality. Physiol Behav. 2003; 80(1):69-74.

Lechuga-Ballesteros D, Abdul-Fattah A, Stevenson CL, Bennett DB. Properties and stability of a liquid crystal form of cyclosporine - The first reported naturally occurring peptide that exists as a thermotropic liquid crystal. J Pharm Sci. 2003; 92(9):1821-1831.

Leclaire R, Esdaile JM, Jequier JC, Hanley JA, Rossignol M, Bourdouxhe M, Waddell G. Diagnostic accuracy of technologies used in low back pain assessmenT. Thermography, triaxial dynamometry, spinoscopy, and clinical examination. SpinE.21:1325-1331. 1996

Leclaire R, Esdaile JM, Jequier JC, Pierrynowski MR. Diagnostic accuracy of technologies used in low back pain assessment.Clinical Journal of Sport Medicine 71 :79. 1997.

Leclercq A, Wanegue C, Baylac P Comparison of Fecal Coliform Agar and Violet Red Bile Lactose Agar for Fecal Coliform Enumeration in Foods Appl. Envir. Microbiol. 2002, 68: 1631 - 1638. .

Leclercq L, Boustta M, Vert M. A physico-chemical approach of polyanion - Polycation interactions aimed at better understanding the in vivo behaviour of polyelectrolyte-based drug delivery and gene transfection. J Drug Target. 2003; 11(3): 129-138.

Lee B-H, Kim D-H, Kim Y-S, Le K-S. A Study for Perimenopausal Facial Flushing with DITI. J Korean Med Thermol 2001, 1(1):43-48

Lee BS, Lin CP, Hung YL, Lan WH. Structural changes of Er:YAG laser-irradiated human dentin. Photomed Laser Surg. 2004; 22(4):330-4.

Lee C. Yoon J. Temperature dependence of hydroxyl radical formation in the hv/Fe 3+/H2O2 andFe3+/H2O 2 systems. Che- mosphere. 2004; 56(10): 923-934.

Lee DI, Kim KS, Lee SH, Choi DY. The Evaluation of Post-Spinal Cord Injury Central Pain witgh Infrared Thermography. J Korean Med Thermol 2002, 2(1):65-66

Lee DI, Kim KS, Lee SH, Kim SY, Choi DY.The Evaluation of Central Poststroke Pain With Infrared Thermography. (abstract) Thermol int 2003, 13: 74

Lee DI, Kim KS,Lee SH, Choi DY. The Evaluation of Central Post Stroke Pain with Infrared Thermopgraphy. J Korean Med Thermol 2002, 2(1):62

Lee DS, Park SH, Yang H, Chung KH, Yoon TH, Kim SJ, Kim K, Kim YT. Bulk-micromachined submicroliter-volume PCR chip with very rapid thermal response and low power consumption. Lab Chip. 2004; 4(4): 401-7. E

Lee G.M. Clinical Evaluation Of Acupuncture On Herniated Intervertebral Disc (HIVD) By DITI. (abstract) Thermol österr 7(1):27. 1997

Lee H, Hyung Keun Song, Na B-K. Preparation of 2-propanol dehydrogenation catalysts for chemical heat pump system. Bulletin of the Chemical Society of Japan 2000, 73(4): 1015-1019

Lee HM, Chang MB, Wu KY. Abatement of sulfur hexafluoride emissions from the semiconductor manufacturing process by atmo- spheric-pressure plasmas. J Air Waste Manag Assoc. 2004; 54(8):960-70.

Lee J, Macosko CW, Urry DW Elastomeric polypentapeptides cross-linked into matrixes and fibers . Biomacromolecules 2001: 2(1): 170-179

Lee J.-M, K.-S. Lee, B.-K. SonG. Comparative Study On Pre- And Post-Treatment Of Cold Hypersensitivity Using D.I.T.I. (abstract) Thermol Österr 7(1):33-34. 1997

Lee J-B, Kosaka M, Othman T, Matsumoto T, Kaneda E, Yamauchi M, Taimura A, Ohwatari N, Motomura K, Saat M, Nakase Y, Makita S. Evaluation of the applicability of infrared and thermistor- thermometry in thermophysiology research. Tropical Medicine 1999.41(3),133-42

Lee JC, Callaway JC, Foehring RC. The Effects of Temperature on Calcium transients and Ca2+-dependent Afterhyperpolarizations in Neocortical Pyramidal Neurons. J Neurophysiol. 2004; Epub ahead of print

Lee JH, Friedland R, Whitehouse PJ, Woo JI. Twenty-four-hour rhythms of sleep-wake cycle and temperature in Alzheimer's disease. J Neuropsychiatry Clin Neurosci. 2004; 16(2):192-8.

Lee JH, Park TG, Park HS, Lee DS, Lee YK, Yoon SC, Nam J-D. Thermal and mechanical characteristics of poly(L-lactic acid) nanocomposite scaffold. Biomaterials. 2003; 24(16): 2773-2778.

Lee JKT, JH.Scatliff, RL.Clark, MA.MaurO. University of North Carolina Department Of Radiology. American Journal of Roentgenology 162: 227-230.1994/

Lee JM. Han JK. Kim SH. Lee JY. Choi SH. Choi BI. Hepatic bipolar radiofrequency ablation using perfused-cooled electrodes: com- parative study in the ex vivo bovine liver. Br J Radiology. 2004; 77(923): 944-949.

Lee J-W The Design of Mammary Gland Tumor Phantom

Lee JW. Jung MC. Park HD. Park KD. Ryu GH. Synthesis and characterization of thermosensitive chitosan copolymer as a novel biomaterial. J Biomats Sci, Polymer Edition. 2004; 15(8): 1065-1079.

Lee JW. Lee S-M. Kim KS. Han WT. Yoon G. Pasmanik LA. Ulyanichev IA. TroitskyAV. Experimental investigation of the mam- mary gland tumour phantom formultifrequency microwave radiother- mometers. Med Biol Engineer Computing. 2004;42(5): 581-590.

Lee K , Kim Y. A Clinical Evaluation of DITI and Neurometer for Diagnosis of Cold Hypersensitivity. Thermol intern 2001, 11(3):145

Lee K. - S, Y.-S.KiM. D.I.T.I. Findings Pre- And Post - Acupuncture Treatment On Cold Hypersensitivity. (abstract) Thermol Österr 7(1):30. 1997

Lee K. S. The Effect Of The Relax Therapy To The Change Of Facial Temperature. . (abstract) European Journal of Thermology 7(3):153. 1997

Lee K.S. Comparative study on Pre- and Post-Treatment Using of cold hypersensitivity using D.I.T.I. (abstract). Thermol Österr 6: 106-107. 1996

Lee K.S. Study for Cold Hypersensitivity Pre- and Post-Treatment Using D.I.T.I. Thermol Österr 6: 99-104. 1996

Lee K.-S. The Effects Of The Relax Therapy To The Change Of Facial Temperature. (abstract) Thermol Österr 7(1):34-35. 1997

Lee K.S. The study on diagnosis of cold hypersensitivity by DITI. (abstract). Thermol Österr 5: 161. 1995

Lee K.S.Digital Infrared Thermal Imaging for Evaluation of Hypersensitivity to Cold. (abstract). Biomed Thermol 15: 33. 1995

Lee K.S.The Study on Diagnosis of Cold Hypersensitivity by D.I.T.I. Biomed Thermol 15129-134. 1995

Lee K.Y. Study of the thermal differences on the meridian points used for treatment of cold hypersensitivity. (abstract) Thermol Österr 7(2): 86-87. 1997

Lee K-C, Lee J-K, Woo N_S, Lee Y-C. The Clinical experience with Computer Aided Thermography during Treatment of Bell´s Palsy. J Korean Med Thermol 2001, 1(1):62-64

Lee KS, Cho JH. A Study on Abdominal Temperature of Dysmenorrhea Patients. In: Proceedings of the 20th Annual International Conference of the IEEE-EMBS,Hong Kong, 1998, p 922

Lee K-S, Cho J_H. Thermal Differences on the Meridian Points Used to the Cold Hypersensitivity. J Korean Med Thermol 2001, 1(1):34-37

Lee KS, Cho JH : A study on abdominal temperature of dysmenorrhea patients. IN. Chang HK, Zhang YT, editors,Proceedings of Annual International Conference Of The IEEE Engineering in Medicine and Biology Society, Biomedical Engineering Towards The Year 2000 And Beyond, Vol.20. Part 1-6.IEEE, New York, 1998. p. 922-5

Lee K-S, Kim Y-S. An Evaluation of the Sensitivity and Specificity of DITI for the Diagnosis of Cold Hypersensitivity. Thermol intern 2001, 11(2): 100

Lee K-S, Kim Y-S. Standardization of Cold Hypersensitivity of Hands and Feet by D.I.T.I. J Korean Med Thermol 2002, 2(1):21-26

Lee KS, Kin YS. Clinical Application of DITI in Foot Care Clinic. J Korean Med Thermol 2002, 2(1):66

Lee KS. A Study on Diagnosis of Cold Hypersensitivity. J Korean Med Thermol 2001, 1(1):29-33

Lee KS. A Study on Pre-& Post-treatment of Cold Hypersensitivity. J Korean Med Thermol 2001, 1(1):38-42

Lee K-S. Recent Advances of IR Image in Oriental Medicine. J Korean Med Thermol 2002, 2(1):54

Lee L, Leslie K, Kayak E, Myles PS. Intraoperative patient warming using radiant warming or forced-air warming during long operations. Anaesth Intensive Care. 2004; 32(3):358-61.

Lee MH. Infrared Thermography as a Predictor of Prognosis in Breast Cancer. J Korean Med Thermol 2002, 2(1):76

Lee MH. The Role of Thermography in the Diagnosis of Breast Cancer. J Korean Med Thermol 2002, 2(1):75-76

Lee RC, Gaylor DC, Tropea BI, Hannig J.Thermal and electrical injury rate kinetics in shock victims. In. Proceedings of The First Joint BMES/EMBS Conference Serving Humanity, Advancing Technology, Atlanta, 1999, pp. 1280

Lee RJ. Suh H. Design and characterization of an intra- cavitary ultrasound hyperthermia applicator for recurrent or residual lesions in the vaginal cuff. Int J Hyperther. 2003; 19(5): 563-574.

Lee S H, Woo NS, Lee YC. Thermographic Finding at Splanchnic Nerve Block for Cancer PaIn. J Korean Med Thermol 2001, 1(1): 55-61

Lee S, Owen HA, Prochaska DJ, Barnum SR.HSP16.6 is involved in the development of thermotolerance and thylakoid stability in the unicellular cyanobacterium, Synechocystis sp. PCC 6803. Curr Microbiol. 2000,40(4):283-7.

Lee SC, Lee PB, Kim YC, Kim DH, Kang JM. The Diagnostic Value of Thermography in Pain Clinic. J Korean Med Thermol 2002, 2(1):52-53

Lee SC-Thermographic Assessment Of the Sympathetic Blockade By Pulsed Radiofrequency Stellate Ganglion Block. A Case Report. (abstract) Thermol int 2003, 13: 74

Lee SH. Choi J-I. Park SJ. Lee SY. Park BC. Display of bacterial lipase on the Escherichia coli cell surface by using FadLas an anchoring motif and use of the enzyme in enantioselective biocatalysis. Appl Environ Microbiol. 70(9): 5074-5080. 2004;

Lee SJ, Park CR, Chang JY. Molecular aggregation of disklike benzenetricarboxamides containing diacetylenic groups in bulk and organic solvents. Langmuir. 2004; 20(22):9513-9.

Lee SM, Williams WJ, Fortney Schneider SM Core temperature measurement during supine exercisE. esophageal, rectal, and intestinal temperatures. Aviation Space And Environmental Medicine 2000. 71 (9 Pt 1) 939-45

Lee SM, Williams WJ, Fortney Schneider SM. Core temperature measurement during supine exercisE. esophageal, rectal, and intestinal temperatures. Aviat Space Environ Med. 2000,71(9 Pt 1):939-45.

Lee TC, Barshes NR, Brunicardi FC, Alejandro R, Ricordi C, Nguyen L, Goss JA. Procurement of the human pancreas for pan- creatic islet transplantation. Transplantation. 2004; 78(3):481-3.

Lee Y.C, S.H.LeE. Application of Thermography in Pain Relief. (abstract). Biomed Thermol 15: 29. 1995

Lee YC, Kim YS, Kim SH. Effectiveness of Infrared Thermal Imaging in Chronic Pain Patients Treated with Intramuscular Stimulation. J Korean Med Thermol 2002, 2(1):13-20

Lee YC, Kim YS, Kim SH. Effectiveness of ITI (Infrared Thermal Imaging) in Chronic Pain Patient Treated with IMS (Intramuscular Stimulation). J Korean Med Thermol 2002, 2(1):60-61

Lee YC. D.I.T.I. in Pain Clinic. J Korean Med Thermol 2001, 1(1):49-55

Lee Y-C. Thermographic findings of acute appendicitis. Thermol intern 2001,11(2). 101

Lee YG. Chou T-C. Ionic liquid ethanol sensor. Biosensors & Bioelectronics. 2004;20(1): 33-40.

Lee Y-H. Suhl M-G. Roh H-S. Lee D-H. Chung K-T. Jeong Y-K. Optimal condition for citric acid production from milk factory waste water byusing the immobilized cells of Aspergillus niger. Korean J Microbiol Biotechnol. 2004; 32(2): 154-157.

Lee YK, Moon CT, Yoon SH, Cho J, Chang SK. Thermographic Changes after Lumbar Facet Rhizotomy in Mechanical Low Back PaIn. J Korean Med Thermol 2002, 2(1):8-12

Lee Y-W, Kim Y-C, Le S-C. Clinical Efficacy of Infrared Thermographic Imaging in the Assessment of Changes of Skin Temperature Following Lumbar Sympathetic Ganglion Block. J Korean Med Thermol 2002, 2(1):58-59

Lees T.Vibration white finger. Thermol intern 2002. 12: 66

Lefaix JL, Daburon F. Diagnosis of acute localized irradiation lesionS. review of the French experimental experience. Health Physics 1998. 75 (4): 375-84.

Lefebvre BG, Robinson AS. Pressure treatment of tail- spike aggregates rapidly produces on-pathway folding intermediates. Biotech Bioeng. 2003; 82(5):595-604

Lefebvre X, Lanini S, Houi D The role of aerobic activity on refuse temperature rise, I. Landfill experimental study. Waste Management and Research 2000 18(5): 444-452

Lefrant J-Y, Muller L, Emmanuel Coussaye J, Benbabaali M, Lebris C, Zeitoun N, Mari C, Saissi G, Ripart J. Eledjam J-J. Temperature measurement in intensive care patients: Comparison of urinary bladder, oesophageal, rectal, axillary, and inguinal methods versus pulmonary artery core method. Intens Care Med. 2003; 29(3):414-418

Leger B, Miron P, Emidio JM. Geometric and aero-thermal influences on multiholed plate temperature: application on combustor wall, Int J Heat Mass Trans, 2003; 46, (7): 1215-1222.

Lehmann C, Lewerenz A, Kreyer I, Luther B. Effects of alpha 1-adrenoceptor blocker prazosin on microcirculation in terminal rabbit ileum. Acta Chir Hung 30 (4): 273-280. 1989

Lehmann KK, Dokter AM. Evaporative cooling of helium nanodroplets with angular momentum conservation. Phys Rev Lett. 2004 Apr 30;92(17):173401.

Lehmuskallio E, Rintamaki H, Anttonen H. Thermal effects of emollients on facial skin in the cold. Acta Dermato-Venereologica 2000, 80(3): 203-207

Lehner AF, Horn J, Flesher JW. Mass spectrometric analysis of 7-sulfoxymethyl-12-methylbenz[a]anthracene and related electrophilic polycyclic aromatic hydrocarbon metabolites. J Mass Spectrom. 2004; 39(11):1366-78.

Lehtiniemi R, Rantala J. Experiences of infrared thermography in electronics applications. IN. LeMieux DH, Snell JR, editorS. Thermosense XXI,Proceedings of the Society of Photo-Optical Instrumentation Engineers (SPIE), Vol.3700, Bellingham, 1999. p. 112-20

Lehtiniemi R. Bibliography of the application of infrared thermography to electronics. IN. LeMieux DH, Snell JR, editorS. Thermosense XXI,Proceedings of the Society of Photo-Optical Instrumentation Engineers (SPIE), Vol.3700, Bellingham, 1999. p. 202-208

Leifert JA, Whitton JL. Translocatory proteins' and 'protein transduction domains': critical analysis of their biological effects and the underlying mechanisms. Mol Ther: J Am Soc Gene Ther. 2003; 8(1):13-20`.

Leigh-Smith S, Watt I, McFadyen A, Grant S. Comparison of carbon monoxide levels during heating of ice and water to boiling point with a camping stove. Wilderness Environ Med. 2004; 15(3):164-70.

Leinonen I, Jones HG. Combining thermal and visible imagery for estimating canopy temperature and identifying plant stress. J Exp Bot. 2004; 55(401):1423-1431.

Leis S, Drenkhahn S, Schick C, Arnolt C, Schmelz M, Birklein F, Bickel A. Catecholamine release in human skin—a microdialysis study. Exp Neurol. 2004; 188(1):86-93.

Leis S, Weber M, Schmelz M, Birklein F. Facilitated neurogenic inflammation in unaffected limbs of patients with complex regional pain syndrome. Neurosci Lett. 2004; 359(3):163-6.

Lelik F.Soft tissue injury and contact thermography Thermol Österr2:S21-22. 1992

Lellouche F. Taille S. Maggiore SM. Qader S. L'Her E. Deye N. Brochard L. Influence of ambient and ventilator output temperatures on performance ofheated-wire humidifiers. Am J Respir Critical Care Med. 2004; 170(10):1073-1079.

Lemaitre F. Viguier M. Cho M-S. Fourneau J-M. Maillere B. Kourilsky P. vanEndert PM. Ferradini L. Detection of low-frequency human antigen-specific CD4+ T cells using MHC classII multimer bead sorting and immunoscope analysis. Eur J Immunology. 2004;34(10): 2941-2949.

Lembke K. Die Richtlinie für Medizinprodukte 83(4)2/EWG und das Medizinische Thermographiesystem Variomed. European Journal of Thermology 8: 24 , 1998

Lembke K. Medizinisches Thermographiesystem VARIOMED - neue Möglichkeiten für die medi-zinische Diagnostik. ThermoMed 13: 82-84. 1997

LeMieux DH. The use of infrared thermal imaging instrumentation in vehicle fire propagation tests. IN. LeMieux DH, Snell JR, editorS. Thermosense XXI,Proceedings of the Society of Photo-Optical Instrumentation Engineers (SPIE), Vol.3700, Bellingham, 1999. p. 332-42.

Lemmens HJ, Brock-Utne JG. Heat and moisture exchange devices: are they doing what they are supposed to do? Anesth Analg. 2004; 98(2): 382-5,

Lemoine R, Fillion B, Behkish A, Smith AE, Morsi BI.Prediction of the gas–liquid 2003; umetric mass transfer coefficients in surface-aeration and gas-inducing reactors using neural networks, Chemi EngProcess 2003; 42, (s 8-9): 621-643.

Lemonnier M, Ziegelin G, Reick T, Munoz Gomez A, Diaz-Orejas R, Lanka E. Bacteriophage P1 Ban protein is a hexameric DNA helicase that interacts with and substitutes for Escherichia coli DnaB. Nuc Acids Res. 2003; 31(14):3918-3928

Leng J, Asundi A. Structural health monitoring of smart composite materials by using EFPI and FBG sensors, Sens Act A: Phys, 2003; 103, (3): 330-340

Lenzen H-J. Thiele Ch. Online blood-gas analysis during extra- corporeal circulation. Kardiotechnik. 2004;13(2): 50-51.

Leonardi R, Zaborra G, LiPera AM, Tripi TR. Comparison of telethermography and elec-tromyography in instrumental symptomolgic eva-luation of the anterior temporalis and the masseter. Stomatol Mediterr 11: 5-10. 1991

Leonello PP. In search of the pathogenesis of refractory cervicobrachial pain syndrome (letter). Medical Journal of Australia 156: 743-744. 1992

Leonello PP. Thermography (letter): Med J.Aust 154:707. 1991

Lepage OM, Perron MF, Cadore JL. The mystery of fungal infection in the guttural pouches. Vet J. 2004; 168(1):60-4.

Leria F, Marco R, Medina FJ. Structural and antigenic pre- servation of plant samples by microwave-enhanced fixation, using dedicated hardware, minimizing heat-related effects. Microsc Res Tech. 2004; 65(1-2):86-100.

LeRoy P. Efficacy of Long-term Serial Thermography in symptomatic Cervical-Dorsal and Low Back Pain Patients. A Longitudinal Study. (abstract). Thermol Österr 4: 121. 1994

LeRoy P. L. The "Thermatome" New Neuroanatomic And Physiologic Clinical Correlations. (abstract) Thermol Österr 7(1):27-28. 1997

LeRoy P. Quantitative ThermographY. Overview. (abstract). Thermol Österr 5: 112. 1995

LeRoy P. Thermographic Monitoring of Lumbar Facet Arthropathy During Lumbar Facet BlockadE. A Preliminary Study. Thermol Österr 4: 129-130. 1994

LeRoy P.L. Digital Infrared Thermal Imaging Monitoring (D.I.T.I.) Ofa New Trigreminal Vasomotorreflex Induced By Nicotine-Aerosol Challenge Test : Is Smoking Harmful To Everyone. (abstract) European Journal of Thermology 7(3):156. 1997

LeRoy P.L. Interventional Neuro-Physiology Of The Cranial Spheno-Palatine Ganglion Monitored By Digital Infrared Thermal Imaging (D.I.T.I.) In Chronic Pain Syndromes : A New Vision. (abstract) European Journal of Thermology 7(3):152. 1997

LeRoy P.L. Thermal physiology of the sphenopalatine ganglion (SGP) (abstract): Thermol Österr 6: 107. 1996

LeRoy P.L., N. HenrY. Resolution Versus SpeeD. A New Issue In Medical Infrared Imaging Testing. (abstract) European Journal of Thermology 7(3):156. 1997

LeRoy PL. New roles of thermal imaging (ti) in monitoring pain management (abstract). Thermol int 2004, 14(3): 105-106.

Leslie A, Stephenson T. Neonatal transfers by advanced neonatal nurse practitioners and paediatric registrars. Arch Dis Child. 2003; 88(6): F509-F512.

Leslie K, Williams D, Irwin K, Bjorksten AR, Sessler DI. Pethi- dine and skin warming to prevent shivering during endovascular coo- ling. Anaesth Intensive Care. 2004; 32(3):362-7.

Lesniak JR, Bazile DJ, Boyce BR. Coating tolerant thermography inspection system. IN. Mal AK, editor, Nondestructive Evaluation of Aging Aircraft, Airports, and Aerospace Hardware III, Proceedings of the Society of Photo-Optical Instrumentation Engineers (SPIE) Vol.3586.Bellingham, 1999. p. 82-87

Lesniak JR, Bazile DJ, Zickel MJ. Theory and application of coating tolerant thermography. IN. Snell JR, RN Wurzbach (eds): Thermosense XX. Proceedings of the Society of Photo-Optical Instrumentation Engineers (SPIE) Vol.3361. Bellingham, pp.325-330. 1998

Lester D. S, L. H., Kidder, I. W Levin, V. F Kalasinski,E. N LewiS. Application of Fourier Transform Infrared Imaging Microscopy in Histopathology. Proc 1996 IEEE Engineering in Medicine & BiologY.1041-1042. 1996

Letowski J. Brousseau R. Masson L. Designing better probes: Effect of probe size, mismatch position and number onhybridization in DNA oligonucleotide microarrays. J Microbiol Methods. 2004; 57(2): 269-278.

Lettieri P, Yates JG, Newton D. The influence of interparticle forces on the fluidization behaviour of some industrial materials at high temperature. Powder Technology 2000, 110 (1-2):117-27

Letton AH, Mason EM, Ramshaw B. Twenty-year follow-up breast screening project. Journal of the Medical Association of Georgia, 85: 31-32.1996

Leunig M, Lankes P, Dellian M, Leunig A, Gamarra F, Feyh J,Goetz AE. Thermal imaging during photodynamic therapy (PDT):Lasers in Medical Science 7:477-481.1992

Lever SD. Papadaki M. Study of condition-dependent decom- position reactions: Part I. The thermalbehaviour and decompostion of 2-nitrobenzoyl chloride. J Hazard Materials. 2004115(1-3 Spec. Iss.): 91-100.

LeVine III H. Alzheimer's beta-peptide oligomer formation at physiologic concentrations. Analytical Biochemistry. 2004; 335(1): 81-90.

Levine JA, Pavlidis I. The detection of human deception using thermal imaging. Thermol intern 2002. 12: 76

Levitskii AF, TV.Marchenko : Remote thermography in funnel-shaped chest deformity in children. Klinicheskaia Khirurgiia (6): 38-40. 1993

Levitsky S Discussion Ann. Thorac. Surg.2001, 72: 2243 - 2244.

Levy JL, Elbahr C, Jouve E, Mordon S. Comparison and sequen- tial study of long pulsed Nd:YAG 1,064 nm laser and sclerotherapy in leg telangiectasias treatment. Lasers Surg Med. 2004; 34(3): 273-6.

Levy JL, Trelles M, Servant JJ, Agopian L. Non-ablative skin remodeling: an 8-month clinical and 3D in vivo profilometric study with an 810 nm diode laser. J Cosmet Laser Ther. 2004; 6(1):11-5.

Levy S. Cooling dowN. No fast exit for mercury thermometers, but some retail pharmacies are dropping them. Drug Topics 2000, 144(21): 40

Lew PC, Lewis J. Story I.Inter-therapist reliability in locating latent myofascial trigger points using palpation.Manual Therapy 22 :87-90. 1997

Lewis AW, Yuen STS, Smith AJR. Detection of gas leakage from landfills using infrared thermography - Applicability and limitations. Waste Manag Res. 2003; 21(5):436-447.

Lewis WK, Applegate BE, Sztaray J, Sztaray B, Baer T, Bemish RJ, Miller RE. Electron impact ionization in helium nanodroplets: con- trolling fragmentation by active cooling of molecular ions. J Am Chem Soc. 2004; 126(36):11283-92.

Leybovich LB, Dogan N, Sethi A. A modified technique for RF-LCF interstitial hyperthermia. International Journal of Hyperthermia 2000: 16(5): 405-413

Ley-Valle A. Non invasive intracranial hyperthermia with Electric Capacitive Transference -ECT- (*) intratumoral and cerebral thermometry results. Neurocirugia. 2003; 14(1):41-45

Lezcano M, Granja C, Salazar M. The use of flow cytometry in the evaluation of cell viability of cryopreserved sperm of the marine shrimp (Litopenaeus vannamei). Cryobiology. 2004; 48(3):349-56.

Lhuisset F, Zeboulon S, Bouchier G. Evaluation des effets thermiques de la microtorche a plasma par thermographie infrarouge. (Evaluation of the thermal effects of the plasma microtorch by infrared thermography). Revue d Ontono-Stomatologie, 20: 289-297. 1991

Li B, Majaron B, Viator JA, Milner TE, Chen Z, Zhao Y, Ren H, Nelson JS. Accurate measurement of blood vessel depth in port wine stained human skin in vivo using pulsed photothermal radiometry. J Biomed Opt. 2004; 9(5):961-6.

Li C, Cui J, Sun G, Trettin C. Modeling Impacts of Management on Carbon Sequestration and Trace Gas Emissions in Forested Wetland Ecosystems. Environ Manage. 2004; Epub ahead of print

Li DJ, CK Chou, KH Luk, JH Wang, CF Cie, JA McDougall, GZ HuanG. Design of intracavitary microwave applicators for the treatment of uterine cervix carcinoma. Int J Hyperthermia 7:693-701. 1991

Li F, Larock RC. Synthesis, structure and properties of new tung oil Styrene Divinylbenzene copolymers prepared by thermal polymerization. Biomacromol. 2003; 4(4):1018-1025.

Li G. Mitsumori M. Ogura M. Horii N. Kawamura S. Masunaga S-I. Nagata Y. HiraokaM. Local hyperthermia combined with external irradiation for regional recurrentbreast carcinoma. Int J Clin Oncol. 2004; 9(3): 179-183.

Li J, Hoschtitzky A, Allen ML, Elliott MJ, Redington AN. An analysis of oxygen consumption and oxygen delivery in euthermic infants after cardiopulmonary bypass with modified ultrafiltration. Ann Thorac Surg. 2004; 78(4):1389-96.

Li J, Luan X, Lai Q, Clark JC, McAllister JP 2nd, Fessler R, Diaz FG, Ding Y. Long-term neuroprotection induced by regional brain cooling with saline infusion into ischemic territory in rats: a behavioral analysis. Neurol Res. 2004; 26(6):677-83.

Li J, Ogasawara A, Odake T, Umemura T, Tsunoda K. A new isoelectric focusing system for fast two-dimensional gel electrophoresis using a low-concentration polyacrylamide gel supported by a loose multifilament string. Analyt Sci. 2004; 20(12):1673-9.

Li J, Stokoe J, Konstantinov IE, Edgell D, Cheung MM, Khar- banda RK, Redington AN. Continuous measurement of oxygen con- sumption during cardiopulmonary bypass: description of the method and in vivo observations. Ann Thorac Surg. 2004; 77(5):1671-7.

Li J, Zhu X, Boston R, Ashton FT, Gamble HR, Schad GA. Thermotaxis and thermosensory neurons in infective larvae of Haemonchus contortus, a passively ingested nematode parasite. J Comp Neurol. 2000,424(1):58-73.

Li JP. Van Blitterswijk CA. De Groot K. Factors having influence on the rheological properties of Ti6A14V slurry. J Mater Sci Mater Med. 2004;15(9): 951-958.

Li K. Wang H. Simultaneous determination of matrine, sopho- ridine and oxymatrine in SophoraFlavescens Ait. by high performance liquid chromatography. BioMed Chromatogr. 18(3): 178-182. 2004;

Li M. Gu AZ. Determination of the quasi-saturated vapor pres- sure of supercritical gases inthe adsorption potential theory application. J Coll Interface Sci. 2004; 273(2): 356-361.

Li M-H, Gianchandani YB. Applications of a low contact force polyimide shank bolometer probe for chemical and biological diagnostics, Sens Act A: Phys, 2003; 104, (3): 236-245

Li S, Hui L, Lianxue Y. ThermographY. A study of 100 cases of lumbrosacral radiculopathy. Chinese Journal of Neurology 30/6: 364-366. 1997

Li S. Hu J. Liu B. Use of chemically modified PMMA micro- spheres for enzyme immobilization. Biosystems. 2004; 77(1-3): 25-32.

Li W, Gracia FJ, Wolf EE. Selective combinatorial catalysis; challenges and opportunities: the preferential oxidation of carbon monoxide, Catalysis Today, 2003; 81, (3):437-447

Li X. Kind R. Yuan X. Wolbern I. Hanka W. Rejuvenation of the lithosphere by the Hawaiian plume. Nature. 2004;427(6977): 827-829.

Li X-W. Shibata E. Kasai E. Nakamura T. Vapor pressures and enthalpies of sublimation of 17 polychlorinateddibenzo-p-dioxins and five polychlorinated dibenzofurans. Environ Toxicol Chem. 2004; 23 (2): 348-354.

Li Y, Zhang F, Yoshino T. Wide temperature-range Brillouin and Rayleigh optical-time-domain reflectometry in a dispersion-shifted fiber. Appl Opt, 2003; 42(19): 3772-5.

Li Y. Kurokawa K. Matsuo M. Fukuhara N. Murakami K. Seki- mizu K. Identification of temperature-sensitive dnaD mutants of Sta- phylococcus aureusthat are defective in chromosomal DNA replication. Molr Gen Genom: MGG. 2004; 271(4): 447-457.

Li YJ, Zhang LY, Luo BD, Li YL, Lin N. [Effect of cooling therapy on the heart rate and mean arterial pressure of rats with the second-degree scald burn in hot and humid environment] Di Yi Jun Yi Da Xue Xue Bao. 2004; 24(3):314-6.

Li YJ, Zhang LY, Luo BD, Li YL, Lin N. Rectal temperature changes of Wistar rats with second-degree scald burn in hot and humid environment following immediate cooling therapy. Di Yi Jun Yi Da Xue Xue Bao. 2004; 24(2): 152-4.

Li Z, Blatteis CM. Fever onset is linked to the appearance of lipopolysaccharide in the liver. J Endotoxin Res. 2004;10(1):39-53.

Li Z, Yang L, Summers R, Jackson M, Deslauriers R, Ye J. Is maintenance of cerebral hypothermia the principal mechanism by which retrograde cerebral perfusion provides better brain protection than hypothermic circulatory arrest? A study in a porcine model. J Card Surg. 2004; 19(1):28-35.

Li Z. (The experimental demonstration of the isothermal meridian courses"Chen Tzu Yen Chiu Acupuncture Research 21(1): 76-78. 1996

Li Z. Wu M. Jiao Z. Bao B. Lu S. Extraction of phenol from wastewater by N-octanoylpyrrolidine. J Hazard Mater. 2004; 114(1-3): 111-114.

Li ZB, Pu L. BINOL-Salen-catalyzed highly enantioselective alkyne additions to aromatic aldehydes. Org Lett. 2004; 8; 6(6):1065-8.

Li ZJ, Yin XM, Ye J. Effects of pH management during deep hypothermic bypass on cerebral oxygenation: alpha-stat versus pH-stat. J Zhejiang Univ Sci. 2004; 5(10):1290-7.

Liang HC, Chang Y, Hsu CK, Lee MH, Sung HW. Effects of crosslinking degree of an acellular biological tissue on its tissue re- generation pattern. Biomaterials. 2004; 25(17): 3541-52.

Liang H-F. Hong M-H. Ho R-M. Chung C-K. Lin Y-H. Chen C-H. Sung HW. Novel method using a temperature-sensitive polymer (methylcellulose) to thermally gel aqueous alginate as a pH-sensitive hydrogel. Biomacromolecules. 2004; 5(5): 1917-1925.

Liang P, Dong B, Yu X, Yang Y, Yu D, iSuL, Xiao Q, Sheng L. Prognostic Factors for Percutaneous Microwave Coagulation Therapy of Hepatic Metastases Am J Roentgenol., 2003; 181: 1319 - 1325.

Liang Z-X. Klinman JP. Structural bases of hydrogen tunneling in enzymes: Progress and puzzles. Curr Opin Struct Biol. 2004;14(6): 648-655.

Liao X, Scott Wiedmann T. Measurement of process-dependent material properties of pharmaceutical solids by nanoindentation. J Pharm Sci. 2004; 94(1):79-92

Liauh CT, Hills RG, Roemer RB. Comparison of the adjoint and influence coefficient methods for solving the inverse hyperthermia problem. Journal of Biomechanical Engineering 115:63-71. 1993

Liauh C-T. Shih T-C. Huang H-W. Lin W-L. Reconstruction of the temperature field for inverse ultrasound hyperthermiacalculations at a muscle/bone interface. Med Physics. 31(2): 208-217. 2004;

Liberman IS, Ivanov SN, Vinogradova TV, Avenirova EA. Sravnitel'noe issledovanie sostoianiia perifericheskogo krovoobrashcheniia, lipidnogo obmena i gemokoaguliatsii v sem'iakh bol'nykh aterosklerozom i sakharnym diabetom. [Comparative study of peripheral circulation, lipid metabolism and hemocoagulation in families with atherosclerosis and diabetesmellitus] Terapevticheskii Arkhiv19 98. 70 (1)0: 10-5.

Libros R, Philips CM, Wolfson MR, Shaffer TH A perfluorochemical loss/restoration (L/R) system for tidal liquid ventilation. Biomedical Instrumentation and Technology 2000, 34(5): 351-360

Liddington MI, Shakespeare PG. Timing of the thermographic assessment of burns. Burns 22:26-28. 1996

Lieberman D, Lieberman D, Ben-Yaakov M, Lazarovich Z, Ohana B, Friedman MG, Ivosin B, Leinonen M, Bolder i. Infectious aetiologies in elderly patients hospitalised with non- pneumonic lower respiratory tract infection Age Ageing, 2003; 32: 95 - 101.

Lieberman D, Shmarkov O, Gelfer Y, Varshavsky R, Lieberman DV. Prevalence and clinical significance of fever in acute exacerbations of chronic obstructive pulmonary disease. Eur J Clin MicrobiolInfect Dis. 2003; 22(2):75-78.

Liebermann J, Tucker MJ. Vitrifying and warming of human oocytes, embryos, and blastocysts: vitrification procedures as an alter- native to conventional cryopreservation. Methods Mol Biol. 2004; 254:345-64.

Liener K, Leiacker R, Lindemann J, Rettinger G, Keck T. Nasal mucosal temperature after exposure to cold, dry air and hot, humid air. Acta Oto-Laryngol. 2003; 123(7):851-856.

Lietava J, Vohnout B, Valent D, Celko J. Comparison of hemo- dynamics during hyperthermal immersion and exercise testing in ap- parently healthy females aged 50-60 years. Ital Heart J. 2004; 5(7):511-6.

Lieto AD, GD.Rosa, G.Albano, AM.Pagano, M.Campanile, L.Terracciano, M.Pontillo, E.Cimmino, A.Covelli, A.PaladinI. Desogestrel versus gestodene in oral contraceptiveS. influence on the clinical and histomorphological features of benign breast disease. European Journal Of Obstetrics Gynecology And Reproductive Biology 5:71-83. 1994

Lighthall GK, Cartwright CR, Haddow GR. An improved method for topical cerebral cooling during deep hypothermic circulatory arrest. Journal of Thoracic and Cardiovascular Surgery 2000, 120(2): 403-404

Lim J. Sivathanu Y. Ji J. Gore J. Estimating scalars from spectral radiation measurements in a homogeneous hot gaslayer. Combust Flame. 2004; 137(1-2): 222-229.

Lim J-M. Jang Y-H. Kim H-R. Kim YT. Choi TJ. Kim JK. Nam S-W. Overexpression of arylsulfatase in E. coli and its application to desulfatationof agar. J Microbiol Biotechnol. 2004; 14(4): 777-782. 2

Lim KJ, Lee HY, Kim SH, Chung CD. Usefulness of Infrared Thermography in Patients with Failed Back Surgery Syndrome. J Korean Med Thermol 2002, 2(1):65

Lim YS. Bae SM. Kim K. Producton of yeast spores from rice wine cake. Korean J Microbiol Biotechnol. 2004; 32(2): 184-189.

Lin CM, Neeru S, Doufas AG, Liem E, Muneer Shah Y, Wadhwa A, Lenhardt R, Bjorksten A, Taguchi A, Kabon B, Sessler DI, Kurz A. Dantrolene reduces the threshold and gain for shivering. Anesth Analg. 2004; 98(5):1318-24,

Lin CY. Chou CH. Anaerobic hydrogen production from sucrose using an acid-enriched sewage sludgemicroflora. Engineer Life Sci. 2004; 4(1): 66-70.

Lin J-F, Heinz DL, Campbell AJ, Devine JM, Shen G Iron-Silicon Alloy in Earth's Core? Science 2002, 295: 313 - 315.

Lin S-Y, Chen K-S, Teng H-S. Effect of protective colloids on the induction of polymorphic changes in indomethacin agglomerates after solvent evaporation from o/w emulsions. Journal of Microencapsulation 1999, 16(1): 39-47.

Lin S-Y, Lin H-L, Li M-J. Reproducibility of temperature response and long-term stability of thermo-responsive membrane prepared by adsorption of binary liquid crystals. J Membrane Sci. 2003; 225(1-2):135-143

Lin W, Armfield SW. Long-term behavior of cooling fluid in a rectangular container. Phys Rev E Stat Nonlin Soft Matter Phys. 2004; 69(5 Pt 2):056315.

Lin W-J. Lee H-G. Design of a microporous controlled delivery system for theophylline tablets. J Control Release. 2003; 89(2):179-187.

Lin Z. Suzow JG. Fontaine JM. Naylor EW. A high throughput beta-globin genotyping method by multiplexed meltingtemperature analysis. Mol Gen Metabol 2004;81(3): 237-243.

Linamen DR, S. GovindaN. Specifications and Engineering Design Recommendations for a Thermology Laboratory. (abstract) European Journal of Thermology 8: 119. 1998

Linares MS, Longhi MR. Effects of hydroxypropyl-beta- cyclodextrin on the chemical stability of a naphthoquinone in aqueous solutions. Pharmazie. 2003; 58(1):32-37

Lind L. Circulating markers of inflammation and atherosclerosis, Atherosclerosis, 2003; 169, (2):203-214

Lind T, Hokkinen J, Jokiniemi JK, Saarikoski S, Hillamo R. Electrostatic precipitator collection efficiency and trace element emissions from co-combustion of biomass and recovered fuel in fluidized-bed combustion. Environ Sci Tech. 2003; 37(12): 2842-2846.

Lindemann J. Keck T. Wiesmiller K. Sander B. Brambs H-J. Rettinger G. Pless D. A numerical simulation of intranasal air tem- perature during inspiration. Laryngoscope. 2004; 114(6): 1037-1041.

Lindemann J. Leiacker R. Wiesmiller K. Rettinger G. Keck T. Immediate effect of benzalkonium chloride in decongestant nasal spray on thehuman nasal mucosal temperature. Clin Otolaryngol Allied Sci. 2004; 29(4): 357-361.

Lindhoff GA, MacG Palmer JH An assessment of the thermal safety of microwave warming of crystalloid fluids. Anaesthesia. 2000, 55(3):251-4.

Lindner RA, Carver JA, Ehrnsperger M, Buchner J, Esposito G, Behlke J, Lutsch G, Kotlyarov A, Gaestel M. Mouse Hsp25. a small shock proteIn. The role of its C-terminal extension in oligomerization and chaperone action. Eur J Biochem. 2000,267(7):1923-32.

Lindsell CJ, Kent P. Cold provocation testing and hand- arm vibration syndrome - An audit of the results of the Department of Trade and Industry for the evaluation of miners (Br J Surg 2003; 90: 1076-1079) [1] (multiple letters). Br J Surg.. 2003; 90(11):1451-1452

Lindstrom S. Mazieres L. Jiang C-H. Inhibition of the bladder cooling reflex in the awake state: An experimental study in the cat. J Urology. 2004; 172(5 I): 2051-2053.

Lingwood BE, Dunster KR, Healy GN, Colditz PB. Effect of cooling and re-warming on cerebral and whole body electrical im- pedance. Physiol Meas. 2004; 25(2):413-20.

Linnane DM, Bracken RM, Brooks S, Cox VM, Ball D. Effects of hyperthermia on the metabolic responses to repeated high-intensity exercise. Eur J Appl Physiol. 2004; 93(1-2):159-66.

Lipa JA, Swanson DR, Nissen JA, Williamson PR, Geng ZK, Stricker DA, Chui TCP, Israelsson UE, Larson M. Preliminary results from a Shuttle mission to measure the heat capacity ofconfined helium near the Lambda point. Journal of Low Temperature Physics 1998, 113/5-6: 849-60

Lipatov Y. Chornaya V. Menzheres G. Todosijchuk T. Heats of adsorption in the mixed polymer systems. J of Colloid & Interface Science. 272(2): 281-287. 2004;

Lippe IT, Stabentheiner A, Holzer P. Participation of nitric oxide in the mustard oil-induced neurogenic inflammation of the rat paw skIn. European Journal of Pharmacology 232: 113-120. 1993

Lippe IT, Stabentheiner A, Holzer P. Role of nitric oxide in the vasodilator but not exudative component of mustard oil-induced inflammation in rat skIn. Agents And Actions 38 Spec No C22-24. 1993

Lippold BC, Pages RM Control and stability of drug release from diffusion pellets coated with the aqueous quaternary polymethacrylate dispersion Eudragit RS 30 D. : Pharmazie 2001. 56 (6) 477-83

Lipski M, Lichota D, Deboa D. Correlation between the thickness of tooth root and temperature rise on the root surface during warm lateral condensation. Thermol intern 2001, 11(4): 206

Lipski M, Wozniak K. Thermographic evaluation of the temperature rise on the outer root surface of teeth during Thermafil, JS Quick-Fill and thermo-mechanical compaction techniques. An in vitro study. Thermol intern 2002. 12: 51-57

Lipski M, Deboa D, Lichota D. Thermal imaging for measuring temperature of dental hard tissue (abstract). Thermol intern 1999, 9(4):160

Lipski M, Deboa D, Lichota D. Thermographic assessment of the temperature rise of the dental root surface during preparation of post socket in teeth filled with Thermafil and condensed gutta-percha. Thermol intern 2000 , 10(4):196-200

Lipski M, Lichota D, Deboa D. Thermographic assessment of temperature rise on the root surface of teeth during Thermafil retreatment using System B. (abstract). Thermol intern 2001, 11(4): 205-206

Lipski M, Radlińska J, Deboa D, Kempińska A, Szydłowski Ł. Root surface temperature rise produced by injected thermo-plasticized gutta-percha. Thermol intern 2002. 12: 153

Lipski M, Wozniak K. In vitro infrared thermographic assessment of root surface temperature rises during thermafil retreatment using system B. J Endod. 2003; 29(6):413-5.

Lipski M, Zapałowicz Z, Woźniak K,.Radlińska J,Parafiniuk M. Temperature changes on the outer root surface during root canal preparation using ultrasonic unit. Thermol intern 2002. 12: 153

Lipski M,.Zapałowicz Z, Woźniak K, Lichota D, Szydłowski Ł Temperature elevation of the root surface in vitro during root canal obturation by the continuous wave of condensation technique. Thermol intern 2002. 12: 153

Lipski M. Root surface temperature rises in vitro during root canal obturation with thermoplasticized gutta-percha on a carrier or by injection. J Endod. 2004 Jun;30(6):441-3.

Lipski M. Thermographic evaluation of the temperature rise on the outer root surface of teeth during the continuous wave of condensation technique. An in vitro study. Thermol Int 2003, 13: 135-138

Lisenyuk VP, RA YakupoV. Osteoelectroacu-puncture in the management of vertebrogenic pain syndromes in the lumbar region and lower extremities. Acupuncture and electro-therapeutic Research 17:21-28. 1992

Lista G, Pogliani L, Fontana P, Castoldi F, Compagnoni G. Cardiovascular and respiratory status in mechanically ventilated a- sphyxiated term infants: comparison between hypothermic and control group. Acta Biomed Ateneo Parmense. 2004; 75(2):107-13.

Litscher G, Wang L. Visualisierung von peripheren Durchblutungsanderungen während der Akupunktur mittels Thermographie [Thermographic visualisation of changes in peripheral perfusion brought about by acupuncture].Biomedizinische Technik 1999, 44/5: 129-134.

Litscher G, Nemetz W, Smolle J, Schwarz G, Schikora D, Uranus S. [Histological investigation of the micromorphological effects of the application of a laser needle—results of an animal experiment] Biomed Tech (Berl). 2004; 49(1-2):2-5.

Liu CC, Chang RE, Chang WC. Limitations of forehead infrared body temperature detection for fever screening for severe acute respira- tory syndrome. Infect Control Hosp Epidemiol. 2004; 25(12):1109-11.

Liu CW, Wu CY.Evaluation of methane emissions from Tai- wanese paddies. Sci Total Environ. 2004; 333(1-3):195-207.

Liu C-Y, Farahani K, Lu DSK, Duckwiler G, Oppelt A. Safety of MRI-guided endovascular guidewire applications. Journal of Magnetic Resonance Imaging 2000, 12(1): 75-78

Liu CY, Yen JY, Chen YY, Lin WL. A scanned sector-vortex phased array system for ultrasound thermal therapy. IN. Hutten H, Krösel P, eds. Proceedings Part II, EMBEC´02. 2.European Medical & Biological Engineering Conference.IFMBE, Graz, 2002. pp.1338-1339

Liu EH Wika,K, Choi W, Leez A, Saidell GM, Harasaki H. Experimental methods for chronic in vivo temperature measurements. In. Proceedings of The First Joint BMES/EMBS Conference Serving Humanity, Advancing Technology, Atlanta, 1999, pp.1291

Liu F. Jia D-M. Wu X-H. Hou T-W. Wu C-R. You C-J. Wang Y-J. Effect of processing conditions on mechanical properties of poly (D, L-lactide)and MDI chain-extending poly (D, L-lactide) /hydroxyapatite composite. Zhongguo Linchuang Kangfu. 2004; 8(11): 2166-2168.

Liu H, Hou C, Xu Y, Huang A, Chen X. [Study on the distributive regulation of Legionella pneumophila in different water] Wei Sheng Yan Jiu. 2004; 33(4):416-9.

Liu HL, Chen YY, Lin WL. Large-Volume Ultrasound Thermal Therapy using 2-D Phased Array. IN. Hutten H, Krösel P, eds. Proceedings Part II, EMBEC´02.2.European Medical & Biological Engineering Conference. IFMBE, Graz, 2002. pp.1336-1337

Liu H-L. Chen Y-Y. Yen J-Y. Lin W-L. Pilot point temperature regulation for thermal lesion control during ultrasoundthermal therapy. Med Biolog Engin Comput. 2004; 42(2): 178-188.

Liu J, Lu Y. Accelerated color change of gold nanoparticles assembled by DNAzymes for simple and fast colorimetric Pb2+ de- tection. J Am Chem Soc. 2004; 126(39):12298-305.]

Liu J, Zhu L, Xu LX : Studies on the three-dimensional temperature transients in the canine prostate during transurethral microwave thermal therapy. Journal of Biomechanical Engineering 2000, 122(4): 372-379

Liu J. Wang C. Messow U. Adsorption kinetics at air/solution interface studied by maximum bubble pressuremethod. Colloid Poly- mer Sci. 2004; 283(2): 139-144.

Liu J. Zhou Y. Yu T. Gui L. Deng Z. Lv Y. Minimally invasive probe system capable of performing both cryosurgery andhyperthermia treatment on target tumor in deep tissues. Min Invas Ther Allied Technpl: MITAT. 2004;13(1): 47-57.

Liu J-Q. Xu Z-L. Zhou K-G. Study on new method of the preparation of pure ammonium metatungstate (AMT)using a coupling process of neutralization-nanofiltration-crystallization. J Membr Sci. 2004, 240(1-2): 1-9.

Liu Q, Thompson DB : Effects of moisture content and different gelatinization heating temperatures on retrogradation of waxy-type maize starches. Carbohydrate Research 1998, 314(3)-4,221-35.

Liu Q, Matsuda N, Notoya H, Yamada S, Takano N, Oyama T, Tsukuda I. Study of drilling temperature and performance on drilling of Al-17mass%Si alloy.IN. Chen DC, Narutaki N, Yamane Y, Chen WY, editors, Progress of Cutting and Grinding With Some Topics in Advanced Manufacture Technology, Int Academic Publ, Beijing 1998. p.60-5.

Liu Q, Runt J, Felder G, Rosenberg G, Snyder AJ, Weiss WJ, Lewis J, Werley T. In vivo and in vitro stability of modified poly(urethaneurea) blood sacs. J Biomater Appl. 2000,14(4):349-66.

Liu R, Zhuang D, Yang X, LiY, Zhang D, Wen B, Zhang R. Objective observation on phe-nomena of sensations alomg channels (PSC) and QI reacxhing to affects ares (QIRA)- the influence of acupuncture points on infrared thermal image of face. Chen Tzu Yen Chiu 15:245-249. 1990

Liu R, Zhuang D, Yang X, LiY, Zhang D, Wen B, Zhang R. Objective observation on phe-nomena of sensations alomg channels (PSC) - changes on the infrared thermal image channels pathway of upper extremity. Chen Tzu Yen Chiu 15:239-244. 1990

Liu RL, EY Zhang, EJ Gross, TC CetaS. Hea-ting pattern of helical microwave intracavitary oesophageal applicator. Int J Hyperthermia 7: 577-586. 1991

Liu S, Liu M, Jiang S, Li C, Zeng Y, Huang Y, Zhou D. Fabrication of SiO2-doped Ba0.85Sr0.15TiO3 glass–ceramic films and the measurement of their pyroelectric coefficient, Mat Sci Eng B, 2003; 99, (s 1-3): 511-515

Liu Y, Barks JD, Xu G, Silverstein FS. Topiramate extends the therapeutic window for hypothermia-mediated neuroprotection after stroke in neonatal rats. Stroke. 2004; 35(6):1460-5.

Liu Z, Muldrew K, Wan RG, Elliott JA. Retardation of ice growth in glass capillaries: measurement of the critical capillary radius. Phys Rev E Stat Nonlin Soft Matter Phys. 2004; 69(2 Pt 1):021611.

Livingstone H. Lyons G. Reynolds F. Epidural test dose: What works? [4] (multiple letters). Int J Obstetric Anesthesia. 2004; 13(2) 128-129.

Livshits AV. The algesic syndrome in spinal cord trauma. Paraplegia 30:497-501. 1992

Lizar D, H.MayR. Thermographische Beobachtungen nach Kreuzbandoperationen (abstract) European Journal of Thermology 8: 75 , 1998

Ljubojevic S. Lipozencic J. Pustisek N. Erythromelalgia.Acta Der- matoven Croat. 2004; 12(2)99-105.

Llor J. Tautomeric equilibrium of pyridoxine in water. Thermodynamic characterization by sup(13)C and sup(15)N nuclear magnetic resonance. Journal of Organic Chemistry 2000: 65(9): 2716-2722

Llorens L, Penuelas J, Estiarte M, Bruna P. Contrasting growth changes in two dominant species of a Mediterranean shrubland sub- mitted to experimental drought and warming. Ann Bot (Lond). 2004; 94(6): 843-53.

Lo S-F, Lau L-H, Law I-C, Yip AW-C. Should we replace the mercury in glass thermometer with the tympanic thermometer?. Ann Coll Surg Hong Kong. 2003; 7(1):18-22.

Lobel B, Eyal O, Kariv N, Katzir A. Temperature controlled CO sub(2) laser welding of soft tissueS. Urinary bladder welding in different animal models (rats, rabbits, and cats). Lasers in Surgery and Medicine 2000. 26(1):4-12

Lobenko AA, Zaporozhchenko BS, Mishchenko VV. (Remote dynamic radiation thermography in the diagnosis of acute inflammatory diseases of the pancreatico-hepato-biliary tract). Klinichna Khirurhiia -/7-8: 27-29. 1997

Lobo SM, Afzal KS, Ahmed M, Kruskal JB, Lenkinski RE, Goldberg SN. Radiofrequency ablation: modeling the enhanced temperature response to adjuvant NaCl pretreatment. Radiology. 2004; 230(1): 175-82.

Lobo SM, Afzal KS, Ahmed M, Kruskal JB, Lenkinski RE, Goldberg SN. Radiofrequency Ablation: Modeling the Enhanced Temperature Response to Adjuvant NaCl Pretreatment. Radiol, 2004; 230: 175 - 182.

Lobzin VS, Saikova LA, Shiman AG, Pustozerov VG. Kliniko-fiziologicheskie i gistokhimicheskie kriterii v otsenke effektivnosti fizioterapii miotonii.(Clinico-physiological and histochemical criteria in the evaluation of the effectiveness of physiotherapy of myotonia).Zh Nevropatol Psikhiatr 90 (3): 35-39. 1990

Lobzin VS, Zhulev NM, Kosachev VD, Tiukarkina AB, Badzgaradze IuD, Zavolokov IG. Vegetativno-sosudistye rasstroistva pri nevropatiiakh i metody patogeneticheskoi terapii. (Autonomic vascular disorders in neuropathies

and the methods for their pathogenetic therapy) Zhurnal Nevropatologii i Psikhiatrii Imeni S. S. Korsakova, 92 (5-12):32-5. 1992

Locke IC. Carpenter BG. Functional characteristics of the strep- tococcal deoxyribonuclease'streptodornase', a protein with DNase acti- vity present in the medicamentVaridase. Enzyme Microbiol Technol. 2004; 35(1): 67-73.

Loftus TH, Ido T, Ludlow AD, Boyd MM, Ye J. Narrow line cooling: finite photon recoil dynamics. Phys Rev Lett. 2004; 93(7): 073003.

Logani MK. Bhanushali A. Anga A. Majmundar A. Szabo I. Ziskin MC. Combined millimeter wave and cyclophosphamide therapy of an experimental murine melanoma. Bioelectromagnetics. 2004 25(7): 516-523. .

Lohan J, Rodgers P, Fager CM, Lehtiniemi R, Eveloy V, Tiilikka P, Rantala J. Validation and application of different experimental techniques to measureelectronic component operating junction temperature.IEEE Transactions on Components and Packaging Technologies 1999, 22(2): 252-8.

Loidl M, Leblanc E, Bouchard J, Branger T, Coron N, Leblanc J, de Marcillac P, Rotzinger H, Daniyarov T, Linck M, Fleischmann A, Enss C. High-energy resolution X-ray, gamma and electron spectro- scopy with cryogenic detectors. Appl Radiat Isot. 2004; 60(2-4):363-8.

Loisy F. Atmar RL. Cohen J. Bosch A. Le Guyader FS. Rotavirus VLP2/6: A new tool for tracking rotavirus in the marine Environ. Res in Microbiol. 2004; 155(7): 575-578.

Lombardi AV. Technological optimisation of a smart thermosetting aeronautical composite subject to fatigue bending loads, Progr Aerospace Sci, 2003; 39, (5): 385-404.

Lomber SG, Payne BR. Cerebral areas mediating visual redirec- tion of gaze: cooling deactivation of 15 loci in the cat. J Comp Neurol. 2004; 474(2):190-208.

Loo LS, Cohen RE, Gleason KK. Chain mobility in the amorphous region of nylon 6 observed under active uniaxial deformation. Science 2000, 288(5463): 116-119

Lopes-Gautier R, Doute S, Smythe WD, Kamp LW, Carlson RW, Davies AG, Leader FE, McEwen AS, Geissler PE, Kieffer SW, Keszthelyi L, Barbinis E, Mehlman R, Segura M, Shirley J, Soderblom LA. A close-up look at Io from Galileo's near-infrared mapping spectrometer. Science. 2000,288(5469):1201-4.

Lopez Gaston AR. [Cold and warm thermoregulation by oropharynx area and esophagus]. Acta Gastroenterol Latinoam. 2000,30(3):159-64.

Lopez T, Phillips B. On Archimedes Author's reply Arch. Dis. Child., 2003; 88: 176 - 177.

Lorenzini G, Randi MR, Tartarini P. Experimental study of water droplet boiling on hot, non-porous surfaces using infrared thermography. IN. International Conference on Optical Methods ond Data Processing in Heat and Fluid Flow. IMECHE Conference Transactions Vol.1998. Issue 2, Professional Engineering Publishing Ltd, Suffolk, pp. 169-278. 1998

Louchev OA, Kanda H, Rosen A, Bolton K. Thermal physics in carbon nanotube growth kinetics. J Chem Phys. 2004; 121(1):446-56.

Louie D, Pare PD. Physiological changes at altitude in non asthmatic and asthmatic subjects. Can Respir J. 2004; 11(3):197-9.

Louie SW-S. The effects of guided imagery relaxation in people with COPD. Occupl Ther Int. 2004;11(3): 145-159.

Loukas YL, Vraka V, Gregoriadis G.Fluorimetric studies of the formation of riboflavin- beta-cyclodextrin inclusion complex, Determination of the stability constant by use of a non-linear least-squares model. Journal of Pharmacy and Pharmacology 49(2) :127-130. 1997

Loukidou MX. Karapantsios TD. Zouboulis AI. Matis KA. Dif- fusion kinetic study of cadmium(II) biosorption by Aeromonas caviae. J Chem Technol Biotechnol. 2004; 79(7): 711-719.

Louvel D, Besnier C, Blanchin MD, Bonenfant JC, Buot R, Chevaleyre C, Delorme D, Imbernon C, Lebranchu C, Megharfi M, Mimouni L, Sader M, Thibault D. Procedure Pour L'etalonnage Des Thermometres (Procedure for thermometers calibration). S T P Pharma Pratiques 2000, 10(4): 181-211

Louvel D. Angotzi C. Aucher S. Blanchin M-D. Bonenfant J-C. Chevaleyre CDroguet C. Dybiak R. Imbernon C. Laux P. Lebranchu C. Sepulchre C. Procedure for the calibration of volumetric instruments. S.T.P. Pharma Pratiques. 2004; 14(1): 23-55.

Loveys AA

Loveys AA. Measuring temperatures. Pediatric Infectious Disease Journal 1998, 17(1)0: 920-1.

Loviagin EV, Mus VF, Litvinov PD, Iakovleva LA. Possibilities of contact chromatic thermography in the diagnosis og lung cancer. Med Radiol (Mosk) 36: 11-14. 1991

Lowe AD. Alimentary lymphosarcoma in a 4-year-old Labrador retriever. Can Vet J. 2004; 45(7): 610-612.

Lownie SP, Menkis AH, Craen RA, Mezon B, MacDonald J, Steinman DA. Extracorporeal femoral to carotid artery perfusion in selective brain cooling for a giant aneurysm. Case report. J Neurosurg. 2004; 100(2): 343-7.

Lozano S. Mossad E. Cerebral function monitors during pediatric cardiac surgery: Can they makedifference ?. J Cardiothoracic Vasc Anesth. 2004; 18(5): 645-656.

Lozinski A, Wang F, Uusimaki A, Leppavuori S. Thick-film pyroelectric linear array. Sensors and Actuators A-Physical 68(1)-3: 290-293. 1998

Lu B-Y, W-L Lin, Yang R-S, Chen Y-Y, Wang C-Y, Kuo T-S.The temperaturedistributions of bone tumor therapy using scanned focused ultrasound system. In. Proceedings of The First Joint BMES/EMBS Conference Serving Humanity, Advancing Technology, Atlanta, 1999, pp.1272

Lu H, Gaudet S, Schmidt MA, Jensen KF. A microfabricated device for subcellular organelle sorting. Anal Chem. 2004; 76(19): 5705-12. P

Lu H, Stansbury JW, Dickens SH, Eichmiller FC, Bowman CN. Probing the origins and control of shrinkage stress in dental resin composites. II. Novel method of simultaneous measurement of poly- merization shrinkage stress and conversion. J Biomed Mater Res. 2004; 71B(1): 206-13.

Lu H, Wang YY, Guo MZ, Wang CL. [Effect of kidney-warming and astringent therapy on plasma endothelin and interleukin-2 receptor in patients with nephrotic syndrome] Zhong Xi Yi Jie He Xue Bao. 2004; 2(1):17-9.

Lu JH, Yang YY, Chen CC, Kuan CH, Chen HT, Lee SC. Study of period number effect in the superlattice infrared photodetector, Infrared Phys Tech, 2003; 44, (s 5-6): 399-409.

Lu K, Liang C-L, Lee T-C, Chen H-J, Su T-M, Liliang P-C. Changes of bilateral palmar skin temperature in transthoracic endoscopic T-2 sympathectomy. Journal of Neurosurgery 2000, 92(1 Suppl.): 44-49

Lu Q, Wu H, Yu R, Shen G. The lifetime of CFC substitutes studied by a network trained with chaotic mapping modified genetic algorithm and DFT calculations. SAR QSAR Environ Res. 2004; 15(4): 279-92.

Lu X, Pikal MJ. Freeze-drying of mannitol-trehalose-sodium chloride-based formulations: the impact of annealing on dry layer resistance to mass transfer and cake structure. Pharm Dev Technol. 2004;9(1):85-95.

Lu Y, Tang YM, Liu LJ, Xie E, Xue ZM, Xu P. [The study of sperm cryopreservation in kunmin (KM) mouse] Shi Yan Sheng Wu Xue Bao. 2004; 37(1):59-62.

Luan X, Li J, McAllister JP 2nd, Diaz FG, Clark JC, Fessler RD, Ding Y. Regional brain cooling induced by vascular saline infusion into ischemic territory reduces brain inflammation in stroke. Acta Neuro- pathol (Berl). 2004; 107(3):227-34.

Lubischer JL, Verhegge LD, Weeks JC. Respecified larval proleg and body wall muscles circulate hemolymph in developing wings of Manduca sexta pupae. Journal Of Experimental Biology 1999. 202/Pt 7: 787-96.

Lucas M, Claus P. High throughput screening in monolith reactors for total oxidation reactions, App Catalysis A: Gen, 2003; 254, (1): 35-43

Luccas FJC, Cibils D, Zanovello JF. III Latin-Am Chapter Congress of IFCN and IX Brazilian Symposium of Clinical Neurophysiology, Porto Seguro, Bahia, Brazil, 11–14 September 2002, Clin Neurophysiol 2003; 114 (1): 154-165.

Lucchetti D. Fabrizi L. Guandalini E. Podesta E. Marvasi L. Zaghini A. Coni E. Long depletion time of enrofloxacin in rainbow trout (Oncorhynchus mykiss). Antimicrob Agent Chemother. 2004; 48(10): 3912-3917.

Lucci CM, Kacinskis MA, Rumpf R, Bao SN. Effects of lowered temperatures and media on short-term preservation of zebu (Bos indicus) preantral ovarian follicles. Theriogenology. 2004; 61(2-3): 461-72.

Ludescher B, Machann J, Graf H, Wietek B, Subke J, Claussen CD, Schick F. [Observation and control of hepatic specimens with MRI and MRS] Rofo. 2004; 176(4):597-604.

Ludington-Hoe SM, Anderson GC, Swinth JY, Thompson C, Hadeed AJ. Randomized controlled trial of kangaroo care: cardio- respiratory and thermal effects on healthy preterm infants. Neonatal Netw. 2004; 23(3):39-48.

Ludwig G. Bildgebende Diagnostik in der maennlichen ReproduktionsmedizIn. (Diagnostic imaging in male reproductive medicine).Urologe (A), 29 (3): 135-140. 1990

Lugarini F, Hrupka BJ, Schwartz GJ, Plata-Salaman CR, Langhans W. A role for cyclooxygenase-2 in lipopolysaccharide-induced anorexia in rats Am J Physiol Regulatory Integrative Comp Physiol 2002, 283: 862 - 868.

Luisa A. Facchetti D, Zancan A. Della Marta E, Bonomelli M. The telethermographic study of autonomic disturbances in patients with carpal tunnel syndromE.correlation with EMG and sympathetic skin response. Thermol Österr2:S20. 1992

Lukac J, Rovensky J, Tauchmannova H, Zitnan D. Long-term ketanserin treatment in pa-tients with systemic sclerosis and Raynaud's phenomenon. Current Therapeutic Research - Clinical and Experimental 50:869-877. 1991

Lukas M, Anderson DP. Machine and lubricant condition monitoring for extended equipment lifetimes and predictive maintenance. IN. Jantunen E, Holmberg K, Rao RBK (eds): COMADEM 97: 10th International Congress And Exhibition On Condition Monitoring And Diagnostic Engineering Management, VOL 1. VTT Symposia Vol.171. Technical Research Centre Finland, Information Service, Espoo, Finland, pp. 161-170. 1997

Lukasik S. Patologia oczodolu—cz. II. Metody rozpoznawania schorzen oczodolu. (Orbital pathology--II. methods of diagnostically differentiating orbital diseases). Wiadomosci Lekarskie, 46: 547-551. 1993

Lukoianov IuE. Praktika ratsional'nogo zakalivaniiA. opredelenie kholodovoi biodozy s pomoshch'iu distantnoi termokhronografii. (Rational body hardeninG. determination of a cold biodose using distant thermochronography). Pediatriia (12): 82-83.1989

Lund BJ. Computer model to investigate the effect of eye movements on retinal heating during long-duration fixation on a laser source. J Biomed Opt. 2004; 9(5):1093-102.

Lund JP, CG Widmer, JS FeinE. Validity of diagnostic and monitoring tests used for temporomandibular disorders. Journal Of Dental Research 74: 1133-1143. 1995

Lundstrom K, Abena2003; i A, Malgaroli A, Ehrengruber MU. Novel Semliki Forest virus vectors with reduced cytotoxicity and temperature sensitivity for long-term enhancement of transgene expression. Mol Ther : J Am Soc Gene Ther. 2003; 7(2):202-209.

Luner PE, Kirsch LE, Majuru S, Oh E, Joshi AB, Wurster DE, Redmon MP Preformulation studies on the S-isomer of oxybutynin hydrochloride, an Improved Chemical Entity (ICE(trademark)). Drug Development and Industrial Pharmacy 2001: 27(4): 321-329

Lung DC, Stahovich TF, Rabin Y. Computerized planning for multiprobe cryosurgery using a force-field analogy. Comput Methods Biomech Biomed Engin. 2004; 7(2):101-10.

Lunin VV, Li Y, Linhardt RJ, Miyazono H, Kyogashima M, Kaneko T, Bell AW, Cygler M. High-resolution crystal structure of Arthrobacter aurescens chondroitin AC lyase: an enzyme-substrate complex defines the catalytic mechanism. J Mol Biol. 2004 ; 337(2): 367-86.

Lunstra DD, Coulter GH.Relationship between scrotal infrared temperature patterns and. natural-mating fertility in beef bulls.Journal Of Animal Science 75(3): 767-774. 1997

Luo W, Chen TB, Gao D, Zheng GD. [Stratification of volatile solid content and its dynamics in the process of co-composting] Huan Jing Ke Xue. 2004; 25(3):155-9.

Luong M, Luong M, Lok C, Carmi E, Chaby G, Viseux V. Bioavailability evaluation of dermocorticoids using differential infrared thermography. Ann Dermatol Venereol. 2000,127(8-9):701-705.

Luong MP. Fatigue damage detection on concrete under compression using infrared thermography. IN. Chang CS, Misra A, Liang RY, Babic M (eds): Mechanics Of Deformation And Flow Of Particulate Materials. Amer Soc Civil Engineers, New York, pp. 199-213. 1997

Luong MP. Fatigue limit evaluation of metals using an infrared thermographic technique. Mechanics of Materials 28(1)-4: 155-163. 1998

Luong MP. Infrared thermography of damage evaluation in leather products.IN. Melker AI, editoR. International Workshop on Nondestructive Testing and Computer Simulations in Science and Engineering, Proceedings of the Society of Photo-Optical Instrumentation Engineers, SPIE, Vol.3687.Bellingham, p.191-200

Luong MP. Nondestructive evaluation of fatigue limit of metals using infrared thermography. IN. Crane RL, Achenbach JD, Shah SP, Matikas TE, KhuriYakub PT,Gilmore RS, editors, Nondestructive Characterization of

Materials in Aging Systems, Materials Research Society Symposium Proceedings Vol.503. Materials Research Society, Warrendale, 1998, p. 275-80

Luong PM. Evaluation of the limit of acceptable damage for leather products using infrared thermography. IN. Baaklini GY, Lebowitz CA, Boltz ES, editors, Nondestructive Evaluation of Aging Materials and Composites III, Proceedings Of The Society Of Photo-Optical Instrumentation Engineers (SPIE) Vol.3585.Bellingham, 1999, p. 84-95

Luque J, Crosley DR. Radiative, collisional, and predissociative effects in CH laser-induced-fluorescence flame thermometry. : Applied Optics 1999, 38/9: 1423-33

Luquet D, Bégué A, Vidal A, Clouvel P, Dauzat J, Olioso A, Gu XF, Tao Y. Using multidirectional thermography to characterize water status of cotton, Remote Sens Environ, 2003; 84, (3): 411-421.

Luterbacher J, Dietrich D, Xoplaki E, Grosjean M, Wanner H. European seasonal and annual temperature variability, trends, and extremes since 1500. Science. 2004; 303(5663):1499-503.

Luther B, I.Kreyer, I.DobI. Die Anus-praeter-Thermographie als Methode zur Früherkennung vaskulärer Komblikationen nach Dünndarmtransplantation. ThermoMed 6: 115-117. 1990

Luthi T. Infrared thermography. Materials And Structures 31(2)07: 188-189. 1998

Luyk NH, Doyle T, Ferguson MM. Recent trends in imaging the salivary glands Dentomaxillofac Radiol 20:3-10. 1991

Luz J, Griggio MA,Vieira LV. Impact of maternal food restriction on cold-induced thermogenesis in the offspring. Biol Neonate. 2003; 84(3):252-258.

L'vov SE, AV.Kodin, VK.Sapozhnikov, AIu.FilosofoV. The infrared radiation dynamics of the hand under the influence of physical loading in the rehabilitation of patients with tendon injuries to the flexor muscles of the fingers and the nerves of the hand. Voprosy Kurortologii, Fizioterapii I Lechebnoi Fizicheskoi Kultury (4): 21-24.1993

Lye GJ, Ayazi-Shamlou P, Baganz F, Dalby PA, Woodley JM. Accelerated design of bioconversion processes using automated microscale processing techniques, Trends Biotech, 2003; 21, (1): 29-37.

Lyon A. Appl Physiology: Temperature control in newborn infant. Current Paediatrics. 2004; 14(2): 137-144.

Maayan-Metzger A. Yosipovitch G. Hadad E. Sirota L. Effect of radiant warmer on transepidermal water loss (TEWL) and skin hydra- tion in preterm infants. J Perinatol. 2004 24(6)372-375. .

Mabuchi K, Chinzei T, Fujimasa I, Haeno S, Abe Y, Yonezawa T. An image-processing program for the evaluation of asymmetrical thermal distributions.IN.Proceedings of the 19th Annual International Conference of the IEEE Engineering in Medicine and Biology Society, Vol 19. PTS 1-6. IEEE, New York, 1997, P. 725-8.

Mabuchi K, Chinzei T, Fujimasa I, Haeno S, Motomura K, Abe Y, Yonezawa T. Evaluating asymmetrical thermal distributions through image processing. IEEE Engineering In Medicine And Biology Magazine 1998. 17(4): 47-55.

Mabuchi K, H. Genno, K.Matsumoto, T.Chinzei, I. FujimasA.- Autonomic thermoregulation and skin temperaturE. importance and role of deep body temperature in the determination of skin temperature . IN. Ammer K, EFJ Ring (eds): The Thermal Image in Medicine and Biology, Uhlen Verlag, Wien,pp. 121-130. 1995

Mabuchi K, H.Genno, J.Wakamiya, T.Chinzei, O.Kanbara, K,Matsumoto, I.FujimasA. A Proposal for Thermographic Standardization - How to Standardize Thermograms Taken Under Various Ambient Conditions and for Different Individuals. (abstract). Biomed Thermol 15:,12. 1995

Mabuchi K, H.Genno, M.Kunimoto, T Chinzei, K.Matsumoto, O.Kanbara, I.FujimasA. Frequency Analysis of Skin Blood Flow and Skin Temperature under Various Ambient Conditions. (abstract). Thermol Österr 5: 113. 1995

Mabuchi K, H.Genno, O,Kanbara, T,Chinzei, I.FujimasA. Autonomic thermoregulation and skin temperaturE. importance and role of deep body temperature in the determinationof skin temperature, Thermol Österr4:168. 1994

Mabuchi K, Kondo K, Kakuta N, Kouno A, Yonezawea T, Ishigaki H.. Evaluation of rapidly changing thermal phenomena in the living body through image-processing of a high-speed far-infrared camera. (abstract). Thermology intern 2000, 10(3):141

Mabuchi K, Maeda K, Kondo K, Ishigaki. Image Processing of a Time Series of Far Infrared Images and Laser Doppler Images for the Analysis of the Functions of the Circulatory and Autonomic Nervous Systems. J Korean Med Thermol 2002, 2(1):54-55

Mabuchi K, O.Kanbara, H.Genno, T.Chinzei, M.KunimotO. Automatic Control of Optimum Ambient Thermal Conditions Using Feedback of Skin Temperature. (abstract) Thermol Österr 7(2): 87. 1997

Mabuchi K, T Chinzei, M.Ikeda, T.Tago, I.FujimasA. Development of thermal endoscopic systemusing a chalcogenide glass fibre bundle. Thermol Österr4:166. 1994

Mabuchi K, T.Chinzei, M.Ikeda, I,.Saito, H.Nishijima, I.FujimasA. Development of a data processing system for a high speed thermographic camera and its use in analysis of dynamic phenomena of the living body. Thermol Österr4:164. 1994

Mabuchi K, T.Chinzei, M.Ikeda, I.FujimasA. Development of thermal endoscopic system using a chalcogenide glass fibre bundle. IN. Ammer K, EFJ Ring (eds): The Thermal Image in Medicine and Biology, Uhlen Verlag, Wien,pp. 98-104. 1995

Mabuchi K, T.Chinzei, M.Ikeda, I.Saito, I.FujimasA. Development of a data processing system for a high speed thermographic camera and its use in analysis of dynamic phenomena of the living body IN. Ammer K, EFJ Ring (eds): The Thermal Image in Medicine and Biology, Uhlen Verlag, Wien,pp. 56-63. 1995

Mabuchi K, T.Chinzei, T. Yonezawa, K. Motomura, Y. Abe, K. Atsumi, I. FujimasA. Development of an Image-Processing Program for Thermography Capable of Evaluating Asymmetries in Thermal Distribution of the Body Surface, and its Applications in Clinical Diagnosis Biomed Thermol 10: 286-293. 1990

Mabuchi K. Clinical significance of thermography- a non invasive and non-contact method to evaluate peripheral circulatory function in the diagnosis of diabetic complications. Nippon Rinsho 48:Suppl 580-587. 1990

Mabuchi K. H.Genno, O,Kanbara, M.Kunimoto, T.Tago, I FujimasA. Evaluation of thermal sensation and thermal comfort by skin temperature, skin blood flow and sweating (abstract). Thermol Österr 6:107. 1996

Mabuchi K. Present status of thermal endoscopic systems. (abstract). Biomed Thermol 12: 268-269. 1992

Mabuchi K. Present status of thermal endoscopic systems. IN. Mabuchi K, S.Mizushina, B.Harrison (eds.) Advanced Techniques and Clinical Application in Biomedical Thermologie, harwood academic publishers Chur/Schweiz p. 99-114. 1994

Mabuchi, K., T. Chinzei, , I.FujimasA. Thermal Endoscopic Systems and Their Appiications in the Biomedical Field. Proc 1996 IEEE Engineering in Medicine & BiologY. 1114-115. 1996

Mac Auley DC Ice therapY. How good is the evidence? International Journal of Sports Medicine 2001, 22(5): 379-384

Maca T Infrared astronomy. (abstract). Thermol intern 2001, 11(2):102

Maca T, Eggensberger I, Minar E.Infrarot-Thermographie von Angiodysplasien (abstract) Thermol intern 2000, 10(2):100-1

Maca T, Ring EFJ, Eggenberger I, Elvins DM, Minar E. Infrarot-Thermographie des Fussabdrucks (abstract) Thermol intern 2000, 10(2):99-100

Maca T, Ring EFJ.– The thermal footprint – a pilot study (abstract). Thermology intern 2000, 10(3):145

Maca T, Schmaldienst S, Atteneder M, Fasching S, Hörl WH, Katzenschlager R, Knespel E, Koppensteiner I, Koppensteiner R, Ugurluoglu A, Willfort A, Ehringer H. Infrared thermography for control of hemodialysis shunts. IN.Proceedings of the 19th Annual International Conference of the IEEE Engineering in Medicine and Biology Society, Vol 19. PTS 1-6. IEEE, New York, 1997, p.621-4.

Maca T. Infra red thermal imaging of arterial steal phenomenon. Thermol intern 2002. 12: 61

Maca Th, M. Atteneder, W.H. Hörl, R. Katzenschlager, E. Müller-Knespel , I. Koppensteier, S. Schmaldienst, A. Ugurluoglu, A. Willfort, H. EhringeR. Infrared Thermography for Control of Hemo-dialysis Shunts. (abstract). European Journal of Thermology 8: 183. 1998

Maca Th, M.Arreneder, S.Fasching, M.Haumer, W.H.Hörl, R.Katzenschlager, E.Knespel,E.Koppensteiner, S.Schmaldienst, A.Ugurluoglu, A.Willfort, H.EhringeR. Infrared Thermography for Control of Hemodialysis Shunts. (abstract) Thermol Österr 7(2): 79. 1997

Maca TH, Mlekusch W, Herberg K, Minar E. Comparison of the Thermal Footprint With Pedobarography. Thermol intern 2001, 11(2):102

MacDonald AG, DV Land, RD SturrocK. Microwave thermography as a noninvasive assessment of disease activity in inflammatory arthritis. Clinical Rheumatology 13: 589-592. 1994

MacGregor AJ. The epidemiology of Raynaud's phenomenon. Thermol intern 2002. 12(2): 66

Machado S, Bynum Jr ED, Archer TL, Lascano RJ, Wilson LT, Bordovsky J, Segarra E, Bronson K, Nesmith DM, Xu W. Spatial and Temporal Variability of Corn Growth and Grain YielD. Implications for Site-Specific Farming Crop Sci. 2002, 42: 1564 - 1576.

Machida T, P Wilder-Smith, AM Arrastia, LH Liaw, MW BernS. Root canal preparation using the second harmonic KTP.YAG laseR. a thermographic and scanning electron microscopic study. Journal Of Endodontics 21: 88-91. 1995

Machin G, Chu B.High quality blackbody sources for infra-red thermometry and thermography between -40°C and 1000 °C (abstract). Thermol intern 2000, 10 (1):32-3

Machin G. Bryan Chu. Thermol intern 2002. 12:127

MacIlwain C. Global-warming sceptics left out in the cold. Nature 2000, 403(6767): 233

Mack GW. Hypothalamic control of body temperature: insights from the past. Am J Physiol Regul Integr Comp Physiol. 2004; 287(5): R1012-3.

Mack GW. Hypothalamic control of body temperature: Insights from the past. J Appl Physiol. 2004; 97(5): 1593-1594.

Mack MC, Schuur EA, Bret-Harte MS, Shaver GR, Chapin FS. Ecosystem carbon storage in arctic tundra reduced by long-term nu- trient fertilization. Nature. 2004; 431(7007):440-3.

Mack MG, Vogl TJ, Eichler K, Muller P, Straub R, Roggan A, Felix R. Laser-induced thermoablation of tumours of the head and neck under MR tomographic control. Minimally Invasive Therapy and Allied Technologies 1998, 7/6:573-9.

Mack MG, Vogl TJ. Magnetic resonance-guided laser-induced thermotherapy of recurrent head and neck tumors. Seminars in Interventional Radiology 1999, 16(1):63-70.

MacK MG. Vogl TJ. MR-guided ablation of head and neck tumors. Neuroimaging Clin North America. 2004; 14(4): 853-859.

Mackin GA. Medical and pharmacologic management of upper extremity neuropathic pain syndromes..Journal Of Hand Therapy 10 (2). 96-109. 1997

Mackool RJ.Incision burns, J Cataract Refract Surg, 2003; 29, (2): 233-235

Mackowiak PA IntroductioN. Antipyretic therapy. Clinical Infectious Diseases 2000, 31(Suppl. 5):S153

Mackowiak PA. Concepts of fever. Archives Of Internal Medicine 1998. 158 (1)7: 1870-81.

MacLellan CL, Girgis J, Colbourne F. Delayed onset of pro- longed hypothermia improves outcome after intracerebral hemorrhage in rats. J Cereb Blood Flow Metab. 2004; 24(4):432-40.

Maclennan JE, Muller D, Shao RF, Coleman D, Dyer DJ, Walba DM, Clark NA. Field control of the surface electroclinic effect in chiral smectic-A liquid crystals. Phys Rev E Stat Nonlin Soft Matter Phys. 2004; 69(6 Pt 1):061716.

MacNamara N, Zayicek P. Evaluation of IR technology applied to cooling tower performance. IN. LeMieux DH, Snell JR, editorS. Thermosense XXI,Proceedings of the Society of Photo-Optical Instrumentation Engineers (SPIE), Vol.3700, Bellingham, 1999. p. 252-67.

MacNeill BD, Lowe HC, Takano M, Fuster V, Jang I-K. Intravascular modalities for detection of vulnerable plaque: Current status. Arterioscler Thromb Vasc Biol. 2003; 23(8): 1333-1342.

Madding RP. Emissivity measurement and temperature correction accuracy considerations.IN. LeMieux DH, Snell JR, editorS. Thermosense XXI,Proceedings of the Society of Photo-Optical Instrumentation Engineers (SPIE), Vol.3700, Bellingham, 1999. p. 393-401

Madding RP. High voltage switchyard thermography case study. IN. Snell JR, RN Wurzbach (eds): Thermosense XX. Proceedings of the Society of Photo-Optical Instrumentation Engineers (SPIE) Vol.3361. Bellingham, pp.94-99. 1998

Madding RP. Thermographer-friendly equipment design for predictive maintenance - Baseline thermograms, thermal modeling, emissivity. IN. LeMieux DH, Snell JR, editorS. Thermosense XXI,Proceedings of the Society of Photo-Optical Instrumentation Engineers (SPIE), Vol.3700, Bellingham, 1999. p. 2-5

Madersbacher S, Grobl M, Kramer G, Dirnhofer S, Steiner GE, Marberger M Regulation of heat shock protein 27 expression of prostatic cells in response to heat treatment. Prostate 1998, 37(3): 174-81.

Madersbacher S, Pedevilla M, Vingers L, Susani M, Marberger M. Effect of high-intensity focused ultrasound on human prostate cancer in vivo. Cancer Research, 55: 3346-3351.1995

Madjar S, Moskovitz B, Issaq E, Weinberger M, Nativ O Low inguinal approach for correction of recurrent varicocele. International Urology and Nephrology 1998, 30(1): 69-73

Madjid M, Naghavi M, Malik BA, Litovsky S, Willerson JT, Casscells W. Thermal detection of vulnerable plaque. Am J Cardiol 2002, 90(10C): 36L-39L.

Madjid M, Zarrabi A, Litovsky S, Willerson JT, Casscells W. Finding vulnerable atherosclerotic plaques: is it worth the effort? Arte- rioscler Thromb Vasc Biol. 2004; 24(10):1775-82.

Madrid Arias JL. La Termografia En El Diagnostico De La Dsr Y Otros Sindromes De Dolor Cronico (Thermography for the diagnosis of RSD and other chronic pain syndromes). Dolor 10:28-34. 1995

Maeda M, Kachi H, Ichihashi N, Oyama Z, Kitajima Y. The effect of electrical acupuncture-stimulation therapy using thermography and plasma endothelin (ET-1levels) in patients with pro- gressive systemic sclerosis (PSS). Journal of Dermatological Science 17(2): 151-155. 1998

Maeda T. (Diagnosis of mammary gland diseases using microwave thermographY. a study on adjunctive diagnostic methods in relation to different factors in breast diseases).Nippon Geka Gakkai Zasshi 91 (5): 622-630. 1990

Maeng M, Kristiansen SB, Mortensen UM, Andersen HR. Myocardial cooling for reperfusion injury protection achieved by organ specific hypothermic autologous perfusion. Scandinavian Cardiovascular J. 2003; 37(5):297-303.

Maerer O. Brauer A. Weyland W. Braun U. Warming Efficacy and Blood Damaging of Blood and Infusion Warmers. Anasthesiologie, Intensivmed Notfallmed Schmerzther. 2004; 39(3) 138-146.

Magdeburg H. Die gesetzlichen Bestimmungen bei der Anwendung medizinischer Geräte. Thermodiagnostik 3(1): 22-23. 1987

Magdeburg H. Kalibriergerät für Thermographie-Platten.ThermoMed 6:104-108. 1990

Magdeburg H. Meßunsicherheiten bei der Bestimmung von menschlichen Körpertemperaturen mit elektrischen Thermometern. ThermoMed 11: 4-12. 1995

Magdeburg H. Prüfungs-Anforderungen an Medizinische Thermographie-Platten. ThermoMed 7:66. 1991

Magdeburg, H. Medizinische Temperaturmeßgeräte in der Eichordnung. ThermoMed 5: 41-43. 1989

Magerl W, Fuchs PN, Meyer RA, Treede RD Roles of capsaicin-insensitive nociceptors in cutaneous pain and secondary hyperalgesia Brain, 2001, 124: 1754 - 1764.

Magerl W, Koltzenburg M, Schmitz JM, Handwerker HO. Asymmetry and time-course of cutaneous sympathetic reflex responses following sustained excitation of chemosensitive nociceptors in humans. Journal of the Autonomic Nervous System 57:63-72..1996

Magnette J, Kienzler JL, Alekxandrova I, Savaluny E, Khemis A, Amal S, Trabelsi M, Cesarini JP. The efficacy and safety of low-dose diclofenac sodium 0.1% gel for the symptomatic relief of pain and erythema associated with superficial natural sunburn. Eur J Dermatol. 2004; 14(4):238-46.

Maguire PD, Samulski TV, Prosnitz LR, Jones EL, Rosner GL, Powers B, Layfields LW, Brizel DM, Scully SP, Harrelson JM, Dewhirst MW A phase II trial testing the thermal dose parameter CEM43(degrees)T(sub(90) as a predictor of response in soft tissue sarcomas treated with pre- operative thermoradiotherapy. International Journal of Hyperthermia 2001, 17(4): 283-290

Mahaut S, Godefroit JL, Roy O, Cattiaux G. Application of phased array techniques to coarse grain components inspection. Ultrasonics. 2004; 42(1-9):791-6.

Maheshwari G. Jannat R. McCormick L. Hsu D. Thermal in- activation of adenovirus type 5. 2004; J Virol Methods. 118(2): 141-145.

Mahmud E. Keramati S. Highlights of the 2004;3 transcatheter cardiovascular therapeutics annual meeting:Clin implications. J Am Coll Cardiol. 2004 43(4): 684-690.;

Mahon MM. deSouza NM. Dina R. Souter WP. McIndoe GA. Williams AD. Cox IJ. Preinvasive and invasive cervical cancer: An ex vivo proton magic angle spinningmagnetic resonance spectroscopy study. NMR BioMed. 2004; 17(3): 144-153.

Mahramanlioglu M. Guclu K. Equilibrium, kinetic and mass trans- fer studies and column operations for theremoval of arsenic(III) from aqueous solutions using acid treated spentbleaching earth. Environ Technol. 2004; 25(9): 1067-1076.

Mahrle A, Schmidt J. Numerical simulation of heat transfer during deep penetration laser beam welding.IN. Nowak AJ, Brebbia CA, Bialecki R, Zerroukat M, editors,Advanced Computational Methods in Heat Transfer V, Computational Mechanics Publications Ltd, Southampton 1998, p. 233-42.

Mahrle A, Schmidt J. Numerical simulation of weld pool convection during deep penetration laserbeam welding. IN. Papailiou KD, Tsahalis D, Periaux J, Hirsch C, Pandolfi M, editors, Computational Fluid Dynamics '98. Vol 1. Parts 1 and 2. John Wiley & Sons, Chichester,

Maidannik VG. The use of thermographic study in urinary system diseases (a review of the literature). Vrachebnoe Delo (7):43-47. 1993

Maier WF. Preface, App Catalysis A: Gen, 2003; 254, (1): 1-2

Maierhofer Ch, Brink A, Röllig M, Wiggenhauser H. Detection of shallow voids in concrete structures with impulse thermography and radar, NDT & E Int , 2003; 36, (4): 257-263.

Maigne JY, Treuil C, Chatellier G.Altered lower limb vascular perfusion in patients with sciatica secondary to disc herniation.Spine 21(1)4: 1657-1660. 1996

Mainster MA, Reichel E Transpupillary thermotherapy for age-related macular degeneratioN. long- pulse photocoagulation, apoptosis, and heat shock proteins. Ophthalmic Surgery And Lasers 2000. 31 (5) 359-73

Mainster MA, Reichel E. Transpupillary thermotherapy for age-related macular degeneratioN. long-pulse photocoagulation, apoptosis, and heat shock proteins. Ophthalmic Surg Lasers. 2000,31(5):359-73.

Makarov IV, Iarovenko GV [Thermography in diagnosis and treatment efficacy evaluation of lower limbs arterial diseases] Khirurgiia (Mosk) 2002, (9): 31-6.

Makinen TM, Paakkonen T, Palinkas LA, Rintamaki H, Leppa- luoto J, Hassi J. Seasonal changes in thermal responses of urban residents to cold exposure. Comp Biochem Physiol A Mol Integr Physiol. 2004; 139(2): 229-38.

Makino T. Hirai S. Ohyama T. Ikeda T. Kaneko Y. Ichimura S. A case of skin ulcer with necrosis of muscle due to the compartmental syndrome after sclerotherapy for leg varicose vein and warming with a magnetism warming machine. Nishinihon J Dermatol. 2004; 66(4): 332-335.

Maksimova AL, Ryzhenkov AA. Teplovizionnaia otsenka perifericheskikh sosudistykh reaktsii pri lokal'nom kholodovom vozdeistvii u lits s razlichnoi gipoksicheskoi ustoichivost'iu. [The thermal imaging assessment of peripheral vascular reactions during local cold exposure in subjects with differing hypoxic resistances] Fiziologiia Cheloveka 1999. 25(1): 109-14.

Malakoff D A roaring debate over ocean noise. Science 2001, 291(5504): 576-578

Maldonado-Codina C, Morgan PB, Efron N : Thermal consequences of photorefractive keratectomy. Cornea 2001. 20 (5) 509-15

Malek J. Rosina J. Samcova E. Kurzova A. Starec M. Density and spread of commonly used intrathecal agents in a cerebrospinal fluid model. Cesk Slov Neurol Neurochir. 2004; 67(5): 354-358.

Malek MH, Fonkalsrud EW, Cooper CB. Ventilatory and Cardiovascular Responses to Exercise in Patients With Pectus Excavatum Chest, Sep 2003; 124: 870 - 882.

Malhi Y, Wright J. Spatial patterns and recent trends in the climate of tropical rainforest regions. Philos Trans R Soc Lond B Biol Sci. 2004; 359(1443): 311-29.

Malhotra S. Hall AJ. Lomber SG. Cortical control of sound localization in the cat: Unilateral cooling deactivation of 19 cerebral areas. J Neurophysiol. 2004; 92(3): 1625-1643.

Malik A. Phuong K. Kakii K. Stability of bacterial coaggregates in extreme Environs. J Envirol Sci Health Part A-Toxic/Hazard Subst Environ Engineer. 2004;39(6): 1423-1434.

Malik K, A.Maskova, J.VévodA. A gumiból készült tögysapka funkciójának termovizios vizsgálata (A thermovision study of the rubber teat cup function) Mérés és Automatika 39(Suppl 2): 99-101. 1991

Malikova AK, Petrova EV. Teplovaia aktivnost' mozga krolika pri vzaimodeistvii "zhivotnogo gipnoza" i dominanty goloda. (The thermal activity of the rabbit brain during the interaction of "animal hypnosis" and of the hunger dominant). Zhurnal Vysshei Nervnoi Deiatelnosti Imeni I. P. Pavlova, 1999. 49 (4) 635-44

Malinen M, Huttunen T, Hynynen K, Kaipio JP. Simulation study for thermal dose optimization in ultrasound surgery of the breast. Med Phys. 2004; 31(5):1296-307.

Malins DC, Polissar NL, Schaefer S, Su Y, Vinson M. A unified theory of carcinogenesis based on order-disorder transitions in DNA structure as studied in the human ovary and breast. Proceedings of the National Academy of Sciences of the United States of America 95(1)3: 7637-7642. 1998

Malkin AJ, Thorne RE. Growth and disorder of macromolecular crystals: insights from atomic force microscopy and X-ray diffraction studies. Methods. 2004; 34(3): 273-99.

Mall G, Eckl M, Sinicina I, Peschel O, Hubig M. Tempera- ture-based death time estimation with only partially known environ- mental conditions. Int J Legal Med. 2004; Epub ahead of print

Mall G, Hubig M, Buttner A, Eisenmenger W. Simulating irradiation power density on body surface in postmortem cooling. Leg Med (Tokyo). 2004; 6(2):131-40.

Maloney SK, Fuller A, Mitchell G, Mitchell D Rectal temperature measurement results in artifactual evidence of selective brain cooling. Am J Physiol Regul Integr Comp PhysioL 2001. 281 (1) R108-14

Maltais D. Unnithan V. Wilk B. Bar-Or O. Responses of Children with Cerebral Palsy to Arm-Crank Exercise in the Heat. Med Sci Sports Exerc. 2004; 36(2)191-197.

Malus H, A. Kainz, K.Ammer, H. KerN. Infrarotthermographie (IRT) - Eine nicht invasive Untersuchungsmethode bei Wirbelsäulenstörungen ? (abstract). Thermol Österr 5:78. 1995

Malyshev ES, Gorokhov AM, Laskina VA, Gorbunov SN, Biriukov IuP.Kompleksnye spetsia'Inye issledovaniia pri gematogennom osteamielite u detei.(Complex special examination of children with hematogenic osteomyelitis),Khirurgiia (Mosk) (11) 94-97. 1989

Malyutenko VK, Bolgov SS, Yu O. Malyutenko Two-dimensional InSb array of IR emitters with alternating contrast, Infrared Phys Tech, 2003; 44 (1):11-15.

Mamouni A, B Bocquet, R Ait Abdelmalek, Y LeroY. Recent improvements in the synthesis of microwave radiometric images. Thermol Österr2:S32. 1992

Mamouni A, B.Bocquet, Y. LeroY. Weighting functions for microwave radiometric signals.(abstract) Biomed Thermol 12: 264. 1992

Mamouni A, B.Bocquet, Y. LeroY. Weighting functions for microwave radiometric signals. IN. Mabuchi K, S.Mizushina, B.Harrison (eds.) Advanced Techniques and Clinical Application in Biomedical Thermologie, harwood academic publishers Chur/Schweiz p. 73-82. 1994

Manchikanti L, Singh V, Pampati V. Are diagnostic lumbar medial branch blocks valid? Results of 2-year follow-up. Pain Physician. 2003; 6(2):147-153

Mandal TK, Bostanian LA, Graves RA, Chapman SR, Idodo TU Porous biodegradable microparticles for delivery of pentamidine. European Journal of Pharmaceutics and Biopharmaceutics 2001, 52(1): 91-96

Mandel S, Rothrock PW. Sympathetic dystrophies. Recognizing and managing a puzzling group of syndromes.Postgrad Med 87 (8): 213-214. 217-218. 1990

Mandelbaum J, Anastasiou O, Levy R, Guerin JF, de Larouziere V, Antoine JM. Effects of cryopreservation on the meiotic spindle of human oocytes. Eur J Obstet Gynecol Reprod Biol. 2004; 113 Suppl 1:S17-23.

Mandell DL, Pearl AW, Rothschild MA TI. Influence of minor ear surgery on infrared tympanic thermometry. Archives Of Otolaryngology -- Head And Neck Surgery 2001. 127 (5) 547-52

Mandic DG, Martin RE, Hemann JH. Thermal imaging technique to detect delaminations in CFRP plated concrete. IN. Doctor SR, Lebowitz CA, Baaklini GY(eds): Nondestructive Evaluation of Materials and Composites II. Proceedings of The Society of Photo-Optical Instrumentation Engineers (SPIE) Vol.3396. Bellingham, pp. 22-27. 1998

Manecke GR Jr, Brown JC, Landau AA, Kapelanski DP, St. Laurent CMer WR. An Unusual Case of Pulmonary Artery Catheter Malfunction Anesth. Analg. 2002, 95: 302 - 304.

Mani R, Smith RW, Cawley MI. Infrared thermographY. what is its place in rheumatology in the 1990s? [letter]. British Journal of Rheumatology, 31: 857.1992

Manish M, From evaluation to treatment: five new developments for management of breast cancer in the 21st century (abstract). Thermol int 2004, 14(3): 103.

Mankekar G. Infrared tympanic thermometry. Indian Journal of Otolaryngology and Head and Neck Surgery 1999. 51(2):100

Mannara G, GC.Salvatori, GP.PizzutI. Ethyl alcohol induced skin temperature changes evaluated by thermography. preliminary results. Bollettino - Societa Italiana Biologia Sperimentale, 69: 587-94.1993

Mannock DA, Akiyama M, Lewis RNAH, McElhaney RN. Synthesis and thermotropic characterization of a homologous series of racemic (beta)-D-glucosyl dialkylglycerols. Biochimica et Biophysica Acta - Biomembranes 2000, 1509(1-2): 203-215

Manohar M, Goetz TE, Hassan AS Preexercise hypervolemia does not affect arterial hypoxemia in Thoroughbreds performing short-term high-intensity exercise J Appl Physiol, 2003; 94: 2135 - 2144.

Manohar M, Goetz TE, Hassan AS. Nitric oxide synthase inhibition does not affect the exercise-induced arterial hypoxemia in Thoroughbred horses J Appl Physiol 2001, 91: 1105 - 1112.

Manohar M, Goetz TE, Humphrey S, Depuy T. H_1-receptor antagonist, tripelennamine, does not affect arterial hypoxemia in exercising Thoroughbreds J Appl Physiol 2002, 92: 1515 - 1523. .

Manohar M, Goetz TE,. Hassan AS, Depuy T, Humphrey S. Anti-inflammatory agent, dexamethasone, does not affect exercise-induced arterial hypoxemia in Thoroughbreds J Appl Physiol 2002, 93: 99 - 106.

Mansikka H, Zhao C, Sheth RN, Sora I, Uhl G, Raja SN. Nerve injury induces a tonic bilateral mu-opioid receptor-mediated inhibitory effect on mechanical allodynia in mice. Anesthesiology. 2004; 100(4): 912-21.

Mantero Saenz FJ. Galvan Ramirez Y. Climatology of the Jaraba Spas. Anal Real Acad Naci Farmacia. 2004; 70(Spec. Iss.):543-558.

Maolinbay M, El-Mohri Y, Antonuk LE, Jee KW, Nassif S, Rong X, Zhao Q. Additive noise properties of active matrix flat-panel imagers. Med Phys. 2000,27(8):1841-54.

Marcella KL. The integration of thermography into an ambulatory equine practice (abstract). Thermol int 2004, 14(3): 106-107.

Marciano-Cabral F. Introductory remarks: bacterial endosym- bionts or pathogens of free-living amebae1. J Eukaryot Microbiol. 2004; 51(5):497-501.

Marcucci L; Freeman J; Quinn T; Hopmeier M; Milner R; Friedberg J, Buyske J. Infrared Imaging in Minimally Invasive Surgery. In: Proceedings of the 20th Annual International Conference of the IEEE-EMBS,Hong Kong, 1998, p 926

Marcy SM. Kohl KS. Dagan R. Nalin D. Blum M. Jones MC. Hansen J. Labadie J. Lee L. Martin BL. O'Brien K. Rothstein E. Vermeer P. Fever as an adverse event following immunization: Case definition and guidelines of data collection, analysis, and presentation. Vaccine. 2004; 22(5-6): 551-556.

Marengo S, Comotti P, Galli G. New insight into the role of gas phase reactions in the partial oxidation of butane, Catalysis Today, 2003; 81 (2): 205-213

Marengo S, Comotti P, Scappatura S, Vasconi M. Experimental studies of transient thermal effects during catalytic oxidation in a packed-bed reactor. IN. Froment GF, Waught KC (eds): Dynamics of Surfaces and Reaction Kinetics in Heterogeneous Catalysis. Studies in Surface Science and Catalysis Vol.109. Elsevier Science Publ B V, Amsterdam, pp. 429-437. 1997

Margesin R, Sproer C, Schumann P, Schinner F. Pedobacter cryoconitis sp. nov., a facultative psychrophile from alpine glacier cryoconite. Int J Sys Evol Microbiol. 2003; 53(5): 1291-1296.

Margulis MA, Margulis IM. Calorimetric method for measurement of acoustic power absorbed in volume of liquid. Ultrason Sonochem. 2003; 10(6):343-345.

Maria SF, Russell LM, Gilles MK, Myneni SC. Organic aerosol growth mechanisms and their climate-forcing implications. Science. 2004; 306(5703):1921-4.

Mariak Z, Lyson T, Piekarski P, Lewko J, Jadeszko M, Szydlik P. [No title available]. Neurol Neurochir Pol. 2000,34(3):509-22

Mariante RM, Lopes LC, Benchimol M. Tritrichomonas foetus pseudocysts adhere to vaginal epithelial cells in a contact-dependent manner. Parasitol Res. 2004; 92(4):303-12.

Marin-Cruz J, Garcia-Figueroa E, Miranda-Hernandez M, Gon- zalez I. Electrochemical treatments for selective growth of different calcium carbonate allotropic forms on carbon steel. Water Res. 2004; 38(1):173-83.

Marinetti S, Plotnikov YA, Winfree WP, Braggiotti A. Pulse Phase Thermography for defect detection and visualization. IN. Mal AK, editor, Nondestructive Evaluation of Aging Aircraft, Airports, and Aerospace Hardware III, Proceedings of the Society of Photo-Optical Instrumentation Engineers (SPIE) Vol.3586.Bellingham, 1999. p. 230-8

Marini A, Berbenni V, Bruni G, Sinistri C, Maggioni A, Orlandi A, Villa M. Physico-chemical characterization of a novel tricyclic beta-lactam antibiotic. J Pharm Sci. 2000 Feb,89(2):232-40.

Marini P, Guiot C, Baiotto B, Gabriele P. PC-aided assessment of the thermal performances of a MW applicator for oncological hyper- thermia. Comput Biol Med. 2004; 34(1):3-13.

Marino FE, Lambert MI, Noakes TD. Superior performance of African runners in warm humid but not in cool environmental con- ditions. J Appl Physiol. 2004; 96(1):124-30.

Marino FE. Anticipatory regulation and avoidance of catastrophe during exercise-induced hyperthermia. Comp Biochem Physiol B Bio- chem Mol Biol. 2004; 139(4):561-9.

Marino FE. Kay D. Serwach N. Exercise time to fatigue and the critical limiting temperature: Effect of hydration. J Thermal Biol. 2004; 29(1)21-29.

Marion DW. Controlled normothermia in neurologic intensive care. Critical Care Med. 2004; 32(2 SUPPL.): S43-S45.

Mark SD. Paediatrics, Andrology, Infertility, Current Opinion In Urology 4:u112-u113.1994

Markarian SA, Bonora S, Bagramyan KA, Arakelyan VB. Glass- forming property of the system diethyl sulphoxide/water and its cryopro- tective action on Escherichia coli survival. Cryobiology. 2004; 49(1):1-9.

Markl G, Abart R, Vennemann T, Sommer H. Mid-crustal Metasomatic Reaction Veins ina Spinel Peridotite J Petrol, 2003; 44: 1097 - 1120.

Markl G, Schwinn G, Sommer H Phase Equilibrium Constraints on Intensive Crystallization Parameters of the Ilímaussaq Complex, South Greenland J. Petrology 2001, 42: 2231 - 2257.

Markov A.G, L.G. Koreneva , P.V. ZakharoV. Investigations of the Influence of Central and Somatic Nervous Systems on Blood Flow Regulation by Means of Dynamical IR-Thermography. Biomed Thermol 15: 120-124. 1995 120

Markov A.G, L.G. Koreneva, P.V. Zakharav, A.V. TarasoV. Hypotheses about the Nature of the Subjects Personality Influence on the Dynamical Thermogram Pattern. Biomed Thermol 15: 89-93. 1995

Markov A.G, L.G. Koreneva, P.V. Zakharav, A.V. TarasoV. Objectivication of Various Influences on Humans by Means of Dynamical IR-Thermography. Biomed Thermol 15: 84-88. 1995

Markov A.G, L.G.Koreneva, A.M.FisheR. Thermoregulation reactions on human hands by means of dynamical IR-thermography. Thermol Österr4:169-170. 1994

Markov A.G, P.V.Zakharov.- A speedy all purpose system for dynamic IRT. IN. Ammer K, EFJ Ring (eds): The Thermal Image in Medicine and Biology, Uhlen Verlag, Wien,pp. 47-49. 1995

Markov A.G,P.V. ZakharoV.A speedy all purpose system for dynamic IRT. Thermol Österr4:161. 1994

Markov AG, Tarasov AV, Koreneva LG, Dementienko VV, Tcherbakov MI. Hypothesis about the nature of the subject's personality influence on the blood flow regulation. New Trends in Experimental and Clinical Psychiatry 1998, 14(2):75-81

Markov AG, LG Koreneva, AV Tarasov, PV ZakharoV. Influence of personality and stress on the regulation of peripheral blood flow in humans. New Trends in Experimental and Clinical Psychiatry 11:13-18. 1995

Markov AG, Petrov AV, Koreneva LG. Spontaneous temperature fluctuations of human hands. Fiziol Cheloveka 16:108-114. 1990

Markowetz T. Thermographie in der BauphysiK. Schwachstellen in Theorie und Praxis. Thermol Österr2:16-18. 1992

Marks M, Markl G. Fractionation and Assimilation Processes in the Alkaline Augite Syenite Unit of the Ilímaussaq Intrusion, South Greenland, as Deduced from Phase Equilibria J. Petrology 2001, 42: 1947 - 1969.

Marks M., Vennemann T, Siegel W, Markl G. Quantification of Magmatic and Hydrothermal Processes in a Peralkaline Syenite–Alkali Granite Complex Based on Textures, Phase Equilibria, and Stable and Radiogenic Isotopes J Petrol, 2003; 44: 1247 - 1280.

Marks PW. Zukerberg LR. Case 30-2004;4: A 37-year-old woman with paresthesias of the arms and legs. New Engl J ed. 2004; 351: 13.

Marlin D.J, R.C.Schröter, G.Holöah, C.M.Scott, JS BrowninG.The imaging of horses performing treadmill exercise. Thermol Österr4:172. 1994

Marlin DJ, Scott CM, Roberts CA, Casas I, Holah G, Schroter RC. Post exercise changes in compartmental body temperature accompanying intermittent cold water cooling in the hyperthermic horse. Equine Veterinary Journal 30(1): 28-34. 1998

Marongiu B, Piras A, Pani F, Porcedda S, Ballero M. Extraction, separation and isolation of essential oils from natural matrices by supercritical CO2. Flavour Fragrance J. 2003; 18(6):505-509.

Marongiu B. Porcedda APS. Casu R. Pierucci P. Chemical com- position of the oil and supercritical CO2 extract of Schinus molleL. Flavour Fragrance J. 2004; 19(6): 554-558.

Marotta E. Paradisi C. Scorrano G. An atmospheric pressure chemical ionization study of the positive and negativeion chemistry of the hydrofluorocarbons 1,1-difluoroethane (HFC-152a) and 1,1,1,2- tetrafluoroethane (HFC-134a) and of perfluoro-n-hexane (FC-72) in airplasma at atmospheric pressure. J Mass Spectrom. 2004; 39(7): 791-801.

Marque P, Nicolas G, Simonetta-Moreau M, Pierrot-Deseilligny E, Marchand-Pauvert V. Group II excitations from plantar foot muscles to human leg and thigh motoneurones. Exp Brain Res. 2004; Epub ahead of print

Marr CM. Microwave thermographY. a non-invasive technique for investigation of injury of the superficial digital flexor tendon in the horse. Equine Veterinary Journal 24:269-273. 1992

Marra PP, Francis CM, Mulvihill RS, Moore FR. The influence of climate on the timing and rate of spring bird migration. Oecologia. 2004; Epub ahead of print

Marrie TJ, Low DE, de Carolis E, Duperval R, Field S, Louie T, Houston S, Gribble M, Williams K, Nicolle L, Grossman R, Salit I, Saginur R, Gregson D, Laverdiere M, Rouleau M, Hutchinson J. A comparison of bacteremic pneumococcal pneumonia with nonbacteremic community-acquired pneumonia of any etiology - Results from a Canadian multicentre study. Can Respir J. 2003; 10(7):368-374.

Marschall HR, Kilt A, Hanel M. P–T Evolution of a Variscan Lower-Crustal Segment: a Study of Granulites from the Schwarzwald, Germany J Petrol, 2003; 44: 227 - 253.

Marshall AT, Crisp AJ. Reflex sympathetic dystrophy. Rheumatology 2000: 39 (7):692-5

Marshall CB. Cuerrier D. Dourdin N. Davies PL. A novel anti- freeze protein in fish. Medecine/Sciences. 2004; 20(8-9): 746-747.

Marshall J, Berkenbosch JW, Russo P, Tobias JD. Preliminary experience with nesiritide in the pediatric population. J Intensive Care Med. 2004; 19(3):164-70.

Marshall JC, Fink GR. Cerebral localization, then and now. Neuroimage. 2003; 20(SUPPL. 1):S2-S7.

Marshall M, Breu FX. Diagnostische Verfahren bei Beinvenenerkrankungen. Medizinische Monatsschrift für Pharmazeuten 21/6: 173-178. 1998

Marsman JWP, R.SchatS. The Subclinical Varicocele Debate. Human Reproduction 9:1-8.1994

Marszal E, K.Wojaczynska-Stanek, E.Emich-Wideras, D.S.Kozub, P.JanaS. Transcranial Doppler sonography and Thermography in the examina tions of cerebrovascular blood flow velocity and cerebrovascular reactivity in children with headaches. Thermol Österr 5: 151-157 , 1995

Marszal E, K.Wojaczynska-StaneK. Thermographic diagnosis of childhood diseases. Thermol Österr2:S31. 1992

Marszał E, Wojaczyńska-Stanek K, Krzemień-Gabriel A, Mniszek J. Biostimulating Laser Treatment of Chronic Rhinitis in Children – Monitoring by Thermal Imaging. Thermol intern 2001, 11(4): 204

Marszalek A. [No title available]. Med Pr. 2000,51(3):299-309. Polish.

Martin GT, Haddad MG, Cravalho EG, Bowman HF. Thermal model for the local microwave hyperthermia treatment of benign prostatic hyperplasia. IEEE Transactions on Biomedical Engineering 39:836-844.1992

Martin K. Equine Thermal Imaging (abstract). Thermol int 2003,13.33

Martin RW, Zilm KW. Variable temperature system using vortex tube cooling and fiber optic temperature measurement for low tem- perature magic angle spinning NMR. J Magn Reson. 2004; 168(2):202-9.

Martin SA, Kline AM. Can there be a standard for temperature measurement in the pediatric intensive care unit? AACN Clin Issues. 2004;15(2):254-66.

Martin SS, Spindler KP, Tarter JW, Detwiler KB Does cryotherapy affect intraarticular temperature after knee arthroscopy? Clin Orthopl 2002, (400): 184-9.

Martineaud JP, Cisse F, Samb A Circadian variability of temperature in fasting subjects. Scripta Medica Facultatis Medicae Universitatis Brunensis Masarykianae 2000, 73(1): 15-24

Martinez Martin MC, Sanchez Bayle M, Gomez Garcia C, Arcos Alvarez V, Lorenzo Garcia Y, Sevillano Luengo A Valoracion De Dos Modelos De Termometro Otico En El Diagnostico De Fiebre En La Infancia (Evaluation of two different models of tympanic thermometer in the diagnosis of fever in children). Revista Espanola de Pediatria 2001. 57(338): 185-190

Martinez Perez J, Martinez Martin C, Sanchez-Bayle M. Determination of normal temperature with tympanic thermometer. Rev Esp Pediat. 2003; 59(3):217-221.

Martinez-Canovas MJ. Bejar V. Martinez-Checa F. Quesada E. Halomonas anticariensis sp. nov., from Fuente de Piedra, a saline- wetlandwildfowl reserve in Malaga, southern Spain. Int J Syst Evol Microbiol. 2004; 54(4):1329-1332.

Martinez-Gonzalez D, Bonilla-Jaime H, Morales-Otal A, Henrik- sen SJ, Velazquez-Moctezuma J, Prospero-Garcia O. Oleamide and anandamide effects on food intake and sexual behavior of rats. Neurosci Lett. 2004;364(1): 1-6.

Martinez-Madrid B, Dolmans MM, Van Langendonckt A, Defrere S, Donnez J. Freeze-thawing intact human ovary with its vascular pedicle with a passive cooling device. Fertil Steril. 2004, 82(5):1390-4.

Martinez-Madrid B. Dolmans M-M. Van Langendonckt A. De- frere S. Donnez J. Freeze-thawing intact human ovary with its vascular pedicle with a passive cooling device. Fert Sterility. 2004; 82(5): 1390-1394.

Martinez-Pinna J. Tolhurst G. Gurung IS. Vandenberg JI. Ma- haut-Smith MP. Sensitivity limits for voltage control of P2Y recep- tor-evoked Ca2+ mobilizationin the rat megakaryocyte. J Physiol. 2004; 555(1): 61-70.

Martini A, Kume S, Crivellente M, Artico R.Use of subambient differential scanning calorimetry to monitor the frozen-state behavior of blends of excipients for freeze-drying PDA. Journal of Pharmaceutical Science and Technology 51(2):62-67. 1997

Martini G, Howell KJ, Murray KJ, Smith RE, Black CM. Infrared thermography for the assessment of localized scleroderma in children (abstract). Thermology intern 2000, 10(3):150-1

Martini G, Murray KJ, Howell KJ, Harper J, Atherton D, Woo P, Zulian F, Black CM Juvenile-onset localized scleroderma activity detection by infrared thermography Rheumatology 2002, 41: 1178 - 1182.

Martinoli C, Cittadini G, Conzi R. Evaluation of the post-traumatic course of injuries of the Achilles tendon using computerized telethermography. Radiol Med (Torino): 81:637-641. 1991

Martinot VL, SR Mordon, VA Mitchell, PN Pellerin, JM BrunetauD. Determination of efficient parameters for argon laser-assisted anastomoses in ratS. macroscopic, thermal, and histological evaluation. Lasers In Surgery And Medicine 15: 168-175. 1994

Martrat B, Grimalt JO, Lopez-Martinez C, Cacho I, Sierro FJ, Flores JA, Zahn R, Canals M, Curtis JH, Hodell DA. Abrupt tempe- rature changes in the Western Mediterranean over the past 250,000 years. Science. 2004; 306(5702):1762-5.

Marty W, T.Sigrist, D.WyleR. Measurement of the skin temperature at the entry wound by means of infrared thermography. an investigation involving the use of 0.22- to 0.38- caliber handguns. American Journal Of Forensic Medicine And Pathology, 15: 1-4.1994

Marty W. Thermographie in der GerichtsmedizIn. Anwendungsbeispiele, ThermoMed 6:67-70. 1990

Maruyama M, Kenmochi T, Sakamoto K, Arita S, Iwashita C, Kashiwabara H. Simplified method for cryopreservation of islets using hydroxyethyl starch and dimethyl sulfoxide as cryoprotectants. Trans- plant Proc. 2004; 36(4):1133-4.

Marzec E Electric properties of non-irradiated and gamma-irradiated keratIn. Radiation Physics and Chemistry 2000. 59(5-6): 477-481

Marzorati M. Contact thermography. A new scientific method for investigating the thermal features of cellulitis. Thermol Österr2:S31. 1992

Maser KR, Zarghamee MS. Leak and condition evaluation of a buried aqueduct. IN. Reuter WG (ed): Nondestructive Evaluation of Utilities and Pipelines II. SPIE Proceedings Series Vol.3398. Bellingham, pp. 200-208. 1998

Mason HJ, Poole K, Saxton J. A critique of a UK standardized test of finger rewarming after cold provocation in the diagnosis and staging of hand–arm vibration syndrome Occup Med. 2003; 53: 325 - 330.

Mason PA, Walters TJ, DiGiovanni J, Beason CW, Jauchem JR, Dick Jr EJ, Mahajan K, Dusch SJ, Shields BA, Merritt JH, Murphy MR, Ryan KL. Lack of effect of 94 GHz radio frequency radiation exposure in an animal model of skin carcinogenesis Carcinogenesis 2001, 22: 1701 - 1708.

Massey CS. A multicentre study to determine the efficacy and patient acceptability of the Paxman Scalp Cooler to prevent hair loss in patients receiving chemotherapy. Eur J Oncol Nurs. 2004; 8(2):121-30.]

Massey SR, Pitsis A, Mehta D, Callaway M. Oesophageal perforation following perioperative transoesophageal echocardiography. Br J Anaesth. 2000,84(5):643-6.

Master VA. Shinohara K. Carroll PR. Ferromagnetic thermal ablation of locally recurrent prostate cancer: Prostatespecific antigen results and immediate/intermediate morbidities. J Urology. 2004; 172(6 I): 2197-2202.

Masuda J. Fukuyama J. Tonoike M. Yamaguchi M. Cryogenic trapping for determination of odor concentration. Water Sci Technol. 2004;50(4): 121-124.

Maswadi SM, Dodd SJ, Gao JH, Glickman RD. Temperature mapping of laser-induced hyperthermia in an ocular phantom using magnetic resonance thermography. J Biomed Opt. 2004 -; 9(4):711-8.

Maswadi SM, Dodd SJ, Gao JH, Glickman RD. Temperature mapping of laser-induced hyperthermia in an ocular phantom using magnetic resonance thermography. J Biomed Opt. 2004; 9(4):711-8.

Mathew S, Arandjelovic S, Beyer WF, Gonias SL. Pizzo SV. Characterization of the interaction between a 2-macroglobulin and fibroblast growth factor-2: The role of hydrophobic interactions. Biochem J. 2003; 374(1):123-129.

Mathew S. Madamwar D.Decolorization of ranocid fast blue dye by bacterial consortium SV5. Appl Biochem Biotechnol. 2004; 118(1-3): 371-381.

Matiakin EG, Bogdasarov IUB, Lenskaia OP.Radionuklidnaia i termograficheskaia diagnostika regionarnykh metastazov raka iazyka gortani. (Radionuclide and thermnographic diagnosis of regional metastases of cancer of the tonque and larynx). Med Radiol (Mosk) 34 (10): 10-14. 1989

Matsubara J. Vascular imaging for arteriosclerosis obliterans. Nippon Geka Gakkai Zasshi. Journal Of Japan Surgical Society 97/7: 504-509.1996

Matsuda T, Nakagawa M, Oguchi N, Yanishi M, Fukui S, Kawa G, Muguruma K. Retroperitoneoscopic partial nephrectomy with transient occlusion of renal artery for treatment of small renal tumors. Urology. 2004; 64(1): 26-30.

Matsui K, S.Murakami, T.Iio, Y.MikI. Cyclic Heat Loss from Steady State Skin Surface, Thermology 3:173-176. 1990

Matsui N, M ShibayamA. (Diagnostic imaging of arthritis). Nippon Naika Gakkai Zasshi. Journal Of Japanese Society Of Internal Medicine 83: 1925-1931. 1994

Matsui T, Arai T, Sato S, Suzuki M, Ishizuka T, Kikuchi M, Kurita A Determining the temperature distribution of a model vessel wall under pulsed laser irradiatioN. An experimental attempt to measure fibrous cap thickness and detect temperature elevation in atherosclerotic lesions. IEEE Transactions on Biomedical Engineering 2001, 48(4): 492-495

Matsui T, Hagisawa K, Ishizuka T, Takase B, Ishihara M, Kikuchi M. A el method to prevent secondary exposure of Med and rescue personnel to toxic materials under biochemical hazard conditions using microwave radar and infrared thermography. IEEE Trans Biomed Eng. 2004; 51(12): 2184-8.

Matsukawa T, Goto T, Ozaki M, Sessler DI, Takeuchi A, Nishiyama T, Kumazawa T. Core temperature monitoring with new ventilatory devices. Anest Analg. 2003; 96(6):1688-1691.

Matsukawa T, Ozaki M, Nishiyama T, Imamura M, Kumazawa T Comparison of infrared thermometer with thermocouple for monitoring skin temperature. Crit Care Med. 2000,28(2):532-6.

Matsuki H, Ichikawa R, Kaneshina S, Kamaya H, Ueda I.Differential scanning calorimetric study on the Krafft phenomenon of local anesthetics.Journal of Colloid and Interface Science 1812 :362-369. 1996

Matsumoto S, H Mitsuhata, J HasegawA. Thermographic assessments of the sympathetic blockade after stellate ganglion block (No.3)-the block at the base of the 6th cervical transverse process. Ma-sui 41:111-118. 1992

Matsumoto S, H. Mitsuhara, K.e Hirano, M.SuzukI. Thermographic Pattern on the Ipsilateral Hand Following Stellate Ganglion Block at die C7 and C6 Cervical Vertebrae. Biomed Thermol 10: 277-281. 1990

Matsumoto S. (Home therapy approach in cancer patients--pain control (case 3-1)) Gan To Kagaku Ryoho [Japanese Journal of Cancer and Chemotherapy], 21(Suppl 4): 565-568,1994

Matsumoto S. Thermographic assessment of the sympathetic blockade by stellate ganglion block. (2). Comparison and analysis of thermographic patterns between C7-SGB and C6-SGB in 20 healthy volunteers. Masui 40:692-701. 1991

Matsumoto S. Thermographic assessment of the sympathetic blockade by stellate ganglion block. (1). Comparison and between C7-SGB and C6-SGB in 40 patients. Masui 40:562-569. 1991

Matsumura H, Jimbo Y, Watanabe K. Haemodynamic changes in early phase reflex sympathetic dystrophy. Scandinavian Journal of Plastic and Reconstructive Surgery and Hand Surgery 30:133-138.1996

Matsuura K, Hibino M, Kataoka M, Hayakawa Y, Kobayashi K. Phosphoramidite solid-phase synthesis of site-specifically glycosylated oligodeoxynucleotides. Tetrahedron Letters 2000, 41(39): 7529-7533

Matsuyama T, Aoki A, Oda S, Yoneyama T, Ishikawa I. Effects of the Er:YAG laser irradiation on titanium implant materials and contaminated implant abutment surfaces. J Clin Laser Med Surg. 2003 Feb;21(1):7-17.

Matsuzaki T, K. Arimura, A. Kurono, Y. Arimura, M. Osame, A. Igata, M. Iwatani, and M. KikunO. Thermographic And Electrophysiologic Evaluations In Thoracic Outlet Syndrome Patients. (abstract). Biomed Thermol 10: 310. 1990

Mattern J, Garrigan S, Kennedy IV SB A community-based assessment of heat-related morbidity in North Philadelphia. Environmental Research 2000, 83 (3):338-42

Matthews DB, Silvers JR. The use of acute ethanol administration as a tool to investigate multiple memory systems. Neurobiol Learn Mem. 2004; 82(3):299-308.

Mauck B, Bilgmann K, Jones DD, Eysel U, Dehnhardt G. Thermal windows on the trunk of hauled-out seals: hot spots for thermoregulatory evaporation? J Exp Biol. 2003; 206(10): 1727-38.

Mauck B, Eysel U, Dehnhardt G. Selective heating of vibrissal follicles in seals (Phoca vitulina) and dolphins (Sotalia fluviatilis guianensis).J Exp Biol. 2000,203 Pt 14:2125-31.

Mauderli AP, Vierck CJ jr, Cannon RL, Rodrigues A, Shen C. Relationships Between Skin Temperature and Temporal Summation of Heat and Cold Pain. J Neurophysiol, 2003; 90: 100 - 109.

Maunz P. Puppe T. Schuster I. Syassen N. Pinkse PWH. Rempe G. Cavity cooling of a single atom. Nature. 2004; 428(6978)50-52.

Maurer A, H.MayR. Der Meßabstand als Einflußparameter auf die Reproduzierbarkeit bei IR-Thermographiemessungen. European Journal of Thermology 8: 101. 1998

Maurer A. Der Meßabstand als Einflußparameter auf die Reproduzierbarkeit bei IR-Thermographiemessungen.(abstract) European Journal of Thermology 8: 73 , 1998

Maurer A. H.MayR. Thermography - a screening method for deep venous thrombosis. (abstract) Thermol ™sterr 7(2): 79. 1997

Maurer P, Bekes K, Gernhardt CR, Schaller HG, Schubert J. Tensile bond strength of different adhesive systems between bone and composite compared: an in vitro study. J Craniomaxillofac Surg. 2004; 32(2):85-9.

Maxson JB, Savage DE, Liu F, Tromp RM, Reuter MC, Lagally MG. Thermal roughening of a thin filM. A new type of roughening transition. Phys Rev Lett. 2000,85(10):2152-5.

Maxton FJ, Justin L, Gillies D. Estimating core temperature in infants and children after cardiac surgery: a comparison of six methods. J Adv Nurs. 2004; 45(2):214-22.

May EL. Application of a piezoelectric sensor for measuring shivering in a small marsupial. J Therm Biol. 2003; 28(6-7): 469-475.

May W. Nahrungsmittelunverträglichkeiten und -allergieN. Therapiekontrolle mit dem Regulationsthermogramm. ThermoMed 11:25-34. 1995

Maya EM, Shirk JS, Snow AW, Roberts GL. Peripherally-substituted polydimethylsiloxane phthalocyanineS. A novel class of liquid materials. Chemical Communications 2001, 7(7): 615-616

Mayer BX. How to increase precision in capillary electrophoresis. Journal of Chromatography A 2001, 907(1-2): 21-37

Mayer SA, Kowalski RG, Presciutti M, Ostapkovich ND, Mc Gann E, Fitzsimmons BF, Yavagal DR, Du YE, Naidech AM, Janjua NA, Claassen J, Kreiter KT, Parra A, Commichau C. Clinical trial of a novel surface cooling system for fever control in neurocritical care patients. Crit Care Med. 2004, 32(12): 2508-2515.

Mayer W.R, W.P. BiegeR.Individuelle Schadstofftoleranz. ThermoMed 14: 19-25.1998

Mayhew J E, Baughn JW, Byerley AR. The effect of freestream turbulence on film cooling adiabatic effectiveness, Intl J Heat Fluid Flow 2003; 24(5): 669-679

Mayr H, Ammer K Thermography in radiculopathy – a systematic review. Thermol intern 2001, 11(2):94-95

Mayr H, Ammer K. Reproduzierbarkeit der Kaltlufttherapie. Thermol Österr 1992, 2: 25-29.

Mayr H, Hein L, Ammer K. Veränderung der Hauttemperatur am Thenar und der Nervenleitgeschwindigkeit des N.medianus nach Kryopackung, ThermoMed 6:86-87. 1990

Mayr H, Thür H., Ammer K. Electrical stimulation of the stellate ganglia. IN. Ammer K, EFJ Ring (eds): The Thermal Image in Medicine and Biology, Uhlen Verlag 1995, Wien,pp. 206-209.

Mayr H,.Ammer K. Thermographische Diagnose von Nervenkompressionssyndromen der oberen Extremität mit Ausnahme des Karpaltunnelsyndroms. Thermol Österr 1994, 4:82-83.

Mayr H,Hein L, Ammer K. Veränderungen der Hauttemperatur am Thenar und der Nervenleitgeschwindigkeit des N.medianus nach Kryopackung. IN. Ammer K, Rathkolb O (Hrg):Kontaktthermographie und Thermographie, LBF f.Physikalische Diagnostik, S.23-26

Mayr H,Thür H, Ammer K. Electrical stimulation of the stellate ganglia. Thermol Österr 1994,4:179-180.

Mayr H. Mittlere Hauttemperatur und Thermographie (abstract) Thermol intern 2000, 10(2):98-9

Mayr H. Physiologische Reaktionen bei Kältetherapie (abstract). Thermol Österr1:30. 1991

Mayr H. Physiologische Reaktionen bei Kältetherapie.Thermol Österr1:38-58. 1991

Mayr H. Stellenwert derThermographie bei der Diagnostik tiefer Beinvenenthrombose. Thermol Österr 6: 5- 12. 1996

Mayr H. Telethermografie des operierten Kniegelenkes- ein vorläufiger Bericht. (abstract). Thermol Österr 3: 66-67. 1993

Mayr H. Thermal findings in the elbow joint in different diseases (abstract). European Journal of Thermology 8: 180 , 1998

Mayr H. Thermal Imaging After Knee Surgery (abstract) European Journal of Thermology 8: 105 , 1998

Mayr H. Thermische Auffälligkeiten nach lange zurückliegender asymptomatischer Fingerendgliedamputation-ein Fallbericht. Thermol Österr 4: 30-32. 1994

Mayr H. Thermographic evaluation after knee surgery IN. Ammer K, EFJ Ring (eds): The Thermal Image in Medicine and Biology, Uhlen Verlag, Wien,pp. 182-187. 1995

Mayr H. Thermographic evaluation after knee surgery. Thermol Österr4:176-177. 1994

Mayr H. Thermographische Befunde bei Schmerzen am Ellbogen. (abstract). Thermol Österr 5:79.1995

Mayr H. Thermographische Befunde bei Schmerzen am Ellbogen. Thermol Österr 7(1): 5-10. 1997

Mayr H. Thermographische Beobachtungen nach Kniegelenksoperationen European Journal of Thermology 8: 57 , 1998

Mayr H. Thermographische Beobachtungen nach Kniegelenksoperationen (abstract). European Journal of Thermology 8: 74 , 1998

Mayr H. Thermography after high tibial osteotomy (HTO). (abstract) Thermol Österr 7(2): 75. 1997

Mayr H. Thermography after unicompartmental knee replacement. (abstract) Thermol Österr 7(2): 76. 1997

Mayr H.Korrelation durchschnittlicher und maximaler Temperatur am Kniegelenk bei Auswertung unterschiedlicher Meßareale. Thermol Österr 5:89-91. 1995

Mayr H.Methodological Aspects of Thermal Imaging in Medicine (abstract). Thermol intern 1999, 9(4):161-162

Mayr H.Thermologische Aspekte der Hydrotherapie (abstract). Thermol Österr2: 42. 1992

Mayr H.Thermologische Aspekte der Hydrotherapie. Thermol Österr2: 49-55. 1992

Mazhitova G, Karstkarel N, Oberman N, Romanovsky V, Kuhry P. Permafrost and infrastructure in the usa Basin (Northeast European Russia): possible impacts of global warming. Ambio. 2004; 33(6): 289-94.

Mazurin Vla, Khonelidze GB.Aktivnaia termografiia v diagnostike raka molochnoi zhelezy. (Active thermography in the diagnosis of breast cancer).Vopr Onkol 35 (10):1229-1231. 1989

Mazzanti L, G.Nizzoli, D.Tassinari, R.Bergmaschi, C. Magnami, G. Chiumello, E.CacciarI. Spontaneous growth and pubertal development in turner's syndrome with different karyotypes. Acta Paediatrica, International Journal of Paediatrics 83:299-304. 1994

Mc Carthy PW, Bath B, Heusch AI. The cold provocation test and Epidermolysis Bullosa Simplex. Thermol intern 2002. 12: 78-79

Mc Cullagh JJ, Setchell DJ, Gulabivala K, Hussey DL, Biagioni P, Lamey PJ, Bailey G A comparison of thermocouple and infrared thermographic analysis of temperature rise on the root surface during the continuous wave of condensation technique. International Endodontic Journal 2000. 33 (4) 326-32

McAlister V. Maimonides's cooling period and organ retrieval. Can J Surg. 2004.47(1)8-9.

McBeth SB, Gratt BM. Thermographic assessment of temporomandibular disorders symptomology during orthodontic treatment. American Journal of Orthodontics and Dentofacial Orthopedics, 109: 481-488. 1996

McBride C, Vega C, Sanz E, Abascal JL. Formation of high density amorphous ice by decompression of ice VII and ice VIII at 135 K. J Chem Phys. 2004; 121(23):11907-11911.

McCabe CS, Haigh RC, Halligan PW, Blake DR. Referred sensations in patients with complex regional pain syndrome type 1 Rheumatol, 2003; 42: 1067 - 1073.

McCabe CS, Haigh RC, Ring EFJ, Halligan PW, Wall PD, Blake DR. A controlled pilot study of the utility of mirror visual feedback in the treatment of complex regional pain syndrome (type 1) Rheumatol, 2003; 42: 97 - 101.

McCabe GJ, Palecki MA, Betancourt JL. Pacific and Atlantic Ocean influences on multidecadal drought frequency in the United States. Proc Natl Acad Sci U S A. 2004 Mar 23;101(12):4136-41.

McCafferty JB, Innes JA, Paredi P, Kharitonov SA, Barnes PJ. Exhaled breath temperature in airways disease (multiple letters) [2]. Eur Respir J. 2003; 22(2):393-395.

McCahon P. Med infrared imaging – recognizing factors con- tributing to a disease state (abstract). Thermol int 2004, 14(3): 112.

McCahon P. Medical Infrared Imaging–Looking Beyond The Primary Symptom. Thermol int 2003,13, 39-40

McCaig J. Infrared thermography for detecting sweet itch. Vet Rec, 125 (22) 560-561. 1989

McCallum JE, Kuniyoshi CY, Foote CS. Characterization of 5-hydroxy-8-oxo-7,8-dihydroguanosine in the photosensitized oxida- tion of 8-oxo-7,8-dihydroguanosine and its rearrangement to spiro- iminodihydantoin. J Am Chem Soc. 2004; 126(51):16777-82.

McCann DM. NDT & E Int , 2003; 36, (4).183

McCarty EC, Warren RF, Deng XH, Craig EV, Potter H. Temperature along the axillary nerve during radiofrequency-induced thermal capsular shrinkage. Am J Sports Med. 2004; 32(4):909-14.

McCaul C, Tobin É, Boylan JF, McShane AJ. Atracurium is associated with postoperative residual curarization Br. J. Anaesth. 2002, 89: 766 - 769.

McCollum PT, Spence VA, Walker WF. Amputation for peripheral vascular diseasE. the case for level selection. Br J Surg 75 (12) 1193-1195. 1988

McComb J, Niebla HE. Infrared thermography and overloaded neutral conductors.IN. LeMieux DH, Snell JR, editorS. Thermosense XXI,Proceedings of the Society of Photo-Optical Instrumentation Engineers (SPIE), Vol.3700, Bellingham, 1999. p. 268-72.

McCormick K, Grigull P, Burhenn R, Brakel R, Ehmler H, Feng Y, Fischer R, Gadelmeier F, Giannone L, Hildebrandt D. et al.. Island divertor experiments on the Wendelstein 7-AS stellarator, J Nuc Mat, 2003; 313-316: 1131-1140.

McCullagh JJ, Biagioni PA, Lamey PJ, Hussey DL. Thermographic assessment of root canal obturation using thermomechanical compaction. International Endodontic Journal 30(3): 191-195. 1997

McCullagh P, Setchell DJ, Nesbit M, Biagioni PA, Lamey PJ. Infrared thermographic analysis of temperature rise on implant surfaceS. a pilot study on abutment preparation [news]. Practical Periodontics And Aesthetic Dentistry 1998. 10 /9: 1163-7.

McCulloch J, J.Frymoyer, P.Steurer, G.Riaz, F.HursT. Thermography as a diagnostic aid in sciatica. Journal Of Spinal Disorders 6: 427-431. 1993

McCullough L, Arora S. Diagnosis and treatment of hypothermia. Am Fam Physician. 2004; 70(12):2325-32.

McDannold N, Fossheim SL, Rasmussen H, Martin H, Vyk- hodtseva N, Hynynen K. Heat-activated liposomal MR contrast agent: initial in vivo results in rabbit liver and kidney. Radiology. 2004 ; 230(3):743-52.

McDannold N, Hynynen K, Jolesz F MRI monitoring of the thermal ablation of tissuE. effects of long exposure times. Journal Of Magnetic Resonance Imaging 2001. 13 (3) 421-7

McDannold N, Hynynen K, Oshio K, Mulkern RV Temperature monitoring with line scan echo planar spectroscopic imaging. Medical Physics 2001, 28(3): 346-355

McDannold N, King RL, Hynynen K. MRI monitoring of heating produced by ultrasound absorption in the skull: in vivo study in pigs. Magn Reson Med. 2004; 51(5):1061-5.

McDannold N, Vykhodtseva N, Jolesz FA, Hynynen K. MRI investigation of the threshold for thermally induced blood-brain barrier disruption and brain tissue damage in the rabbit brain. Magn Reson Med. 2004; 51(5):913-23.

McDannold NJ, King RL, Jolesz FA, Hynynen KH. Usefulness of MR imaging-derived thermometry and dosimetry in determining the threshold for tissue damage induced by thermal surgery in rabbits. Radiology 2000. 216 (2) 517-23

McDonald M. Lochhead S. Chopra R. Bronskill MJ. Multimodali- ty tissue-mimicking phantom for thermal therapy. Phys Med Biol. 2004; 49(13): 2767-2778.

McFee RB, Caraccio TR, McGuigan MA, Reynolds SA, Bellanger P. Dying to be thin: a dinitrophenol related fatality. Vet Hum Toxicol. 2004; 6(5):251-4.

McGeehin MA, Mirabelli M The potential impacts of climate variability and change on temperature- related morbidity and mortality in the United States. Environmental Health Perspectives 2001, 109(Suppl. 2): 185-189

McGimpsey JG, Vaidya A, Biagioni PA, Lamey PJ Role of thermography in the assessment of infraorbital nerve injury after malar fractures. British Journal Of Oral And Maxillofacial Surgery 2000. 38 (6) 581-584

McGinty D, Metes A, Alam MN, Megirian D, Stewart D, Szymu- siak R. Preoptic hypothalamic warming suppresses laryngeal dilator activity during sleep. Am J Physiol Regul Integr Comp Physiol. 2004; 86(6): 1129-37.

McGough RJ, ES Ebbini, Cain CA. Direct computation of ultrasound phased-array driving signals from a specified temperature distribution for hyperthermia. IEEE Transactions on Biomedical Engineering 39:825-835. 1992

McHugh NJ, Elvins DM, Ring EF. Elevated anticardiolipin antibodies in a patient with vibration-white-finger, valvular heart disease and psoriatic arthritis.Clinical Rheumatology 12: 70-73. 1993

Mcilvoy L. Comparison of brain temperature to core tempera- ture: a review of the literature. J Neurosci Nurs. 2004; 36(1):23-31.

McInerney J J, Breakell A, Madira W, Davies TG, Evans PA Accidental hypothermia and active rewarminG. the metabolic and inflammatory changes observed above and below 32°C J. Accid. Emerg. Med. 2002, 19: 219 - 223. .

McIntosh TJ, SA Simon, DNeedham , Huang CH. Structure and cohesive properties of sphingomyelin / cholesterol bilayers. Biochemistry 31: 2012-2020. 1992

McKeever J, Buck JR, Boozer AD, Kimble HJ. Determination of the number of atoms trapped in an optical cavity. Phys Rev Lett. 2004; 93(14):143601.

McKenzie JE. Osgood DW. Validation of a new telemetric core temperature monitor. J Thermal Biol 2004;. 29(7-8 Spec. Iss.): 605-611.

McKenzie NE, Erickson RS.The reliability and criterion-related validity of the infrared tympanic thermometer (letter, comment) Journal Of Perianesthesia Nursing 11/5. 300-303.1996

McKenzie NE, RS EricksoN. Letter to the editor. Heart and LunG. Journal of Critical Care 24: 260. 1995

McKinna JA, Davey JB, Walsh GA, A.Hern RP, Curling G, Frankland H, Viggers J. The early diagnosis of breast cancer- a twenty-year experience at the Royal Marsen hospital. European Journal of Cancer 28 A. 911-916. 1992

McLean JA, Minnich MG, Iacone LA, Liu HY, Montaser A. Nebulizer diagnosticS. fundamental parameters, challenges, and techniques on the horizon - Invited lecture. Journal Of Analytical Atomic Spectrometry 1998. 13/9:829-42

McLeod GA. Density of spinal anaesthetic solutions of bupi- vacaine, levobupivacaine, andropivacaine with and without dextrose. Br J Anaesth. 2004; 92(4): 547-551.

McMahon CM, Brown DJ, Patuzzi RB. Transient focal cooling at the round window and cochlear nucleus shows round window CAP originates from cochlear neurones alone. Hear Res. 2004; 190(1-2): 75-86.

McManus A, Stevenson M, Finch CF, Elliott B, Hamer P, Lower A, Bulsara M. Incidence and risk factors for injury in non-elite Australian Football. J Sci Med Sport. 2004; 7(3):384-91.

McManus JF, Francois R, Gherardi JM, Keigwin LD, Brown- Leger S. Collapse and rapid resumption of Atlantic meridional circula- tion linked to deglacial climate changes. Nature. 2004; 428(6985):834-7.

McMullan S, Simpson DA, Lumb BM. A reliable method for the preferential activation of C- or A-fibre heat nociceptors. J Neurosci Methods. 2004; 138(1-2):133-9.

McNally KM, Sorg BS, Welch AJ. Novel solid protein solder designs for laser-assisted tissue repair. Lasers Surg Med. 2000,27(2):147-57.

McNally T, Murphy WR, Lew CY, Turner RJ, Brennan GP. Polyamide-12 layered silicate nanocomposites by melt blending, Polymer 2003; 44, (9): 2761-2772

McNichols RJ, Gowda A, Kangasniemi M, Bankson JA, Price RE, Hazle JD. MR thermometry-based feedback control of laser interstitial thermal therapy at 980 nm. Lasers Surg Med. 2004;34(1):48-55.

McNichols RJ, Kangasniemi M, Gowda A, Bankson JA, Price RE, Hazle JD. Technical developments for cerebral thermal treatment: water-cooled diffusing laser fibre tips and temperature-sensitive MRI using intersecting image planes. Int J Hyperthermia. 2004; 20(1):45-56.

McQuade MS. Van Nostrand V. Schariter J. Kanike JD. Forsyth RJ. Stability and compatibility of reconstituted ertapenem with com- monly used i.vinfusion and coinfusion solutions. Am J Health- System Pharm. 2004; 61(1): 38-45.

ME Kowalski, B Behnia, AG Webb, and JM Jin Optimization of electromagnetic phased-arrays for hyperthermia via magnetic resonance temperature estimation. IEEE Trans Biomed Eng 2002, 49(11): 1229-41.

Meagher EM, McLellan WA, Westgate AJ, RS Wells, Frierson D Jr, Pabst DA. The relationship between heat flow and vasculature in the dorsal fin of wild bottlenose dolphins *Tursiops truncatus* J. Exp. Biol. 2002, 205: 3475 - 3486.

Meaney P, Lui D, Pendergrass S, Fanning M, Fang Q, Paulsen K. Microwave breast imaging. IN. Hutten H, Krösel P, eds. Proceedings Part II, EMBEC´02. 2.European Medical & Biological Engineering Conference. IFMBE, Graz, 2002. pp.1102-1103

Meaney PM, Fanning MW, Paulsen KD, Li D, Pendergrass SA, Fang Q, Moddie KL. Microwave thermal imaging: Initial in vivo experience with a single heating zone. Int J of Hyperther. 2003; 19(6):617-641.

Meaney PM, Paulsen KD, Fanning MW, Li D, Fang Q. Image accuracy improvements in microwave tomographic thermometry: phantom experience. Int J Hyperther. 2003; 19(5): 534-50.

Meaney PM., Fanning MW., Fang Q, Paulsen KD. Initial Experience with Microwave Imaging System for Monitoring Temperature Change in an Animal Model

Mechan AO, Esteban B, O'Shea E, Elliott JM, Colado MI,. Green AR The pharmacology of the acute hyperthermic response that follows administration of 3.4-methylenedioxymethamphetamine (MDMA, 'ecstasy') to rats Br. J. Pharmacol. 2002, 135: 170 - 180.

Mednikova YuS. Pasikova NV. Kopytova FV. Effects of tempera- ture on the spike activity of cortical neurons in guinea pigs. Neurosci Behavl Physiol. 2004;34(5): 459-465.

Meffert B, O.Hochmuth, M.Meffert, M.Steiner. K. Schmollak, I.BuchholZ. Rechnergesteuerte Infrarot-A-Hyperthermie zur Behandlung der chronischen Sklerodermie. ThermoMed 8:9-13. 1992

Meffert M, H-Chr.Hecht, H.Günther, H-P.Scherf, E.Schumann, M.von Ardenne, N.SönnichseN. Biophysikalische Ergebnisse des klinischen Test der IRA-Therm-Hyperthermietechnik der 2. Generation, ThermoMed 6:71-78. 1990

Megret C, Guantieri V, Lamure A, Pieraggi MTh, Lacabanne C, Tamburro AM. Phase transitions and chain dynamics, in the solid state, of a pentapeptid sequence of eleastins. International Journal of Biological Macromolecules 14: 45-49. 1992

Mehnert W. Thermoanalytical methods and their application in practice. Pz Prisma. 11(4): 223-232. 2004;

Mehta M, Thermography In Physical Medicine and Rehabilitation Practice (abstract). Thermol intern 1999, 9(3): 115-116.

Mehta SR. Jaswal DS. Heat stroke. Medl J Armed Forces India. 2003; 59(2):140-143.

Meier HE, Doscher R, Halkka A. Simulated distributions of Baltic Sea-ice in warming climate and consequences for the winter habitat of the Baltic ringed seal. Ambio. 2004; 33(4-5):249-56.

Meier-Schneiders M, W. Weikmann, U. Grosshans, C. Busch, A. SteinbucheL. On line analysis of Alcaligenes eutrophus fermentations. Canadian Journal of Microbiology 41(Suppl. 1): 267-273. 1995

Mein CJ, MFM. Wagemans, TJC. Faes, JH. Meijer, MW.RibbE. Skin temperature response to a pressure loaD. Studies in subjects before and during spinal anesthesia. Archives of Physical Medicine and Rehabilitation 76:243-245. 1995

Meinders ER, Meer THV, Hoogendoorn CJ, Lasance CJM. Experimental study on local convective heat transfer from a protruding cubical component. IN. Beyne E, Lasance CJM, Berghmans J, editors, Thermal Management of Electronic Systems II, Kluwer Academic Publ, Dordrecht, 1997, p. 301-8.

Meinert H. Klinisch bestätigtes Thermogramm. Thermodiagnostik 1: 33-34. 1985

Meinlschmidt P, Bothe T, Hinsch KD, Mehlhorn L. Nondestructive testing and evaluation of historical monuments using thermography and elec- tronic speckle pattern interferometry (ESPI). IN. Doctor SR, Lebowitz CA, Baaklini GY(eds): Nondestructive Evaluation of Materials and Composites II. Proceedings of The Society of Photo-Optical Instrumentation Engineers (SPIE) Vol.3396. Belling-ham, pp. 28-36. 1998

Melhuish JM, Krishnamoorthy L, Harding JR, Wertheim DF, Williams RJ, Harding KG. Diagnosis of Raynauds phenomenon using a hand held infra-red scanner compared to thermal imaging. Thermol Int . 2003; 13(1):27-32.

Melikov A. Breathing thermal manikins for indoor Environ as- sessment: Importantcharacteristics and requirements. Eur J Appl Phy- siol. 2004; 92(6): 710-713.

Mellott JM, Schwartz DK. Supercritical self-assembled mono- layer growth. J Am Chem Soc. 2004;126(30):9369-73.

Mel'nikova VP, Popova AE, Sukhanova VF, Briunelli EB. Diagnosticheskie vozmozhnosti teplovideniia v klinicheskoi praktike.(The diagnostic potentials of thermal imaging in clinical practice).Vestnik Khirurgii Imeni I. I. Grekova 155(4): 75-77. 1996

Melnizky P, Ammer K The thermal image in traumatic lesions of the median nerve. Thermol intern 2001, 11(2): 84

Melnizky P, Ammer K, Rathkolb O Thermographic findings of the lower extremity in Patients with Type II diabetes. Thermol intern 2001, 11(2): 102

Melnizky P, Ammer K, Rathkolb O. Thermographic findings of the lower extremity in Patients with Type II diabetes. Thermol intern 2002. 12: 107-114

Melnizky P, Ammer K, Schartelmüller T, Engelbert B, Rathkolb O, Hamerle-Reiter S, Reiter W, Sajer S.. Kern E. Infrarot-Thermographie in der Diagnostik von Nervenengpasssyndromen. (abstract) Thermol intern 1999, 9(2):73.

Melnizky P, Ammer K.Einfluss von Alkohol und Rauchen auf die Hauttemperatur des Gesichts, der Hände und der Kniegelenke. Thermol intern 2000 , 10(4):195-9

Melnizky P, Ammer K.Einfluss von Alkoholaufnahme auf die Hauttemperatur des Gesichtes,der Hände und der Kniegelenke (abstract) Thermol intern 2000, 10(2):98

Melnizky P, K.Ammer, T.SchartelmülleR. Hauttemperaturbestimmung mittels eines Infrarot- radiometers. Ergebnisse im Vergleich zur Infrarotthermographie. (abstract). Thermol Österr 5: 74-75. 1995

Melnizky P, K.Ammer, T.SchartelmülleR. Hauttemperaturmessung mittels eines Infrarotradiometers-Ergebnisse im Vergleich zur Infrarotthermographie Thermol Österr 6: 13-16. 1996

Melnizky P, K.Ammer, T.SchartelmülleR. Thermographie bei Fazialisparese (abstract). Thermol Öster 6: 66-67. 1996

Melnizky P, K.Ammer, T.SchartelmülleR. Thermographische Überprüfung der Heilgymnastik bei Patienten mit Peroneusparese. Thermol Österr 5: 97-102. 1995

Melnizky P, K.Ammer, T.SchartelmülleR. Thermographische Überprüfung der Heilgymnastik bei Patienten mit Peronäusparesen (abstract). Thermol Österr4:83. 1994

Melnizky P, K.Ammer. Ist die Temperatur des Zeigerfingers repräsentativ für das medianusinnervierte Hautgebiet? (abstract).European Journal of Thermology 8: 73 , 1998

Melnizky P, Schartelmüller T. Thermographie bei Sinusitis-Patienten. (abstract). Thermol intern 1999, 9(1): 30-31.

Melnizky P, T.Schartelmüller, K.Ammer. Thermography in sinusitis patients. (abstract) Thermol Österr 7(2): 67. 1997

Melnizky P, T.Schartelmüller, K.Ammer.D>Intra- und interindividuelle Zuverläßlichkeit von Temperaturwerten aus Infrarotthermogrammen . European Journal of Thermology 7(4) :218-220. 1997

Melnizky P, T.Schartelmüller, K.Ammer.Inter- and intra-tester reliebility of temperature measurements from thermograms. (abstract) Thermol Österr 7(2): 86. 1997

Melnizky P, T.SchartelmülleR. Thermographie bei Sinusitis.. European Journal of Thermology 8: 150-155 , 1998

Melodelima D. Chapelon JY. Theillere Y. Cathignol D. Com- bination of thermal and cavitation effects to generate deep lesions with anendocavitary applicator using a plane transducer: Ex vivo studies. Ultrasound Med Biol. . 2004;30(1): 103-111

Menachem A, O Kaplan, S DekeL. Levator scapulae syndromE. An anatomic-clinical study. Bulletin of the Hospital for Joint Diseases Orthopaedic Institute 53: 24-24. 1993

Menapace R, E.Handl-Zeller, R.Huber, M.Zehetmayer, O.HandL. A warm-water perfusion pla-que for hyperthermic treatment of intraocular tu- mors. Ophthalmologica 206: 125-132.1993

Mendelson G. Mendelson D. Malingering pain in the medicolegal context. Clin J Pain. 2004; 20(6): 423-432.

Mendelson WB, Bergmann BM, Tung A. Baseline and post- deprivation recovery sleep in SCN-lesioned rats. Brain Res. 2003; 980(2):185-190.

Mendes JC, Silva MC. On the use of porous materials to simulate evaporation in the human sweating process. Eur J Appl Physiol. 2004; 92(6):654-7.

Meng GT, Ma C-Y Thermal properties of Phaseolus angularis (red bean) globulIn. Food Chemistry 2001, 73(4): 453-460

Menkel S, Drung D, Assmann C, Schurig T A resistive d.c. SQUID noise thermometer. Applied Superconductivity 1998, 6/7-9: 417-22.

Mentes B, Papaspiropoulos G, Martinsson BG. Vaporisation characteristics and detection limits of ion beam thermography. Nuclear Instruments & Methods in Physics Research Section B-Beam Interactions With Materials and Atoms, 1999, 150(1)-4: 136-43.

Meola C, Nele L, Giorleo L. Technological characterisation of thermoshrinking cross-linked polyethylene by destructive and non-destructive techniques, J Mat Proces Tech, 2003; 133, (3): 353-358

Mercado N, Maier W, Boersma E, Bucher C, de Valk V, O'Neill WW, Gersh BJ, Meier B, Serruys PW, Wijns W. Clinical and angiographic outcome of patients with mild coronary lesions treated with balloon angioplasty or coronary stenting: Implications for mechanical plaque sealing, Eur Heart J, 2003; 24, (6): 541-551.

Mercer JB ,. Nielsen SP Water Filtered Infrared-A Treatment In Patients With Chronic Venous Leg Ulcers: Treatment Assessment and Evaluation Using Infrared Thermography. (abstract) Thermol int 2003, 13: 75

Mercer JB, de Weerd L, Elvenes OP, Setsaa LB Infrared thermal imaging and autologus breast reconstruction surgery. (abstract). Ther mol int 2004, 14(4): 145

Merkel K, Kocot A, Vij JK, Korlacki R, Mehl GH, Meyer T. Thermotropic biaxial nematic phase in liquid crystalline organo- silo- xane tetrapodes. Phys Rev Lett. 2004; 93(23):237801.]

Merla A, Di Donato L, Romani GL. Tau ImagE. A Diagnostic Imaging Technique Based on the Infrared Functional Imaging. Thermol intern 2001, 11(2): 80

Merla A, Di Donato L, Farina G, Pisarri S, Proietti M, Salsano F, Romani GL Infrared Functional Imaging Applied to the Study of Raynaud' s Phenomenon. Thermol intern 2001, 11(2): 90-91

Merla A, Di Donato L, Romani GL. ImageprO. Software for infrared functional imaging. In.Hutten H, Krösel P, eds. Proceedings Part II, EMBEC´02. 2.European Medical & Biological Engineering Conference.IFMBE, Graz, 2002. pp.1612-1613

Merla A, Di Donato L, Romani GL. Functional Infrared Imaging Modalities. (abstract) Thermol int 2003, 13: 75

Merla A, Di Donato L, Romani GL. nalysis of Skin Temperature During Exercise Using Functional Infrared Imaging. (abstract) Thermol int 2003, 13: 75

Merla A, Di Donato L, Romani GL. Time recovery imagE. a diagnostic imaging technique based on the dynamic digital telethermography (abstract). Thermology intern 2000, 10(3):142

Merla A, Ledda A, Di Donato L, Romani GL Infrared functional imaging detection of impaired thermoregulatory control in presence of asymptomatic varicocele. IN. Hutten H, Krösel P, eds. Proceedings Part II, EMBEC´02. 2.European Medical & Biological Engineering Conference. IFMBE, Graz, 2002. pp.1624-1625

Merla A, Ledda A, Di Donato L, Romani GL. Dynamic digital telethermographY. a novel approach to the diagnosis of varicocele (abstract). Thermology intern 2000, 10(3):153-4

Merla A, Romano V, Saggini R, Di Donato L, Romani GL Evaluation of postural disorders by means of total body infrared imaging. In. Hutten H, Krösel P, eds. Proceedings Part II, EMBEC´02. 2.European Medical & Biological Engineering Conference. IFMBE, Graz, 2002. pp.1622-1623

Merla A,. Di Donato L, GL Romani, Rossini PM.Infrared functional imaging evaluation of the sympathetic thermal response. IN. Hutten H, Krösel P, eds. Proceedings Part II, EMBEC´02. 2.European Medical & Biological Engineering Conference. IFMBE, Graz, 2002. pp.1610-1611

Merlot S, Mustilli A-C, Genty B, North H, Lefebvre V, Sotta B, Vavasseur A, and Giraudat J Use of infrared thermal imaging to isolate Arabidopsis mutants defective in stomatal regulation. Plant J 2002, 30(5): 601-609.

Merola M, Dänner W, Palmer J, Vielder G, Wu CH, and EU ITER Participating Team. Eur contribution to the development of the ITER divertor, Fus Eng Design, 2003; 66-68: 211-217

Merriam JG. The role and importance of farriery in equine veterinary practice. Vet Clin North Am Equine Pract. 2003 Aug;19(2):273-83.

Mersiowsky I, Brandsch R, Ejlertsson J. Screening for Organotin Compounds in European Landfill Leachates J. Environ. Qual. 2001, 30: 1604 - 1611.

Mertens I, H.Siegmund, O-J.GrusseR. Gaze motor asymmetries in the perception of faces during a memory task. Nneuropsychologia 31:989-991 + 993-998.1993

Meserve RA. Global warming and nuclear power. Science. 2004; 303(5657):433.

Metternicht GI, Zinc JA. Remote sensing of soil salinity: potentials and constraints, Remote Sens Environ, 2003; 85, (1): 1-20.

Metzger CH, Karrai K. Cavity cooling of a microlever. Nature. 2004; 432(7020):1002-5.

Meunier-Prest R, Raveau S, Fino E, Legacy G, Cherkaoui-Malki M, Latruffe N. Direct measurement of the melting temperature of supported DNA by electrochemical method Nuc Acids Res., 2003; 31: 150.

Meyer A, Horbach J, Kob W, Kargl F, Schober H. Channel formation and intermediate range order in sodium silicate melts and glasses. Phys Rev Lett. 2004; 93(2):027801.

Meyer B, Hoelter T. Uncooled radiometric camera performance. IN. Dereniak EL, Sampson RE, editors. Infrared Detectors and Focal Plane Arrays V, Proceedings of the Society of Photo-Optical Instrumentation Engineers (SPIE) Vol.3379. Bellingham, 1998, p. 69-78

Meyerholz DK. Grubor B. Fach SJ. Sacco RE. Lehmkuhl HD. Gallup JM. Ackermann MR. Reduced clearance of respiratory syncytial virus infection in a preterm lambmodel. Microbes Infect 2004; 6(14): 1312-1319.

Meyers PR, Porter DS, Omorogie C, Pule JM, Kwetane T. Streptomyces speibonae sp. nov., novel streptomycete with blue substrate mycelium isolated from South African soil. Int J Sys EvolMicrobiol. 2003; 53(3):801-805.

Meyers PR. Goodwin CM. Bennett JA. Aken BL. Price CE. van Rooyen JM. Streptomyces africanus sp. nov., a novel streptomycete with blue aerialmycelium. Int J Syst Evolut Microbiol. 2004; 54(5) :1531-1535.

Meyers S, Cros D, Sherry B, Vermeire P. Liquid crystal thermographY. quantitative studies of abnormalities in carpal tunnel syndrome).Neurology 39 (11): 1465-1469. 1989

Meyers SJ. Liquid crystal contact thermography and its role in evaluating sensory disorders of primary neurological origin as revealed by intra-neural microstimulation. a review. J La State med Soc 143:20-26. 1991

Miao X, Wu Q. High yield bio-oil production from fast pyrolysis by metabolic controlling of Chlorella protothecoides. J Biotechnol. 2004; 110(1):85-93.

Miao XS, Shi LP, Tan PK, Li JM, Lim KG, Hu X, Chong TC. Multispeed rewritable optical-recording method with an initialization- free phase-change disk. Appl Opt. 2004; 43(5):1140-6.]

Michael KL, Taylor LC, Walt DR. A far-field-viewing sensor for making analytical measurements in remote locations. Analytical Chemistry 1999, 71(1)4:(2)766-73.

Michaelides M, Luthert PJ, Moore AT, Cooling R, Firth H. Norrie disease and peripheral venous insufficiency. Br J Ophthalmol. 2004; 88(11):1475.

Michalski MC, Ollivon M, Briard V, Leconte N, Lopez C. Native fat globules of different sizes selected from raw milk: thermal and structural behavior. Chem Phys Lipids. 2004; 132(2):247-261.

Michaud F, Negrier P, Haget Y, Alcobe X, Cuevas Diarte MA, Oonk HA. Is 2-naphthol isomorphous with 2-fluoronaphthalene or with naphthalene? Journal de Chimie Physique et de Physico-Chimie Biologique 1998 , 95(1)0: 2199-213

Michel B, Vogel D. Thermo-mechanical analysis of microelectronic components and chipcards. IN. Allison IM, editor, Experimental Mechanics, Vols 1 and 2, Advances in Design, Testing And Analysis, A A Balkema, Rotterdam, 1998,p. 965-8

Michels W. The A0 concept in thermal disinfection. Krankenhaus- Hygiene + Infektionsverhutung. 2004; 26(3): 103-106.

Michiels JJ, van Genderen PJ, Lindemans J, van Vliet HH. Erythromelalgic thrombotic and hemorrhagic manifestations in 50 cases of thrombocythemia. Leukemia And Lymphoma 22 /Suppl 1: 47-56. 1996

Michikami D, Kamiya A, Fu Q, Iwase S, Mano T, Sunagawa K. Attenuated thermoregulatory sweating and cutaneous vasodilation after 14-day bed rest in humans. J Appl Physiol. 2004; 96(1):107-14.

Michon C, Cuvelier G, Relkin P, Launay B. Influence of thermal history on the stability of gelatin gels.International Journal of Biological Macromolecules 20(4) :259-264. 1997

Micol V, Mateo CR, Shapiro S, Aranda FJ, Villalain J. Effects of (+)-totarol, a diterpenoid antibacterial agent, on phospholipid model membranes. Biochimica et Biophysica Acta - Biomembranes 2001, 1511(2): 281-290

Migliori JM, Reiff WM, Arif AM, Miller JS. Observation of hysteretic bistability in [Co(III)Cp(2)](+)[Fe(III)I(4)](-). Inorg Chem. 2004; 43(22):6875-7.

Mihalyi E. Review of some unusual effects of calcium binding to fibrinogen. Biophysical Chemistry. 2004; 112(2-3 Spec. Iss.): 131-140.

Mihmanli I, Kurugoglu S, Cantasdemir M, Zulfikar Z, Yilmaz MH, Numan F Color Doppler ultrasound in subclinical varicocelE. An attempt to determine new criteria. European Journal of Ultrasound 2000, 12(1): 43-48

Miida K. MR guided percutaneous puncture and biopsy and MR monitored and controlled therapy. Japanese Journal of Clinical Radiology 2000, 45(2): 307-316

Miki Y, K.UrushibarA.Thermography and skin pathology. IN. Mabuchi K, S.Mizushina, B.Harrison (eds.) Advanced Techniques and Clinical Application in Biomedical Thermologie, harwood academic publishers Chur/Schweiz p. 189-194. 1994

Miki Y, K.UrushibarA.Thermography and skin pathology.(abstract). Biomed Thermol 12: 280. 1992

Mikkola C. DSC process accelerates protein screening. Pharm Tech. 2003; 27(2):18+20.

Mikosch J, Kreckel H, Wester R, Plasil R, Glosik J, Gerlich D, Schwalm D, Wolf A. Action spectroscopy and temperature diagnostics of H(3) (+) by chemical probing. J Chem Phys. 2004; 121(22): 11030-11037.

Mikulska D, Maleszka R., Parafiniuk M., Różewicka M. A comparative study of dermatoscopic and telethermographic analyses of the skin melanocytic naevi. (abstract) Thermol int 2003, 13: 75.

Mikulska D, Różewicka M, R. Maleszka R, Parafiniuk M, Szydłowski Ł. Trial of investigation the thermography for the diagnosis of pigmented skin nevae. Thermol intern 2002. 12: 156

Mikulska D, Zejmo M, Czepita D, Maleszka R, Parafiniuk M. Application of thermography in the diagnosis of eyelid melanoma infiltrating the chin skin - a case report (abstract). Thermol int 2004, 14(2): 80.

Mikulska D. Maleszka R. Parafiniuk M. The thermographic and dermatoscopic analyses of the skin melanocytic nevi. Przeglad Der- matologiczny. 2004; 91(1): 15-21.

Miles CA, Bailey AJ Response to Engel and Bachinger's critique of collagen denaturation as a rate process (1). Matrix Biology 2001:20(4):263-265

Miles JJ, Hammaker RG, Madding RP, Sunderland JE. Radiometric imaging of internal boiler components inside a gas-fired commercial boiler. IN. Snell JR, RN Wurzbach (eds): Thermosense XX. Proceedings of the Society of Photo-Optical Instrumentation Engineers (SPIE) Vol.3361. Bellingham, pp.103-117. 1998

Milewski A, Fergusosn KL, Terndrup TE. Comparison of pulmonary artrery, rectal,and tympamic membrane temperatures in adult intensive care unit patients. Clin Pediatr (Phila)30:Supplement 13-16.34-35. 1991

Mill P.A.D.Thermnography-a building diagnostic tool. Mérés és Automatika 39(Suppl 2): 120-126. 1991

Miller AS, Blott BH, Hames TK. Review of neural network applications in medical imaging and signal processing. Medical and Biological Engineering and Computing, 30: 449-64. 1992

Miller D, Summers J, Silber S. Environmental versus genetic sex determination: a possible factor in dinosaur extinction? Fertil Steril. 2004; 81(4):954-64.

Miller L, Douglas BC. Mass and volume contributions to twentieth-century global sea level rise. Nature. 2004: 428(6981):406-9.

Miller MN. Stratton GW. Murray G. Effects of nutrient amend- ments and temperature on the biodegradation of pentachlorophenol contaminated soil. Water AirSoil Pollut 2004; 151(1-4): 87-101.

Miller S, Luding S. Cluster growth in two- and three-dimensional granular gases. Phys Rev E Stat Nonlin Soft Matter Phys. 2004 ; 69(3 Pt 1):031305

Millien V, Damuth J. Climate change and size evolution in an island rodent species: new perspectives on the island rule. Evolution Int J Org Evolution. 2004; 58(6):1353-60.

Mills PC, Magnusson BM, Cross SE. The effect of solute lipophilicity on penetration through feline skin. J Vet Pharmacol Therapeut. 2003; 26(4):311-314.

Mills WJ. Bennett ER. Schmidt CE. Thibodeaux LJ. Obtaining quantitative vapor emissions estimates of polychlorinated biphenylsand other semivolatile organic compounds from contaminated sites. En- viron Toxicol Chem. 2004; 23(10): 2457-2464.

Milner D, Wailoo MP, Swift PGF, Fraser M. Prolonged hypothermia following respiratory syncytial viral infection in infancy. Arch Dis Child. 2003; 88(1):69-70.

Min BC, Chung SC, Min YK, Sakamoto K. Psychophysiological evaluation of simulator sickness evoked by a graphic simulator. Appl Ergon. 2004; 35(6):549-56. P

Min B-C. Chung S-C. Min Y-K. Sakamoto K. Psychophysiological evaluation of simulator sickness evoked by a graphic simulator. Appl Ergonomics. 2004. 35(6)549-556.

Minami H, Inoue T. Dehydration of hydrated bilayer of dipalmitoylphosphatidylcholine caused by beryllium ioN. Evidence from a differential scanning calorimetry of bilayer phase transition. Journal of Colloid and Interface Science 1998, 206(1):338-41

Mine H. Itch and the heat tolerance scalE. effects of thermographic biofeedback. Shinrigaku kenkyu. Japanese Journal of Psychology 62: 335-341. 1992

Minenkov AA, TA Kniazeva, DB Kul'chitskaia, TV KonchugovA. (The identification of the optimal frequency characteristics for pulsed infrared laser exposures in atherosclerotic lesions of the leg arteries) Voprosy Kurortologii, Fizioterapii I Lechebnoi Fizicheskoi Kultury (5): 11-12.1994

Ming-Hon Hou, Shwu-Bin Lin, Jeu-Ming P. Yuann, Wei-Chen Lin, Andrew H.-J. Wang, and Lou-sing Kan Effects of polyamines on the thermal stability and formation kinetics of DNA duplexes with abnormal structure Nucleic Acids Res. 2001, 29: 5121 - 5128.

Mintzer MZ, Griffiths RR. Flumazenil-precipitated withdrawal in healthy volunteers following repeated diazepam exposure. Psycho- pharmacology (Berl). 2004 Sep 25; Epub ahead of print

Mir y Mir L. Essential considerations in the treatment of mammary hypertrophy. Cirugia Plastica Ibero-Latinoamericana 21:225-236.1995

Miranda G, Hernandez B, Robaina F. Medico-legal applications of thermographY. three clinical cases (abstract). Thermology intern 2000, 10(3):158

Miranda G. Robaina FJ Thermography in the Diagnosis of Myofascial Pain Syndrome. Thermol intern 2001, 11(2): 101-102

Miranda OG, Rashba TI, Rez AI, Valle JW. Constraining the neutrino magnetic moment with antineutrinos from the sun. Phys Rev Lett. 2004; 93(5):051304.

Mires G, Williams F, McGeoghie W, Watson J, Howie P. Antenatal provision of additional information about the role of students in the labour suite and their subsequent involvment in carE. A randomised controlled trial. Medical Teacher 2001, 23(1): 44-48

Miroshnichenko ML, Slobodkin AI, Kostrikina NA, L'Haridon S, Nercessian O, Spring S, Stackebrandt E, Bonch- Osmolovskaya EA, Jeanthon C. Deferribacter abyssi sp. nov., an anaerobic thermophile from deep-sea hydrothermal vents of the Mid-Atlantic Ridge. Int J Sys Evol Microbiol. 2003; 53(5): 1637-1641.

Mirza N, Kroger H, Doty RL. Influence of age on the 'nasal cycle'.Laryngoscope 107(1): 62-66.1997

Miserendino LJ, Abt E, Wigdor H, Miserendino CA. Evaluation of thermal cooling mechanisms for laser application to teeth. Lasers in Surgery and Medicine 13: 83-88. 1993

Mishra UC. Environmental impact of coal industry and thermal power plants in India. J Environ Radioact. 2004;72(1-2):35-40.

Misiolek M, Namyslowski G, Czecior E. Thermography in the investigation of head and neck tumors. Medical Science Monitor 1999. 5(6):1187-90

Misra R, Darton K, Jewkes RF, Black CM, Maini RN. Arthritis in scleroderma. British Journal of Rheumatology, 34: 831-837.1995

Mitchell AW, Furnas MJ River loggers - A new tool to monitor riverine suspended particle fluxes. Water Science and Technology 2001, 43(9): 115-120

Mitchell JS. MIMOSA - A key to successful information age equipment asset management. IN. Pusey HC, Pusey SC (eds): Critical LinK. Diagnosis to Prognosis. Society Machinery Failure Prevention Technology, Haymarket, pp. 11-15. 1997

Mitchell LW. Leighton BL. Warmed diluent speeds dantrolene reconstitution. Can J Anaest. 2003; 50(2):127-130.

Mitchell S, Brimacombe J, Keller C. Feasibility, accuracy and optimal location for oesophageal core temperature measurements using the ProSeal laryngeal mask airway drain tube. Anaest Intens Care. 2003; 31(3):282-285.

Mitchum Jr RD. Kiyatkin EA. Brain hyperthermia and tempera- ture fluctuations during sexual interaction infemale rats. Brain Res. 2004; 1000(1-2): 110-122.

Mitka M. Researchers Seek Mammography Alternatives JAMA, 2003; 290: 450 - 451.

Miura S, Nishiwaki H, Ieki Y, Hirata Y, Kiryu J, Honda Y. Noninvasive technique for monitoring chorioretinal temperature during transpupillary thermotherapy, with thermosensitive liposome. Invest Ophthal Vis Sci. 2003; 44(6):2716-2721.

Miyachi Y. Disappearance of stress-induced hyperthermia following a low dose of X-irradiatioN. involvement of the vomeronasal system in the modulation of the radiation-induced effects. Br J Radiol. 2000 Jan,73(865):51-7.

Miyagi C, Kuroki M, Maeshiro C, Kono S. The State of Health after Midnight Shift in Hospital working Nurses, Observing from Thermography. J Korean Med Thermol 2002, 2(1):56-57

Miyakawa M. Chirp radar-type microwave computed tomography as a tool for non-invasive thermometry.(abstract) Biomed Thermol 12:261-263. 1992

Miyakawa M. Chirp radar-type microwave computed tomography as a technique for non-invasive thermometry. IN. Mabuchi K, S.Mizushina, B.Harrison (eds.) Advanced Techniques and Clinical Application in Biomedical Thermologie, harwood academic publishers Chur/Schweiz p. 63-72. 1994

Miyakawa M.; Itoh H.; Takabayashi M.; Bertero M.; Boccacci P. Fan Beam Microwave Scanner for High Speed Temperature Imaging. In Proceedings of The First Joint BMES/EMBS Conference Serving Humanity, Advancing Technology, Atlanta, 1999, pp.1110

Miyakawa M; Orikasa K; Ishii N; Bertero M; Boccacci P. Numerical Analysis of CP-MCT and Image Restoration by the Computed Projection. In Proceedings of The First Joint BMES/EMBS Conference Serving Humanity, Advancing Technology, Atlanta, 1999, pp.1109

Miyake H. Thermal Comfort Measurement by Dolorimeter. Biomed Thermol 15: 94-98. 1995

Miyake H.Thermal Comfort Measurement by Dolorimeter. (abstract). Biomed Thermol 15: 18. 1995

Miyake K, H. Sonoo, K.Ohta, Y. Yamane, T. Sai, H. Hakata, M. Katagiri, T. HaradA.The Use Of A New Cooling System For Thermographic Measurements In Breast Cancer. (abstract). Biomed Thermol 10: 304. 1990

Miyake RK, Miyake H, Kauffman P. Skin temperature measurements during intense pulsed light emission. Dermatologic Surgery 2001, 27(6): 549-554

Miyake Y, Karanis P, Uga S. Cryopreservation of protozoan parasites. Cryobiology. 2004; 48(1):1-7.

Miyamoto H, M. Fuji, M. YamatO. Skin Temperature Of The Shoulder Joint In Cerebrovascular Disease. (abstract). Biomed Thermol 10: 311. 1990

Miyamoto T.-A, Aramaki Y. Thermographic characterization of chilblains and the therapeutic effects of topical taurine. Thermol intern 2000 , 10(2): 84-8.

Miyamoto TA, Aramaki Y. Thermographic Evidence of Vasodilating Effects of Topically Applied Taurine (abstract). Thermol intern 1999, 9(3): 116.

Miyauchi K. [Thermography]. Nippon Rinsho. 2000 Apr,58 SuppL.88-93. Japanese. No abstract available.

Mizanur RM. Zea CJ. Pohl NL. Unusually broad substrate tole- rance of a heat-stable archaeal sugarnucleotidyltransferase for the synthe- sis of sugar nucleotides. J Am Chem Soc. 2004; 126(49): 15993-15998.

Mizoguchi H, Woodward PM, Park CH, Keszler DA. Strong near-infrared luminescence in BaSnO3. J Am Chem Soc. 2004; 126(31): 9796-800.

Mizote M, Matsuzaki H. Temperature Measurement in the External Auditory Meatus by An IR Optical Fiber. In: Proceedings of the 20th Annual International Conference of the IEEE-EMBS,Hong Kong, 1998, p 953

Mizoue LS. Tellinghuisen J. Calorimetric vs. van't Hoff binding enthalpies from isothermal titration calorimetry: Ba2+-crown ether complexation. Biophys Chem. 2004; 110(1-2): 15-24.

Mizushima J, Kawasaki Y, Kitano T, Sakamoto K, Kawashima M, Cooke R, Maibach HI. Electron paramagnetic resonance study utilizing stripping method on normal human stratum corneum. Skin Research and Technology 2001, 6(3): 108-111

Mizushina S. An engineer´s perspective on advanced techniques and their clinical applications in biomedical thermography (abstract) Biomed Thermol 12: 290. 1992

Mizushina S. Recent developments in non-invasive thermometry for hyperthermia. IN. Mabuchi K, S.Mizushina, B.Harrison (eds.) Advanced Techniques and Clinical Application in Biomedical Thermologie, harwood academic publishers Chur/Schweiz p. 293-304. 1994

Mo EK. Lee JH. Xu BJ. Lee BD. Moon YJ. Sung CK. Effect of Pichia farinosa SKM-1, Pichia anomala SKM-T, and Galactomyces geotrichum SJM-59 on ammonia reduction and laying performance. J Microbiol Biotechnol. 2004; 14(1): 22-28.

Mobbs RJ, s Rogan C, Blum P. Entrapment neuropathy of the ulnar nerve by a constriction band: the role of MRI. J Clinal Neurosci, 2003; 10, (3): 374-375.

Mochida Y. Nakazawa I. Ebina T. Ishigami T. Uchino K. Kana- mori H. Ishigatubo YUmemura S. Three cases of autologus implan- tation of bone marrow mononuclear cells fortherapeutic angiogenesis into ischemic limbs in Buerger disease. Yokohama Med J. 2004; 55(3): 97-102.

Modell JG, Katholi CR, Kumaramangalam SM, Hudson EC, Graham D. Unreliability of the infrared tympanic thermometer in clinical practicE. a comparative study with oral mercury and oral electronic thermometers. Southern Medical Journal 91/7: 649-654. 1998

Modell JG, Strong CA, Hagood L. Hope for the infrared tympanic thermometeR. one model outperforms the others. Southern Medical Journal 1999. 92/7: 737-8.

Modesti M, S Mezi, P Guglielmi, D Gerace, M Mastrantoni. G Alosise, C Fucile, F Gatti, L Muratori , S TomaO. Breast secretions. G Chir, 10:185-190. 1990

Modjtahedi A, Verdier F, Touboul A, Lamaignere L, Carmona F. Low frequency noise ana-lysis of the resistivity fluctuations in an hetero- geneous composite material. IN. Claeys C, Simoen E (eds): Noise in Physical Systems and 1/F Fluctuations, Proceedings of the 14th International Conference. World Scientific Publ Co Pte Ltd, Singapore, pp. 623-626. 1997

Modugno G, Roati G, Riboli F, Ferlaino F, Brecha RJ,. Inguscio M Collapse of a Degenerate Fermi Gas Science 2002, 297: 2240 - 2243.

Moedder U, Mosny DS. Rationelle radiologische Diagnostik des Mammakarzinoms. Schweizerische Rundschau für Medizin Praxis 87(1)5: 499-503. 1998

Moerer O, Brauer A, Weyland W, Braun U. [Warming efficacy and blood damaging of blood and infusion warmers] Anasthesiol Intensivmed Notfallmed Schmerzther. 2004; 39(3):138-46.

Moessinger B, Kempf P, Kirchheiner T, Ruehle KH. Ambulantes Monitoring der Apnofrequenz bei Verdacht auf Schlafapnoesyndrom. Vergleichende Untersuchungen mit einem Thermistor- sensor. Pneumologie 45: Supp 1: 209-212. 1991

Moghaddam M, Kaminsky YL, Zahalka A, Bures J. Vestibular navigation directed by the slope of terraIn. Proceedings of the National Academy of Sciences of the United States of America 93:3439-3443. 1996

Mogyorósi F. Termovíziós észleléssel meghatározottt távoli objektumok azonosítása fotgeodéziai módszerekkel (Photogeodetic identifieation of remote objects, observed by thermovision) Mérés és Automatika 39(Suppl 2): 131-133. 1991

Mohamed A. Rayas-Duarte P. Gordon SH. Xu J. Estimation of HRW wheat heat damage by DSC, capillary zone electrophoresis, photoacoustic spectroscopy and rheometry. Food Chem. 2004; 87(2): 195-203.

Mohamed A-MK, Al-Nadjm A, Fouda A-AS. The inhibitive effect of some quaternary ammonium salts towards corrosion of aluminium in hydrochloric acid solution.Journal de Chimie Physique et de Physico-Chimie Biologique 1998, 95/9:2061-9.

Mohammadian P, Andersen OK, Arendt-Nielsen L. Correlation between local vascular and sensory changes following tissue inflammation induced by repetitive application of topical capsaicIn. Brain Research 792(1): 1-9. 1998

Mohl ND, Ohrbach RK, Crow HC, Gross AJ.Devices for the diagnosis and treatment of temporomandibular disorders. Part III. Thermography, ultrasound, electrical stimulation, and electromyographic biofeedback.J Prosthet Dent, 63 (4) 472-477. 1990

Mohr FW, V Falk, A Philippi, R Autschbach, H Krieger, A Diegeler, H DalichaU. Intraoperative assessment of internal mammary artery bypass graft patency by thermal coronary angiography. Cardiovascular Surgery 2: 703-710. 1994

Mohr FW, V Falk, H Krieger, J Likungu, N Abu Aisha, R Coppola, A Diegeler, J Matloff, PG KirchhofF. IMA-graft patency control by thermal coronary angiogrphy during coronary bypass surgery. Eur J Cardiothorac Surg 5:534-541. 1991

Mohr M, Krustrup P, Nybo L, Nielsen JJ, Bangsbo J. Muscle temperature and sprint performance during soccer matches—beneficial effect of re-warm-up at half-time. Scand J Med Sci Sports. 2004: 14(3):156-62.

Mohrenschlager M. Richter D. Weigl LB. Schnopp C. Cremer H. Ring J. Abeck D. Postpartal thermal injuries of the knee region caused by warming devices. MonatsschrKinderheilk. 2004;152(4)413-417.

Mokuno Y. Berthiaume F. Tompkins RG. Balis UJ. Yarmush ML. Technique for expanding the donor liver pool: Heat shock precon- ditioning inrat fatty liver model. Liver Transplant. 2004;10(2): 264-272.

Mol G, Ogink NW. The effect of two ammonia- emission- reducing pig housing systems on odour emission. Water Sci Technol. 2004; 50(4):335-40.

Moldovan M, Krarup C. Mechanisms of hyperpolarization in regenerated mature motor axons in cat. J Physiol. 2004; 560(Pt 3): 807-19.

Molero JC, Jensen TE, Withers PC, Couzens M, Herzog H, Thien CB, Langdon WY, Walder K, Murphy MA, Bowtell DD, James DE, Cooney GJ. c-Cbl-deficient mice have reduced adiposity, higher energy expenditure, and improved peripheral insulin action. J Clin Invest. 2004; 114(9):1326-33.

Mollah MYA. Pathak SR. Patil PK. Vayuvegula M. Agrawal TS. Gomes JAG. Kesmez MCocke DL. Treatment of orange II azo-dye by electrocoagulation (EC) technique incontinuous flow cell using sacri- ficial iron electrodes. J Hazard Materials. 2004; 109(1-3): 165-171.

Mollard JM. Explorations fonctionnelles veineuses. (functional venous explorations). Presse Medicale, 23:237-242.1994

Moller T, Korsatko W. ["Non-solvent shock agglomeration"--the technology of a new alternative method for determination of ibuprofen. 6. Stability of s(+)-ibuprofen]. Pharmazie. 2000,55(6):449-53. German.

Molloy JM, Smith JW, Goodlett M, Purohit RC, Pascoe DD. Interactive Case Study: Infrared Thermography As A Clinical Diagnostic Aid. (abstract). Thermol int 2003,13,37

Molloy J.M, Smith J.W, Pasoce D. D, Purohit R.C. Interpretation of Thermograms During Investigations of Thermal Physiology. Thermol intern 2001, 11(3):137

Molnár R. Mérések a nedves höcsere köréböl (Measurements in relation to wet heat exchange). Mérés és Automatika 39(Suppl 2): 134-142. 1991

Molpus KL, Anderson LB, Craig CL, Puleo JG. The effect of regional cooling on toxicity associated with intravenous infusion of pegylated liposomal doxorubicin in recurrent ovarian carcinoma. Gyne- col Oncol. 2004; 93(2):513-6.

Monda M, Viggiano A, De Luca V. Haloperidol reduces the sympathetic and thermogenic activation induced by orexin A. Neurosci Res. 2003; 45(1):17-23

Monda M, Viggiano A, Mondola P, De Luca V Inhibition of prostaglandin synthesis reduces hyperthermic reactions induced by hypocretin-1/orexin A. Brain Research 2001: 909(1-2):68-74

Moneghini M, Carcano A, Zingone G, Perissutti B. Studies in dissolution enhancement of atenolol. Part I. International Journal of Pharmaceutics 1998, 175(2): 177-183.

Mongini F, Bona G, Garnero M, Gioria A. Efficacy of meclofenamate sodium versus placebo in headache and craniofacial paIn. Headache, 33: 22-28. 1993

Mongini F, Caselli C, Macri V, Tetti C. Thermographic findings in cranio-facial paIn. Head-ache 30:497-504. 1990

Monk TH, Buysse DJ, Carrier J, Billy BD, Rose LR Effects of afternoon "siesta" naps on sleep, alertness, performance, and circadian rhythms in the elderly. Sleep 2001, 24(6): 680-7.

Monroy-Guzman F, Diaz-Archundia LV, Contreras Ramirez A. Effect of Zr:Mo ratio on 99mTc generator performance based on zirconium molybdate gels. Appl Radiat Isot. 2003 ;59(1): 27-34.

Montanari A, Muller M, Mezard M. Phase diagram of random heteropolymers. Phys Rev Lett. 2004; 92(18):185509.

Montecchia F. Microstrip-antenna design for hyperthermia treatment of superficial tumors. IEEE Transactions on Biomedical Engineering 39: 580-588.1992

Montes Ma J. Mercade E. Bozal N. Guinea J. Paenibacillus ant- arcticus sp. nov., a novel psychrotolerant organism from the Antarctic Environ. Int J Syst Evol Microbiol. 2004; 54(5):1521-1526.

Monti R, Mannara G. Elaboration of thermographic data in biomedical applications. Boll Soc Ital Biol Sper, 64 (12 Suppl): 175-184. 1988

Montione K, Hong R, Im R, Nam JH, Simon M, Cadet P, Stefano GB. Effects of cold stress on morphine-induced nitric oxide production and mu-opiate receptor gene expression in Mytilus edulis pedal ganglia. Neuroendocrin Lett. 2003; 24(1-2): 68-72.

Montruccoli G.C, D. Montruccoli SalmI. Dynamic Angiothermography And X-Ray Mammography For Early Diagnosis Of Breast Cancer. European Journal of Thermology 7(4) :196-198. 1997

Montruccoli G.C. Angiothermography and X-Ray Mammography for early Diagnosis of Breast Cancer. (abstract) Thermol Österr 7(2): 70. 1997

Montruccoli GC. Detection of in situ and early breast carcinoma by means of angiothermographic patterns. Thermol Österr2:S27-28. 1992

Montruccoli GC. Salmi DM. Casali F. A new type of breast contact thermography plate: A preliminary and qualitativeinvestigation of its potentiality on phantoms. Physica Medica. 2004; 20(1): 27-31.

Moon C. An investigation of the effects of ruthenium red, nitric oxide and endothelin-1 on infrared receptor activity in a crotaline snake. Neuroscience. 2004; 124(4):913-8.

Moon G-S. Kang C-H. Pyun Y-R. Kim WJ. Isolation, identi- fication, and characterization of a bacteriocin-producingEnterococcus sp. from kimchi and its application to kimchi fermentation. J Microbiol Biotechnol. 2004; 14(5): 924-931.

Moon S-Y. Li-Chan ECY. Development of solid-phase micro- extraction methodology for analysis of headspacevolatile compounds in simulated beef flavour. Food Chem. 2004;88(1): 141-149.

Moore ID, Bailey K, Greene J, Lu ZT, Muller P, O'Connor TP, Geppert Ch, Wendt KD, Young L. Counting individual 41Ca atoms with a magneto-optical trap. Phys Rev Lett. 2004; 92(15):153002.

Moraes R, Brown M, Fuck RA, Camargo MA, Lima TM. Characterization and *P–T* Evolution of Melt-bearing Ultrahigh-temperature GranuliteS. an Example from the Anápolis–Itauçu Complex of the Brasília Fold Belt, Brazil J. Petrology 2002, 43: 1673 - 1705.

Moran DS, Heled Y, Still L, Laor A, Shapiro Y. Assessment of heat tolerance for post exertional heat stroke individuals. Med Sci Monit. 2004; 10(6):CR252-7

Moran DS, Mendal L. Core temperature measuremenT. methods and current insights. Sports Med 2002, 32(14): 879-85.

Moran DS. Eliyahu U. Heled Y. Rabinovitz S. Hoffman J. Mar- galiot M. Core temperature measurement by microwave radiometry. J Thermal Biol. 2004; 29(7-8 Spec. Iss.): 539-542.

Moran DS. Endrusick TL. Santee WR. Berglund LG. Kolka MA. Evaluation of the cold strain index (CSI) for peripheral cold en- vironmental stress. J Thermal Biol. 2004; 29(7-8 Spec. Iss.)543-547.

Moran DS. Mendel L. [Methods for core temperature measurements] Harefuah 2001, 140(11): 1078-83. 116.

Morandi S. Ristori S. Berti D. Panza L. Becciolini A. Martini G. Ass of sugar-based carboranes with cationic liposomes: An electron spinresonance and light scattering study. Biochim Biophys Acta - Biomembranes. 2004; 1664(1): 53-63.

Morcate JJ, Saxena AK, Schleef J, Tsokas J, Willital GH. :Gangrena gaseosa de origen postraumatico en la infancia. A proposito de un caso. (Post-traumatic gaseous gangrene in childhood, a case report).Cirugia Pediatrica 9 (1). 42-43.1996

Mordon S, Beacco C, Rotteleur G, Brunetaud JM. Relation between skin surface temperature and minimal blanching during argon, Nd-YAG 532. and CW dye 585 laser therapy of port-wine stains. Lasers in Surgery and Medicine, 13: 124-126. 1993

Mordon S, Lagarde JM, Vienne MP, Nocera T, Verriere F, Dahan S. Ultrasound imaging demonstration of the improvement of non- ab- lative laser remodeling by concomitant daily topical application of 0.05% retinaldehyde. J Cosmet Laser Ther. 2004; 6(1):5-9.

Mordon S, T Desmettre, JM DevoissellE. Laser-induced release of liposome-encapsulated dye to monitor tissue temperaturE. a preliminary in vivo study .Lasers In Surgery And Medicine 16: 246-252. 1995

Mordon S, Wang T, Fleurisse L, Creusy C.Laser cartilage re- shaping in an in vivo rabbit model using a 1.54 microm Er:Glass laser. Lasers Surg Med. 2004; 34(4): 315-22.

Moreira JN. Gaspar R. Antagonist G-mediated targeting and cytotoxicity of liposomal doxorubicin inNCI-H82 variant small cell lung cancer. Braz J Med Biol Res. 2004; 37(8): 1185-1192.

Morena C, Brandissou S, Lauret M. Avantages Et Inconvenients Des Differents Sites De Prise De La Temperature Corporelle [Advantages and disadvantages of the different sites of body temperature taking]. Journal de Pharmacie Clinique 1998 , 17(4) :201-10

Moreno J. Infrared inspection of bearings on slow moving equipment. IN. LeMieux DH, Snell JR, editorS. Thermosense XXI,Proceedings of the Society of Photo-Optical Instrumentation Engineers (SPIE), Vol.3700, Bellingham, 1999. p. 297-9.

Moreno PR, Lodder, RA, Purushothaman KR, Charash WE, O'Connor WN, Muller JE. Detection of Lipid Pool, Thin Fibrous Cap, and Inflammatory Cells in Human Aortic Atherosclerotic Plaques by Near-Infrared Spectroscopy Circulation 2002, 105: 923 - 927.

Morgan D. Cherny VV. Murphy R. Xu W. Thomas LL. DeCoursey TE. Temperature dependence of NADPH oxidase in human eosinophils. J Physiol 2003; 550(2):447-458.

Morgan PB, PS Meng, N Efron, AB TullO. Potential applications of ocular thermography. Optometry and Vision Science 70: 568-576. 1993

Morgan PB, Smyth JV, Tullo AB, Efron N. Ocular temperature in carotid artery stenosis. Optometry and Vision Science, 1999. 76 (12) 850-4

Morgan PB, Tullo AB, Efron N. Infrared thermography of the tear film in dry eye. Eye, 9: 615-618.1995

Morhenn VB. Firm stroking of human skin leads to vasodilatation possibly due to the release of substance P. Journal of Dermatological Science 2000, 22(2): 138-144

Mori A, Oguchi Y, Goto E, Nakamori K, Ohtsuki T, Egami F, Shimazaki J, Tsubota K. Efficacy and safety of infrared warming of the eyelids. Cornea 1999. 18 (2): 188-93.

Mori A, Oguchi Y, Okusawa Y, Ono M, Fujishima H, Tsubota K. Use of high-speed, high-resolution thermography to evaluate the tear film layer. American Journal Of Ophthalmology, 124/6: 729-735. 1997

Mori A, Shimazaki J, Shimmura S, Fujishima H, Oguchi Y, Tsubota K. Disposable eyelid-warming device for the treatment of meibomian gland dysfunction, Jap J Ophthal, 2003; 47, (6): 578-586

Mori H, H. Tsukayama, K. NishijyO. Cardiovascular Response To Acupuncture Stimulation - Changes In Blood Pressure, Heart Rate, Plethysmograms And Thermograms. (abstract). Biomed Thermol 11: 294. 1991

Mori H, Ohsawa H, Tanaka TH, Taniwaki E, Leisman G, Nishijo K. Effect of massage on blood flow and muscle fatigue following isometric lumbar exercise. Med Sci Monit. 2004; 10(5): CR173-8.

MorikawaS, Inubushi T, Kurumi Y, Naka S, Sato K, Tani T, Haque HA, Tokuda J-I, Hata N. New Assistive Devices for MR-Guided Microwave Thermocoagulation of Liver Tumors*1, Academic Radiology, 2003; 10, (2): 180-188

Morimoto T, T Takada, H Hijiya, Y Yasuda, M SakudA. Changes in facial skin temperature associated with chewing efforts in maN. a thermographic evaluation. Arch Oral Biol 36: 665-670. 1991

Moriones I, Sanchez R, de la Fuente A, Fernandez JL. Evaluacion intraoperatoria de la permeabilidad de los injertos coronarios. [Intraoperative evaluation of the patency of coronary grafts] Revista Espanola De Cardiologia 1998. 51 Suppl 3 62-6.

Morishita T., Arai S, Green DH. Evol ution of Low-Al Orthopyroxene in the Horoman Peridotite, Japan: an Unusual Indicator of Metasomatizing Fluids. J Petrol, 2003; 44: 1237 - 1246.

Morita A, Kobayashi K, Isomura I, Tsuji T, Krutmann J Ultraviolet A1 (340-400 nm) phototherapy for scleroderma in systemic sclerosis. Journal Of The American Academy Of Dermatology 2000. 43 (4) 670-4

Morita A, Kobayashi K, Isomura I, Tsuji T, Krutmann J. Ultraviolet A1 (340-400 nm) phototherapy for scleroderma in systemic sclerosis. J Am Acad Dermatol. 2000,43(4):670-4.

Morita A, Sakakibara S, Sakakibara N, Yamauchi R, Tsuji T. Successful treatment of systemic sclerosis with topical PUVA.Journal Of Rheumatology 22 (1)2: 2361-2365. 1995

Morita K, Koyanai K, Sakamoto Y, Waka-bayashi K, Tanak K, Horikoshi S, Matsiu M, Arai T. Potential for left ventricular assistance by latissimus dorsi myograft - sequential effects of electrical peconditioning on skeletal musce fibre type, blood flow and metabolic status. Nippon Kyobo Geka gakkai Zasshi 39:284-293. 1991

Morita K, Koyanai K, Sakamoto Y, Wakab-ayashi K, Tanak K, Horikoshi S, Matsiu M, Arai T. Experimental study on potential for cardiac assist by latissimus dorsi myograft - an importance of muscle ischemia. Nippon Kyobo Geka gakkai Zasshi 39:276-283. 1991

Morita M, Watanabe Y, Saiki H. High photosynthetic productivity of green microalga Chlorella sorokiniana. Applied Biochemistry and Biotechnology - Part A Enzyme Engineering and Biotechnology 2000, 87(3): 203-218

Morita T, Chimura A, Tokura H. Preferred illuminance self- selected by women under the influence of face cooling. Physiol Behav. 2004; 81(1): 23-7.

Morita Y, S.i Igawa, H. Takahashi, M.Hamada,K.OtokI. Differences In Cold Vascular Reaction At Rest Due To Differing Exercise Regimes. (abstract). Biomed Thermol 11: 308. 1991

Moritz W, Krause S, Roth U, Klimm D, Lippitz A. Re-activation of an all solid state oxygen sensor. Analytica Chimica Acta 2001, 437(2): 183-190

Mork C, Salerud EG, Asker CL, Kvernebo K. The prostaglandin E1 analog misoprostol reduces symptoms and microvascular arterio- venous shunting in erythromelalgia-a double-blind, crossover, placebo- compared study. J Invest Dermatol. 2004; 122(3):587-93.

Mork C. Hershberger P. Kocan R. Batts W. Winton J. Isolation and characterization of a rhabdovirus from starry flounder(Platichthys stellatus) collected from the northern portion of Puget Sound, Washing- ton, USA. J Gen Virology. 2004; 85(2): 495-505.

Morley D, Blumenthal I. A neonatal hypothermia indicator. Lancet 2000: 355(9204): 659-660

Morofushi M, Fukui T, Morita T, Tokura H Temporal variability of preferred illuminance self-selected by women during wakefulness. Biological Rhythm Research 2001, 32(3): 333-340

Morón C, García A, Carracedo MT.Temperature distribution study in flash-annealed amorphous ribbons, J Mag Mag Mat, 2003; 254-255:510-512.

Moropoulou A, Avdelidis NP, Koui M, Tzevelekos I. Determination of emissivity for building materials using infrared thermography. Thermol intern 2000 , 10(3):115-8

Moropoulou A, Avdelidis NP, Tzevelekos I. Standardisation of infrared thermography for estimation of moisture contents in porous materials (abstract). Thermol intern 2000, 10 (1): 41.

Moros EG, Novak P, Straube WL, Kolluri P, Yablonskiy DA, Myerson RJ. Thermal contribution of compact bone to intervening tissue-like media exposed to planar ultrasound. Phys Med Biol. 2004; 21; 49(6):869-86.

Moros EG, Straube WL, Pickard WF. Compact shielded exposure system for the simultaneous long-term UHF irradiation of forty small mammals. II. Dosimetry. Bioelectromagnetics 1999. 20(2): 81-93.

Moros EG.Physical Aspects of Ultrasound Hyperthermia of the Chest Wall. In. Proceedings of The First Joint BMES/EMBS Conference Serving Humanity, Advancing Technology, Atlanta, 1999, pp.1265

Morozov IN, Kolesov S, Orlova ME. Radiothermometry in patients operated with lumbar hernia (abstract). Thermology intern 2000, 10(3):148

Morozov OG, Akhtiamov RA, Morozov GA, Nikolaev PM, Nikolaev AM, Nikolaev YM, Kouprianov SS. Mobile leak detection systems for oil product pipelines. IN. Reuter WG, editor, Nondestructive Evaluation Oof Utilities and Pipelines III, Proceedings of the Society of Photo-Optical Instrumentation Engineers (SPIE) Vol.3588. Bellingham, 1999, p. 90-8.

Morrice JS, Manda LST, Kacheche A. Hypothermia and the use of ThermoSpots [5]. Tropical Doctor. 2003; 33(4):253), 2003.

Morris A, Huang L. Intensive care of patients with HIV infection: HAART warming improvement but beware of future HAART (and heart) attacks. Chest. 2004; 125(5):1602-4.

Morris GJ, Richens HE. Improved methods for controlled rapid cooling of cell suspensions. Cryo Letters. 2004; 25(4):265-72.

Morris MC, Nadkarni VM, Ward FR, Nelson RM. Exception from informed consent for pediatric resuscitation research: community consultation for a trial of brain cooling after in-hospital cardiac arrest. Pediatrics. 2004; 114(3):776-81.

Morris TA, Marsh JJ, Burrows CM, Chiles PG, Konopka RG, Pedersen CA. Urine and plasma levels of fibrinopeptide B in patients with deep vein thrombosis and pulmonary embolism, Thromb Res, 2003; 110, (s 2-3): 159-165.

Morrison S, Sleivert GG, Cheung SS. Passive hyperthermia reduces voluntary activation and isometric force production. Eur J Appl Physiol. 2004; 91(5-6):729-36.

Morrison S. Sleivert GC. Cheung SS. Passive hyperthermia re- duces voluntary activation and isometric force production. Eur J Appl Physiol. 2004; 91(5-6)729-736.

Mortimer D. Current and future concepts and practices in human sperm cryobanking. Reproductive BioMed Online. 2004; 9(2): 134-151.

Mortola JP. Implications of hypoxic hypometabolism during mam- malian ontogenesis. Respir Physiol Neurobiol. 2004; 141(3): 345-56.

Moskowitz M, Parisky Y, Rust SW. Efficacy of computerized infrared imaging [5] (multiple letters). Am J Roentgen. 2003; 181(2):596.

Mosquera Perez I, Rueda Nunez F, Medrano Lopez C, Portela Torron F, Zavanella Botta C, Castro Beiras A. Managment by hypothermia of junctional ectopic tachycardia appearing after pediatric heart surgery. Rev Esp Cardiol. 2003; 56(5): 510-514.

Motomura K, K. Mabuchi, I.FujimasA.Thermatome Manifestations of Lumbar Root Compression Syndrome. Biomed Thermol 10: 294-303. 1990

Motoyoshi N, Takahashi G, Sakurai M, Tabayashi K. Safety and efficacy of epidural cooling for regional spinal cord hypothermia during thoracoabdominal aneurysm repair. Eur J Cardiothorac Surg. 2004; 25(1):139-41.

Motta P, Mossad E, Toscana D, Lozano S, Insler S. Effectiveness of a circulating-water warming garment in rewarming after pediatric cardiac surgery using hypothermic cardiopulmonary bypass. J Cardio- thorac Vasc Anesth. 2004; 18(2):148-51.

Mottahedeh M, Rashid MH, Gateley CA. Final diagnoses following C3 (atypical, probably benign) breast cytology, Breast, 2003; 12, (4): 276-279.

Mougenot C, Salomir R, Palussiere J, Grenier N, Moonen CT. Automatic spatial and temporal temperature control for MR-guided focused ultrasound using fast 3D MR thermometry and multispiral trajectory of the focal point. Magn Reson Med. 2004; 52(5):1005-15.

Mouihate A, Pittman QJ. Neuroimmune Response to Endogenous and Exogenous Pyrogens Is Differently Modulated by Sex Steroids. Endocrinol, 2003; 144: 2454 - 2460.

Moura Ramos JJ. Taveira-Marques R. Diogo HP. Estimation of the fragility index of indomethacin by DSC using the heating andcooling rate dependency of the glass transition. J Pharm Sci. 2004;93(6): 1503-1507.

Mourya DT, Gokhale MD, Barde PV, Padbidri VS. A simple artificial membrane-feeding method for mosquitoes. Transactions of the Royal Society of Tropical Medicine and Hygiene 2000, 94(4): 460

Mrkic J, Saunders BR. Microgel particles as a matrix for polymerizatioN. A study of poly(N-isopropylacrylamide)poly(N-methylpyrrole) dispersions. Journal of Colloid and Interface Science 2000, 222(1): 75-82

Mrochen M, Semshichen V, Funk RH, Seiler T. Limitations of erbiuM.YAG laser photorefractive keratectomy. J Refract Surg. 2000,16(1):51-9.

Mu L, Feng SS. A novel controlled release formulation for the anticancer drug paclitaxel (Taxol): PLGA nanoparticles containing vitamin E. TPGS. J Control Release. 2003; 86(1): 33-48

Muacevic A, Peller M, Ruprecht L, Berg D, Fend L, Sroka R, Reulen HJ, Reiser M, Tonn JC, Kreth FW. Image guided interstitial laser thermotherapy: a canine model evaluated by magnetic resonance imaging and quantitative autoradiography. Acta Neurochir (Wien). 2004; Epub ahead of print

Mudra I, J.RosT. Thermographische Beobachtungen bei der Schmerztherapie. ThermoMed 9: 42-48. 1993

Mudra I, R.Endres, J.MantheY. Thermovision von Effekten nach Behandlung durch Neuraltherapie und Akupunktur. ThermoMed 6: 121-126. 1990

Mudra I. Kopfschmerz und Regulationsthermographie. ThermoMed, 1999. 15: 35-50

Mukai Y, Yamaguchi H, Shimosaka M, Shibutani K, Takasuga A, Ohmine H, Suzuki K. The usefulness of a local anesthetic tape for venous puncture.Journal of Japanese Dental Society of Anesthesiology 24/5:791-797. 1996

Mulkern RV, Panych LP, McDannold NJ, Jolesz FA, Hynynen K. Tissue temperature monitoring with multiple gradient-echo imaging sequences. Journal of Magnetic Resonance Imaging 8(2): 493-502. 1998

Mullen SF. Agca Y. Broermann DC. Jenkins CL. Johnson CA. Critser JK. The effect of osmotic stress on the metaphase II spindle of human oocytes, andthe relevance to cryopreservation. Human Reprod. 2004; 19(5): 1148-1154.

Müller A, Drese K, Gnaser H, Hampe M, Hessel V, Löwe H, Schmitt S, Zapf R.Fast preparation and testing methods using a microstructured modular reactor for parallel gas phase catalyst screening, Catalysis Today, 2003; 81, (3): 377-391

Muller J. Hadeler KP. Muller V. Waldmann J. Landstorfer FM. Wisniewski R. Kantz J. Lang F. Influence of low power cm-/ mm- microwaves on cardiovascular function. Int J Environ Health Res. 2004; 14(5): 331-341.

Mullin J, J.BowS. Temperature measurement during microwave cooking. Food Additives And Contaminants, 10: 663-672. 1993

Mumma MJ, Dello Russo N, DiSanti MA, Magee-Sauer K, Novak RE, Brittain S, Rettig T, McLean IS, Reuter DC, Xu Li-H. Organic composition of C(1)999 S4 (LINEAR): A comet formed near jupiter? Science 2001, 292(5520): 1334-1339

Mun GA. Nam IK. Sarsengaliev RR. Nurkeeva ZS. Urkimbaeva PI. Park K. Swelling behavior of amphiphilic hydrogels of copolymers of the vinyl ether ofethylene glycol and vinyl isobutyl ether, and their interaction with cationic surfactant. Colloid Polymer Sci. 2004; 282(10): 1111-1117.

Munirathnam NR, Prasad DS, Sudheer Ch, Prakash TL. Purification of tellurium to 6N+ by quadruple zone refining, J Crystal Growth, 2003; 254, (s 1-2): 262-266.

Munoz M. Arnaldos J. Casal J. Planas E. Analysis of the geometric and radiative characteristics of hydrocarbon poolfires. Combust Flame. 2004;139(3): 263-277.

Murakami M, Uchida T, Michimata T, Iriuchijima T, Mori M. A case of diabetic neuropathy treated with sarpoglerate a 5HT (sub2). antagonist.Japanese Pharmacology and Therapeutics 24/8:207-211. 1996

Murakami Y, S Nagae, Y HorI. factor XIIIa expression in pseudo-Kaposi sarcoma. J Dermatol 18:661-666. 1991

Muralidhara BK, Wittung-Stafshede P. Thermal unfolding of Apo and Holo Desulfovibrio desulfuricans flavodoxin: cofactor stabili- zes folded and intermediate states. Biochemistry. 2004; 43(40): 12855-64.

Muralidharan R, Mohankumar R, Dhanasekaran R, Tirupathi AK, Jayavel R, Ramasamy P. Investigations on the electrical and mechanical properties of triglycine sulphate single crystals modified with some rare earth metal ions, Mats Lett, 2003; 57, (21): 3291-3295.

Murano S, M. Ikeshita, T. Taniai, J. ItO. Thermographic Studies In Patients With Herpes Zoster And Postherpetic Neuralgia. (abstract). Biomed Thermol 11: 301. 1991

Murat Tuzcu E, Schoenhagen P. Acute coronary syndromes, plaque vulnerability,and carotid artery disease*1: The changing role of atherosclerosis imaging*, J e Am Coll Cardiol, 2003; 42, (6): 1033-1036.

Murata R. Horsman MR. Tumour-specific enhancement of ther- moradiotherapy at mild temperatures by thevascular targeting agent 5,6-dimethylxanthenone-4-acetic acid. Int J Hyperthermia. 2004; 20(4): 393-404.

Murata T, Akagi K, Ostapenko VV, Isoda H, Nagata K, Nasu R, Shiga T, Tanaka Y, Yamamoto I. Relevance of a new impedance matching, or subtrap, method for the reduction of pain during hyperthermia. Acta Oncologica 1998, 37/5: 485-8.

Murata T, Nagata K, Akagi K, Nasu R, Imamura M, Kimura H, Tanaka Y. New technique for mediastinal temperature measurement in hyperthermic cancer treatmenT. balloon catheter in the azygos veIn. Journal Of International Medical Research 26(1): 50-56. 1998

Murawski P, Jung A, Kalicki B, Zuber J. Statistical analysis of the thermograms in Med diagnosis (abstract). Thermol int 2004, 14(2): 78.

Murawski P, Jung A, Kalicki B, Żuber J.Qualitative and quantitative analysis of thermographic examination, using Image ThermaBase software for medical applications. Thermol intern 2001, 11(4):207-208

Murawski P, Jung A, Ring EFJ, Plassmann P, Zuber J, Kalicki B.“Image ThermaBase" - A Software Tool to Capture and Analyse Thermal Images. Thermol intern 2002. 12: 60

Murawski P, Jung A, Ring FEJ, Zuber J, Plassmann P, Kalicki B. ‘Image ThermaBase’ - A software programme to capture and analyse thermographic images. Thermol Int . 2003; 13(1): 5-9.

Murawski P, Jung A, Zuber J, Kalicki B. The project of an open and extendable database for thermal images archiving. IN. Hutten H, Krösel P, eds. Proceedings Part II, EMBEC´02. 2.European Medical & Biological Engineering Conference. IFMBE, Graz, 2002. pp.1618-1619

Murchan S, Kaufmann ME, Deplano A, de Rick R, Struelens M, Elsberg Zinn C, Fussing V, Salmenlinna S, Vuopio-Varkila J, El Solh N, Coney C, Witte W, Tassios PT, Legacies N, van Leeuwen W, van Belkum A, Vindel A, Laconcha I, Garaizar J, Hageman S, Olsson-Liljequist B, Ransjo U, CoombesG, Cookson B. Harmonization of Pulsed-Field Gel Electrophoresis Protocols for Epidemiological Typing of Strains of Methicillin-Resistant *Staphylococcus aureus*: a Single Approach Developed by Consensus in 10 Eur Laboratories and Its Application for Tracing the Spread of Related Strains. J Clin Microbiol. 2003; 41: 1574 - 1585.

Murlewska A, Gryczynski M, Wolf L. Zastosowanie termokamery nowej generacji w diagnostyce laryngologicznej. [The use of thermography for the laryngeal diagnosis] Otolaryngologia Polska 1997. 51 Suppl 25 105-8.

Murphy AB. Thomson scattering diagnostics of thermal plasmas: Laser heating of electrons and the existence of local thermodynamic equilibrium. Phys Rev E Stat Nonlin Soft Matter Phys. 2004; 69(1 Pt 2):016408.

Murphy PJ, Morgan PB, Patel S, Marshall J. Corneal surface temperature change as the mode of stimulation of the non-contact corneal aesthesiometer.Cornea 1999. 18 (3): 333-42.

Murphy PJ, Patel S, Kong N, Ryder RE, Marshall J. Noninvasive assessment of corneal sensitivity in young and elderly diabetic and nondiabetic subjects. Invest Ophthalmol Vis Sci. 2004; 45(6):1737-42.

Murphy V, Volpe AF jr, Weinberg WH. High-throughput approaches to catalyst discovery, Curr Op Chem Biol, 2003; 7, (3): 427-433

Murray CA, Kamp SW, Thomas JM, Dutcher JR. Onset and manipulation of self-assembled morphology in freely standing polymer trilayer films. Phys Rev E Stat Nonlin Soft Matter Phys. 2004; 69(6 Pt 1):061612.

Murray MJ, Cavey DM, Feldman BF, Trostle SS, White NA. Signs of sympathetic denervation associated with a thoracic melanoma in a horse. Journal Of Veterinary Internal Medicine 11(4): 199-203. 1997

Murthy GS. Sivaiah MV. Kumar SS. Reddy VN. Krishna RM. Lakshminarayana S. Adsorption of cesium on a composite inorganic ex- changer zirconium phosphateAmmonium molybdophosphate. JRadio- analyt Nuclear Chem. 2004; 260(1): 109-114.

Musa-Aisien AS, Ibadin OM, Ukoh G, Akpede GO. Prevalence and antimicrobial sensitivity pattern in urinary tract infection in febrile under-5s at a children's emergency unit in Nigeria. Ann Trop Paediat. 2003; 23(1):39-45.

Musaev AV, Nasrullaeva SN, Namazov DZ. Kliniko-teplovizionnaia otsenka effektivnosti naftalanoterapii u bol'nykh s diabeticheskimi mikroangiopatiiami nizhnikh konechnostei. [A clinico-thermographic assessment of the efficacy of naphthalan therapy in patients with diabetic microangiopathies of the lowerextremities] Voprosy Kurortologii, Fizioterapii I Lechebnoi Fizicheskoi Kultury 1998. (4): 26-9.

Muschter R, Schneede P, Muller-Lisse UG, Heuck A. Magnetresonanztomographie zur Therapiesteuerung bei thermisch-ablativer Prostatatherapie mittels interstitieller Laserkoagulation [Magnetic resonance imaging for therapy monitoring in thermal ablative prostate therapy for means of interstitial laser coagulation]. Urologe - Ausgabe B 1999, 39(3): 227-30.

Musher DM, Young EJ, Jha AK,. CollardHR, Tierney LM. Jr. Diagnosis Still in Question N. Engl. J. Med. 2002, 347: 1805 - 1806.

Mustacchi G, Milani S, Ciatto S, Del Turco MR, Luzzati G, Lattanzio V,
Pietri P. Observer Variation in mammary thermographY. results of a teaching file test carried out in four differen centers.Tumori, 76 (1): 29-31. 1990

Mustafa S, Thulesius O, Ismael HN. Hyperthermia-induced vasoconstriction of the carotid artery, a possible causative factor of heatstroke. J Appl Physiol. 2004; 96(5):1875-8.

Mustafa S. Naeem A. Rehana N. Hamid A. Dilara B. Phosphate/ sulphate exchange studies on amberlite IRA-40. Environ Technol. 2004; 25(10):1115-1122.

Mustilli A-C, Merlot S, Vavasseur A, Fenzi F, Giraudat J. Arabidopsis OST1 Protein Kinase Mediates the Regulation of Stomatal Aperture by Abscisic Acid and Acts Upstream of Reactive Oxygen Species Production Plant Cell 2002, 14: 3089 - 3099.

Mustoe T. Understanding chronic wounds: a unifying hypothesis on their pathogenesis and implications for therapy. Am J Surg. 2004; 187(5A):65S-70S.

Mustra CO, Freitas MC, Almeida SM. Neutron flux and associated k0 parameters in the RPI after the last configuration change. J Radioanal Nuc Chem. 2003; 257(3):539-543.

Muszalska I,Siakowski M. Kinetics of diltiazem hydrochloride in solid phase. Acta Pol Pharmac. 2003; 60(1):27-30.

Muto J, Nagahama H, Hashimoto T. Microinfrared reflection spectroscopic mapping: application to the detection of hydrogen -re- lated species in natural quartz. J Microsc. 2004; 216(Pt 3):222-8.

Mutschler H.Einsarz der Regulationsthermographie zur Diagnostik und Therapiekontrolle bei der Behandlung funktioneller Wirbelsäulensyndrome. ThermoMed 11: 81-89. 1995

Muzet A. Does the physical Environ interact with the sleep process?.Sleep Med Reviews. 2004;. 8(2)77-79.

Myers ML, Panicker G, Bej AK. PCR detection of a newly emerged pandemic Vibrio parahaemolyticus O3:K6 pathogen in pure cultures and seeded waters from the Gulf of Mexico. App Environ Microbiol 2003; 69(4):2194-2200.

Myrianthefs PM, Karabatsos EG, Karatzas SP, Boutzouka EG, Venetsanou KF, Evagelopoulou PL, Fildissis GA, Legakis NJ, Baltopoulos GJ. Safety and efficacy of molgramostim as an adjunctive therapy in critically III patients with severe sepsis. Scand J Infect Dis. 2003; 35(3):175-179.

Nachiappan J. May M. Hawker RE. Hong P. Resistant Kawasaki disease. J Paediat Child Health. 2004; 40(9-10): 576-578.

Nachtigal W, W.BieseL. Möglichkeiten und Grenzen der thermoregulation bei Langstrecken fliegenden VögelN. Modelmessungen am Windkanalflug von Haustauben, ThermoMed 6:40-44. 1990

Nachtigall W, K-D. Hirth, W.BieseL. Regulation der Körperkerntemperatur während des Langstreckenflugs von VögelN. Modelmessungen am Windkanalflug von Haustauben, ThermoMed 6:35-39. 1990

Nadler A, Raveh E, Yermiyahu U, Green SR. Evaluation of TDR Use to Monitor Water Content in Stem of Lemon Trees and Soil and Their Response to Water Stress. Soil Sci Soc Am J, 2003; 67: 437 - 448.

Nadtochii MA, Kuzmicheva EL, Rudakova IP. Synthesis of 3,4-xylyl-D-ribitylamine on palladium catalysts. Pharm Chem J. 2003; 37(2):101-105.

Nae C. IR temperature measurements of semitransparent surfaces. (abstract) Thermol Österr 7(2): 84. 1997

Naemura A, K.Tsuda, N.SuzukI. Effects of loud noise on nasal skin temperature. Shinrigaku Kenk-yu. Japanese Journal Of Psychology 64: 51-54.1 993

Nafbdi S, Rosenfeld M, Shiner RJ, Elad D.Transport pattern in the human nasal cavity. In. Proceedings of The First Joint BMES/EMBS Conference Serving Humanity, Advancing Technology, Atlanta, 1999, pp.347

Nagae M, Hoshikawa H. Investigation of Measurement in Varicocele by Thermogram. J Korean Med Thermol 2002, 2(1):78

Nagae M, N. Unuma, Y.Nitta, N. Nagami, H.Yanagizaki, M.Yamamoto, M.Yanase, H. Mizunuma, S. YoshiuE. The Role Of The Nose In The Regulation Of Body Temperature. (abstract). Biomed Thermol 10: 309. 1990

Nagae M, Y . Koiso, N. Takizawa, H . Hoshikawa, S. Kouno,T. IwamotO. The Study Of Varicocele By Classification Of Thermogram. (abstract) Thermol Österr 7(1):30. 1997

Nagamachi H, Morii I, Oshima T. Promoting action on the blood coagulation by the 'Kyusokubi' a substitute for acupressure. Japanese Pharmacology and Therapeutics 23:203-212.1995

Nagaoka T. Yoshida A. The effect of ocular warming on ocular circu- lation in healthy humans. Arch Ophthalmol. 2004; 122(10): 1477-1481.

Nagasawa A, K. Kato, T. NakanishI. Use Of A Real-Time Thermocamera In Panoramic Thermography. (abstract). Biomed Thermol 10: 314. 1990

Nagasawa A, K. KatO. New Method For Evaluation Of Dental Quality Using Thermal Reaction Of Teeth To Weak ND.Yag Laser Exposure. (abstract). Biomed Thermol 11: 299. 1991

Nagasawa A, K. KatoH. Wide-Coverage Thermography. Biomed Thermol 15: 176-180.

Nagasawa A, K.KatoH. Wide-Coverage Thermography.(abstract). Biomed Thermol 15: 42. 1995

Nagasawa A. Developmental Thermography - Its Use and Special Features in Clinical Application. (abstract) Thermol Österr 7(1): 32. 1997

Nagasawa A. Real-Time Temperature Measurement By Determination Of Infrared Emissions From Oral Mucosa. (abstract). Biomed Thermol 10: 314. 1990

Nagase T, Sekiguchi J, Ohmori K. Finger replantation in a 12-month-old child, a long-term follow-up.British Journal Of Plastic Surgery 49 /8: 555-558. 1996

Nagashima K, Nakai S, Matsue K, Konishi M, Tanaka M, Kanosue K. Effects of fasting on thermoregulatory processes and the daily oscillations in rats. Am J Physiol Regul Integr Comp Physiol. 2003;284(6):R1486-93.

Nagata K, Murata T, Shiga T, Isoda H, Tanaka Y. Dynamic computed tomography predicts tumor temperature and response to thermoradiotherapy in superficial and subsurface tumors. Cancer 1999, 86(1):177-85.

Nagata Y, Hiraoka M, Nishimura Y, Masunaga S, Mitumori M, Okuno Y,. Fujishiro M, Kanamori S, Horii N, Akuta K, Sasai K, Abe M, Fukuda Y. Clinical results of radiofrequency hyperthermia for malignant liver tumors. International Journal Of Radiation Oncology Biology Physics 38 (2): 359-365. 1997

Nagatani T, Saito K, Yoshida J. Experimental use of semiconductor diode laser for neuroendoscopic surgery. Minimally Invasive Neurosurgery 40(3): 98-10.1997

Naghavi M, Madjid M, Gul K, Siadaty MS, Litovsky S, Willerson JT, Casscells SW. Thermography basket catheter: In vivo measurement of the temperature of atherosclerotic plaques for detection of vulnerable plaques. Catheter Cardiovasr Interv. 2003; 59(1):52-59.

Naghavi M, Madjid M, Khan MR, Mohammadi RM, Willerson JT, Casscells SW New developments in the detection of vulnerable plaque. Curr Atheroscler Rep 2001. 3 (2) 125-35

Nagy Z. Chandler M. Regulation of transposition in bacteria. Res in Microbiol. 2004;155(5): 387-398.

Nagymihalyi A, Dikstein S, Tiffany JM. The influence of eyelid temperature on the delivery of meibomian oil. Exp Eye Res. 2004; 78(3): 367-70.]

Nahm WK, Su TT, Rotunda AM, Moy RL. Objective changes in brow position, superior palpebral crease, peak angle of the eyebrow, and jowl surface area after volumetric radiofrequency treatments to half of the face. Dermatol Surg. 2004; 30(6):922-8.

Nail SL, Jiang S, Chongprasert S, Knopp SA Fundamentals of freeze-drying. Pharm Biotechnol 2002, 14: 281-360.

Nair A, Kuban BD, Murat Tuzcu E, Schoenhagen, Nissen SE, Vince DG Coronary Plaque Classification With P Intravascular Ultrasound Radiofrequency Data Analysis Circulation 2002, 106: 2200 - 2206.

Nairm R, Chacko T. Fluid-absent Melting of High-grade Semi-peliteS. *P–T* Constraints on Orthopyroxene Formation and Implications for Granulite Genesis J. Petrology 2002, 43: 2121 - 2142.

Naito T. Inabe T. Structural, electrical, and magnetic properties of a-(ET) 7[MnCl4]2 (1,1,2-C2H3Cl3)2 (ET = bis(ethylenedithio) tetra- thiafulvalene). Bull Chem Soc Japan. 2004; 77(11): 1987-1995.

Naitoh K, Inai Y, Hirabayashi T, Tsuda T. Direct temperature-controlled trapping system and its use for the gas chromatographic determination of organic vapor released from human skIn. Anal Chem. 2000,72(13):2797-801.

Nakagawa A, Hirano T, Uenohara H, Sato M, Kusaka Y, Shirane R, Takayama K, Yoshimoto T. Intraoperative thermal artery imaging of an EC-IC bypass in beagles with infrared camera with detectable wave-length band of 7-14 mum: Possibilities as novel blood flow monitoring system. Min Invas Neuro- surg. 2003; 46(4):231-234.

Nakagawa A, Hirano T, Uenohara H, Utsunomiya H, Suzuki S, Takayama K, Shirane R, Tominaga T. Use of intraoperative dynamic infrared imaging with detection wavelength of 7-14 microm in the surgical obliteration of spinal arteriovenous fistula: case report and technical considerations. Minim Invasive Neurosurg. 2004; 47(3):136-9.

Nakagawa H, Yamamoto N, Okazaki S, Chinzei T, Asakura S. A room-temperature operated hydrogen leak sensor, Sens Act B: Chem, 2003; 93, (s 1-3): 468-474.

Nakagawa J, Ouk S, Schwartz B, Schriger DL. Interobserver agreement in emergency department triage. Ann Emerg Med. 2003; 41(2):191-195.

Nakagawa M, Wada K,. Wood CP Mixed Magmas, Mush Chambers and Eruption TriggerS. Evidence from Zoned Clinopyroxene Phenocrysts in Andesitic Scoria from the 1995 Eruptions of Ruapehu Volcano, New Zealand J. Petrology 2002, 43: 2279 - 2303.

Nakajima J, Kawamura M, Fujiwara T, Hiramori K Body height is a determinant of seasonal blood pressure variation in patients with essential hypertension. Hypertension Research 2000, 23(6): 587-592

Nakajima Y, Koizumi K, Hirata T, Hirai K, Sakamoto A, Shimizu K. Successful thoracoscopic sympathectomy for primary erythro- melalgia in the upper extremities. Jpn J Thorac Cardiovasc Surg. 2004; 52(11): 524-6.

Nakajima Y, Takamata A, Matsukawa T, Sessler DI, Kitamura Y, Ueno H, Tanaka Y, Mizobe T. Effect of amino acid infusion on central thermoregulatory control in humans. Anesthesiology. 2004; 100(3): 634-9.

Nakamura H. Hirano K. Watanabe K. Iwasaki I. Komazawa T. Surgical treatment for 37 infants with acute appendicitis: Statistical analysisby the type II quantification method. J Med Soc Toho Univ. 2004;51(2): 90-100.

Nakamura M, Lee DP, Yeung AC. Identification and treatment of vulnerable plaque. Rev Cardiovasc Med. 2004; 5 Suppl 2:S22-33.

Nakamura T, Kawagoe Y, Matsuda T, Ueda Y. Koide H. Low- density lipoprotein apheresis in a patient with arteriosclerosis obliterans and light chain deposition disease. Clin Nephrology. 2004; 61(6): 429-433.

Nakamura T, Masuzawa T, Endo S, Kakuta Y, Tatsumi E, Taenaka Y, Takano H, Shiba K, Koshiji K. Biocompatibility and practicality evaluation of a transcutaneous energy transmission unit for the totally implantable artificial heart system. Japanese Journal of Artificial Organs 27(2):347-351. 1998

Nakamura T, Ushiyama C, Osada S, Inoue T, Shimada N, Koide H. Effect of low-density lipoprotein apheresis on plasma endothelin-1 levels in diabetic hemodialysis patients with arteriosclerosis obliterans. J Diabetes Complicat. 2003; 17(6):349-354.

Nakane J, Broemeling D, Donaldson R, Marziali A, Willis TD, O'Keefe M, Davis RW A method for parallel, automated, thermal cycling of submicroliter samples. Genome Research 2001, 11(3): 441-447

Nakano J, Uezato H, Arakaki H, Nonaka S, Kugai Y, Kinjo H, Sakuda H. A Case of Vasculo-Behcet Disease. Nishinihon J Dermatol. 2003; 65(5):429-432.

Nakano M, T. Iio, Y. MikI. Correlation Between Blood Pressure And Skin Temperature Of Fingers. (abstract). Biomed Thermol 10: 309. 1990

Nakano, M, Y.MikI. Skin Reaction And Skin Temperature. (abstract). Biomed Thermol 11: 305. 1991

Nakashima N. Tamura T. A Novel System for Expressing Re- combinant Proteins over a Wide Temperature Rangefrom 4 to 35 degreesC. Biotechnol BioEngin. 2004 86(2): 136-148.;

Nakashizuka H. Shimada H. Arai S. Inoue M. Nishio M. Relation between irrigating solution and bubble formation during phacoemulsification-aspiration. Jap J Clin Ophthalmol 2004; 58(7): 1319-1323.

Nakatani S, Kunieda K, Seki T, Wakabayashi M, Inoue K, Nagata K, Murata T, Tanaka Y, Sougawa M, Kimura R et aL. Fundamental study on hyperthermic chemotherapy using adriamycin-loaded hydroxyapatite. Gan To Kagaku Ryoho (Japanes journal of Cancer and Chemotherapy) 19:(10 Suppl)1644-1647. 1992

Nakazato Y, Shimazu K, Tamura N, Hamaguchi K. A study of skin surface temperature in patients with unilateral cerebral infarction with special reference to central autonomic regulation of skin vasomotor response. Clinical Neurology 35:758-763. 1995

Nam SG, Heo HM. Hwang KH Park W. Thermographic Change Before and After Intramuscular Stimulation in Patients with Myofascial PaIn. J Korean Med Thermol 2002, 2(1):61

Nam SS, Lee KS. Effects of Qigong Therapy on the Thermal Changes of Upper.Middler, Lower Danjon (Ex-HN3. CV17. CV4) examined by D.I.T.I. J Korean Med Thermol 2002, 2(1):67-68

Nammanri DR, Hogland W, Moutavtchi V, Marques M, Nimmermark S. Physical and chemical processes in baled waste fuel, with emphasis on gaseous emissions. Waste Manag Res. 2003; 21(4):309-317.

Narain R, Armes SP. Synthesis and aqueous solution properties of novel sugar methacrylate-based homopolymers and block copolymers. Biomacromol. 2003; 4(6):1746-1758.

Nardone A, Schieppati M. Group II spindle fibres and afferent control of stance. Clues from diabetic neuropathy. Clin Neurophysiol. 2004; 115(4): 779-89.

Narihiro T, Abe T, Yamanaka Y, Hiraishi A. Microbial population dynamics during fed-batch operation of commercially available garbage composters. Appl Microbiol Biotechnol. 2004; 65(4):488-95.]

Nassim K, Joannes L, Cornet A, Dilhaire S, Schaub E, Claeys W. Thermomechanical deformation imaging of power devices by Electronic Speckle Pattern Interferometry (ESPI).Microelectronics and Reliability 1998, 38/6-8: 1341-5.

Nasu Y, Y. Kurozawa*, K.Takusa,H. IshigakI. Relationships Between Skin Blood Flow Fluctuations And Results Of Cold Air Exposure Test And Cold Water Immersion Test, With Raynaud's Phenomenon Among Workers Using Vibrating Tools. (abstract). Biomed Thermol 11: 304. 1991

Nasu Y, Y. KurozawA. Comparison of the Diagniostic Values among Thermography and Three Kinds of Provocation Tests for Vibration Induced White- Finger (VWF). Biomed Thermol 15: 157-162. 1995

Nasu Y, Y.KurozawA. Companson of Thermography Alone and Following Three Kinds ot Provocation Test for Evaluating Vibration-Induced White Finger. (abstract). Biomed Thermol 15: 44. 1995

Nath N, Chilkoti A. Fabrication of a reversible protein array directly from cell lysate using a stimuli-responsive polypeptide. Anal Chem. 2003; 75(4):709-715.

Natsuda H, Y Shibui, T Yuhara, T Akama, H Suzuki, K Yamane, H KashiwagI. (Nitroglycerin tape for Raynaud's phenomenon of rheumatic disease patients—an evaluation of skin temperature by thermography).Ryumachi 34:849-853.1994

Nau WH, Diederich CJ, Stauffer PR. Directional power deposition from direct-coupled and catheter-cooled interstitial ultrasound applicators. Int J Hyperthermia. 2000,16(2):129-44.

Nau WH. Diederich CJ. Evaluation of temperature distributions in cadaveric lumbar spine during nucleoplasty. Phys Med Biol. 2004; 49(8): 1583-1594.

Naugolnykh KA, Johannessen OM, Esipov IB, Ovchinnikov OB, Tuzhilkin YI, Zosimov VV. Numerical simulation of remote acoustic sensing of ocean temperature in the Fram Strait environment. Journal of the Acoustical Society of America 1998, 104(2):I738-46.

Naulaers G. Cossey V. Morren G. Van Huffel S. Casaer P. Devlieger H. Continuous measurement of cerebral blood volume and oxygenation during rewarming Acta Paediat. 2004; 93(11) 1540-1542.

Naumann CP, Stepniewski MS, Wolfensberger M, Erdmann W, Zach GA. :Electromotive guanethidine administration an alternative method for therapy of RSD. A pilot study.Pain Clinic 94 :377-379. 1996

Naumenko IM, Tuchinskii LI, Beloshchitskii TV, Ledovskii AM.Zashchite organov dykhaniia pri rabote v usloviiakh kholoda. (Protection of the respiratory organs while working in the cold). Gig Tr Prof Zabol (10): 28-31. 1989

Navarro O. Kaur H. Mahjoor P. Nolan SP. Cross-Coupling and Dehalogenation Reactions Catalyzed by (N-Heterocyclicarbene) Pd (allyl)Cl Complexes. J Organic Chem 2004; 69(9): 3173-3180.

Nayak DP. Hui EK-W. Barman S. Assembly and budding of influenza virus. Virus Res. 2004; 106(2 Spec.Iss.): 147-165.

Nazarov VG. Local vaginal thermometry in inflammatory diseases of the uterus and its adnexa. Akush Ginekol (Mosk) (5(1)991):68-69. 1991

Nazina TN. Lebedeva EV. Poltaraus AB. Tourova TP. Grigoryan AA. Sokolova DShLysenko AM. Osipov GA. Geobacillus gargensis sp. nov., a novel thermophile from a hot spring, and thereclassification of Bacillus vulcani as Geobacillus vulcani comb. nov. Int J Syst Evol Microbiol. 2004; 54(6): 2019-2024.

Nedambale TL, Dinnyes A, Groen W, Dobrinsky JR, Tian XC, Yang X. Comparison on in vitro fertilized bovine embryos cultured in KSOM or SOF and cryopreserved by slow freezing or vitrification. Theriogenology. 2004; 62(3-4):437-49.

Nedambale TL, Dinnyes A, Yang X, Tian XC. Bovine blastocyst development in vitro: timing, sex, and viability following vitrification. Biol Reprod. 2004; 71(5):1671-6.]

Neev J, Pham K, Lee JP, White JM Dentin ablation with three infrared lasers. Lasers in Surgery and Medicine 18:121-128.1996

Neev J, Stabholtz A, Liaw LH, Torabinejad M, Fujishige JT, Ho PD, Berns MW : Scanning electron microscopy and thermal characteristics of dentin ablated by a short-pulse XeCl excimer laser. Lasers in Surgery and Medicine, 13: 353-62. 1993

Negri S, F Bonetti, A Capitanio, M BonzaninI. Preoperative diagnostic accuracy of fine-needle aspiration in the management of breast lesionS. comparison of specificity and sensitivity with clinical examination, mammography, echography, and thermography in 249 patients. Diagnostic Cytopathology 11:4-8.1994

Nehrer-Tairych GV, Rath T, Schuhfried O, Millesi W, Frey M. Donor site morbidity of the prelaminated fasciomucosal and fasciocutaneous radial forearm flaP. A comparative study. European Journal of Plastic Surgery 1999. 22(8): 370-5

Neiburger EJ. Questions of methodology. Science. 2003; 299:660-661.

Neidert MR, Devireddy RV, Tranquillo RT, Bischof JC. Cryo- preservation of collagen-based tissue equivalents. II. Improved freezing in the presence of cryoprotective agents. Tissue Eng. 2004; 10(1-2): 23-32.

Neikov GN, IT MingaloV.(The diagnosis and treatment of acute hematogenous osteomyelitis in children). Vestnik Khirurgii Imeni I. I. Grekova, 152: 75-78. 1994

Neikov GN, IT.MingazoV. Comparative assessment of methods in early diagnosis of acute hematogenic osteomyelitis in children. Klinicheskaia Khirurgiia (3): 47-49. 1993

Neiman AB. Russell DF. Two distinct types of noisy oscillators in electroreceptors of paddlefish. J Neurophysiol. 2004; 92(1)492-509.

Nelson A. Using simulation to design and integrate technology for safer and more efficient practice environments, Nursing Outlook, 2003; 51(3): S27-S29

Nelson BK, Lynch JM, Barbano DM. Impact of milk pre- acidification with CO2 on cheddar cheese composition and yield. J Dairy Sci. 2004; 87(11):3581-9.

Nelson DD, McManus B, Urbanski S, Herndon S, Zahniser MS. High precision measurements of atmospheric nitrous oxide and met- hane using thermoelectrically cooled mid-infrared quantum cascade lasers and detectors. Spectrochim Acta A Mol Biomol Spectrosc. 2004; 60(14):3325-35.

Nelson DM, Hu FS, Tian J, Stefanova I, Brown TA. Response of C3 and C4 plants to middle-Holocene climatic variation near the prairie-forest ecotone of Minnesota. Proc Natl Acad Sci U S A. 2004; 101(2):562-7.

Nelson JS, TE Milner, B Anvari, BS Tanenbaum, S Kimel, LO Svaasand, SL JacqueS. Dynamic epidermal cooling during pulsed laser treat- ment of port-wine staIn. A new methodology with preliminary clinical evaluation. Archives Of Dermatology 131: 695-700. 1995

Nelson R, Agro J, Lugo J, Gasiewska E, Kaur H, Muniz E, Nelson A, Rothman J. The relationship between temperature and neuronal characteristics. Electromyogr Clin Neurophysiol. 2004; 44(4):209-16. P

Nelson RM, Kaur H, Muniz E, Gasiewska E, Lugo J, Agro J, Nelson AJ, Rothman J. Neuronal conduction studies of the median nerve in non-impaired humans: A comparison of accepted techniques. Electromyo Clin Neurophysiol. 2004.44(5)281-287.

Nemani VM. Manley GT. Brain tissue oxygen monitoring: physio- logic principles and clinicak application. Operat Techn Neurosurg. 2004; 7(1): 2-9.

Nembro E, L Petrucci, A Buvoli, G LentI. Combined clinico-thermographic findings for the evaluation of a topical anti-inflammatory agent. Study of cinnoxicam cream. Minerva Med 82: 489-493. 1992

Nemet I. Vikic-Topic D. Varga-Defterdarovic L. Spectroscopic studies of methylglyoxal in water and dimethylsulfoxide. Bioorganic Chem. 2004; 32(6): 560-570.

Németh J, Erdélyi B, Csákány B, Gáspár P, Soumelidis A, Kahlesz F, Lang Z High-Speed Videotopographic Measurement of Tear Film Build-up Time Invest. Ophthalmol. Vis. Sci. 2002, 43: 1783 - 1790.

Nemeth N, Szokoly M, Acs G, Brath E, Lesznyak T, Furka I. Miko I. Systemic and regional hemorheological consequences of warm and cold hind limb ischemia-reperfusion in a canine model. Clin Hemorheo Microcirc. 2004;. 30(2)133-145.

Nesher N, Zisman E, Wolf T, Sharony R, Bolotin G, David M, Uretzky G, Pizov R. Strict thermoregulation attenuates myocardial injury during coronary artery bypass graft surgery as reflected by reduced levels of cardiac-specific troponin I. Anest Analg. 2003; 96(2):328-335.

Netzelmann U, Walle G. High-speed thermography of thin metallic coatings. IN. Scudieri F, Bertolotti M, editors,Tenth International Conference on Photoacoustic And Photothermal Phenomena, AIP Conference Proceedings Vol.463. AIP Press, Woodbury,1999, p. 401-3.

Neuberth M. Bildgebende Verfahren in der VeterinaermedizIn. Tierarztliche Praxis. Supplement, 68-72. 1993

Neuroth R, Laskus L, Dahmann D. Interner VDI/DIN-Ringversuch zur Bestimmung von elementarem Kohlenstoff [Internal VDI/DIN interlaboratory comparison test on the determination of elemental carbon]. Gefahrstoffe Reinhaltung der Luft 1999, 59(3): 91-4.

Neville GA, HD.Beckstead, HF,ShurvelL. A Fourier Transform-raman And Infrared Vibrational Study Of Delorazepam, Fludiazepam, Flurazepam, And Tetrazepam. Journal Of Pharmaceutical Sciences 83:143-151.1994

Newby DE, Hayes PC. Hyperdynamic circulation in liver cirrhosiS. not peripheral vasodilatation but 'splanchnic steal' QJM 2002, 95: 827 - 830.

Newell KD, Goldstein RH. A new technique for surface and shallow subsurface paleobarometry using fluid inclusionS. an example from the Upper Ordovician Viola Formation, Kansas, USA. Chemical Geology 1999, 154(1)-4: 97-111.

Newsham KR, Saunders JE, Nordin ES. Comparison of rectal and tympanic thermometry during exercise. South Med J 2002, 95(8): 804-10.

Newsom DM, Bolgos GL, Colby L, Nemzek JA. Comparison of body surface temperature measurement and conventional methods for measuring temperature in the mouse. Contemp Top Lab Anim Sci. 2004; 43(5):13-8.

Ng DK, Chan CH, Chow PY, Kwok KL. Infrared ear thermo- metry. Br J Gen Pract. 2004; 54(508):869.

Ng DKK. Use of infrared emission detection thermometer. Hong Kong Practitioner 1998, 20/8:458-9.

Ng EY, Fok SC, Peh YC, Ng FC, Sim LS Computerized detection of breast cancer with artificial intelligence and thermograms. J Med Eng Technol, 2002, 26(4): 152-7.

Ng EY, Kaw GJ, Chang WM. Analysis of IR thermal imager for mass blind fever screening. Microvasc Res. 2004; 68(2):104-9.

Ng EY, Sudharsan NM Numerical uncertainty and perfusion induced instability in bioheat equatioN. its importance in thermographic interpretation. J Med Eng Technol 2001, 25(5): 222-9.

Ng EY, Sudharsan NM. Computer simulation in con ction with Med thermography as an adjunct tool for early detection of breast cancer. BMC Cancer. 2004; 28; 4(1):17.

Ng EY, Ung LN, Ng FC, Sim LS Statistical analysis of healthy and malignant breast thermography. J Med Eng Technol,2001, 25(6): 253-63.

Ng EYK, Chen Y, Ung LN Computerized breast thermographY. Study of image segmentation and temperature cyclic variations. Journal of Medical Engineering and Technology 2001, 25(1): 12-16

Ng EYK, Fok S-C. A framework for early discovery of breast tumor using thermography with artificial neural network [4]. Breast J. 2003; 9(4):341-343.

Ng EYK, Sudharsan NM Numerical computation as a tool to aid thermographic interpretation. Journal of Medical Engineering and Technology 2001, 25(2): 53-60

Ng EYK,. Sudharsan NM. Can Numerical Simulation Adjunct to Thermography be an Early Detection Tool? Thermol intern 2000 , 10(3):119-27

Ng EYK,How TJ. Laser-Doppler imaging of osteoarthritis in proximal interphalangeal joints, Microvas Res, 2003; 65, (1): 65-68

Ng I. Yeo T-T. Kline DG. Wilkinson HA. Traynelis VC. Benzel EC. Poon WS. Palmar hyperhidrosis: Intraoperative monitoring with laser doppler blood flow as a guide for success after endoscopic thoracic sympathectomy. Neurosurg. 2003; 52(1):127-131.

Ng KH. Microwave ovenS. mapping the electrical field distribution. Med Lab Sci 48:189-192. 1991

Ngai PHK,. Ng TB. Isolation of napin-like polypeptide with potent translation-inhibitory activity from Chinese cabbage (Brassica parachinensis cv green-stalked) seeds. J Peptide Sci. 2003; 9(7):442-449.

Nguyen UD, Brown JS, Chang IA, Krycia J, Mirotznik MS. Numerical evaluation of heating of the human head due to magnetic resonance imaging. IEEE Trans Biomed Eng. 2004; 51(8):1301-9.

Niamsup P, Sujaya IN, Tanaka M, Sone T, Hanada S, Kamagata Y, Lumyong S, Assavanig A, Asano K, Tomita F, Yokota A. Lactobacillus thermotolerans sp. nov., a novel thermotolerant species isolated from chicken faeces. Int J Sys Evol Microbiol. 2003; 53(1):263-268

Nicholas AC, Seiden LS. Ambient Temperature Influences Core Body Temperature Response in Rat Lines Bred for Differences in Sensitivity to 8-Hydroxy-dipropylaminotetralin J Pharmacol Exp Ther, 2003; 305: 368 - 374.

Nichols M. Structural health monitoring of offshore structures using ambient excitation, App Ocean Res, 2003; 25, (3): 101-114

Nicholson GP, Ferguson-Pell MW, Smith K, Edgar M, Morley T. The objective measurement of spinal orthosis use for the treatment of adolescent idiopathic scoliosis. Spine. 2003; 28(19):2243-2250.

Nicolaides AN : Investigation of chronic venous insufficiencY. A consensus statement (France, March 5-9. 1997). Circulation 2000. 102 (20) E126-63

Nicolaides L, Mandelis A, Abrams SH. Novel dental dynamic depth profilometric imaging using simultaneous frequency-domain infrared photothermal radiometry and laser luminescence. J Biomed Opt. 2000,5(1):31-9.

Nicoli N, Casaril A, Marchiori L, Mangiante G, Marini G, Colombari R, Portuese A, Hasheminia AR. Intraoperative and percutaneous radiofrequency thermal ablation in the treatment of hepatocellular carcinoma. Chir Ital. 2000,52(1):29-40.

Niedzwiecka A. Darzynkiewicz E. Stolarski R. Thermodynamics of mRNA 5' cap binding by eukaryotic translation initiationfactor eIF4E. Biochem. 2004; 43(42): 13305-13317.

Nielsen DC, Ma L, Ahuja LR, Hoogenboom G. Simulating Soybean Water Stress Effects with RZWQM and CROPGRO Models Agron. J. 2002, 94: 1234 - 1243.

Nielsen KG, Bisgaard H. Hyperventilation with Cold versus Dry Air in 2 to 5 year old Children with Asthma. Am J Respir Crit Care Med. 2004; Epub ahead of print

Nielsen SP,. Mercer JB. Static and dynamic infrared thermography in peripheral vascular disease. (abstract) Thermol int 2003, 13: 76

Niemand IC, Cronje HS, Botha JM. Physical properties of acetic acid vital in evaluating the cervix for neoplastic changes. European Journal of Gynaecological Oncology 2000, 21(4): 380-382

Nigg DW, Wemple CA, Risler R, Hartwell JK, Harker YD, Laramore GE. Modification of the University of Washington Neutron Radiotherapy Facility for optimization of neutron capture enhanced fast-neutron therapy. Med Phys. 2000,27(2):359-67.

Niikura H, Villeneuve DM, Corkum PB. Stopping a vibrational wave packet with laser-induced dipole forces. Phys Rev Lett. 2004 ; 92(13):133002.

Niimi AJ. Environmental and economic factors can increase the risk of exotic species introductions to the Arctic region through in- creased ballast water discharge. Environ Manage. 2004; 33(5): 712-8.

Nijs M, Ombelet W. Cryopreservation of human sperm. Human Fertility 2001: 4(3):158-163

Nikitin DI. Strompl C. Oranskaya MS. Abraham W-R. Phylogeny of the ring-forming bacterium Arcicella aquatica gen. nov., sp. nov(ex Nikitin et al. 1994. from a freshwater neuston biofilm. Int J Syst Evol Microbiol. 2004;54(3):681-684.

Nikolakis M, A.KainZ. Thermographie bei sympathischer Reflexdystrophie. Thermol Österr2:56-61. 1992

Nikolakis M, A.KainZ. Thermographie bei sympathischerReflexdystrophie(abstract).Thermo-logie Österreich 2:44. 1992

Nikulin NA, Gonchar NV, Klocheva EG. Reaktsiia vegetativnoi nervnoi sistemy detskogo organizma na vozdeistvie magnitnego polia.(Reaction of the autonomic nervous system of children to a magnetic field). Pediatriia (9): 59-62. 1989

Nilsoon HO. Evaluation and visualisation of perceived thermal conditions. Eur J Appl Physiol. 2004; 92(6): 714-716.

Nimis P, Trommsdorff V. Comment on 'New Constraints on the *P–T* Evolution of the Alpe Arami Garnet Peridotite Body (Central Alps, Switzerland)' by Paquin & Altherr (2001) J. Petrology 2001, 42: 1773 - 1779.

Ning Z. Cheung CS. Liu SX. Experimental investigation of the effect of exhaust gas cooling on diesel particulate. J Aerosol Sci. 2004.35(3)333-345.

Nischik M, C.Forster, H. 0.HandwerkeR. Analysis of vascular skin reactions using superimposed video and thermal images. IN. Ammer K, EFJ Ring (eds): The Thermal Image in Medicine and Biology, Uhlen Verlag, Wien,pp. 130-135. 1995

Nischik M, C.Forster, HO,HandwerkeR.Analysis of vascular skin reactions using superimposed video and thermal images (abstract). Thermol Österr4:169. 1994

Nishida K, Fujiki A, Mizumaki K, Sakabe M, Sugao M, Tsuneda T. Inoue H. Canine model of Brugada syndrome using regional epicardial cooling of the right ventricular outflow tract. J Cardiovascr Electro- physiol. 2004; 15(8): 936-941.

Nishihara Y, Sakakura M, Kimura Y. Terazima M. The escape process of carbon monoxide from myoglobin to solution at physio- logical temperature. J Am Chem Soc. 2004; 126(38): 11877-11888.

Nishikawa K, Wakoh M, Kuroyanagi K. Suitability of the general-purpose graphic printer as an image output device for digital dental x-ray images. Oral Surg Oral Med Oral Pathol Oral Radiol Endod. 2000,89(3):382-7.

Nishikido M, Noguchi M, Koga S, Kanetake H, Matsuya F, Hayashi M, Hori T, Shindo K. Kidney transplantation from non- heart-beating donors: analysis of organ procurement and outcome. Transplant Proc. 2004; 36(7):1888-90.

Nishimura K, Y.Kitada, K. Takahashi,Y. MuramatsU.Effects Of Alcohol Consumption On Skin Temperature And The Skin Color Of The Face And Palms. (abstract). Biomed Thermol 11: 298. 1991

Nishimura S. Akagi M. Yoshida K. Hayakawa S. Sawamura T. Munakata H. HamanishiC. Oxidized low-density lipoprotein (ox-LDL) binding to lectin-like ox-LDLreceptor-1 (LOX-1) in cultured bovine articular chondrocytes increasesproduction of intracellular reactive oxy- gen species (ROS) resulting in the activation of NF-kappaB. Osteo- arthritis Cartilage. 2004; 12(7): 568-576.

Nishimura TH, i Eguchi T, Kubota A, Hatori M, Saito M.A Non Invasive Rechargeable Cardiac Pacemaker Battery System with a Transcutaneous Energy Transformer. In. Proceedings - 20th Annual International Conference - IEEE/EMBS , 1998, Hong Kong, p. 432

Nisijima K. Shioda K. Yoshino T. Takano K. Kato S. Memantine, an NMDA antagonist, prevents the development of hyperthermia in ananimal model for serotonin syndrome. Pharmacopsychiatry. 2004; 37(2): 57-62.

Nitta Y, Fang Y, Takemasa M, Nishinari K. Gelation of xyloglucan by addition of epigallocatechin gallate as studied by rheology and differential scanning calorimetry. Biomacromolecules. 2004; 5(4): 1206-13.

Niven GW, Miles CA, Mackey BM. The effects of hydrostatic pressure on ribosome conformation in Escherichia coll. An in vivo study using differential scanning calorimetry. Microbiology 1999, 145(2): 419-25.

Niven GW. Ribosome modulation factor protects Escherichia coli during heat stress, butthis may not be dependent on ribosome dimerisation. Arch Microbiol. 2004; 182(1): 60-66.

No D, McClaren M, Chotzen V, Kilmer SL.Sebaceous hyperplasia treated with a 1450-nm diode laser. Dermatol Surg. 2004; 30(3):382-4.

Noga BR, Pinzon A, Mesigil RP, Hentall ID. Steady-state levels of monoamines in the rat lumbar spinal cord: spatial mapping and the effect of acute spinal cord injury. J Neurophysiol. 2004; 92(1):567-77.

Nogler-Semenitz E, Mader I, Furst-Weger P, Terkola R, Wasser- theurer S, Giovanoli P, Mader RM. [Extravasation of cytotoxic agents] Wien Klin Wochenschr. 2004; 116(9-10):289-95. R

Noguchi O, S. Takao, H. KohnO. A Case Of Facial Thermography In A Patient With Polymyalgia Rheumatica. (abstract). Biomed Thermol 10: 307. 1990

Noguchi O., M. Kobayashi MichikO. Evaluation of the effect of oketani method (breast massage) for good lactation by thermography. Thermol Österr2:S28-29. 1992

Nomoto S, Ohta M, Kanai S, Yoshida Y, Takiguchi S, Funakoshi A, Miyasaka K. Absence of the cholecystokinin-A receptor deteriorates homeostasis of body temperature in response to changes in ambient temperature. Am J Physiol Regul Integr Comp Physiol. 2004; 287(3): R556-61.

Nomoto S. Riedel W. Effects of methylene blue and a-lipoic acid on body temperature and fever in pigeons. J Thermal Biol. 2004; 29(6)307-313.

Nomoto S. Role of Prostaglandin E2 and Indomethacin in the Febrile Response of Pigeons. Jap J Physiol 2003; 53(4):253-258.

Noone SJ. More on the Contributions of William L. Johnston, DO. J e Am Ost Ass. 2003; 103(10):458.

Norizzah AR. Chong CL. Cheow CS. Zaliha O. Effects of chemi- cal interesterification on physicochemical properties of palmstearin and palm kernel olein blends. Food Chem. 2004; 86(2): 229-235.

Nosaka K, Sakamoto K, Newton M, Sacco P. Influence of Pre-Exercise Muscle Temperature on Responses to Eccentric Exercise. J Athl Train. 2004; 39(2):132-137.

Nott KP, Hall LD, Bows JR, Hale M, Patrick ML.MRI phase mapping of temperature distributions induced in food by microwave heating. Magn Reson Imaging. 2000,18(1):69-79.

Nottingham LK, Ries WR. Update on lasers in facial plastic surgery. Curr Opin Otolaryngol Head Neck Surg. 2004; 12(4):323-6.

Nouri K, Chen H, Saghari S, Ricotti CA Jr. Comparing 18- versus 12-mm spot size in hair removal using a gentlease 755-nm alexandrite laser. Dermatol Surg. 2004; 30(4 Pt 1):494-7.

Novak OP, Bilyns'kyi BT. Termohrafiia v kompleksnomu obstezhenni khvorykh na melanomu shiry. (Thermography in the complex examination of patients with skin melanoma). Vrachebnoe Delo, (11-12): 66-69. 1992

Novak VJ, Makek M. Pathogenesis and surgical treatment of migraine and neurovascular headaches with rhinogenic trigger. Head and Neck, 14: 467-472. 1992

Novitskii VV, Sokolovich AG, Riazantseva NV. Rol' izmenenii eritrotsitov pri khronicheskikh okkliuzionnykh zabolevaniiakh arterii nizhnikh konechnostei. (Role of red blood cell changes in chronic occlusion of low limb arteries). Klinicheskaia Meditsina, 2000. 78 (6) 36-9

Nowakowski A, Hryciuk M, Kaczmarek M.Thermal Tomography in Medicine. (abstract) Thermol int 2003, 13: 76

Nowakowski A, Kaczmarek M, Siebert J, Rogowski J, Jagielak D, Roszak K, Topolewicz J, Stojek W Role of thermographic inspection in cardiosurgery. IN. Hutten H, Krösel P, eds. Proceedings Part II, EMBEC´02. 2.European Medical & Biological Engineering Conference. IFMBE, Graz, 2002. pp.1626-1627

Nowakowski A, Kaczmarek M.Active thermography in medical applications

Nowakowski AZ.,Kaczmarek M, Wtorek J, Siebert J, Jagielak D, Roszak K, Topolewicz J,Stojek W. Thermographic and Electrical Measurements for Cardiac Surgery Inspection

Nowicki AN Thermography As A Maintenance Tool In Industry (abstract). Thermol intern 2000, 10 (1):33

Nozari A, Safar P, Stezoski SW, Wu X, Henchir J, Radovsky A, Hanson K, Klein E, Kochanek PM, Tisherman SA. Mild hypothermia during prolonged cardiopulmonary cerebral resuscitation increases con- scious survival in dogs. Crit Care Med. 2004; 32(10):2110-6.

Nubé VN, McGill M, Molyneaux L, Yue DK From Acute to ChroniC. Monitoring the Progress of Charcot's Arthropathy J Am Podiatr Med Assoc 2002, 92: 384 - 389.

Nudelman I, Fuko V, Rubin M, Lelcuk S. A nickel-titanium memory-shape device for colonic anastomosis in laparoscopic surgery. Surg Endosc. 2004; 18(7):1085-9.

Nugroho AK. Li G. Grossklaus A. Danhof M. Bouwstra JA. Transdermal iontophoresis of rotigotine: Influence of concentration, temperature and current density in human skin in vitro. J Control Release. 2004. 96(1)159-167.

Nuhr M, Hoerauf K, Bertalanffy A, Bertalanffy P, Frickey N, Gore C, Gustorff B, Kober A. Active warming during emergency transport relieves acute low back pain. Spine. 2004; 29(14):1499-503.

Nunez-Duran H, Fernandez P. Evidence for an intracellular site of action in the heart for two hydrophobic cardiac steroids. Life Sci. 2004; 74(11):1337-44.

Nunthanid J. Laungtana-Anan M. Sriamornsak P. Limmatvapirat SPuttipipatkhachorn S. Lim LY. Khor E. Characterization of chitosan acetate as a binder for sustained release tablets. J Control Release. 2004; 99(1): 15-26.

Nusbaum BP. Techniques to reduce pain associated with hair transplantation: optimizing anesthesia and analgesia. Am J Clin Der- matol. 2004; 5(1): 9-15.

Nussbaum E, Rush P, Disenhaus L. The effects of interferential therapy on peripheral blood flow. Physiotherapy 76:803-807. 1990

Nuutinen J, Alanen E, Autio P, Lahtinen M-R, Harvima I, Lahtinen T. A closed unventilated chamber for the measurement of transepidermal water loss. Skin Res Tech. 2003; 9(2):85-89.

Nybo L, Nielsen B Middle cerebral artery blood velocity is reduced with hyperthermia during prolonged exercise in humans. Journal of Physiology 2001: 534(1): 279-286

Nyholm TKM, Nylund M, Slotte JP. A calorimetric study of binary mixtures of dihydrosphingomyelin and sterols, sphingomyelin, or phosphatidylcholine. Biophys J. 2003; 84(5): 3138-3146.

Nyland J, Kocabey Y, Caborn DN. Sex differences in perceived importance of hamstring stretching among high school athletes. Percept Mot Skills. 2004; 99(1):3-11.

O'Brien C, Montain SJ Hypohydration effect on finger skin temperature and blood flow during cold-water finger immersion J Appl Physiol, 2003; 94: 598 - 603.

O'Brien C. Reproducibility of the cold-induced vasodilation response in the human finger. J Appl Physiol. 2004; Epub ahead of print

O'Brien FJ, Harley BA, Yannas IV, Gibson L. Influence of freezing rate on pore structure in freeze-dried collagen-GAG scaffolds. Biomaterials. 2004; 25(6):1077-86.

O'Connor PB, Budnik BA, Ivleva VB, Kaur P, Moyer SC, Pittman JL, Costello CE. A high pressure matrix-assisted laser desorption ion source for Fourier transform mass spectrometry designed to accom- modate large targets with diverse surfaces. J Am Soc Mass Spectrom. 2004; 15(1):128-32.

O'Donnell RG, Leon Vintro L, Duffy GJ, Mitchell PI. Measure- ment of the residual radioactivity induced in the front foil of a target assembly in a modern medical cyclotron. Appl Radiat Isot. 2004; 60(2-4):539-42.

O'HaraMJ, Fry N, Prichard HM. Minor Phases as Carriers of Trace Elements in Non-Modal Crystal–Liquid Separation Processes II. Illustrations and Bearing on Behaviour of REE, U, Th and the PGE in Igneous Processes J. Petrology 2001, 42: 1887 - 1910.

O'Kane FE, Happe RP, Vereijken JM, Gruppen H, van Boekel MA. Heat-induced gelation of pea legumin: comparison with soybean glycinin. J Agric Food Chem. 2004; 52(16):5071-8.

O'Neill B. Maintain study drug integrity through the GCP-GMP interface. Good Clin Practice J. 2004;11(10): 17-19.

O'Reilly CE. O'Connor L. Anderson W. Harvey P. Grant IR. Donaghy J. Rowe MO'Mahony P. Surveillance of bulk raw and com- mercially pasteurized cows' milk from approvedIrish liquid-milk pasteurization plants to determine the incidence ofMycobacterium paratuberculosis. Appl Environ Microbiol. 2004;70(9): 5138-5144.

Oba K, Partl MN. Adhesion of bituminous waterproofing membranes for bridge applications. Science and Technology of Buidling Seals, Sealants, Glazing, and WaterproofinG. Seventh Volume, American Society for Testing and Materials, Special Technical Publication Vol.1334. W Conshohocken, 1998. p. 251-67.

Obayashi K, Ando Y, Terazaki H, Yamashita S, Nakagawa K, Nakamura M, Yamashita T, Suga M, Ishizaki T, Uchino M, Ando M. Effect of sildenafil citrate (Viagra) on erectile dysfunction in a patient with familial amyloidotic polyneuropathy ATTR Val30Met. J Auton Nerv Syst. 2000,80(1-2):89-92.

Oberg T. Boiling points of halogenated aliphatic compounds: a quantitative structure-property relationship for prediction and vali- dation. J Chem Inf Comput Sci. 2004; 44(1):187-92.

Oberhauser G, Pichler L, Urban M, Hruby W. Thermometry by magnetic resonance imaging. Thermol intern 2001, 11(2): 78

Oberhoff M, Karsch KR. 342. Sliding wear of polyimide-C60 composite coatings, Wear, 2003; 254, (s 5-6): 501-513.

Oberhuber W. Influence of climate on radial growth of Pinus cembra within the alpine timberline ecotone. Tree Physiol. 2004; 24(3): 291-301.

O'Brian DP, Walsh TN, Given HF. The warm knee sign - an evaluation. Eur J Vasc Surg 4: 531-534. 1990

O'Brien DL, Rogers IR, Holden W, Jacobs I, Mellett S, Wall EJ, Davies D The accuracy of oral predictive and infrared emission detection tympanic thermometers in an emergency department setting. Academic Emergency Medicine 2000. 7 (9) 1061-4

Ochoa JL, D Yarnitsky, P Marchinettini, R Dotson, M ClinE. Interactions between sympathetic vasoconstrictor outflow and C nociceptor- induced antidromic vasodilatation. Pain 54: 191-196. 1993

Ochoa JL. The Human Sensory Unit And PaIn. New Concepts, Syndromes, And Tests. Muscle And Nerve / 16:1009-1016.1993

Oda I, Mitsuya S, Doi T. Evaluation of plastic deformation near crack by infrared thermography. IN. Allison IM, editor, Experimental Mechanics, Vols 1 and 2, Advances in Design, Testing And Analysis, A A Balkema, Rotterdam, 1998,p. 1275-80.

Oda I, Tanaka Y, Nakano A, Murao Y. Inference of plastic deformation in weldment with parallel cracks from infrared thermography. Metals and Materials-Korea 4(3): 524-528. 1998

Odajima N, T. FurukawA. Skin Temperature Gradients In The Lower Leg For Differentlevels Of Injury In The Nervous System. (abstract). Biomed Thermol 11: 302. 1991

Odajima N, T. Ichikawa, T. FurukawA.Thermographic Studies Of The Upper Half Of The Body For Cervical And Upper Thoracic Cord Lesions. (abstract). Biomed Thermol 10: 310. 1990

Oepen I. Kritische Bewertung unkonvednt ioneller diagnostischer und therapeutischer Methoden in der Zahnheilkunde. Fortschritte der Kie- ferorthopädie 53:239-246. 1992

Oerlemans HM, Oostendorp RAB, De Boo T, Perez RSGM, Goris RJA. Signs and symptoms in complex regional pain syndrome type I reflex sympathetic dystrophY. Judgment of the physician versus objective measurement. Clinical Journal of Pain 1999. 15(3):224-32

Oerlemans HM, Perez RSGM, Oostendorp RAB, Goris RJA. Objective and subjective assessments of temperature differences between the hands in reflex sympathetic dystrophy. Clinical Rehabilitation 1999. 13(5):430-8

Oerlemans HM, Graff MJ, Dijkstra-Hekkink JB, de Boo T, Goris RJ, Oostendorp RA. Reliability and normal values for measuring the skin temperature of the hand with an infrared tympanic thermometeR. a pilot study. Journal of Hand Therapy, 1999. 12 (4) 284-90

Oerther S, Ahlenius S. Involvement of 5-HT(sub(1A) and 5-HT(sub(1B) receptors for citalopram- induced hypothermia in the rat. Psychopharmacology 2001, 154(4): 429-434

Oey PL, Wieneke GH, Hoogenraad TU, Van Huffelen AC. Ocular myasthenia graviS. The diagnostic yield of repetitive nerve stimulation and stimulated single fiber EMG of orbicularis oculi muscle and infrared reflection oculography. Muscle and Nerve 16:142-149.1993

Ogan K, Roberts WW, Wilhelm DM, Bonnell L, Leiner D, Lindberg G, Kavoussi LR, Cadeddu JA. Infrared thermography and thermocouple mapping of radiofrequency renal ablation to assess treatment adequacy and ablation margins. Urol. 2003; 62(1):146-151.

Ogasawara T, Kitagawa Y, Ogawa T, Yamada T, Kawamura Y, Sano K MR imaging and thermography of facial angioedemA. a case report. Oral Surg Oral Med Oral Pathol Oral Radiol Endod 2001, 92(4): 473-6.

Ogawa K, Tobo M, Iriguchi N, Hirai S, Okazaki K. Simultaneous measurement of temperature and velocity maps by inversion recovery tagging method. Magn Reson Imaging. 2000,18(2):209-16.

Ogawa T.Measurement of tympanic temperature and its significance in physiology and pathophysiology.(abstract) Biomed Thermol 12: 276-277.1993

Ogawa T.Measurement of tympanic temperature and its significance in physiology and pathophysiology. IN. Mabuchi K, S.Mizushina, B.Harrison (eds.) Advanced Techniques and Clinical Application in Biomedical Thermologie, harwood academic publishers Chur/Schweiz p. 163-172 1994

Ogino A, Kaku K, Osada T, Shimada K. Environmental impacts of the Japanese beef-fattening system with different feeding lengths as evaluated by a life-cycle assessment method. J Anim Sci. 2004; 82(7): 2115-22.

Oh SJ, Jung SC, Kwon OB, Kim YS, Kim MY, Kim S, Lim S, Shin HC. Hypothermia-induced changes of afferent sensory transmission to the VPM thalamus of rats and hamsters. Brain Res. 2004; 1003(1-2): 122-9.

Ohashi K, I,Uchida, T.Iwase,M.Yoshimoto, S.WatanabE. Improved Diagnostic accuracy in Breast Thermography by the Adoption of Dynamic Thermography. (abstract). Thermol Österr 4: 125-126. 1994

Ohashi Y, I,Uchida , T.Iwase, M.Yoshomoto, S.Watanabe, F.Kasumi, M.NishI. Implications of dynamic thermography in the diagnosis of breast cancer. Thermol Österr2:S26. 1992

Ohashi Y, I.Uchida, T. Iwase, M. Yoshimoto, F. Kasumi, M. NishI. On the Diagnosis of Synchronous Bilateral Breast Cancer by Thermography. Biomed Thermol 15: 142-149. 1995 142

Ohashi Y, I.Uchida, T.Iwase, M.Yoshimoto, F.Kasumi, M.NishI. Diagnosis of Synchronous Bilateral Breast Cancer by Thermography. (abstract) Biomed Thermol 15: 37. 1995

Ohashi Y, O.UchidA. The Diagnostic Significance of Thermography in Patients with Breast Cancer after surgery. (abstract) Thermol Österr 7(2): 70. 1997

Ohashi Y, Uchida I. Applying dynamic thermography in the diagnosis of breast cancer. IEEE Eng Med Biol Mag. 2000,19(3):42-51.

Ohashi Y, Uchida I. Some considerations on the diagnosis of breast cancer by thermography in patients with nonpalpable breast cancer.IN.Proceedings of the 19th Annual International Conference of the IEEE Engineering in Medicine and Biology Society, Vol 19. PTS 1-6. IEEE, New York, 1997, P. 670-2

Ohashi Y, Uchida U. Applying dynamic thermography in the diagnosis of breast canceR. Techniques for improving sensitivity of breast thermography.IEEE Transactions on Biomedical Engineering 2000, 47 (6)42-51

Ohguri T, Imada H, Yahara K, Kakeda S, Tomimatsu A, Kato F, Nomoto S, Terashima H, Korogi Y. Effect of 8-MHz radiofrequency- capacitive regional hyperthermia with strong superficial cooling for unresectable or recurrent colorectal cancer. Int J Hyperthermia. 2004; 20(5): 465-75.]

Ohki K, Yamamoto Y, Matsukawa T, Gouhara T, Matsuzaki Y, Oshibuchi T. The temperature measurement of infusion fluid by infrared thermometer is useful for safety in infusion therapy. Masui. 2003 May;52(5):542-6.

Ohkura K, Kazui T, Yamamoto S, Yamashita K, Terada H, Washiyama N, Suzuki T, Suzuki K, Fujie M, Ohishi K. Comparison of pH management during antegrade selective cerebral perfusion in canine models with old cerebral infarction. J Thorac Cardiovasc Surg. 2004; 128(3):378-85.

Ohnuki K, Niwa S, Maeda S, Inoue N, Yazawa S, Fushiki T CH-19 sweet, a non-pungent cultivar of red pepper, increased body temperature and oxygen consumption in humans. Biosci Biotechnol Biochem 2001, 65(9): 2033-6.

Ohsawa S, Inamori Y, Fukuda K, Hirotuji M Lower limb amputation for diabetic foot. Archives Of Orthopaedic And Trauma Surgery 2001. 121 (4) 186-90

Ohsumi S, Takashima S, Aogi K, Usuki H Prognostic value of thermographical findings in patients with primary breast cancer. Breast Cancer Res Treat 2002, 74(3): 213-20.

Ohtani S, Yamamoto T, Sashima M, Satoh M Age-related changes in the D-aspartic acid content of the cranial bones in senescence-accelerated mice (SAM). Growth Dev Aging 2001, 66(1): 35-41.

Ohtsuka S. (Evaluation of the peripheral skin sympathetic function by cooling thermography in women with climacteric complaints). Nippon Sanka Fujinka Gakkai Zasshi. Acta Obstetrica Et Gynaecologica Japonica 47:49-54.1995

Oka K, Sakurai A, Funis T, Yoshimatsu H, Sakata T, Nakata M. Food Texture Differences affect Energy Metabolism in Rats. J Dent Res., J 2003; 82: 491 - 494.

Oka T. Prostaglandin E2 as a mediator of fever: the role of prostaglandin e (EP) receptors. Front Biosci. 2004; 9:3046-57.

Okagawa T, Sugenoya J, Iwase S, Mano T, Suzumura A, Matsumoto T, Sugiyama Y. Occurrence of the spinal reflex due to skin pressure in sudomotor and cutaneous vasoconstrictor nerve system of humans, Auton Neurosci, 2003; 105, (1): 62-70

Okamoto H, Okabe K, Yuri Y, Mohl D, Sessler AM. One-dimen- sional ordering of ultra-low-density ion beams in a storage ring. Phys Rev E Stat Nonlin Soft Matter Phys. 2004; 69(6 Pt 2):066504.]

Okamoto-Mizuno K, Tsuzuki K, Mizuno K. Effects of humid heat exposure in later sleep segments on sleep stages and body tempera- ture in humans. Int J Biometeorol. 2004; Epub ahead of print

Okamoto-Mizuno K, Tsuzuki K, Mizuno K. Effects of mild heat exposure on sleep stages and body temperature in older men. Int J Biometeorol. 2004; 49(1):32-6.

Okano T, Murase T, Asano M, Tsubota T. Effects of final dilution rate, sperm concentration and times for cooling and glycerol equilibration on post-thaw characteristics of canine spermatozoa. J Vet Med Sci. 2004; 66(11):1359-64.

Okano T, Okuda Y, Kimura Y, Mishio M, Shinohara M, Kitajima T Use of near-infrared spectroscopy to evaluate stellate ganglion block (9). Regional Anesthesia and Pain Medicine 2001,26(2): 186)

Okazaki S. Daita H. How to Detect and Treat the Vulnerable Plaque. Respir Circulation. 2004; 52(3): 307-314.

Okazaki T, Hirota N, Nagata T, Osuka A, Terazima M. High temporally and spatially resolved thermal energy detection after nonradiative transition in solution using a molecular heater-molecular thermometer integrated system. Journal of the American Chemical Society 1999, 121(2)1: 5079-80

Okazawa M, Inoue W, Hori A, Hosokawa H, Matsumura K, Kobayashi S. Noxious heat receptors present in cold-sensory cells in rats. Neurosci Lett. 2004; 359(1-2):33-6.

Okonogi S, Oguchi T, Yonemochi E, Puttipipatkhachorn S, Yamamoto K. Physicochemical properties of ursodeoxycholic acid dispersed in controlled pore glass. Journal of Colloid and Interface Science 1999, 216(2):276-84.

Okrasa L. Pakula T. Inoue Y. Matyjaszewski K. Morphology and thermomechanical properties of well-defined polyethylene-graft-poly- (n-butyl acrylate) prepared by atom transfer radical polymerization. ColloidPolymer Sci. 2004; 282(8): 844-853.

Okubo T. Kimura H. Kimura T. Hayakawa F. Shibata T. Kimura K. Drying dissipative structures of Chinese black ink on a cover glass and indish. 2004; ColloidPolymer Sci 283(1): 1-9.

Okuda S, Kuroda K, Oshio K, Mulkern RV, Colucci V, Morrison PR, Kainuma O, Jolesz FA. MR-based temperature monitoring for hot saline injection therapy. J Magn Reson Imaging. 2000,12(2):330-8

Okudera H, S.Kobayashi, T.Toriyama, RA. Solomon, HH.BatjeR. Intraoperative regional and functional thermography during resection of cerebral arteriovenous malformation. Neurosurgery 34: 1065-1067. 1994/

Okumura Y, K.Asakawa, Y.Ogasahara, A.Muramatu, S.Wada, S.tamaru, M.Nagal. bathing in bed accelerates the recovery of skin temperature after ethanol-loading. Annals Of Physiological Anthropology 13:49-54. 1994

Oliveira BM, Romanha AJ, Alves TM, Viana MB, Zani CL. An improved HPLC method for the quantitation of 6-mercaptopurine and its metabolites in red blood cells. Braz J Med Biol Res. 2004; 37(5): 649-58.

Oliver CD, White SA. Unexplained fitting in three parturients suffering from postdural puncture headache Br. J. Anaesth. 2002, 89: 782 - 785.

Olivier B, Zethof T, Pattij T, Van Boogaert M, Van Oorschot R, Leahy C, Oosting R, Bouwknecht A, Veening J, Van der Gugten J, Groenink L. Stress-induced hyperthermia and anxiety: Pharmacological validation. Eur J Pharmacol. 2003; 463(1-3): 117-132.

Olmez Aytas S. Akyil S. Eral M. Adsorption and thermodynamic behavior of uranium on natural zeolite. J Radioanalyt Nucl Chem. 2004; 260(1): 119-125.

Olson RJ. Jin Y. Kefalopoulos G. Brinton J. Legacy AdvanTec and Sovereign WhiteStar: A wound temperature study. J Cataract Refract Surg. 2004;30(5): 1109-1113.

Olson SL, Kashiwagi T, Fujita O, Kikuchi M, Ito K Experimental observations of spot radiative ignition and subsequent three- dimensional flame spread over thin cellulose fuels. Combustion and Flame 2001, 125(1-2): 852-864

Olsrud J, Wirestam R, Brockstedt S, Nilsson AM, Tranberg KG, Stahlberg F, Persson BR. MRI thermometry in phantoms by use of the proton resonance frequency shift methoD. application to interstitial laser thermotherapy.Physics In Medicine And Biology 1998. 43 /9: 2597-613.

Olujic Z. Fakhri F. De Rijke A. De Graauw J. Jansens PJ. Int al heat integration - The key to an energy-conserving distillation column. J Chem Tech Biotech. 2003; 78(2-3):241-248.

Olyaei GR. Talebian S. Hadian MR. Bagheri H. Momadjed F. The effect of transcutaneous electrical nerve stimulation on sympathetic skin response. Electromyo Clin Neurophysiol. 2004: 44(1): 23-28.

Omote K, M.Kawamata, A.NamikI. Adverse effects of stellate ganglion block on raynaud's phenomenon associated with progressive systemic scle-rosis. Anesthesia And Analgesia 77:1057- 1060. 1993

Omrane A. Santesson S. Alden M. Nilsson S. Laser techniques in acoustically levitated micro droplets. Lab Chip. 2004; 4(4): 287-291

Ong JT, d'Arcy JA, Collins DJ, Rivens IH, ter Haar GR, Leach MO. Sliding window dual gradient echo (SW-dGRE): T1 and proton resonance frequency (PRF) calibration for temperature imaging in polyacrylamide gel. Phys Med Biol 2003; 48(13):1917-1931.

Onischuk AA, Levykin AI, Strunin VP, Sabelfeld KK, Panfilov VN. Aggregate formation under homogeneous silane thermal decomposition. Journal of Aerosol Science 2000, 31(11): 1263-1281

Onishi Y, Ohara K, Shikada Y, Satomi H Hereditary benign telangiectasiA. image analysis of hitherto unknown association with arteriovenous malformation. Br J Dermatol 2001, 145(4): 641-5.

Ootsuka Y, Blessing WW, McAllen RM. Inhibition of rostral medullary raphe neurons prevents cold-induced activity in sympathetic nerves to rat tail and rabbit ear arteries. Neurosci Lett. 2004; 357(1): 58-62.

Opas EE, Rutledge SJ, Vogel RL, Rodan GA, Schmidt A. Rat tail skin temperature regulation by estrogen, phytoestrogens and tamoxifen. Maturitas. 2004; 48(4):463-71.

Ophir E, Arieli Y, Marder J. The effect of alpha(2)-adrenergic receptors on cutaneous water evaporation in the rock pigeon (Columba livia). Comp Biochem Physiol A Mol Integr Physiol. 2004; 139(4):411-5.

Oppezzo P. Dumas G. Bouvet J-P. Robello C. Cayota A. Pizarro JC. Dighiero GPritsch O. Somatic mutations can lead to a loss of superantigenic and polyreactive binding. Eur J Immunol. 2004; 34(5): 1423-1432.

Optimization of wet radiofrequency ablation using a perfused- cooled electrode: a comparative study in ex vivo bovine livers. Korean J Radiol. 2004; 5(4):250-7.

Oral and Tympanic Routes May Not Detect Fever in the Elderly Journal Watch Emergency Medicine 2002, 2002: 9.

O'Reilly D, Taylor L, el-Hadidy K, Jayson MI. Measurement of cold challenge responses in primary Raynaud's phenomenon and Raynaud's phenomenon associated with systemic sclerosis. Annals of the Rheumatic Diseases, 51: 1193-1196. 1992

Orel SG, RH TroupIn. Nonmammographic imaging of the breasT. Current issues and future prospects. Seminars in Roentgenology 28:231-241

Orendorff CJ, Ducey Jr MW, Pemberton JE, Sander LC. Structure-function relationships in high-density octadecylsilane stationary phases by Raman spectroscopy. 4. Effects of neutral and basic aromatic compounds. Anal Chem. 2003; 75(14): 3037-3043.

Orendorff CJ, Ducey Jr MW, Pemberton JE, Sander LC. Structure-function relationships in high-density octadecylsilane stationary phases by Raman spectroscopy. 3. Effects of self-associating solvents. Anal Chem. 2003; 75(14): 3028-3036.

Orlandini G. Thermographic changes after surgery for pain syndromes. Thermol intern 2002. 12: 45-50

Orlandini G. Thermographic changes by surgical pain operations(abstract). Thermology intern 2000, 10(3):147

Orley JN, Goeblyoes P. Modern imaging methods in paediatric breast examination. Ceska Gynekologie, 60: 153-157.1995

Orlove GL. Non-destructive evaluation of steam traps. IN. LeMieux DH, Snell JR, editorS. Thermosense XXI,Proceedings of the Society of Photo-Optical Instrumentation Engineers (SPIE), Vol.3700, Bellingham, 1999. p. 283-8.

Orosz, T. Kakossy, L. Nemeth, K. Karlinger, J. Boczan : On differential infrared thermograms that have played a decisive role in the diagnoses of the occupational disease of a smith and a forge-man exposed to vibration . (abstract). IN. Benkö I, I.Lovak, I.Kovacsics (eds): 9th International Conference on Thermal Engineering and Thermogram- metry (THERMO). Budapest. p.126-129. 1995

Orpwood R. Bus travel for the twenty-first century. Journal of Dementia Care 2001, 9(1): 29-31

Ørstavik K, Weidner C, Schmidt R, Schmelz M, Hilliges M, Jørum E, Handwerker H, Torebjörk E Pathological C-fibres in patients with a chronic painful condition. Brain, 2003; 126: 567 - 578.

Orstavik K, Mork C, Kvernebo K, Jorum E. Pain in primary erythromelalgia—a neuropathic component? Pain. 2004; 110(3):531-8.

Osaka T. Cold-induced thermogenesis mediated by GABA in the preoptic area of anesthetized rats. Am J Physiol Regul Integr Comp Physiol. 2004; 287(2):R306-13.

Osaka T. Thermogenesis elicited by skin cooling in anaesthetized rats: Lack of contribution of the cerebral cortex. J Physiol. 2004; 555(2)503-513.

Osborn DA. Evans N. Kluckow M. Clin detection of low upper body blood flow in very premature infants using blood pressure, capillary refill time, and central-peripheral temperature difference. Arch Dis Child Fetal Neonatal Edition. 2004; 89(2): F168-F173.

Osborne CP, Beerling DJ, Lomax BH, Chaloner WG. Biophysi- cal constraints on the origin of leaves inferred from the fossil record. Proc Natl Acad Sci U S A. 2004; 101(28):10360-2.

Osborne PG, Gao B, Hashimoto M. Determination in vivo of newly synthesized gene expression in hamsters during phases of the hibernation cycle. Jpn J Physiol. 2004; 54(3):295-305.

Osborne PG, Hashimoto M. State-dependent regulation of cortical blood flow and respiration in hamsters: Response to hypercapnia during arousal from hibernation. J Physiol. 2003; 547(3): 963-970.

Osborne SL, Schepers JS, Francis DD, Schlemmer MR. Use of Spectral Radiance to Estimate In-Season Biomass and Grain Yield in Nitrogen- and Water-Stressed Corn Crop Sci. 2002, 42: 165 - 171.

Oshibuchi M, Cho S, Hara T, Tomiyasu S, Makita T, Sumikawa K. A comparative evaluation of transcutaneous and end-tidal measurements of CO2 in thoracic anesthesia. Anesth Analg. 2003; 97(3):776-779.

Ossoff RH, L.ReiniscH. Computer-assisted surgical techniqueS. a vision for the future of otolaryngology-head and neck surgery. Journal Of Oto- laryngology 23: 354-359.1994

Ost B. Regulationsthermographie-ein wichtiger Parameter in der onkologischen Nachsorge am Beispiel des Mamma-Karzinoms. ThermoMed 8: 75-77. 1992

Oteo-Alvaro A. Perez-Caballer A. Gomez-Castresana F. Drug therapy of complex regional painful syndrome of the limbs as the cause ofneuropathic pain. Revista Clinica Espanola. 2004; 204(9): 486-494.

Otsuka K, Togawa T. Hippocratic thermography. Physiological Measurement 18(3): 227-232. 1997

Ott P, Larsen FS. Blood-brain barrier permeability to ammonia in liver failure: a critical reappraisal. Neurochem Int. 2004; 44(4):185-98.

Ouyang M, Awschalom DD. Coherent spin transfer between molecularly bridged quantum dots. Science. 2003; 301(5636): 1074-1078.

Ovadia O, zu Dohna H. The effect of intra- and interspecific aggression on patch residence time in Negev Desert gerbils: a competing risk analysis Behav. Ecol., 2003; 14: 583 - 591.

Ovechkin A, Lee S-M, Kim K-S Thermovisual evaluation of acupuncture points. Acupuncture and Electro-Therapeutics Research 2001, 26(1-2), 11-23

Ovechkin AM. Thermodiagnostics in acupuncture (abstract). Thermology intern 2000, 10(3):149

Overpeck JT. The hole record. Nature 2000, 403(6771) 714-715

Owaki T, Nakano S, Arimura K, and Aikou T The ultrasonic coagulating and cutting system injures nerve function. Endoscopy, 2002, 34(7): 575-9.

Owens Jr EF. Hart JF. Donofrio JJ. Haralambous J. Mierzejewski E. Paraspinal skin temperature patterns: An interexaminer and intra- examiner reliability study. J Manipul Physiol Ther. 2004; . 27(3)155-159.

Oxley CH, Coaker BM, Priestley NE. Measured thermal images of a gallium arsenide power MMIC with and without RF applied to the input, Solid-State Electron, 2003; 47, (4): 755-758.

Oya A, Asakura H, Koshino T, Araki T. Thermographic demonstration of nonshivering ther- mo genesis in human newborns after birtH. its relation to umbilical gases. Journal Of Perinatal Medicine 25/5: 447-454. 1997

Oyaro N, Sellevag SR, Nielsen CJ. Study of the OH and Cl-initiated oxidation, IR absorption cross-section, radiative forcing, and global warming potential of four C4-hydrofluoroethers. Environ Sci Technol. 2004; 8(21):5567-76.

Ozaki H, Nagai Y, Tochihara Y. Physiological responses and manual performance in humans following repeated exposure to severe cold at night. European Journal of Applied Physiology 2001, 84(4): 343-349

Ozturk B, Ozer F, Belli S. An in vitro comparison of adhesive systems to seal pulp chamber walls. Int Endod J. 2004; 7(5):297-306.

Ozturk B, Usumez A, Ozturk AN, Ozer F. In vitro assessment of temperature change in the pulp chamber during cavity preparation. J Prosthet Dent. 2004; 1(5):436-40.

Ozturk S, Hoopman J, Brown SA, Nojima K, Saboorian H, Acikel C, Kenkel J. A useful algorithm for determining fluence and pulse width for vascular targets using 1,064 nm Nd:YAG laser in an animal model. Lasers Surg Med. 2004; 4(5):420-5.

Ozyazgan I, Tercan M. A novel technique to cut skin precisely for mechanical skin tests and the influence of freezing procedure on test results. Erciyes Tip Dergisi. 2003; 25(2):78-85.

Pabisiak K, Romanowski M, Myslak M, Szydlowski L, Sienko J, Domanski L, Wisniewska M, Janus T, Sulikowski T, Kempinska A, Kaminski M, Paczkowski M, Mizerski A, Ostrowski M, Ciechanowski K. Variations in temperature of the donor kidney during cold ischemia time and subsequent assessment of reperfusion using the application of thermovision camera. Transplant Procs. 2003; 35(6):2157-2159.

Pahernik SA, Peller M, Dellian M, Loeffler R, Issels R, Reiser M, Messmer K, Goetz AE. Validation of MR thermometry technologY. a small animal model for hyperthermic treatment of tumours. Research In Experimental Medicine, 1999199 (2) 59-71

Pai SA, Lohithakshan KV, Mithapara PD, Aggarwal SK. Use of polyethylene glycol (PEG) based aqueous biphasic system (ABS) for the extraction of Pu(IV), Pu(VI) and Am(III) with 18-crown-6: A thermodynamic study . Journal of Radioanalytical and Nuclear Chemistry 2000: 245(3): 619-622

Paik H-D. Lee S-K. Heo S. Kim S-Y. Lee H-H. Kwon T-J. Purification and characterization of the fibrinolytic enzyme produced byBacillus subtilis KCK-7 from Chungkookjang. J Microbiol Bio- technol. 2004; 14(4): 829-835.

Paiva CEV, Lobo PDC, Villaverde AGJB, Pacheco MTT. Temporal thermal response in teeth pulp chamber by applying ND.YAG laser. IN. Hutten H, Krösel P, eds. Proceedings Part II, EMBEC´02. 2.European Medical & Biological Engineering Conference. IFMBE, Graz, 2002. pp.1264-1265

Pajuelo M, Baldwin G, Rabal H, Cap N, Arizaga R, Trivi M. Bio-speckle assessment of bruising in fruits, Optics Lasers Eng, 2003; 40, (s 1-2):13-24.

Pal B. Ariya PA. Gas-phase HO*-initiated reactions of elemental mercury: Kinetics, productstudies, and atmospheric implications. En- viron Sci echnol. 2004, 8(21): 5555-5566.

Palecek J, Neugebauer V, Carlton SM, Iyengar S, Willis WD. The effect of a kainate GluR5 receptor antagonist on responses of spino- thalamic tract neurons in a model of peripheral neuropathy in primates. Pain. 2004; 11(1-2):151-61.

Paliwal BR, MA Gehring, C Sanders, TR Mackie, HM Raffety, CW SonG. 3D rendering of SAR distributions from Thermotron RF-8 using a ray casting technique. Int J Hyperthermia 7: 567-575. 1991

Paliwal V, El-Sharkawy AM, Du X, Yang X, Atalar E. SSFP-based MR thermometry. Magn Reson Med. 2004; 52(4):704-8.

Palla l, Catalano M, Focardi S, Magagnolo P, Mazzola S, Pezone L, Catena G. Telemetric surveys in plant pathology and for taking the census of ungulates. Ann Ist Super Sanita 26:203-207. 1990

Palmer CM, Siebke K, Yeates DK. Infrared video thermography: a technique for assessing cold adaptation in insects. Biotechniques. 2004; 37(2): 12-4, 216-7.

Palmeri ML, Frinkley KD, Nightingale KR. Experimental studies of the thermal effects associated with radiation force imaging of soft tissue. Ultrason Imaging. 2004; 6(2):100-14.

Palmeri ML, Nightingale KR. On the thermal effects associated with radiation force imaging of soft tissue. IEEE Trans Ultrason Ferroelectr Freq Control. 2004; 51(5):551-65.

Palomo JM. Segura RL. Mateo C. Fernandez-Lafuente R. Guisan JM. Improving the activity of lipases from thermophilic organisms at mesophilictemperatures for biotechnol applications. Biomacromole- cules. 2004; 5(1): 249-254.

Paluch B, Ricard J-D, Dreyfuss D. Efficiency And Safety Of Mechanical Ventilation With A Heat And Moisture Exchanger Changed Once A Week Am. J. Respir. Crit. Care Med. 2001, 164: 1999 - 2000.

Pamela J, Rapp J, JET EFDA contributors. Overview of JET results, near term plans, Fus Eng Design, 2003; 66-68: 25-37.

Pan C-L, Tseng T-J, Lin Y-H, Chiang M-C, Lin W-M, Hsieh S-T. Cutaneous innervation in Guillain-Barre syndrome: Pathology and clinical correlations. Brain. 2003; 126(2):386-397.

Pan Y, Anthony MS, Binns M, Clarkson TB A comparison of oral micronized estradiol with soy phytoestrogen effects on tail skin temperatures of ovariectomized rats. Menopause 2001. 8 (3) 171-4

Panagiotakos DB. Chrysohoou C. Pitsavos C. Nastos P. Anadiotis A. Tentolouris CStefanadis C. Toutouzas P. Paliatsos A. Climatological variations in daily hospital admissions for acute coronarysyndromes. Int J Cardiol. 2004; 94(2-3): 229-233.

Panchagnula R, Sundaramurthy P, Pillai O, Agrawal S, Raj YA. Solid-state characterization of mefenamic acid. J Pharm Sci. 2004; 3(4):1019-29.

Pancheco-Chavez RA. Carvalho JCM. Tavares LC. Vessoni Penna TC. Converti A. SatoS. Production of a-amylase and glucoamylase by a new isolate of Trichoderma spUsing sorghum starch as a carbon source. Engin Life Sci. 2004; 4(4): 369-372.

Pancoska P. Moravek Z. Moll UM. Rational design of DNA sequences for nanotechnol, microarrays and molecularcomputers using Eulerian graphs. Nucleic Acids Res. 2004; 2(15): 4630-4645.

Pandey KN, Chand S. Deformation based temperature rise: a review, Int J Pressure Vessels Piping, 2003; 80: 673-687

Pandya AB, O'Leary CE. Development of Malignant Hyperthermia Post-Cardiopulmonary Bypass During Surgery for Mitral Valve Replacement. J Cardiothor Vas Anesth. 2003; 17(5): 625-628.

Panjehpour M, Overholt BF, Haydek JM, Lee SG. Results of photodynamic therapy for ablation of dysplasia and early cancer in Barrett's esophagus and effect of oral steroids on stricture formation. Am J Gastroenterol. 2000,95(9):2177-84.

Pantoja-Uceda D, Palomares O, Bruix M, Villalba M, Rodriguez R, Rico M, Santoro J. Solution Structure and Stability against Digestion of rproBnIb, a Recombinant 2S Albumin from Rapeseed: Relationship to Its Allergenic Properties(,). Biochemistry. 2004; 3(51):16036-45.

Panych LP, Zhao L, Jolesz FA, Mulkern RV Dynamic imaging with multiple resolutions along phase-encode and slice- select dimensions. Magnetic Resonance in Medicine 2001, 45(6): 940-947

Papac MJ, Dunn-Rankin D, Stipe CB, Lucas D. N2 CARS thermometry and O2 LIF concentration measurements in flame under electrically induced microbuoyancy. Combust Flame. 2003; 133(3):241-254.

Papadimos TJ, Fowler E Hypothermia and rapid, cold, peritoneal crystalloid infusion. Anaesthesia 2001: 56(8):805-806

Papadopoulos M, Harding JR. Ring EFJ, Rowlands H A Thermal Sidemarker for Medical Infrared Imaging. (abstract) Thermol int 2003, 13:76.

Papay FA, Verghese A, Stanton-Hicks M, Zins J. Complex regional pain syndrome of the breast in a patient after breast reduction. Annals of Plastic Surgery 39(4): 347-352. 1997

Pappalardo A, di Girolamo F, Brignone G, Pindaro L, Caradonna E, Vitale P, Asaro R, Buccheri C. La teletermografia nella diagnostica delle sindromi lombo-sciatalgiche.(Telethermo-gra phy in the diagnosis of lumbo-sciatica syndromes). Clinica e Terapeutica, 141:193-197. 1992

Pappas TC, Motamedi M, Christensen BN. Unique temperature- activated neurons from pit viper thermosensors. Am J Physiol Cell Physiol. 2004; 87(5):C1219-28.]

Parada MA, Puig de Parada M, Hernandez L, Hoebel BG. Triple electrical channels on a triple fluid swivel and its use to monitor intracranial temperature with a thermocouple. Journal of Neuroscience Methods, 60: 133-139.1995

Paranjape M, Garra J, Brida S, Schneider T, White R, Currie J. A PDMS dermal patch for non-intrusive transdermal glucose sensing, Sens Act A: Phys, 2003; 104, (3): 195-204 .

Parano E, Pavone V, Greco F, Majorana M, Trifiletti RR. Reflex sympathetic dystrophy associated with deep peroneal nerve entrapment. Brain and Development 20(2): 80-82. 1998

Pardi G, Ferrari MM, Iorio F, Acocella F, Boero V, Berlanda N, Monaco A, Reato C, Santoro F, Cetin I. The effect of maternal hypo- thermic cardiopulmonary bypass on fetal lamb temperature, hem- odynamics, oxygenation, and acid-base balance. J Thorac Cardiovasc Surg. 2004, 7(6):1728-34.

Pardo E. Marin S. Sanchis V. Ramos AJ. Prediction of fungal growth and ochratoxin A production by Aspergillus ochraceus on irradiated barley grain as influenced by temperature and water activity. Int J Food Microbiol. 2004; 95(1): 79-88.

Pardon M-C. Kendall DA. Perez-Diaz F. Duxon MS. Marsden CA. Repeated sensory contact with aggressive mice rapidly leads to an anticipatory increase in core body temperature and physical activity that precedes the onset of aversive responding. Eur J Neurosci 2004; 20(4)1033-1050.

Paredi P, Caramori G, Cramer D, Ward S, Ciaccia A, Papi A, Kharitonov SA, Barnes PJ. Slower rise of exhaled breath temperature in chronic obstructive pulmonary disease. Eur Respir J. 2003; 21(3):439-443.

Paredi P, Kharitonov SA, Barnes PJ. Faster Rise of Exhaled Breath Temperature in Asthma . A Novel Marker of Airway Inflammation? Am. J. Respir. Crit. Care Med. 2002, 165: 181 - 184.

Paredi P, Kharitonov SA, Barnes PJ, Piacentini GL, Bodini A, Zerman L, Costella S, Zanolla L, Peroni DG, Boner AL. Exhaled breath temperature in asthma [1]. Eur Respir J. 2003; 21(1):195-198.

Pari G, Balli PP, Lore C Evaluation of pain-illness in legal medicine and medical insurance (abstract). Thermology intern 2000, 10(3):154-6

Parisky YR, Sardi A, Hamm R, Hughes K, Esserman L, Rust S, Callahan K. Efficacy of computerized infrared imaging analysis to evaluate mammographically suspicious lesions. AJR Am J Roentgenol. 2003; 180(1):263-9.

Parisky YR; Skinner KA; Cothren R; DeWittey RL; Birbeck JS; Conti PS;Rich JK, Dougherty WR. Computerized Thermal Breast Imaging Revisited: An Adjunctive Tool to Mammography. In: Proceedings of the 20th Annual International Conference of the IEEE-EMBS,Hong Kong, 1998, p 919

Park DS, Cho JH, Jang JB, Lee KS. A Study on the Change of Body Temperature according to Menstrual Cycle. J Korean Med Thermol 2002, 2(1):80

Park ES, CI Park, KI Jung, S ChuN. Comparison of sympathetic skin response and digital infrared thermographic imaging in peripheral neu-ropathy. Yonsei Medical Journal 35: 429-437. 1994

Park ES, S ChuN. Digital Infrared Thermographic Imaging on Normal Subjects (abstract) Thermol Österr 5: 157. 1995

Park HJ, HY Zhang, YE Cho, YS KiM. Digital Infra-Red Thermographic Imaging in Patients with Gastroesophagel Reflux Disease (abstract). European Journal of Thermology 8: 118 , 1998

Park HJ, Nah JS, Zhang HY, Cho YE, Lee SI, Park IS. Digital infrared thermographic imaging in patients with gastroesophageal reflux disease. Journal Of Korean Medical Science 1998. 13 (3): 291-4.

Park J. Comfort SD. Shea PJ. Machacek TA. Remediating muni- tions- contaminated soil with zerovalent iron and cationicsurfactants. J Environ Quality. 2004; 33(4): 1305-1313.

Park JW. Doi Y. Iwata T. Uniaxial drawing and mechanical properties of poly[(R)-3-hydroxybutyrate]/poly(L-lactic acid) blends. Bio-macromolecules. 2004; 5(4): 1557-1566.

Park JY, Kim SD, Kim SH, Lim DJ, Cho TH The Role of Thermography In Clinical Practice: Review Of the Literature. (abstract) Thermol int 2003, 13: 77-78.

Park JY, Kim SH, Lim DJ, Cho TH.Thermographic Evaluation of Failed Back Patients Before and After Percutaneous Radiofrequency Lesioning of the Dorsal Root Ganglion. (abstract) Thermol int 2003, 13: 77

Park JY, Kim SH,D., Lim, DJ, Cho TH Thermographic Changes in Patients with Lumbar Facet Syndrome Following Radiofrequency (RF) Facet Rhizotomy. (abstract) Thermol int 2003, 13: 77.

Park JY,m Kim SH, Lim DJ, Suh JK. Role of Thermography in Evaluation of Patients with Failed Back Surgery syndrome Treated with Percutaneous Radiofrquency Lesion of Dorsal Root Ganglion. J Korean Med Thermol 2002, 2(1):73-74

Park NC, Park HJ, Lee KM, Shin DG. Free radical scavenger effect of rebamipide in sperm processing and cryopreservation. Asian J Androl. 2003; 5(3):195-201.

Park SJ, T.TamurA. Distribution of evaporation rate on human body surface. Annals of Physiological Anthropology 11:593.609. 1992

Park TH, Choi HG, Yoo JY, Kim SJ. Streamline upwind numerical simulation of two-dimensional confined impinging slot jets, Int J Heat Mass Trans, 2003; 46, (2): 251-262.

Park TS. Park JH. Baek HS. Can diabetic neuropathy be pre- vented?. Diabetes Res Clin Practice. 66(Suppl.): S53-S56. 2004;

Park Y-C. Seo J-H. Optimization of culture conditions for D- ribose production by transketolase-deficient Bacillus subtilis JY1. J Microbiol Biotechnol. 2004; 14(4): 665-672.

Parker DE. Climate: large-scale warming is not urban. Nature. 2004; 432(7015): 290.

Parker KP, Bliwise DL, Rye DB, De A Intradialytic subjective sleepiness and oral body temperature Sleep 2000, 23(7): 887-891

Parneix P, Calvo F. Statistical evaporation of rotating clusters. IV. Alignment effects in the dissociation of nonspherical clusters. J Chem Phys. 2004; 121(22):11088-11097.

Parr LA, Hopkins WD Brain temperature asymmetries and emotional perception in chimpanzees, Pan troglodytes. Physiology and Behavior 2000, 71(3-4): 363-371

Parr T. Hanson-Parr D. Cyclotetramethylene tetranitramine /gly- cidyl azide polymer/butanetriol trinitratepropellant flame structure. Combust Flame. 2004; 137(1-2): 38-49.

Parrinello G, Paterna S, Di Pasquale P, Pinto A, Cardinale A, Maniscalchi T, Cottone C, Follone G, Tuttolomondo A, Bologna P, Colomba D, D'Angelo A, Ortoleva A, Garofalo L, Piovana G, Capodieci E, Bova A, Giubilato A, Licata G. Effect of subcutaneous sumatriptan on head temperature in migraines. Drugs Under Experimental And Clinical Research 1998. 24(4): 197-205.

Parrino PE, Kron IL, Ross SD, Shockey KS, Fisher MJ, Gaughen JR Jr, Kallmes DF, Kern JA, Tribble CG. Retrograde venous perfusion with hypothermic saline and adenosine for protection of the ischemic spinal cord. Journal of Vascular Surgery 2000,:32(1): 171-178

Parry HE. Pipe RK. Interactive effects of temperature and copper on immunocompetence and diseasesusceptibility in mussels (Mytilus edulis). Aquatic Toxicol. 2004; 69(4): 311-325.

Parsi K, Kossard S. Thermosensitive lichen amyloidosis. Int J Dermatol. 2004; 43(12):925-8.

Partsch H. Diagnose und Therapie der tiefen Venenthrombose (The diagnosis and therapy of deep vein thrombosis) Vasa - Journal of Vascular Diseases 25(Suppl. 46):1-53. 1996

Partsch H. Stellenwert der Thermographie in der Diagnostik von Gefäßerkrankungen. IN. Rathkolb O, K,Ammer (Hrg), Thermographie- evozierte Potentiale. LBF f.Physikalische Diagnostik, Wien,30-36. 1989

Pasch T, Zalunardo M. Intraoperatives MonitorinG. Notwendiges, Sinnvolles und Überflüssiges (Intraoperative monitorinG. Necessary, useful and superfluous). Anaesthesist 2000: 49(Suppl. 1): S2-26

Pascoe D.D, B.L.Slaten, R.C.PurohiT.Thermographic Evaluation of Skin Temperature of Chest Region After Work in a Heat Chamber and Removal of a Protective Barrier Outfit. (abstract) Thermol Österr 7(2): 87-88. 1997

Pascoe D.D, B.L.Slaten, R.C.PurohiT.Thermographic Evaluation of Skin Temperature of Chest Region After Work in a Heat Chamber and Removal of a Protective Barrier Outfit. European Journal of Thermology 7(4):189-191. 1997

Pascoe D.D, L A. Anderson, RE.Pattill, Ram C.PurohiT. Contralateral and Ipsilateral Hand Patterns After Cold Water Exposure in Carpal Tunnel Syndrome Subject (abstract). Thermol Österr 5: 113 1995

Pascoe D.D, Llanos J.C, Molloy J.M, Smith J.W, Kramer W.A."Infrared Detection of Human Regional Skin Temperatures at Varying Environmental Conditions. Thermol intern 2001, 11(3):138.

Pascoe D.D, R.Purohit, L.A.Shanly R. THerrick.- Pre- and postoperative therrnographic evaluation of CTS IN. Ammer K, EFJ Ring (eds): The Thermal Image in Medicine and Biology, Uhlen Verlag, Wien,pp. 188-190. 1995

Pascoe D.D, R.T.Herrick, R.C.PurohiT. Thermographic Evaluation of the Response Time of Normal and Carpal Tunnel Syndrome Subjects after a Cold Stress Test. (abstract) Thermol Österr 7(2): 81. 1997

Pascoe D.D. , B. Laskey, R.C. PurohiT. Thermographic Evaluation of Sympathetic Responses of the Contralateral and Ipsilateral Limbs in Response to Cold Water Immersion of the Hand or Foot (abstract) European Journal of Thermology 8: 120 , 1998

Pascoe D.D. , M.B. Slater, R.C. PurohiT. Thermographic Evaluation of Peripheral Blood Flow Responses to Exercise, Cold, and Hot Water Immersion in Normal and Adult Diabetic Subjects (abstract) European Journal of Thermology 8: 120 , 1998

Pascoe DD, Molloy JM, Smith JW, Purohit RC.Historical Perspectives Of Thermal Physiology And Thermography. (abstract). Thermol int 2003,13.37

Pascoe DD, Molloy JM, Smith JW[1], Purohit RC. Influence of Environmental Conditions on Regional Mean Skin Temperatures. (abstract) Thermol int 2003, 13: 78.

Pascoe DD, Molloy JM., Smith JW., Purohit RC. Standards For Thermography Data Collection And Interpretation For Humans. (abstract). Thermol int 2003,13, 37.

Pascoe DD, Purohit RC. The efficacy of infrared thermography in human work and exercise physiology (abstract). Thermology intern 2000, 10(3):141-2

Pascoe DD, Slaten BL, Purohit RC. Thermal Responses of the Chest Region to Wearing Protective Barrier Suit During Recovery in a Warm and Neutral Environment. Thermol intern 2002. 12: 115

Pascoe DD, Smith JW, Kovacs MS, Strecker E, Purohit RC. Sports Med: efficacy of pre-season screening (abstract). Thermol int 2004, 14(3): 113.

Pascoe DD, Smith JW, Molloy JM, Purohit RC. Applying Infrared Thermography To Sports Medicine. (abstract) Thermol int 2003, 13: 78.

Pascoe DD., Smith JW,. Kovacs MS, Strecker E, Purohit RC. Cutaneous circulation and infrared thermography imaging (abstract). Thermol int 2004, 14(3): 110.

Pasechnikov SP, VD Bailo, VA Popov, MIu Farkhat, IG DrizhdoV. (Comprehensive radiologic diagnosis of renal neoplasm).Klinicheskaia Khirurgiia (5): 36-38.1993

Pasechnikov Sp, VD.Bailo, VA.Popov, MIu. Farkhat, IG. DrizhdoV. The diagnosis of kidney cysts. Vrachebnoe Delo (1): 98-100.1993

Passechnik VI, Anosov AA, Isrefilov MG. Potentialities of passive thermoacoustic tomography in hyperthermia. International Journal of Hyperthermia 1999, 15(2): 123-44.

Passechnik VI, Anosov AA, Bograchev KM. Fundamentals and prospects of passive thermoacoustic tomography. Critical Reviews in Biomedical Engineering 2000, 28(3-4): 603-640

Pasterkamp G, Falk E, Woutman H, Borst C. Techniques characterizing the coronary atherosclerotic plaquE. Influence on clinical decision making? Journal of the American College of Cardiology 2000. 36 (1):13-21

Patashinski AZ, Ratner MA. Structure changes in glassforming liquids upon cooling and compression. J Chem Phys. 2004; 121(10): 4711-5.

Patch SK. Thermoacoustic tomography—consistency condi- tions and the partial scan problem. Phys Med Biol. 2004; 7;49(11): 2305-15.

Paterna S, Parrinello G, Pinto A, Arrostuto A, Cottone C, Di Silvestre G, Maniscalchi T, Licata G. Variazioni termografiche facciali, pressorie ed elettrocardiografiche indotte dal sumatriptan in soggetti normali ed in emicranici senza aura. (Effect of sumatriptan on facial temperature variations, blood pressure and electrocardiogram in healthy subjects and patients with migraine without aura) Clinica Terapeutica, 146: 469-476.1995

Patkowski A. Gapinski J. Meier G. Dynamics of supercooled van der Waals liquid under pressure. A dynamic lightscattering study. Col- loid Polymer Sci. 2004; 282(8): 874-881.

Pato C, Celier C, Rezaei H, Grosclaude J, Marden MC. Heme as an optical probe of a conformational transition of ovine recPrP. Protein Sci. 2004; 13(4):1100-7.

Patricelli AJ, Dueland RT, Lu Y, Fialkowski J, Mathews KG Canine pubic symphysiodesiS. investigation of electrocautery dose response by histologic examination and temperature measurement. Veterinary Surgery 2001. 30 (3) 261-8

Patrick BO, Reiff WM, Sanchez V, Storr A, Thompson RC. Poly[(2,2'-bipyridine)tetrakis(imidazolato)diiron(II)]:structural and spin- state phase transitions and low-temperature magnetic ordering in a unique 2-dimensional material. Inorg Chem. 2004; 43(7):2330-9.

Patrick M, Blindt R, Janssen J. The effect of ultrasonic intensity on the crystal structure of palm oil. Ultrason Sonochem. 2004; 11(3-4): 251-5.

Patterson MJ, Stocks JM, Taylor NA. Humid heat acclimation does not elicit a preferential sweat redistribution toward the limbs. Am J Physiol Regul Integr Comp Physiol. 2004; 286(3):R512-8.

Patterson MJ, Stocks JM, Taylor NA. Sustained and generalized extracellular fluid expansion following heat acclimation. J Physiol. 2004; 559(Pt 1):327-34.

Pattison DRM, ChackoT, Farquhar J, Mcfarlane CRM. Temperatures of Granulite-facies Metamorphism: Constraints from Experimental Phase Equilibria and Thermobarometry Corrected for Retrograde Exchange J Petrol, 2003; 44: 867 - 900.

Patuzzi RB, Brown DJ, McMahon CM, Halliday AF. Deter- minants of the spectrum of the neural electrical activity at the round window: transmitter release and neural depolarisation. Hear Res. 2004; 190(1-2):87-108.

Patz JA. Global warming. BMJ. 2004; 328(7451):1269-70.

Pau HW, Fichelmann J, Wild W. Thermographischer Nachweis der Warmestrahlung bei der kalorischen Vestibularisprufung [Thermographic detection of heat radiation during caloric vestibular test]. Laryngo- Rhino-Otologie 1999, 78(4) (2)17-21.

Pau HW, Fichelmann J, Wild W. Thermographische Studie zu Temperaturentwicklungen waehrend ohrchirurgischer Eingriffe.[Thermographic study of temperature gradient during ear surgery intervention] Laryngo- Rhino- Otologie 1998. 77 (1)2: 677-81.

Pau HW, Graumueller S, Sievert U, Wild W. Untersuchungen zum Schwindel beim Absaugen von offenen Mastoidhoehlen ("Radikalhöhlen") Vertigo during suction-cleaning of open mastoid cavities induced by thermal stimulation - Clinical and experimental data Laryngo- Rhino- Otologie 2001, 80(6): 303-307

Pau HW, Sievert U, Graumuller S, Wild E. Incisions for cochlear implant flaps and superficial skin temperature. Skin temperature/blood circulation in CI flaps. Otolaryngol Pol. 2004; 58(4):713-9.

Pau HW, Sievert U, Just T, W Wild Heat radiation during caloric vestibular tesT. thermographic demonstration in temporal bone experiments. Ann Otol Rhinol Laryngol 2001, 110(11): 1041-4.

Paul H-W, Sievert U, Eggert S. Can electromagnetic fields emitted by mobile phones stimulate the vestibular organ?, Otolaryn Head Neck Surg, 2003; 129, (2): P133

Paul HW. Sievert U. Wild W. Thermography of the skin covering a cochlear implant - Temperature as an indicator for blood circulation. Laryngo- Rhino- Otologie. 2003; 82(9):615-619.

Paul J, E.v.GoldAmmer, M.Pfotenhauer, E. DaviD. Exploration regulationsthermographischer Daten mit Hilfe computersimulierten neuronalen Netzen. ThermoMed 7:46-52. 1991

Paul, J, E. v. GoldAmmer, M. Pfotenhauer, E. DaviD. Exploration regulationsthermographischer Daten mit Hilfe von computersimulierten neuronalen Netzen. ThermoMed 7: 46-52. 1991

Paulik MA, Buckholz RG, Lancaster ME, Dallas WS, Hull-Ryde EA, Weiel JE, Lenhard JM. Development of infrared imaging to measure thermogenesis in cell culturE. Thermogenic effects of uncoupling protein-2. troglitazone, and beta - adrenoceptor agonists. Pharmaceutical Research 15/6: 944-949. 1998

Paulsen KD; Pogue BW; McBride TO; Österberg UL. Design and Testing of a Near-Infrared Computed Tomography Device for Breast Tumor Characterization. In Proceedings of The First Joint BMES/EMBS Conference Serving Humanity, Advancing Technology, Atlanta, 1999, pp.1112

Paulus JA, Tucker RD, Flanagan SW, Loening SA. HSP 70 induction and thermotolerance following interstitial hyperthermia in the Dunning R3327 tumor in vivo. Urologic Oncology 1998, :103-7.

Paustian PW, McPherson JC 3d, Haase RR, Runner RR, Plowman KM, Ward DF, Nguyen TH, McPherson JC JR. Intravenous Pluronic F-127 in early burn wound treatment in rats. Burns, 19: 187-91. 1993

Pavlidis I, Eberhardt NL, Levine JA Seeing through the face of deception. Nature 2002, 415(6867): 35.

Pavlidis I.Monitoring of Periorbital Blood Flow Rate through Thermal Image Analysis and its Application to Polygraph Testing

Pavot A. Thermography in the Evaluation of Peripheral Nerve Injuries. (abstract). Thermol Österr 4: 122. 1994

Pavot A.P, D. Ignacio, S. TchoU.Thermography in peripheral nerve injury and its relationship to electroneuromyography.(abstract) Biomed Thermol 12: 286. 1992

Pavot A.P, D. Ignacio, S. TchoU.Thermography in peripheral nerve injury and its relationship to electroneuromyography. IN. Mabuchi K, S.Mizushina, B.Harrison (eds.) Advanced Techniques and Clinical Application in Biomedical Thermologie, harwood academic publishers Chur/Schweiz p. 255-264 1994

Pavot A.P, D.IgnaciO, Use of IR imaging in carpal tunnel syndrome. A new look. Thermol Österr4:177. 1994

Pavot A.P, D.R.IgnaciO. Infrared Imaging in Thrombophlebitis. (abstract) Thermol Österr 7(2): 80. 1997

Pavot A.P, Ignacio D, Gargour G. The use of thermography in the diagnosis and managment of reflex sympathetic dystrophy. Thermol Österr2:S21. 1992

Pavot AP. Application of Thermography in Neuromuscular Disease and Pain Syndromes. (abstract). Thermol Österr 5:113-114. 1995

Pawl RP. Thermography in the diagnosis of low back paIn. Neurosurgery Clinics of North Ame-rica 2: 839-850. 1991

Pawlicki M, Latos-Grazynski L.Reactivity of iron(II) 5,10,15,20- tetraaryl-21-oxaporphyrin with arylmagnesium bromide: formation of paramagnetic six-coordinate complexes with two axial aryl groups. Inorg Chem. 2004; 43(18):5564-71.

Pazderka-Robinson H, Morrison JW, Flor-Henry P. Electroder- mal dissociation of chronic fatigue and depression: evidence for distinct physiological mechanisms. Int J Psychophysiol. 2004; 53(3):171-82.

Pearce JA, S ThomseN. Kinetic models of laser-tissue fusion processes. Biomedical Sciences Instrumentation 29:355-360. 1993

Pearce JMS. A brief history of the clinical thermometer QJM, 2002, 95: 251 - 252.

Pearson A. Huang Z. Ingalls AE. Romanek CS. Wiegel J. Freeman KH. SmittenbergRH. Zhang CL. Nonmarine crenarchaeol in Nevada hot springs. Appl Environ Microbiol. 2004; 70(9): 5229-5237.

Pearson C.Thermal Imaging in Virtual Reality - a Vision of the Future (abstract). Thermol intern 2000, 10 (1): 41-2.

Peccerillo A., Barberio MR, Yirgu G, Ayalew D, Barbieri M, Wu TW. Relationships between Mafic and Peralkaline Silicic Magmatism in Continental Rift Settings: a Petrological, Geochemical and Isotopic Study of the Gedemsa Volcano, Central Ethiopian Rift. J Petrol, 2003; 44: 2003 - 2032.

Peck AM, Hornbuckle KC. Use of climate-controlled chamber to investigate the fate of gas-phase anthracene. Water Air Soil Poll. 2003; 145(1-4):17-34.

Peers C.E, Collins M.A pilot investigation into the physiological basis of osteopathic manual procedures. Thermol Österr2:S24. 1992

Pei Y. Chen J. Yang L. Shi L. Tao Q. Hui B. Li J. The effect of pH on the LCST of poly(N-isopropylacrylamide) andpoly(N-isopropyl- acrylamide-co-acrylic acid). J Biomater Sci Polymer Ed. 2004; 15(5): 585-594.

Pejaver RK. Nisarga R. Gowda B. Temperature monitoring in newborns using thermospot. Indian J Pediatrics. 2004; 71(9): 795-796.

Pekarek K, J.Jacob, E. MathiowitZ. Characterization of double-walled microspheres. Proc Control Release Soc 20: 468-469.1993

Pekindil G, Pekindil Y, Sarikaya A. Doppler sonographic assessment of posttraumatic reflex sympathetic dystrophy. J Ultrasound Med. 2003; 22(4):395-402.

Pekola JP, Heikkila TT, Savin AM, Flyktman JT, Giazotto F, Hekking FW. Limitations in cooling electrons using normal-metal- superconductor tunnel junctions. Phys Rev Lett. 2004; 92(5):056804.

Peller M, Kurze V, Loeffler R, Pahernik S, Dellian M, Goetz AE, Issels R, Reiser M. Hyperthermia induces T1 relaxation and blood flow changes in tumors. MRI thermometry study in vivo. Mag Res Imag. 2003; 21(5):545-551.

Peller M, Loeffler R, Baur A, Turner P, Abdel-Rahman S, Futschik G, Santl M, Hiddemann W, Reiser M, Issels R. MRT-gesteuerte regionale Tiefenhyperthermie. (MRI-controlled regional hyperthermia). Radiologe, 1999. 39 (9) 756-63

Peller M, Muacevic A, Reinl H, Sroka R, Abdel-Rahman S, Issels R, Reiser MF. [MRI-assisted thermometry for regional hyperthermia and interstitial laser thermotherapy]. Radiologe. 2004; 44(4):310-9.

Pellerin N. Deschuyteneer A. Candas V.Local thermal unpleasant- ness and discomfort prediction in the vicinity of thermoneutrality. Eur J Appl Physiol. 2004; 92(6): 717-720.

Pelling AE. Sehati S. Gralla EB. Valentine JS. Gimzewski JK. Local nanomechanical motion of the cell wall of Saccharomyces cere- visiae. Science. 2004; 305(5687): 1147-1150.

Penetra RG. Reali MAP. Campos JR. Influence of flocculation conditions in the performance of an experimental domestic sewage treatment plant consisting of an anaerobic expanded bed reactor followed by dissolved air flotation. Water Sci Tech. 2003; 48(6):285-293.

Peng C, Chan CK. The water cycles of water-soluble organic salts of atmospheric importance. Atmospheric Environment 2001, 35(7): 1183-1192

Peng C, Mansuripur M. Amorphization induced by subnano second laser pulses in phase-change optical recording media. Appl Opt. 2004; 43(22):4367-75.

Peng H-S. Zong M-H. Wang J-F. Xu Y-Q. Lipase-catalyzed ammonolysis of trimethylsilylmethyl acetate in organic solvent. Bio- catalysis Biotransform. 2004; 22(3): 183-187.

Peng S, Ahlmann N, Kunze K, Nigge W, Edler M, Hoffmann T, Franzke J. Thin-layer chromatography combined with diode laser desorption/atmospheric pressure chemical ionization mass spectro- metry. Rapid Commun Mass Spectrom. 2004; 18(16):1803-8.

Peng S, Huang J, Sheehy JE, Laza RC, Visperas RM, Zhong X, Centeno GS, Khush GS, Cassman KG. Rice yields decline with higher night temperature from global warming. Proc Natl Acad Sci U S A. 2004; 101(27):9971-5. E

Peng YH, Chen CC, Kuan CH, Cheng HH. Ge quantum dots sandwiched between two thick Si blocking layers to block the dark current and tune the responsivity spectrum, Solid-State Electron, 2003; 47, (10):1775-1780.

Peng ZG. Hidajat K. Uddin MS. Conformational change of adsorbed and desorbed bovine serum albumin onnano-sized magnetic particles. Colloids Surfaces B: Biointerfaces. 2004;33(1): 15-21.

Pennarola R. Campurra G. Exposure to microwave and infrared radiation: Risk assessment and healthsurveillance. Giornale Italiano di Medicina del Lavoro Ed Ergonomia. 2004; 26(4 Suppl.):396-398.

Penner JE, Dong X, Chen Y. Observational evidence of a change in radiative forcing due to the indirect aerosol effect. Nature. 2004; 427(6971):231-4.

Penninger A, P.Scharle, L.Karpátl. Valószinüsésürüség-függvény alkalmazása a tüzeléstechnikában (The application of probability-density function in firing) Mérés és Automatika 39(Suppl 2): 115-119. 1991

Penteado AL, Eblen BS, Miller AJ. Evidence of Salmonella internalization into fresh mangos during simulated postharvest insect disinfestation procedures. J Food Prot. 2004; 67(1):181-4.

Percival JA, . Mortensen JK Water-deficient Calc-alkaline Plutonic Rocks of Northeastern Superior Province, CanadA. Significance of Charnockitic Magmatism J. Petrology 2002, 43: 1617 - 1650.

Pereira P, Carmona C, Pineyro I, Sabini G, Torres M, Macedo N. Thermographic assessment of psoriasic plaques. European Journal of Dermatology 5:578-580. 1995

Peretsmanas EO, Slavinskii AA, Afonin AV. Thermovision diagnosis of tuberculosis of the spine and large joints. Probl Tuberk. 2003;(2):22-3.

Perez I, Davis WR, Kulowitch P, Dersch MF. Thermographic modeling of water entrapment.IN. LeMieux DH, Snell JR, editorS. Thermosense XXI,Proceedings of the Society of Photo-Optical Instrumentation Engineers (SPIE), Vol.3700, Bellingham, 1999. p. 32-9

Perez I, Santos R, Kulowitch P, Ryan M. Calorimetric modeling of thermographic data. IN. Snell JR, RN Wurzbach (eds): Thermosense XX. Proceedings of the Society of Photo-Optical Instrumentation Engineers (SPIE) Vol.3361. Bellingham, pp.75-83. 1998

Perez J, Gutierrez A, Ezpeleta C, Cisterna R. Pneumonia due to Neisseria meningitidis serogroup [5]. Enferm Infecs Microbiol Clin. 2003; 21(5):278).

Perez RSGM, Oerlemans HM, Zuurmond WWA, De Lange JJ. Impairment level SumScore for lower extremity complex regional pain syndrome type I. Disabil Rehab. 2003; 25(17): 984-991.

Perez RSGM, Zuurmond WWA, Bezemer PD, Kuik DJ, van Loenen AC, de Lange JJ, Zuidhof AJ. The treatment of complex regional pain syndrome type I with free radical scavengers: a randomized controlled study, Pain, 2003; 102, (3): 297-307.

Perez-Gil J, JL Lopez-Lacomba, A Cruz, A. Beldarrain, C. CasalS. Deacylated pulmonary surfactant protein SP-C has different effects on the thermotropic behaviour of bilayers of dipalmitoylphosphatidylglycerol (DPPG) than the native acylated proteIn. Biochemical Society Transactions 22: 372S, 1994

Perfiliev YuD Mossbauer study of pentavalent iron stabilized by oxide matrices. Journal of Radioanalytical and Nuclear Chemistry 2000, 246(1): 21-25

Perger F. Regulationsstörungen und Darmkeimverhältnisse Thermodiagnostik 1: 29-32. 1985

Pergola PE, Habiba NM, Johnson JM. Body temperature regula- tion during hemodialysis in long-term patients: is it time to change dialysate temperature prescription? Am J Kidney Dis. 2004; 44(1): 155-65.

Pernot M, Tanter M, Bercoff J, Waters KR, Fink M. Temperature estimation using ultrasonic spatial compound imaging. IEEE Trans Ultrason Ferroelectr Freq Control. 2004; 51(5) :606-15.

Pernthaler A. Amann R. Simultaneous fluorescence in situ hybri- dization of mRNA and rRNA inEnvironal bacteria. Appl Environ Microbiol. 2004; 70(9): 5426-5433.

Perrone J. Hollander JE. Datner EM. Emergency Department evaluation of patients with fever and chemotherapy induced neutro- penia. J Emerg Med. 2004;27(2): 115-119.

Perry AF, CC NelsoN. Basic research in orbital and oculoplastic surgery Current Opinion in Ophthalmology 5:53-60.1994

Persaud R, Avery D. 'Nocturnal sweating and temperature in depression' (multiple letters) . Acta Psychiatrica Scandinavica 2000, 101(3): 251

Persson M, Elmqvist H, van der Linden J. Topical humidified carbon dioxide to keep the open surgical wound warm: the greenhouse effect revisited. Anesthesiology. 2004; 101(4):945-9.

Pervanova K, Idakieva K, Stoeva S, Genov N, Voelter W. Fluorescence properties and stability of dioxygen--binding functional units from the Rapana thomasiana hemocyanin subunit RHSS2. Spectrochim Acta A Mol Biomol Spectrosc. 2000,56(3):615-22.

Peshko AA. Lazeropunktura pri lechenii diabeticheskikh angiopatii nizhnikh konechnostei. (Laser puncture in the treatment of diabetic angiopathies of the lower extremities). Vrachebnoe Delo, (10): 82-84. 1992

Peslier AH, Francis D, Ludden J. The Lithospheric Mantle beneath Continental MarginS. Melting and Melt–Rock Reaction in Canadian Cordillera Xenoliths J. Petrology 2002, 43: 2013 - 2047.

Petcovic Hl, Grunder Al. Textural and Thermal History of Partial Melting in Tonalitic Wallrock at the Margin of a Basalt Dike, Wallowa Mountains, Oregon J Petrol, 2003; 44: 2287 - 2312.

Peter RU,Gottlöber P Management of cutaneous radiation injurieS. diagnostic and therapeutic principles of the cutaneous radiation syndrome. Mil Med 2002, 167(2 Suppl): 110-2.

Peters RD, Chan E, Trachtenberg J, Jothy S, Kapusta L, Kucharczyk W, Henkelman RM Magnetic resonance thermometry for predicting thermal damagE. an application of interstitial laser coagulation in an in vivo canine prostate model. Magnetic Resonance In Medicine 2000. 44 (6) 873-83

Peters RD, Henkelman RM. Proton-resonance frequency shift MR thermometry is affected by changes in the electrical conductivity of tissue. Magn Reson Med. 2000,43(1):62-71.

Peters RD, Hinks RS, Henkelman RM. Ex vivo tissue-type independence in proton-resonance frequency shift MR thermometry. Magnetic Resonance In Medicine 1998. 40 (3): 454-9.

Peters RD, Hinks RS, Henkelman RM. Heat-source orientation and geometry dependence in proton-resonance frequency shift magnetic resonance thermometry. Magnetic Resonance In Medicine 1999. 41/5: 909-18.

Petersen HH, Roman-Gonzalez J, Johnson SB, Hastrup Svendsen J, HaunsO S, Packer DL. Mechanisms for enlarging lesion size during irrigated tip radiofrequency ablation: is there a virtual electrode effect? J Interv Cardiol. 2004; 17(3):171-7.

Petersen MH, Hauge HN. (Infrared tympanic thermometry. Experience and training does not improve the quality of measurement results). Tidsskrift For Den Norske Laegeforening

Petersen NJ, Nikolajsen RP, Mogensen KB, Kutter JP. Effect of Joule heating on efficiency and performance for microchip-based and capillary-based electrophoretic separation systems: a closer look. Electro- phoresis. 2004; 25(2):253-69.

Petre B, Dorignac E; Vullierme JJ. Study of the influence of the number of holes rows on the convective heat transfer in the case of full coverage film cooling: Int J Heat Mass Transfer, 2003; 46, (18):, 3477-3496

Petrosillo N. Puro V. Ippolito G. Border screening for SARS [5]. Med J Aust. 2004; 180(11): 597.

Petrosjanc KO, Maltcev PP, Rjabov NI, Gridin VN, Kravtchenko LN. Thermal investigations of high-speed digital GaAs ICs. TherminiC. Collection of Papers Presented at the International Worksop on Thermal Investigations of ICs and Microstructures, IEEE Test Technology Technical Committee, Amissville, 1998, p. 139-42.

Petrov DS, Salomon C, Shlyapnikov GV. Weakly bound dimers of fermionic atoms. Phys Rev Lett. 2004; 93(9):090404.

Petrov DS, Shlyapnikov GV, Walraven JT Phase-fluctuating 3D Bose-Einstein condensates in elongated traps. Phys Rev Lett 2001. 87 (5) 050404

Petrov R, MacDonald MH, Tesch AM, Van Hoogmoed LM. Influence of topically applied cold treatment on core temperature and cell viability in equine superficial digital flexor tendons. Am J Vet Res. 2003; 64(7):835-844

Petrova EV, Kholodova NB, Sel'skii AG, Pasechnik VI, Ianovich AV Dinamicheskoe kartirovanie temperaturnykh polei golovnogo mozga cheloveka) (Dynamic mapping of temperature fields of the human brain) Fiziologiia Cheloveka 2001. 27 (1) 22-8

Petrova EV, Markov AG. Teglovaia asimmetriia mozga.krys pri katalepsii.(Thermal asymmetry of the rat brain in catalepsy) Zh Vyssh Nerv Deiat 39 (6): 1160-1162. 1989

Petrova EV, TI Luchkova, GD KuznetsovA. the interhemispheric brain asymmetry of the rabbit in a state of "animal hypnosis". Zhurnal Vysshei Nervnoi Deiatelnosti Imeni I.P.Pavlova 42: 129-136. 1992

Petruzzellis V, Troccoli T, Candiani C, Guarisco R, Lospalluti M, Belcaro G, Dugall M Oxerutins (Venoruton): efficacy in chronic venous insufficiency--a double-blind, randomized, controlled study. Angiology, 2002, 53(3): 257-63.

Peuse B, Miner G, Yam M, Elia C. Advances in RTP temperature measurement and control.IN. Ozturk MC, Roozeboom F, Timans PJ, Pas SH, editors, Rapid Thermal and Integrated Processing VII. Materials Research Society Symposium Proceedings Vol.525. Materials Research Society, Warrendale, 1998, P. 71-85.

Peyton M. West and Craig Packer Sexual Selection, Temperature, and the Lion's Mane Science 2002, 297: 1339 - 1343.

Pezawas T, Rajek A, Skolka M, Schneider B, Plochl W. Perspec- tives for core and skin surface temperature guided extubation in patients after normothermic cardiopulmonary bypass. Intensive Care Med. 2004; 30(8):1676-80.

Pezawas T. Rajek A. Skolka M. Schneider B. Plochl W. Perspective for core and skin surface temperature guided extubation in patientsafter normothermic cardiopulmonary bypass. Intensive Care Med. 30(8): 1676-1680. 2004;4.Ng EYK. Kawb GJL. Chang WM. Analysis of IR thermal imager for mass blind fever screening. Microvasc Res. 2004; 68(2): 104-109.

Pfeifer H. Professor Arno Rost zum 70. Geburtsg am 21.9.1989. ThermoMed 5: 67. 1989

Pfeifer H. Regulationsthermographie in der Diagnostik von Nebenhöhlenveränderungen. ThermoMed 5: 20-22. 1989

Pflugrath JW. Macromolecular cryocrystallography—methods for cooling and mounting protein crystals at cryogenic temperatures. Methods. 2004; 34(3):415-23.

Pfotenhauer M, N.Fransen, R.Elens, E.David, L.DaviD. Das Zeitverhalten der Hautoberflächentemperatur an definierten Meßpunkten während der Regulationsthermographischen Messung nach Rost. ThermoMed 6: 118-120. 1990

Pfutzner A. Caduff A. Larbig M. Schrepfer T. Forst T. Impact of posture and fixation technique on impedance spectroscopy used for continuous and noninvasive glucose monitoring. Diabetes Technol Ther. 2004;6(4): 435-441.

Phillips B Towards evidence based medicine for paediatricians Arch. Dis. Child. 2001, 85: 431 - 434.

Phillips PK, Heath JE An infrared thermographic study of surface temperature in the euthermic woodchuck (Marmota monax). Comparative Biochemistry and Physiology - A Molecular and Integrative Physiology 2001, 129(2-3): 557-562

Phillips PK, JE Heath. Heat exchange by the pinna of the African elephant (Loxodonta afri-cana). Comparative Biochemistry and Physiology. A. Comparative Physiology 1992, 101:693-699.

Phillips TM, Seech AG, Liu D, Lee H, Trevors JT. Monitoring biodegradation of creosote in soils using radiolabels, toxicity tests, and chemical analysis. Environmental Toxicology 2000: 15(2): 99-106

Piazza C, Casirati C, Peretti G, Battaglia G, Manfredini C, Nicolai P. Granular cell tumor of the hypopharynx treated by endoscopic CO(2) laser excisioN. report of two cases. Head Neck. 2000,22(5):524-9.

Piccinno R, Menni S, Passoni E, Marzano AV, Caccialanza M. Telethermography in the study of localized and systemic sclerodermA. Preliminary results in 18 cases. Giornale Italiano di Dermatologia e Venereologia 1999, 134(2):89-93.

Pichon N, Harrison-Marchand A, Mailliet P, Maddaluno J. Dia- stereoselective syntheses of new analogues of the farnesyltransferase inhibitor RPR 130401. J Org Chem. 2004; 69(21):7220-7. P

Pickard WF, Straube WL, Moros EG. Experimental and numerical determination of SAR distributions within culture flasks in a dielectric loaded radial transmission line. IEEE Transactions on Biomedical Engineering 2000. 47 (2):202-8

Pickering JW, Mordon SR, Brunetaud JM. The objective reporting of laser treatment of port wine stains.Lasers in Medical Science 7:415-421. 1992

Pickersgill J, Fowler H, Boothman J, Thompson K, Wilcock S, Tanner J. Temperature taking: children's preferences. Paediatr Nurs. 2003; 15(2):22-5.

Pickleman J, Marsan R, Borge M. PortoenterostomY. an old treatment for a new disease. Arch Surg. 2000,135(7):811-7.

Pierart J, Burmeister R, Steinberg J, Schalper J, Cid L.Use of thermography in the differential diagnosis of phylloides tumour. Br J Surg 1990, 77 (7): 783-784.

Pierce JL, Meyer GA, Jull AJ.Fire-induced erosion and millennial- scale climate change in northern ponderosa pine forests. Nature. 2004; 432(7013):87-90.

Piergiovanni L, Limbo S, Riva M, Fava P. Assessment of the risk of physical contamination of bread packaged in perforated oriented polyproplene films: Measurements, procedures and results. Food Add Contam. 2003; 20(2):186-195).

Pierrehumbert RT.Warming the world. Nature. 2004; 432(7018): 677.

Pietila J, He Q, Oksi J, Viljanen MK. Rapid differentiation of Borrelia garinii from Borrelia afzelii and Borrelia burgdorferi sensu stricto by LightCycler fluorescence melting curve analysis of a PCR product of the recA gene. Journal of Clinical Microbiology 2000, 38(7): 2756-2759

Pietruszka M, Domaniecki J, Gburzyñski L, Laszczyñska J. Assessement of Surgical and Conservative Treatment for Lower Limb Ischemia. By Thermal Imaging (abstract). Thermol intern 2000, 10 (4): 210

Pietruszka M, Domaniecki J, Gburzyński L.Thermovision in assessment of chronic lower limbs ischaemia after treatment.with glycoseaminoglycans. (abstract) Thermol int 2003, 13: 78.

Pietruszka M, Domaniecki J, Łaszczyńska J, Gburzyński L. Thermographic evaluation of conservative treatment with glycosaminoglycans and prostaglandins for chronic lower extremities ischemia. Thermol intern 2002. 12: 157

Pietruszka M. Domaniecki J. Gburzynski L. Thermographic as- sessment of chronic arterial insufficiency of the lower extremities treated with glucosaminoglycans. Thermol Int. 2004;14(1): 37-40.

Pietrzyk JA, Korohoda P, Krawentek L. Dynamic Thermography In Testing the Venous System of the Extremities. (abstract) Thermol int 2003, 13: 78.

Pietrzyk JA, Korohoda P, Krawentek L, Zachwieja K. Static thermography (TG) in studies of vascular access in hemodialyzed subjects. Thermol intern 2002. 12: 157-158

Pietrzyk JA. Korohoda P. Krawentek L. Drozdz D. Zachwieja K. Miklaszewska M. Thermography as an introductory method for evalua- tion of vascular access inhemodialysed subjects. Przeglad Pediatryczny. 2004; 34(2): 119-124.

Pijls NHJ, De Bruyne B, Smith L, Aarnoudse W, Barbato E, Bartunek J, Bech GJW, Van De Vosse F. Coronary Thermodilution to Assess Flow ReservE. Validation in Humans Circulation 2002, 105: 2482 - 2486.

Pikal MJ, Chang LL, Tang XC. Evaluation of glassy-state dynamics from the width of the glass transition: results from theoretical simulation of differential scanning calorimetry and comparisons with experiment. J Pharm Sci. 2004; 93(4):981-94.

Pikkula BM, Tunnell JW, Chang DW, Anvari B. Effects of droplet velocity, diameter, and film height on heat removal during cryogen spray cooling. Ann Biomed Eng. 2004; 32(8):1131-40.

Pikuta EV, Hoover RB, Bej AK, Marsic D, Whitman WB, Cleland D, Krader P. Desulfonatronum thiodismutans sp. nov., a novel alkaliphilic, sulfate-reducing bacterium capable of lithoautotrophic growth. Int J Sys Evol Microbiol. 2003; 53(5): 1327-1332.

Pilkington F. Humidification for oxygen therapy in non-ven- tilated patients. Br J Nurs. 2004; 13(2):111-5.

Piltti K, Lindeberg H, Aalto J, Korhonen H. Live cubs born after transfer of OPS vitrified-warmed embryos in the farmed European polecat (Mustela putorius). Theriogenology. 2004; 61(5):811-20.

Ping Z, You FT. Correlation study on infrared thermography and nerve root signs in lumbar intervertebral disk herniation patienT. a short report. Journal of Manipulative and Physiological Therapeutics, 16: 150-154.1993

Pinnau I. He Z. Morisato A. Synthesis and gas permeation pro- perties of poly(dialkylacetylenes) containing isopropyl-terminated side- chains. J Membrane Sci. 2004 241(2): 363-369.

Pinnau I. He Z. Pure- and mixed-gas permeation properties of polydimethylsiloxane for hydrocarbon/methane and hydrocarbon/ hydrogen separation. J Membrane Sci. 2004; 244(1-2): 227-233.

Pinter L. Über die Bewertung des thermographischen Bildes der okulo-orbitalen Region. (Evaluating the thermographic image of the oculo-orbital area). Klin Monatsbl Augenheilkd 196 (5): 402-404. 1990

Piper SN, Röhm KD, Maleck WH, Fent MT, Suttner SW, Boldt J Dolasetron for Preventing Postanesthetic Shivering Anesth. Analg. 2002, 94: 106 - 111.

Pitkänen J, Kauppinen P, Jeskanen H, Tähtinen S, Sandlin S. Ultrasonic studies on ITER divertor and first wall prototype modules, Fus Eng Design, 2003; 66-68: 359-364.

Pitts RA, Andrew P, Andrew Y, Becoulet M, Coffey I, Coster D, McDonald DC, Eich T, Erents SK, Fenstermacher ME. et al.Comparing scrape-off layer and divertor physics in JET pure He and D discharges, J Nuc Mat, 2003; 313-316: 777-786.

Piyamongkol W, Bermudez MG, Harper JC, Wells D. Detailed investigation of factors influencing amplification efficiency and allele drop-out in single cell PCR: Implications for preimplantation genetic diagnosis. Mol Hum Reprod. 2003; 9(7-8):411-420.

Piyathaisere DV, Margalit E, Chen SJ, Shyu JS, D'Anna SA, Weiland JD,Grebe RR, Grebe L, Fujii G, Kim SY, Greenberg RJ, De Juan E Jr, Humayun MS. Heat effects on the retina. Ophthal Surg Lasers Imag. 2003; 34(2):114-20.

Plahta WC, Clark DL, Colbourne F. 17beta-estradiol pretreat- ment reduces CA1 sector cell death and the spontaneous hyperthermia that follows forebrain ischemia in the gerbil. Neuroscience. 2004; 129(1):187-93.

Plassmann P, E.F.J. RinG.An open system for the acquisition and evaluation of medical thermological images. European Journal of Thermology 7(4) :211-214. 1997

Plassmann P, E.F.J.RinG.A Low Cost System Upgrade For AGEMA 780 IR Imagers. (abstract) Thermol Österr 7(2): 85. 1997

Plassmann P, Jones C, Ring EFJ. Comparison of the Land FTI MV and the FLIR SC 500 thermal imaging camera (abstract). Thermol int 2004, 14(2): 80-81.

Plassmann P, Murawski P CTHERM for standardised thermography. (abstract) Thermol int 2003, 13: 79.

Plassmann P, Ring EFJ.An Open System for Quantitative Analysis of Infrared Medical Images (abstract). Thermol intern 2000, 10 (1): 37-8.

Plassmann P, Simpson R, Howell K, Campbell P.Reliability of quantitative measurements in medical thermography. (abstract). Ther- mol int 2004, 14(4): 145-146

Platz A, R.Hoffmann, A.Kohler, T.Bischof, O. TrentZ. Thromboembolieprophylaxe bei HüftfraktuR. Unfraktioniertes Heparin versus niedermolekulares Heparin (eine prospektive, randomisierte Untersuchung). Zeitschrift für Unfallchirurgie und Versicherungsmedizin, 86:184-188. 1993

Plaugher G, MA Lopes, PE Malch, EE Cre-matA. The inter- and intraexeminer reliability of a paraspinal skin temperature differential instrument. J Manipulative Physiol Ther 14: 361-367. 1991

Plaugher G. Skin temperature assessment for neuromusculoskeletal abnormalities of the spinal column. Journal of Manipulative and Physiological Therapeutics, 15: 365-381. 1992

Plazanet M, Floare C, Johnson MR, Schweins R, Trommsdorff HP. Freezing on heating of liquid solutions. J Chem Phys. 2004; 121(11):5031-4.

Plendl H, Paulus W, Witt TN. Gustatorisches Schwitzen. Nachweis mit Infrarot-Thermographie. (Gustatory sweating demonstrated by inf- rared thermography) Deutsche Medizinische Wochenschrift, 117: 1556-1560. 1992

Pless D, Keck T, Wiesmiller K, Rettinger G, Aschoff AJ, Fleiter TR, Lindemann J. Numerical simulation of air temperature and airflow patterns in the human nose during expiration. Clin Otolaryngol. 2004; 29(6):642-7.

Pliatsko VV, Levenets VN, Stavinskii IuA. Izmeneniia sinovial'noi sredy pri deformiruiushchem gonarthroze. (Changes in the synovial medium in deforming gonarthrosis). Ortop Travmatol Protez (5): 24-28. l990

Pliquett U. Joule heating during solid tissue electroporation. Med Biol Eng Comput. 2003; 41(2):215-219.

Plotnikov YA, Winfree WP. Advanced image processing for defect visualization in infrared thermography. IN. Snell JR, RN Wurzbach (eds): Thermo-sense XX. Proceedings of the Society of Photo-Optical Instrumentation Engineers (SPIE) Vol.3361. Bellingham, pp.331-338. 1998

Plotnikov YA, Winfree WP. Automation of the image analysis for thermographic inspection. IN. Geithman GA, Georgeson GE (eds): Nondestructive Evaluation of Aging Aircraft, Airports, and Aerospace Hardware II. Proceedings of The Society of Photo-Optical Instrumentation Engineers (SPIE) Vol.3397. Bellingham, pp. 135-140. 1998

Plotnikov YA, Winfree WP. Visualization of subsurface defects in composites using a focal plane array infrared camera. IN. LeMieux DH, Snell JR, editorS. Thermosense XXI,Proceedings of the Society of Photo-Optical Instrumentation Engineers (SPIE), Vol.3700, Bellingham, 1999. p. 26-31

Poddar SK. Differential detection of B. pertussis from B. Para- pertussis using a polymerasechain reaction (PCR) in presence of SYBR green1 and amplicon melting analysis. Molecular Cellular Probes. 18(6): 429-435. 2004;

Poduval TB, Chatterjee S, Sainis KB. Effect of nitric oxide on mortality of mice after whole body hyperthermia. Int J Hyperther. 2003; 19(1):35-44.

Podzorov V, Menard E, Borissov A, Kiryukhin V, Rogers JA, Gershenson ME. Intrinsic charge transport on the surface of organic semiconductors. Phys Rev Lett. 2004; 93(8): 086602.

Poesio P, Ooms G, Barake S, van der Bas F. An investigation of the influence of acoustic waves on the liquid flow through a porous material. J Acoust Soc Am 2002, 111(5 Pt 1): 2019-25. .

Pogorelov AV.Diagnostika razlichnykh form tireoidnoi patologii.. :The diagnosis of different forms of thyroid pathology,.Klinichna Khirurhiia 1995 (1):, 36-39.

Pogrel MA, Erbez G, Taylor RC, Dodson TB.Liquid crystal thermography as a diagnostic aid and objektive monitor for TMJ dysfunction and myogenic facial paIn.J Craniomandib Disord 1989, 3 (2): 65-70 ,

Pogrel MA, McNeill C, Kim JM.The assessment of trapezius muscle symptoms of patients with temporomandibular disorders by the use of liquid crystal thermography..Oral Surgery Oral Medicine Oral Pathology Oral Radiology And Endodontics 1996,82(2): 145-151.

Pohu A. Planchot V. Putaux JL. Colonna P. Buleon A. Split crystallization during debranching of maltodextrins at high concen- tration by isoamylase. Biomacromolecules. 2004; 5(5): 1792-1798.

Pokkuluri PR. Laible PD. Crawford AE. Mayfield JF. Yousef MA. Ginell SL. HansonDK. Schiffer M. Temperature and cryoprotectant influence secondary quinone binding position in bacterial reaction centers. FEBS Letters. 570(1-3): 171-174. 2004;

Pokrovskii AV, Sapelkin SV. Lower limb chronic venous insufficiency: contemporary problems in diagnosis, classification and treatment. Angiol Sosud Khir. 2003;9(1):53-8.

Polachova I, S SmolaN. Examination of the vascular system of lower extremities with infrared thermography-healthy subjects. Acta Univ Palacki Olomuc Fac Med 1991,139-149.

Polderman KH. Application of therapeutic hypothermia in the ICU: opportunities and pitfalls of a promising treatment modality. Part 1:Indications and evidence. Intensive Care Med. 2004; 30(4):556-75.

Polderman KH. Application of therapeutic hypothermia in the intensive care unit. Opportunities and pitfalls of a promising treatment modality—Part 2: Practical aspects and side effects. Intensive Care Med. 2004; 30(5):757-69.

Polienko EM, Zharkova MA. Klinika-termograficheskie osobennosti plechelopatochnogo periartrita pri sheinom osteokhondroze. (Clinico-thermographic characteristics of humeroscapular periarthritis in cervical osteochonrosis). Ortop Travmatol Protez 1989 (9): 41-42.

Polk C.When is a field initiated bioeffect thermal? In. Proceedings of The First Joint BMES/EMBS Conference Serving Humanity, Advancing Technology, Atlanta, 1999, pp1292

Pollitt CC, van Eps AW. Prolonged, continuous distal limb cryo- therapy in the horse. Equine Vet J. 2004; 36(3):216-20.

Pollmann A, Adler M. Regulationsmedizin - Die Basis der Naturheilkunde Regulation medicine - The basis of naturopathy. Arztezeitschrift fur Naturheilverfahren 2000. 41(1):63-4

Pollock N. Langton E. Stowell K. Simpson C. McDonnell N. Safe duration of postoperative monitoring for malignant hyperthermia sus- ceptiblepatients. AnaesthIntensive Care. 2004; 32(4): 502-509.

Polous IuM, Gerasimet IuM, Bulat LP. Use of thermography in the diagnosis of acute appendicitis. Klin Khir 1991 (2): 3-4.

Polous IuM, Gerasimets IuM, Bulat LP. Teplovoi potok v differentsial'noi diagnostike ost-rogo appenditsita i pravostoronnei pochechnoi koliki. (Heat flow in the differential diagnosis of acute appendicitis and right-sided renal colic). Vestnik Khirurgii Imeni I. I. Grekova 1991,147 (7-8) 53-54

Polous IuM, VI PiatnochkA. (Determination of the intensity of the warm flow in surgical wound tissue for the evaluation of the severity of inflammatory process). Klinicheskaia Khirurgiia (8):48-50. 1994

Pompei F,Sessler DI. Insufficiency in thermometer data [4] (multiple letters). Anest Analg. 2003; 96(3):908-909.

Pongrel A, C.K.Yen, R.TayloR. Thermography in Assessment of the Vascularity of Soft Tissue Flaps, Thermology 3:187-190. 1990

Pons L. Ponnappan U. Hall RA. Simpson P. Cockrell G. West CM. Sampson HA. HelmRM. Burks AW. Soy immunotherapy for peanut- allergic mice: Modulation of the peanut-allergicresponse. J Allergy Clin Immunol. 2004; 114(4): 915-921.

Ponte E, Cafagna D, Cattinelli S. La termometria digitale computerizzata nel morbo di Raynaud. Esperienze personali.[Computerized digital thermometry in Raynaud's disease. Personal experience] Minerva Medica 1998. 89 /7-8: 259-66.

Pontinen PJ, O. AiraksineN. Evaluation of myofascial pain and dysfunction syndromes and their response to low level laser therapy. Journal of Musculoskeletal Pain 3:149-154.1995

Pontiroli AE, Fattor B, Pozza G, Pianezzola E, Benedetti MS, MusattI. Acipimox-induced facial skin flusH. Frequency, thermographic evaluation an relationship to plasma acipimox level. Eur Journal of Clinical Pharmacology 43:145-148. 1992

Pool JA, Lobkovsky E, Chirik PJ. Hydrogenation and cleavage of di- nitrogen to ammonia with a zirconium complex. Nature. 2004; 427(6974):527-30.

Poole K, Elms J, Mason HJ. The diagnostic value of finger systolic blood pressure and cold-provocation testing for the vascular component of hand-arm vibration syndrome in health surveillance. Occup Med (Lond). 2004; 54(8): 520-7.

Pop GAM. De Backer TLM. De Jong M. Struijk PC. Moraru L. Chang Z. Goovaerts HGSlager CJ. Bogers AJJC. On-line electrical impedance measurement for monitoring blood viscosity during on- pump heart surgery. Eur Surgical Res. 2004; 36(5): 259-265.

Popov VA. The use of infra-red thermography in medical examinations of seafarers working in the cold climate. Bulletin of the Intistute of Maritme aand Tropical Medicine in Gdynia 41:141-143. 1990

Porosz G. Èpületszerkezetek höátviteli minösítése instacioner höáramlásnál (Heat transfer qualification of building structures in case f non-stationary heat flow) Mérés és Automatika 39(Suppl 2): 128-130. 1991

Pors-Nielsen S, Jensen LT. Thermal Imaging In Cases of Peripheral Venous and Arterial Disease (abstract). Thermol intern 2000, 10 (1): 38.

Porter AC, Sauer J-M, Knierman MD, Becker GW, Berna MJ, Bao J, Nomikos GG, Carter P, Bymaster FP, Baker Leese A, Felder CC. Characterization of a Novel Endocannabinoid, Virodhamine, with Antagonist Activity at the CB1 Receptor J. Pharmacol. Exp. Ther. 2002, 301: 1020 - 1024.

Porter KT : A wide range of new drugstore products were on display at the recent NACDS conference. Drug Topics 2000, 144(14): 11

Porter RGB, Peters JD, Bourke RD. De-misting condensation on intraocular lenses. Ophthalmology 2000, 107(4): 778-782

Porter RS, Wenger FG. Diagnosis and treatment of pediatric fever by caretakers. J Emerg Med. 2000,19(1):1-4.

Portig I, Maisch B. [Noninvasive methods in the diagnosis of macro- and microangiopathy of peripherial and carotid arteries] Herz. 2004; 29(1):17-25.

Porumb H. Zargarian L. Merad H. Maroun R. Mauffret O. Troalen F. Fermandjian S. Circular dichroism and fluorescence of a tyrosine side-chain residue monitorsthe concentration-dependent equi- librium between U-shaped and coiled-coilconformations of a peptide derived from the catalytic core of HIV-1 integrase. Biochim Biophys Acta-Proteins Proteomics. 2004; 1699(1-2): 77-86.

Posinkovic B, Pavlovic M. Prijelom zamora. (Stress fractures). Lijec Viesn 111 (6-7):228-231. 1989

Posner JD, Dunn-Rankin D. Temperature field measurements of small, nonpremixed flames with use of an Abel inversion of holographic interferograms. Appl Opt. 2003 Feb 20; 42(6):952-9.

Pospischil F. Die Thermographie in der Qualitätskontrolle. Thermol Österr2: 19-21. 1992

Pospisil E, Pospisilova J. Application of liquid crystal thermoindicators and thermographic sheers for estimation of hygienic conditions of ha-bituation. Acta Univ Palacki Olomuc Fac Med 125:277-282. 1990

Pospisil E, Pospisilova J. Degradation of colour temperature characteristic of thermographic sheets of Czechoslovak provenance provoked by UV radiation. Acta Univ Palacki Olomuc Fac Med 123: 313-321.1989

Pospisil E, Pospisilova J. Time degradation of chromatic temperature characteristics thermographic sheets applied in actual Czechoslovak medical practice. Acta Univ Palacki Olomuc Fac Med, 122: 163-72 (1)989

Possover M, A Morawski, E Mueller, A HettenbacH. Neue Perspektiven des Farb-Ultraschalls in der Mamma-Diagnostik. Geburtshilfe und Frauenheilkunde 54: 432-436.1994

Post E, Forchhammer MC. Spatial synchrony of local po- pulations has increased in association with the recent Northern Hemi- sphere climate trend. Proc Natl Acad Sci U S A. 2004; 101(25): 9286-90.

Pothecary N, A.W.PreecE. Numerical modelling of non-invasive UHF sensor for breast cancer detection. Thermol Österr4:163. 1994

Potter H, Horne R, Le May K, Seah J. The sensitivity of thermography to temperature changes in breast tissue. Australian Journal of Physiotherapy 43(3): 205-210. 1997

Potti A, Carson PJ. Comparison of rectal and infrared ear temperatures in older hospital inpatients. J Am Geriatr Soc. 2000,48(8):1023-4.

Potyrailo RA. Analytical spectroscopic tools for high- through- put screening of combinatorial materials libraries. TrAC: Trends Anal Chem, 2003; 22, (6): 374-384.

Poulain N. Fluoride glass fiberS. applications and prospects. IN. Saad M, editor, Infrared Glass Optical Fibers and their Applications, Proceedings of the Society of Photo-Optical Instrumentation Engineers (SPIE) Vol.3416, Bellingham, 1998. p. 2-12.

Poulson JM. Vujaskovic Z. Gaskin AA. Larue SM. Meyers RE. Prescott DM. SamulskiTV. Thrall DE. Dewhirst MW. Effect of calci- tonin gene related peptide vs sodium nitroprusside to increase tempera- ture in spontaneous canine tumours during local hyperthermia. Int J Hyperthermia. 2004; 20(5): 477-489.

Pourshams A, Saadatian-Elahi M, Nouraie M, Malekshah AF, Rakhshani N, Salahi R, Yoonessi A, Semnani S, Islami F, Sotoudeh M, Fahimi S, Sadjadi AR, Nasrollahzadeh D, Aghcheli K, Kamangar F, Abnet CC, Saidi F, Sewram V, Strickland PT, Dawsey SM, Brennan P, Boffetta P, Malekzadeh R.Golestan cohort study of oesophageal cancer: feasibility and first results. Br J Cancer. 2004 ; Epub ahead of print

Powalla M, Hariskos D, Lotter E, Oertel M, Springer J, Stellbogen D, Dimmler B, Schäffler R. Large-area CIGS modules: processes and properties, Thin Solid Films, 2003; 431-432: 523-533.

Powell FC. Rosacea and the pilosebaceous follicle. Cutis. 2004; 74(3 Suppl):9-12, 32-4.

Powell KR, Smith K, Eberly SW Ear temperature measurements in healthy children using the arterial heat balance method. Clinical Pediatrics 2001, 40(6): 333-336

Powell NB, Riley RW, Troell RJ, Li K, Blumen MB, Guilleminault C. Radiofrequency volumetric tissue reduction of the palate in subjects with sleep-disordered breathing. Chest 113/5: 1163-1174. 1998

Powell SJ, Bale JS. Cold shock injury and ecological costs of rapid cold hardening in the grain aphid Sitobion avenae (Hemiptera: Aphi- didae). J Insect Physiol. 2004; 50(4):277-84.

Powitz RW, Balsamo JJ Jr Tools for environmental healtH. Two great little toolS. A probe thermometer and a pocket scale for institutional suicide prevention. Journal of Environmental Health 2000: 62(6): 45-46

Pozdnyakov AO, Kudryavtsev VV, Friedrich K. Who wants his plaque sealed?, Eur Heart J, 2003; 24 (6): 494-495

Prado C. Garrido J. Periago JF. Urinary benzene determination by SPME/GC-MS: A study of variables by fractionalfactorial design and response surface methodology. J Chromat B: Analyt Techn BioMed LifeSci. 2004;804(2): 255-261.

Pralong E. Pollo C. Bloch J. Villemure J-G. Daniel RT. Tetreault M-H. DebatisseD. Recording of ventral posterior lateral thalamus neuron response to contact heatevoked potential in patient with neuro- genic pain. Neurosci Letters. 2004; 367(3): 332-335.

Prasher SO. Beaugeard M. Hawari J. Bera P. Patel RM. Kim SH. Biosorption of heavy metals by red algae (Palmaria palmata). Environal Technol. 2004; 25(10): 1097-1106.

Preece AW, MP Robinson, RH Johnson, JL Green, J DuchenE. Tissue dielectric measurement with a resonant sensor for breast tumour localisation

Pregowski P, Swiderski W, Walczak WT, Usowicz B. Role of time and space variability of moisture and density of sand for thermal detection of buried objects - modeling and experiments.IN. LeMieux DH, Snell JR, editorS. Thermosense XXI,Proceedings of the Society of Photo-Optical Instrumentation Engineers (SPIE), Vol.3700, Bellingham, 1999. p. 444-55

Pregowski P, Swiderski W. Using of comparison method in IR thermal detection of buried mines. IN. Dubey AC, Harvey JF, Broach JT, Editors,Detection aAnd Remediation Technologies for Mines and Minelike Targets III, Pts 1 and 2: Proceedings OF THE Society of Photo-Optical Instrumentation Engineers (SPIE) Vol.3392. 1998, p. 1241-8.

Preisz P, Wise D Fever in adults. Keys to rational management . Medicine Today 2001, 2(3): 69-72

Prentice D, Moreland J. A comparison of infrared ear thermometry with electronic predictive thermometry in a geriatric setting. Geriatric Nursing, 1999. 20 (6) 314-7

Presilla C, Onofrio R. Cooling dynamics of ultracold two-species Fermi-Bose mixtures. Phys Rev Lett. 2003 24; 90(3):030404.

Preston BL. Observed winter warming of the Chesapeake Bay estuary (1949-2002): implications for ecosystem management. Environ Manage. 2004; 34(1):125-39.

Preston E, Webster J. A two-hour window for hypothermic modulation of early events that impact delayed opening of the rat blood-brain barrier after ischemia. Acta Neuropathol (Berl). 2004; 108(5):406-12.

Prevot-D'Alvise N, Lesueur-Lambert C, Fertin-Bazus A, Fertin B, Dhulster P. Development of a pilot process for the production of alfalfa peptide isolate. J Chem Tech Biotech. 2003; 78(5):518-528.

Price AH, Cairns JE, Horton P, Jones HG, Griffiths H. Linking drought-resistance mechanisms to drought avoidance in upland rice using a QTL approacH. progress and new opportunities to integrate stomatal and mesophyll responses J. Exp. Bot. 2002, 53: 989 - 1004. .

Price MJ, Mather MI. Comparison of lower- vs. upper-body cooling during arm exercise in hot conditions. Aviat Space Environ Med. 2004 Mar;75(3): 220-6.

Privalov VA, Svetlakov AL, Kuchakovsky OS, Lappa AV, Kazakov AA, Kozel AI. Hyperthermal effect of Laser osteoperforation in a treatment of experimental acute purulent osteomyelitis. IN. Bown SG, Delacretaz GP, Godlewski G, Muller GJ, Pini R, Reidenbach HD, Steiner RW, Svaasand LO, Tranberg KG. editors, Conference on Thermal Therapy, Laser Welding, and Tissue Interaction, Proceedings of the Society of Photo-Optical Instrumentation Engineers (SPIE) Vol.3565. Bellingham, 1998, p. 72-9.

Prokoski F. J. Security And Non-Diagnostic Medical Uses For Thermal Imaging. (abstract) European Journal of Thermology 1997, 7(3):159-160.

Prokoski F.J. Elemental Shapes in Facial Thermograms für Positive Identification. (abstract). Thermol Österr 1994, 4(3): 123.

Prosek M. Smidovnik A. Fir M. Strazisar M. TLC identification and quantification of coenzyme Q10-beta-cyclodextrin complex. J Pla- nar Chromat - Modern Tlc. 2004; 17(3): 181-185.

Proske H, Pfab R.Telethermographische Untersuchungen zur Wirkung von Immunglobulinen (Beriglobin) auf das Waermeabstrahlungsverhalten bei der. Strahlendermatitis.(Telethermographic studies on the effect of immunoglobulins. :Beriglobin, on heat radiation behavior in radiodermatitis).Strahlentherapie und Onkologie 173/5: 261-266. 1997

Prosnitz LR, Maguire P, Anderson JM, Scully SP, Harrelson JM, Jones EL, Dewhirst M, Samulski TV, Powers BE, Rosner GL, Dodge RK, Layfield L, Clough R, Brizel DM. The treatment of high-grade soft tissue sarcomas with preoperative thermoradiotherapy. International Journal of Radiation Oncology, Biology, Physics, 1999. 45 (4) 941-9

Protasi F, Shtifman A, Julian FJ, Allen PD. All three ryanodine receptor isoforms generate rapid cooling responses in muscle cells. Am J Physiol Cell Physiol. 2004; 286(3): C662-70.0

Proud G, Lawson I, McGeoch K, Burke F, Miles JN. Comments on Coughlin et al.'s paper regarding cold thermography in the objective diagnosis of the hand-arm vibration syndrome. Occup Med (Lond). 2003 Aug;53(5):343.

Prouteau C. Schneider R. Lucchese Y. Nepveu F. Renard R. Vaca-Garcia C. Improving headspace-solid-phase microextraction of 3-isobutyl-2- methoxypyrazineby experimental design with regard to stable isotope dilution gaschromatography-mass spectrometric analysis of wine. Analyt Chim Acta. 2004; 513(1): 223-227.

Prudhomme M, Mattei-Gazagnes M, Fabbro-Peray P, Puche P, Chabalier J-P, Delacretaz G, Francois-Michel LFM, Godlewski G. MRI thermodosimetry in laser-induced interstitial thermotherapy. Lasers Surg Med. 2003; 32(1):54-60.

Pruter JW, Draeger J. Experimental thermography on surgical face masks. New Trends in Ophthalmology/6(4):257-261. 1991.

Pucci GN. Hartig C. Pucci OH. Influence of salinity and temp- erature on fatty acid composition of Pseudomonasfluorescens GNP- OHP-3 membrane. 2004; Rev Argentina Microbiol. 36(1): 6-15.

Puccini S, Bar N-K, Bublat M, Kahn T, Busse H. Simulations of thermal tissue coagulation and their value for the planning and monitoring of laser-induced interstitial thermotherapy (LITT). Mag Res Med. 2003; 49(2):351-362.

Puchinger M, Rehak PH, Höss G, Kohek P, Kronberger L, Linck G, Rigler M. Calculation of thermal power applied by the bolus of hyperthermia-applicators. IN. Hutten H, Krösel P, eds. Proceedings Part II, EMBEC´02. 2.European Medical & Biological Engineering Conference. IFMBE, Graz, 2002. pp.1332-1333

Pugh R, Huff R. Transfer of infrared thermography predictive maintenance technologies to Soviet-designed nuclear power plantS. experience at Chernobyl.IN. LeMieux DH, Snell JR, editorS. Thermosense XXI,Proceedings of the Society of Photo-Optical Instrumentation Engineers (SPIE), Vol.3700, Bellingham, 1999. p. 300-10.

Pugno I, Cordier JJ, Ghendrih P, Goniche M, Grosman A, Gunn JP, Mailloux J, Person S. Localized heat flux due to lower hybrid wave coupling in the Ergodic Divertor configuration on Tore Supra. Journal of Nuclear Materials 1999, 269: 280-4

Pulapura S, Li C, Kohn J. Structure-property relationship for the design of polyiminocarbonates. Biomaterials 11:666-678. 1990

Punckt C. Bolscher M. Rotermund HH. Mikhailov AS. Organ L. Budiansky N. ScullyJR. Hudson JL. Sudden onset of pitting corrosion on stainless steel as a critical phenomenon. Science. 2004; 305(5687): 1133-1136.

Puri IK, Aggarwal SK, Ratti S, Azzoni R On the similitude between lifted and burner-stabilized triple flameS. A numerical and experimental investigation. Combustion and Flame 2001, 124(1-2): 311-325

Purohit RC. Clinical Use Of Thermography In Veterinary Medicine. (abstract) Thermol Österr 1997,7(1):31-32.

Purohit R.C.ThermographY.its role in functional evaluation of mammalian scrotal testes. Thermol Österr 2:S38. 1992

Purohit RC , DD Pascoe JH HumburG. Thermographic Evaluation of Peripheral Limb Blood Flow of the Contralateral and Ipsilateral Limbs in Response to Cold Stress Test in the Horse (abstract). European Journal of Thermology 1998, 8(3): 120 ,

Purohit RC, Schumacher J, Smith JW, Pascoe DD. Recognition of dermal patterns by thermography as a diagnostic tool in Vet Med (abstract). Thermol int 2004, 14(3): 107.

Purohit RC, Schumacher J, Molloy JM, Smith JW, Pascoe DD. Elucidation of Thoracic and Lumbosacral Dermatomal Patterns in the Horse. (abstract) Thermol int 2003, 13: 79.

Purohit RC, A.Heath, D.F. Wolfe, R.L. Carson, M.G. Riddell, J.G.W. Wenzel, T. Powe, D.G. Pugh, D.D. PascoE. Disruption Of Thermoregulation And Its Relationship To Male Infertility. (abstract) Thermol Österr 1997, 7(1):30-31.

Purohit RC, A.Heath, D.F.Carson, M.G.Riddle, D.F.Wolfe, D.D, PascoE. Scrotal Thermography in Various Animal Species. (abstract) 1997, Thermol Österr 7(2): 90.

Purohit RC, B.D.I.FrancO. Cervical Dermatome Patterns in the Horse.(abstract).Biomed Thermol 1995, 15: 11.

Purohit RC, D.D Pascoe, A.Shanley, RT HerricK. Pre- and Postoperative Evaluation of Carpal Tunnel Syndrome in a Subject Using Three Different Models of Thermographic Equipment. Thermol Österr 1994, 4: 130.

Purohit RC, D.D, PascoE. Thermographic Evaluation of Peripheral Neurovascular Systems in Animal Species. (abstract) Thermol Österr 1997, 7(2): 83.

Purohit RC, D.D.Pascoe Thermographic evaluation of peripheral neurovascular systems in animals species. Thermol Österr1994, 4:173.

Purohit RC, D.D.Pascoe, J Schumacher, A.Williams, J.H.HumburG. Effects of medication on the normal thermal pattern in the horse (abstract). Thermol Österr 1996, 6(3): 108.

Purohit RC, D.D.Pascoe, LA. Shanley, RT.Herrick, Pre- and postoperative thermographic evaluation of CTS. Thermol Österr1994, 4(4):177-178.

Purohit RC, Govindan S. Current Status of American Academy of Thermology. J Korean Med Thermol 2002, 2(1):53

Purohit RC, Heath AM, Navarre CB, Pascoe DD. An Intraspecies Review of Extreme Thermal Responses" Thermol intern 2001, 11(3):143

Purohit RC, Heath AM, Navarre CB, Simpkins SA, Pugh DG, Pascoe DD. Thermographic Evaluation of Animal Skin Surface Temperature With Or Without Hair Coat. (abstract). Thermol intern 2001, 11(2):83

Purohit RC, Humburg JH, Schumacher J, Pascoe DD. Thermography in the diagnosis of neuro-vascular diseases in the various animal species (abstract). Thermology intern 2000, 10(3):158

Purohit RC, J Schumacher, J M.Humburg, D PascoE. Effects of Phenothiazine Tranquilizer Acetylpromazine on the Peripheral Thermoregulation in the Horse. (abstract). Thermol Österr 1995, 5(3): 114

Purohit RC, J.Schumacher, J.Humburg, D. PascoE. Effects of a Phenothiazine Tranquilizer (Acetylpromazine) on Peripheral Thermoregulation in the Horse. (abstract). Biomed Thermol 1995,15: 48.

Purohit RC, J.Schumacher, T.A.Powe, D.D.PascoE. ThermographY. A Technique for Peripheral Vascular Flow/Perfusion Evaluation. (abstract). Thermol Österr 1994, 4: 125.

Purohit RC, JM Humberg, J Schumacher, DD PascoE. Recent Advances in the Diagnosis of Neuro-Vascular Injuries in the Horse (abstract) European Journal of Thermology 8: 121 , 1998

Purohit RC, LS Hammond, A Rossi, LS PablO. Use of thermography to determine intestinal viability. Equine Colic Res Sympos, University of Georgia, Proceeding, Ed. Byars TD, Moore JN, White NA, Sept. 1982, .pp 75-78.

Purohit RC, LS Hammond, LS Pablo, A Rossi, S DuraN. Thermographic evaluation of intestinal viability after correction of intestinal strangulation obstruction in ponies. Thermology 1991, 3(4):279.

Purohit RC, LS Pablo, Hammond LS, Rossi A. Thermography. A noninvasive diagnostic technique for determination of intestinal viability. J Inves Surg 1990, 3: 294.

Purohit RC, LS Pablo. Neurogenic mechanisms of peripheral thermoregulation in response to nerve injuries. Thermology 1991, 3(4):279.

Purohit RC, M.D. McCoy, Bergfeld WA. Thermography diagnosis of Horner s syndrome in the horse. Am J Vet Res 1980, 41: 1180-1182.

Purohit RC, M.D. McCoY. Thermography in the diagnosis of inflammatory processes in the horse. Am J Vet Res, 41: 829-832. 1980,

Purohit RC, MG Riddell, RL Carson, J.Brendemuehl, D Wolf, LS PablO.. Thermographic evaluation of testicular degeneration in bulls. Proc 36 th. Annual meeting of the Anim Disease Res Workers Conference of Southern States. March 1991.

Purohit RC, MG Riddell, RL Carson, RS HudsoN. Thermographic evaluation of the bull scrotum and contents. Proc. Society for Thermogenology, pp 59. 1979,

Purohit RC, Pasco DD. Thermography Standards for Thermal Images in mammalians. J Korean Med Thermol 2002, 2(1):55-56

Purohit RC, Pascoe DD, Heath A, Pugh DG, Carson RL, Riddell MG, Wolfe DF. ThermographY. Its role in functional evaluation of mammalian testes and scrotum. Thermol intern 2002. 12: 121-126

Purohit RC, PL Griffin, DD Pascoe, EC Bridges, HO GoyaL.. Infrared thermography
patterns of the goat scrotum. Proc Phi Zeta Research Emphasis Day, College of Vet Med, Auburn Univ. Feb 19.1992,

Purohit RC, RS Hudson, MG Riddell, RL Carson, DF WolfE. Thermography of the bovine scrotum. Am i Vet Res., 45: 2388-2392. 1985

Purohit RC, Schumacher J, Pascoe DD.Thermography Standards for Thermal Imaging in Veterinary Medicine-Challenge Testing. Thermol intern 2001, 11(3):141-

Purohit RC, Schumacher J, Humburg J. Wolfe DF, Pascoe DD. "Thermography Standards for Thermal Imaging in Veterinary MedicinE. Quality Control. Thermol intern 2001, 11(3):141

Purohit RC, Schumacher J, Molloy JM, Smith JW, Pascoe DD. Thermographic Evaluation of Neurogenic Mechanisms of Peripheral Thermoregulation in the Equine. (abstract) Thermol int 2003, 13: 79.

Purohit RC, Schumacher J, Pascoe DD, Infrared Thermography for Clinical Evaluation of Spinal Problems in Veterinary Medicine. J Korean Med Thermol 2002, 2(1):74-75

Purohit RC, Schumacher J, Smith JW, Pascoe DD. Obtaining valid and reliable thermographic images in veterinary medicine. (abstract). Thermol int 2004, 14(3): 110.

Purohit RC, WA Bergfeld, MD McCoY. Value of clinical thermography in veterinary medicine. Auburn Vet,, 33: 104-108. 1977

Purohit RC,, Molloy JM, , Smith JW, Pascoe DD.Standards For Thermography Data Collection And Interpretation For Animal Species. (abstract). Thermol int 2003,13,38-39

Purohit RC. Clinical uses of thermography in veterinary medicine. Thermol Österr4:172. 1994

Purohit RC. Factors which may hinder and/or enhance thermography evaluation in various animal species. Proc 4th. International Congress of the European Association of Thermology. Thermomedica 1986, pp 53. 1986

Purohit RC. Factors which may hinder and/or enhance thermography evaluation in various animal species. Thermology 3: 79. 1987

Purohit RC. Infrared Thermal imaging in Equine Sports Medicine. (abstract). Biomed Thermol 15: 17. 1995

Purohit RC. Pascoe DD. DeFranco B. Schumacher J. Thermo- graphic evaluation of the neurovascular system in the equine. Thermol Int. 2004; 14(3): 89-92.

Purohit RC. Peripheral Neurovascular Thermography in Equine Medicine. (abstract). Thermol Österr 5: 161. 1995

Purohit RC. Recent advances in thermology in veterinary medicine. Thermol Österr2:S39-40. 1992

Purohit RC. Scrotal thermography in the Bull. Proc American Academy of Thermology 1985

Purohit RC. The diagnostic value of thermography in equine medicine. Proc Am Assoc Equine Pract, 1980; 26: 316-326.,

Purohit RC. Thermography for the determination of cervical sensory-sympathetic dermatomes in the horse. Thermol Österr2:S23. 1992

Purohit RC. Thermography in research animal medicine II. Evaluation of spinal injuries in response to trenquilization. Proc American Academy of Thermology. 1985.

Purohit RC. Thermography in research animals in medicine I. Evaluation of neurovascular system in response to drug therapy. Proc American Academy of Thermology. 1985

Purohit RC. Thermography in the diagnosis of inflammatory processes in horses. Proc 23rd British Equine Veterinary Congress, Bath, England1984.,

Purohit RC. Thermography in veterinary medicine 1. Vet Forum. January 1987

Purohit RC. Thermography in veterinary medicine 11.Vet Forum. February 1987.

Purohit RC. Thermography in veterinary medicine 111. Vet Forum. March 1987.

Purohit RC. ThermographY. An overview of the different types of equipment. Vet Forum. April 1987, pp 12.

Purohit RC. Use of thermography in ihe diagnosis of lameness in horses. Proc 3rd. Annual Auburn University Horse Course. September 1987, pp 69-75.

Purohit RC. Use of thermography in the diagnosis of lameness in horses. Reprinted by Auburn Vet., 1987; pp 4-6.

Purvis AJ, Cable NT The effects of phase control materials on hand skin temperature within gloves of soccer goalkeepers. Ergonomics 2000. 43 (10) 1480-8

Purvis AJ. Tunstall H. Effects of sock type on foot skin tem- perature and thermal demand during exercise. Ergonomics. 2004. 47(15): 1657-1668.

Pusnik I. Van Der Ham E. Drnovsek J. IR ear thermometers: What do they measure and how do they comply with the EUtechnical regulation?. Physiol Measurement. 2004; 25(3): 699-708.

Pyle JM, Spear FS, Rudnick RL, Mcdonough WF. Monazite–Xenotime–Garnet Equilibrium in Metapelites and a New Monazite–Garnet Thermometer J. Petrology 2001, 42: 2083 - 2107.

Qi C, Wang X-J, Yang D-K, Shi Y-G, Chen P-D. Study on penetration of 2450MHz microwave intracavitary applicator. Chin J Biomed Eng. 2003; 22(1):93-95.

Qi H, Kuruganti PT, Liu Z, Wang C, Diakides N.Cancer Detection by Recognizing Metabolic Activities from Thermal Texture Maps. (abstract) Thermol int 2003, 13: 76

Qi XL, S Brownlow, C Holt, P SellerS. Multi-state thermal unfolding and aggregation of beta -lactoglobulin A. Biochemical Society Transactions 23:74S,1995

Qian YY, Meng QY, Wang ZZ, Ma Y, Wang YZ, Dong ZN. [Experimental study of the effects of mild hypothermia on the acute myocardial infarction size in the rabbits with coronary artery reper- fusion] Zhongguo Wei Zhong Bing Ji Jiu Yi Xue. 2004 ; 16(3):129-32.

Qin B, Nagasaki M, Ren M, Bajotto G, Oshida Y, Sato Y. Effects of keishi-ka-jutsubu-to (traditional herbal medicine: Gui-zhi-jia-shu-fu-tang) on in vivo insulin action in streptozotocin-induced diabetic rats, Life Sci, 2003; 73, (21): 2687-2701

Qiu M, Wu JM, Gu DL, Yu XJ, Yuan XG, Chen JS [Effects of head-down bedrest on surface temperature distribution and non-evaporative heat dissipation] Space Med Med Eng (Beijing) 2002, 15(2): 93-7. .

Quan C-S. Tian W-J. Fan S-D. Kikuchi J-I. Purification and properties of a low-molecular-weight phytase from Cladosporium sp. FP- 1. J Biosci Bioeng. 2004; 97(4): 260-266.

Quan Z-F. Yang C. Li N. Li J-S. Effect of glutamine on change in early postoperative intestinal permeability andits relation to systemic in- flammatory response. World J Gastroenterol. 2004; 10(13): 1992- 1994.

Quartier P. [Raynaud's phenomenon in children] Arch Pediatr. 2004; 11(1): 74-77.

Quéméner O, Jean-Luc Battaglia and Alain Neveu. Résolution d'un problème inverse par utilisation d'un modèle réduit modal. Application au frottement d'un pion sur un disque en rotation, Int J Ther Sci, 2003; 42: 361-378

Quentin A. Fisher, George D. Politis, Joseph D. Tobias, Lester T. Proctor, Raz Samandari-Stevenson, Alan Roth, and Paul Samuels Pediatric Anesthesia for Voluntary Services Abroad Anesth. Analg. 2002, 95: 336 - 350.

Quesson B, de Zwart JA, Moonen CT Magnetic resonance temperature imaging for guidance of thermotherapy. Journal Of Magnetic Resonance Imaging 2000. 12 (4) 525-33

Queva C, Bremner-Danielsen M, Edlund A, Ekstrand AJ, Elg S, Erickson S, Johansson T, Lehmann A, Mattsson JP. Effects of GABA agonists on body temperature regulation in GABA B(1)-/- mice. Br J Pharmacol. 2003; 140(2):315-322.

Quintela D. Gaspar A. Borges C. Analysis of sensible heat ex- changes from a thermal manikin. Eur J Appl Physiol. 2004; 92(6): 663-668.

Quirynen M. Zhao H. Avontroodt P. Soers C. Pauwels M. Coucke W. van Steenberghe D. A salivary incubation test for evaluation of oral malodor: pilot study. J Periodont. 2003; 74(7): 937-944.

Qureshi F, Khan MA, Chawla JA, Alam J, Shafiq M, Bibi R. Comparison of body temperature recordings using mercury and liquid crystal forehead thermometers. Pakistan J Med Sci. 2003; 19(2):111-113.

Raaymakers BW, Crezee J, Lagendijk JJW.Evaluation of actual 3D temperature distributions using a Discrete Vasculature (DiVa) thermal model. In. Proceedings of The First Joint BMES/EMBS Conference Serving Humanity, Advancing Technology, Atlanta, 1999, pp.1264

Raaymakers BW, Crezee J, Lagendijk JJ. Modelling individual temperature profiles from an isolated perfused bovine tongue. Phys Med Biol. 2000 Mar,45(3):765-80.

Raaymakers BW, Van Vulpen M, Lagendijk JJ, De Leeuw AA, Crezee J, Battermann JJ Determination and validation of the actual 3D temperature distribution during interstitial hyperthermia of prostate carcinoma. Phys Med Biol 2001, 46(12): 3115-31.

Rabe E, Sivert D. Effects of baking, pasta production, and extrusion cooking on formation of resistant strach. European Journal of Clinical Nutrition 1992, 46 (Suppl 2):S105-S107.

Rabin Y, Lung DC, Stahovich TF. Computerized planning of cryosurgery using cryoprobes and cryoheaters. Technol Cancer Res Treat. 2004; 3(3):229-43.

Rabin Y, Podbilewicz B. Temperature-controlled microscopy for imaging living cellS. apparatus, thermal analysis and temperature dependency of embryonic elongation in caenorhabditis elegans. J Microsc. 2000,199 (Pt 3):214-23.

Rachbauer F, Mangat J, Bodner G, Eichberger P, Krismer M. Heat distribution and heat transport in bone during radiofrequency catheter ablation. Arch Orth Trauma Surg. 2003; 123(2-3):86-90.

Rachek A, Padet J, Stoian M, Padet C A New Definition of Contours in Images Applications in Heat and Mass Transfer Ann. N.Y. Acad. Sci. 2002, 972: 29 - 35.

Racinais S, Hue O, Blonc S. Time-of-day effects on anaerobic muscular power in a moderately warm environment. Chronobiol Int. 2004; 21(3):485-95.

Raczkowski J.W, Węgrewicz A, Pala W.The appliance of the thermovision computerised system for the evaluation of the corrective exercises' efficiency in the adolescent idiopathic scoliosis treatment. IN. Balageas D, Busse G, Carlomagno, C, Więcek B, editors, Quantitative InfraRed Thermography 4: Medical InfraRed Thermography, MIRT´98. Eurotherm Seminar 60 Proceedings, Łódź, 1999. p.15-17.

Raczkowski J.W. A.WegrewicZ. A Computerised Thermovision System for the Evaluation of the Efficiency of Corrective Exercises in the Treatment of Adolescent Idiopathic Scoliosis. (abstract).European Journal of Thermology 1998, 8(4): 185.

Rademaker G, Jenne JW, Rastert R, Roder D, Schad L-R. Comparison of noninvasive MRT-procedures for the temperature measurement for the application during medical thermal therapies. Z Med Phys. 2003; 13(3):183-187.

Radhakrishna M, Burnham R Infrared skin temperature measurement cannot be used to detect myofascial tender spots. Archives Of Physical Medicine And Rehabilitation 2001. 82 (7) 902-5

Radmanathan K, Jonsson BR, Danielsson B. Thermometric sensing of peroxide organic media. Application to monitor the stability of RBP-retinol-HRP complex. Analytical Chemistry 2000. 72 (15):3443-8

Radtke J, Bremerich A, Machtens E. Thermografische Quantifizierung sensibler und sympathischer Nervlaesionen bei Unterkieferfrakturen--ein Prognosekriterium?. (Thermographic quantification of sensory and sympathetic nerve lesions. in mandibular fractures--a prognostic criterium?). Fortschritte der Kiefer- und Gesichts-Chirurgie 1996, 4: 176-180.

Raghavan V, Ramanathan K, Sundaram PV, Danielsson B. An enzyme thermistor-based assay for total and free cholesterol. Clinica Chimica Acta 1999. 289(1-2):145-58

Rahkonen J, Jokela H. Infrared Radiometry for Measuring Plant Leaf Temperature during Thermal Weed Control Treatment, Biosys Eng 2003; 86, (3): 257-266

Raj B, Jayakumar T. Recent developments in the use of non destructive testing techniques for monitoring industrial corrosion. IN. Khanna AS, Totlani MK, Singh SK (eds): Corrosion and Its Controls, Vols I and II, Elsevier Science Publ B V, Amsterdam, 1998, pp. 117-127.

Raja PV. Blumenthal JA. Doraiswamy PM. Cognitive deficits following coronary artery bypass grafting: Prevalence,prognosis, and therapeutic strategies. CNS Spectrums. 2004; 9(10): 763-772.

Rajic N. A means of quantifying material loss due to corrosion damage using thermographic data. IN. Geithman GA, Georgeson GE (eds): Nondestructive Evaluation of Aging Aircraft, Airports, aand Aerospace Hardware II. Proceedings of The Society of Photo-Optical Instrumentation Engineers (SPIE) Vol.339. Bellingham, 1998, pp. 87-97.

Rajoka MI. Khan S. Latif F. Shahid R. Influence of carbon and nitrogen sources and temperature on hyperproduction of thermo- tolerant beta-glucosidase from synthetic medium by Kluyveromyces marxianus. Appl Biochem Biotechnol. 2004;117(2): 75-92.

Raju C. Reddy, Gina H. Chen, Kazuhiro Tateda, Wan C. Tsai, Susan M. Phare, Peter Mancusoc Peters-Golden, and Theodore J. Standiford Selective inhibition of COX-2 improves early survival in murine endotoxemia but not in bacterial peritonitis Am J Physiol Lung Cell Mol Physiol 2001, 281: 537 - 543.

Ralphs JD. Assessment of factors affecting the detectability of thermal radiations from the neural system of the braIn. Medical and Biological Engineering and Computing 1995, 33: 264-270.

Ramachandran T, Sreenlvasan K, Sivakumar R., Water vaporization from heated tissue, An in vitro study by differential scanning calorimetry.Lasers in Surgery and Medicine 1996, 19(4): 413-415.

Ramanathan K, Danielsson B. Principles and applications of thermal biosensors. Biosensors and Bioelectronics 2001:16(6) 417-423

Ramanathan K, Jonsson BR, Danielsson B. Sol-gel based thermal biosensor for glucose. Analytica Chimica Acta 2001, 427(1):1-10

Ramasamy I, Kennedy J, Tan K. Capillary electrophoresis for characterization of low molecular weight heparins. Laborat Hematol. 2003; 9(2):64-66.

Ramirez CC. Kirsner RS. A refractory case of erythromelalgia involving the ears. Am J of Otolaryngology - Head & Neck Med & Surg. 2004; 25(4): 251-254

Ramirez-Lopez EM, Montillet A, Comiti J, Le Cloirec P. Biofiltration of volatile organic compounds - Application to air treatment. Water Science and Technology 2000, 41(12): 183-190

Ramlau C, J. SledzikowskI. Combination of thermographic and ultrasound methods for the diagnosis of female breast cancer. European Journal of Gynaecological Oncology 1993, 14 (suppl): 152-154.

Ramli R, Chung CC, Fried NM, Franco N, Hayman MH. Subsurface tissue lesions created using an Nd:YAG laser and a sapphire contact cooling probe. Lasers Surg Med. 2004; 35(5):392-6.

Ramstein J, Locker D, Bianchi ME, Leng M. Domain-domain interactions in high mobility group 1 protein (HMG1). European Journal of Biochemistry 1999, 260(3): 692-700

Ran I. Mathers DA. Puil E. Pentobarbital induces thalamic oscilla- tions in brain slices, modulated by GABAand glycine receptors. Neuro- pharmacol. 2004; 47(7): 985-993.

Randa MA. Polz MF. Lim E. Effects of temperature and salinity on Vibrio vulnificus population dynamics asassessed by quantitative PCR. Appl Environ Microbiol. 2004; 70(9): 5469-5476.

Randhawa BS, Sweety K. Preparation of sodium ferrite from the thermolysis of sodium tris (maleato/fumarato)ferrates(III). Journal of Radioanalytical and Nuclear Chemistry 1998, 238(1)-2: 141-4.

Randhawa BS, Sweety KJ Physico-chemical studies on the thermolysis of strontium and barium ferrimaleates. Journal of Radioanalytical and Nuclear Chemistry 2001, 247(3): 513-518

Rao A, Rangwalla H, Varshney V, Dhinojwala A. Structure of poly(methyl methacrylate) chains adsorbed on sapphire probed using infrared-visible sum frequency generation spectroscopy. Langmuir. 2004; 20(17):7183-8.

Rapaport R, Chen G, Snoke D, Simon SH, Pfeiffer L, West K, Liu Y, Denev S. Charge separation of dense two-dimensional electron-hole gases: mechanism for exciton ring pattern formation. Phys Rev Lett. 2004; 92(11):117405.

Rapela CW, Baldo EG, Pankhurst RJ, Saavedra J. Cordieritite and Leucogranite Formation during Emplacement of Highly Peraluminous MagmA. the El Pilón Granite Complex (Sierras Pampeanas, Argentina) J. Petrology 2002, 43: 1003 - 1028.

Rashidnia N, Balasubramaniam R. Optical Measurement of Concentration Gradient Near Miscible Interfaces Ann. N.Y. Acad. Sci. 2002, 974: 193 - 200.

Rasmussen L. K, Mercer J.B. A Comparison of Skin Temperature Changes in the Hands and Feet of Young and Elderly Subjects Following Local Cooling. (abstract). Thermol intern 2001, 11(2), 91

Rasmussen LK. Mercer JB. A comparison of thermal responses in hands and feet of young and elderly subjects in response to local cooling as determined by infrared imaging. Thermol Int. 2004; 14(2)71-76.

Rasmussen SB, Boghosian S, Nielsen K, Eriksen KM, Fehrmann R. Crystal structure and spectroscopic properties of CsVO2SO4. Inorg Chem. 2004; 43(12):3697-701.]

Rastogi SK, BN Gupta, T HusaIn. Wet-bulb globe temperature indeX. a predictor of physiological strain in hot environments. Occupational Medicine 1992, 42:93-97.

Rastopina EI, Arshin VV. Termograficheskie priznaki miopatozobv predplech'ia u promyshlennykh rabochikh. (Thermographic signs of forearm myopathies in industrial workers) Meditsina Truda I Promyshlennaia Ekologiia 1995, (9) 37-39.

Rathkolb O, K Ammer. Skin Temperature of the Fingers After Different Ways of Heating Using a wax Bath. Thermol Österr 1996, 6(3). 132-138.

Rathkolb O, K.Ammer. Erhöhung der Fingertemperatur nach Anwendung zweier unterschiedlicher Methoden des Paraffinbades (abstract) Thermol Österr 1996, 6(2): 62.

Rathkolb O, T Schartelmüller, L Hein, K Ammer. Hauttemperatur der Lendenregion nach Anwendung von Kältepackungen unterschiedlicher Größe und Applikationsdauer. Thermol Österr1991. 1(1):15-24.

Rathkolb O, T Schartelmüller, L Hein, K Ammer. Hauttemperatur der Lendenregion nach Anwendung von Kältepackungen unterschiedlicher Größe und Applikationsdauer(abstract). Thermol Österr1991, 1(1):31.

Rathkolb O. Ein Sprachrohr für die medizinisch-thermologische Forschung. (Editorial), Thermol Österr1991, 1: 3.

Rathore AS, Reynolds KJ, Colin LA Joule heating in packed capillaries used in capillary electrochromatography. Electrophoresis 2002, 23(17): 2918-28.

Rathore AS. Joule heating and determination of temperature in capillary electrophoresis and capillary electrochromatography columns. J Chromatogr A. 2004 ; 1037(1-2):431-43.

Ratobyl'skii GV, Vasil'kova TA, Kolosova TP, Slutskii EM. Pervichnaia luchevaia diagnostika ul'trazvuk i teplovidenie, porazhenii zheludka i tolstoi kishki. (Primary radiation diagnosis ultrasound and thermography, of gastric and large intestine lesions).Vestnik Rentgenologii I Radiologii /5: 40-44. 1996

Rau B, Wust P, Tilly W, Gellermann J, Harder C, Riess H, Budach V, Felix R, Schlag PM. Preoperative radiochemotherapy in locally advanced or recurrent rectal canceR. regional radiofrequency hyperthermia correlates with clinical parameters. Int J Radiat Oncol Biol Phys. 2000,48(2):381-91.

Raulin C, Grema H. Single-pass carbon dioxide laser skin resurfacing combined with cold-air cooling: efficacy and patient satis- faction of a prospective side-by-side study. Arch Dermatol. 2004; 140(11):1333-6.

Rausch JL, Johnson ME, Corley KM, Hobby HM, Shendarkar N, Fei Y, Ganapathy V, Leibach FH. Depressed patients have higher body temperature: 5-HT transporter long promoter region effects. Neuropsychobiol 2003; 47(3):120-127.

Rav-Acha M, Hadad E, Epstein Y, Heled Y, Moran DS. Fatal exertional heat stroke: a case series. Am J Med Sci. 2004; 328(2):84-7.

Rav-Acha M, Heled Y, Slypher N, Moran DS. Core body temperature monitoring using the telemetric pill. Harefuah. 2003; 142(3):197-202.

Ravaux J, Gail F, Le Bris N, Sarradin P-M, Jollivet D, Shillito B. Heat-shock response and temperature resistance in the deep-sea vent shrimp Rimicaris exoculata J Exp Biol, 2003; 206: 2345 - 2354.

Rave E, Katzir A Endoscopic Thermal Imaging using Ordered Bundles of Infrared Transmitting Fibers. (abstract). Thermol intern 2001, 11 (2): 79

Ravelo AC, Andreasen DH, Lyle M, Olivarez Lyle A, Wara MW. Regional climate shifts caused by gradual global cooling in the Pliocene epoch. Nature. 2004; 429(6989):263-7.

Ravinger J, M.MlynceK. Prinos termovizie v diagnostike nodorov prsnika. (Thermography in the diagnosis of breast tumors). Ceskoslovenska Gynekologie 1993, 58:27-34.

Rawls HR, Granier RJ, Smid J, Cabasso I.Thermomechanical investigation of polY.methylmethacrylate, containing an organobismuth radiopacifying additive.Journal of Biomedical Materials Research 1996, 31(3):339-343.

Raymond MC, Neufeld RJ, Poncelet D. Encapsulation of brewers yeast in chitosan coated carrageenan microspheres by emulsification/ thermal gelation. Artif Cells Blood Subst Immobil Biotechnol. 2004; 32(2):275-91.

Rayner JM. Estimating power curves of flying vertebrates. Journal Of Experimental Biology, 1999. 202(23) 3449-61

Reacher M, McKenzie K, Lane C, Nichols T, Kedge I, Iversen A, Hepple P, Walter T, Laxton C, Simpson J; Lewes Flood Action Re- covery Team. Health impacts of flooding in Lewes: a comparison of reported gastrointestinal and other illness and mental health in flooded and non-flooded households. Commun Dis Public Health. 2004; 7(1): 39-46.

Rechmann P.Dental laser Res: selective ablation of caries, calculus, and microbial plaque: from the idea to the first in vivo investigation. Dent Clin North Am. 2004; 48(4):1077

Reddy S, Greenwood J, Maniakin N, Bhattacharjya S, Zilvetti M, Brockmann J, James T, Pigott D, Friend P. Non-heart-beating donor porcine livers: The adverse effect of cooling. Liver Transpl. 2004; 11(1):35-38

Reder T. Infrarotsysteme von Agema. Thermol Österr 1993, 3(2): 53-56.

Reder T. Programmäßige Bildpunktkorrektur von verschiedenen Emissionsfaktoren auf einer Leiterplatte. Thermol Österr1992, 2(1): 34-36.

Redinova TL, Sabel'nikova EV. Potentialities of diagnosis of gastrointestinal diseases by thermometry of the tongue Stomatologiia (Mosk). 2003;82(4):25-8.

Redmond JM, McKenna MJ, Feingold M, Ahmad BK. Effect of thermode temperature on thermal testing [letter]. Muscle and Nerve 1993, 16: 799-801.

Reetz MT, Hermes M, Becker MH Infrared-thermographic screening of the activity and enantioselectivity of enzymes. Applied Microbiology and Biotechnology 2001, 55(5): 531-536

Rega FR, Neyrinck AP, Verleden GM, Lerut TE, Van Raemdonck DE. How long can we preserve the pulmonary graft inside the nonheart-beating donor? Ann Thorac Surg. 2004; 77(2):438-44;

Regini JW, Grossmann JG, Burgio MR, Malik NS, Koretz JF, Hodson SA, Elliott GF. Structural changes in alpha-crystallin and whole eye lens during heating, observed by low-angle X-ray diffraction. J Mol Biol. 2004; 336(5):1185-94.

Régis Steinberg, Richard Alonso, Liliane Rouquier, Christophe Desvignes, Jean-Claude Michaud, Annie Cudennec, Mireille Jung, Jacques Simiand, Guy Griebel, Xavier Emonds-Alt, Gérard Le Fur, and Philippe Soubrié SSR240600 [(*R*)-2-(1-{2-[4-{2-[3.5-Bis(trifluoromethyl)phenyl]acetyl}-2-(3.4-dichlorophenyl)-2-morpholinyl]ethyl}-4-piperidinyl)-2-methylpropanamide], a Centrally Active Nonpeptide Antagonist of the Tachykinin Neurokinin 1 ReceptoR. II. Neurochemical and Behavioral Characterization J. Pharmacol. Exp. Ther. 2002, 303: 1180 - 1188.

Register JD. An introduction to nondestructive testing of composites. IN. Kliger HS, Rasmussen BM, Pilato LA, Tolle TB, editors 43rd International Sampe Symposium And Exhibition On Materials And Process Affordability - Keys To The Future, Vol 43. Soc Advancement Material & Process Engineering, Covina, 1998, 1730-7.

Reich DL. Horn LM. Hossain S. Uysal S. Using jugular bulb oxyhemoglobin saturation to guide onset of deep hypothermic cir- culatory arrest does not affect post-operative neuropsychological func- tion. Eur J Cardio-Thoracic Surg. 2004;25(3): 401-406.

Reichenbach HM, An H, McGinn PJ. Combinatorial synthesis and characterization of mixed metal oxides for soot combustion, App Catalysis B: Environ, 2003; 44, (4): 347-354.

Reichenbach HM, McGinn PJ. Combinatorial solution synthesis and characterization of complex oxide catalyst powders based on the LaMO3 system, App Catalysis A: Gen, 2003; 244 (1):101-114.

Reichle R, Pocheau C, Delchambre E, Ducobu L, Faisse F, Guilhem D, Jouve M, Moulin D, Roche H, Thomas E. Surface temperature measurements on Tokamak target plates with two types of infra red fibres, J Nuc Mat, 2003; 313-316: 711-715.

Reid AD, Gertner MR, Sherar MD. Temperature measurement artefacts of thermocouples and fluoroptic probes during laser irradiation at 810 nm. Physics in Medicine and Biology 2001, 46(6): N149-N157

Reijnders K, English SJ, Krishna MC, Cook JA, Sowers AL, Mitchell JB, Zhang Y. Influence of body temperature on the BOLD effect in murine SCC tumors. Magn Reson Med. 2004; 51(2):389-93.

Reilly PA, Clarke AK, Ring EF. Thermography in carpal tunnel syndrome (CTS). Br J Rheumatol 1989, 28 (6):.553-554.

Reis RB, Te AE, Cologna AJ, Suaid HJ, Kaplan SA. Interstitial thermometry in men undergoing electrovaporization of the prostate. Journal Of Endourology 1999. 13 (1): 53-6

Reitebuch O, Strassburger A, Emeis S, Kuttler W. Nocturnal secondary ozone concentration maxima analysed by sodar observations and surface measurements. Atmospheric Environment 200, 34(25): 4315-4329

Reitera P, Thomas CJ, Atkinson PM, Hay SI, Randolph SE, Rogers DJ, Shanks GD, Snow RW, Spielman A. Global warming and malaria: a call for accuracy. Lancet Infect Dis. 2004; 4(6):323-4.

Rembert MS. Smith JA. Hosgood G. A comparison of a forced-air warming system to traditional thermal support for rodent micro- environments. Lab Animals. 2004: 38(1): 55-63.

Ren J. Li Z. Wong F-S. Membrane structure control of BTDA- TDI/MDI (P84) co-polyimide asymmetric membranes by wet-phase inversion process. J Membrane Sci. 2004; 241(2): 305-314.

Ren Y, Hashimoto M, Pulsinelli WA, Nowak TS Jr. Hypothermic protection in rat focal ischemia models: strain differences and relevance to “reperfusion injury”. J Cereb Blood Flow Metab. 2004; 24(1):42-53.

Rendal E, Rodriguez M, Martinez MV, Fernandez RO, Sanchez J, Segura R, Bermudez T, Matheu G, Filgueira P, Pertega S, Andion C. Function of cryopreserved pig aortas. J Surg Res. 2004; 120(2):304-11.

Rendal Vazquez ME, Rodriguez Cabarcos M, Martinez Santos MV, Fernandez Mallo RO, Sanchez Ibanez J, Segura Iglesias R, Matheu Capo G, Filgueira Fernandez P, Pertega Diaz S, Bermudez Gonzalez T, Andion Nunez C. Functional assessment of cryopreserved human femoral arteries for pharmaceutical research. Cell Tissue Bank. 2004; 5(2):105-10.

Rendal Vazquez ME, Rodriguez Cabarcos M, Martinez Santos MV, Fernandez Mallo RO, Sanchez Ibanez J, Segura Iglesias R, Matheu Capo G, Filgueira Fernandez P, Pertega Diaz S, Bermudez Gonzalez T, Andion

Nunez C. Functional assessment of cryopreserved pig aortas for pharmaceutical research. Cell Tissue Bank. 2004; 5(2):111-8.

Renier E, Suzeau P, Truchetet F, Geveaux P. Spatial and thermal measurements using Thermography CCD during HF soldering of metallic tubes.In: IECON '98 - Proceedings Of The 24th Annual Conference Of The IEEE Industrial Electronics Society, Vols 1-4,IEEE, New York, 1998, p. 1699-702.

Renkielska A, Kaczmarek M.,. Karmoliński A, Stojek W, Grudziński J, Nowakowski A Thermal imaging of skin burns. (abstract) Thermol int 2003, 13: 79-80.

Renshaw A, Childs C The significance of peripheral skin temperature measurement during the acute phase of burn injurY. an illustrative case report. Burns 2000. 26 (8) 750-3

Renshaw A, Childs C. The significance of peripheral skin temperature measurement during the acute phase of burn injurY. an illustrative case report. Burns. 2000,26(8):750-753.

Rentas FJ. Macdonald VW. Houchens DM. Hmel PJ. Reid TJ. New insulation technol provides next-generation containers for 'iceless' and lightweight transport of RBCs at 1 to 10 degrees C in extreme temperatures for over 78 hours. Transfusion. 2004; 44(2): 210-216.

Repka MA, Prodduturi S, Stodghill SP. Production and characterization of hot-melt extruded films containing clotrimazole. Drug Devel Indus Pharm. 2003; 29(7):757-765.

Repka MA. Mididoddi PK. Stodghill SP. Influence of human nail etching for the assessment of topical onychomycosistherapies. Int J Pharm. 2004; 282(1-2): 95-106.

Rescue of kidney and pancreas grafts with complex vascular lesions. Transplant Proc. 2004; 36(3): 505-8.

Reuthebuch O, Schurr U, Hellermann J, Pretre R, Kunzli A, Lachat M, Turina MI. Advantages of subclavian artery perfusion for repair of acute type A dissection. Eur J Cardiothorac Surg. 2004; 26(3):592-8.

Reverchon E. Della Porta G. Spada A. Antonacci A. Griseofulvin micronization and dissolution rate improvement by supercritical as- sisted atomization. J Pharm Pharmacol. 2004; 56(11): 1379-1387.

Rey F, Machado AASC. Influence of the temperature on the viscosity measurements of solutions of a soil fulvic acid. Canadian Journal of Chemistry 2000, 78(7): 1013-1018

Rey G, Magaud P, Libeyre P, Garin P, Agarici G, Beaumont B, Bergerby G, Bibet P, Chappuis P, Cordier JJ. et al. Spin-off from Euratom-CEA association in fusion magnetic research, Fus Eng Design, 2003; 69, (s 1-4): 807-811

Rezai AR, Finelli D, Nyenhuis JA, Hrdlicka G, Tkach J, Sharan A, Rugieri P, Stypulkowski PH, Shellock FG Neurostimulation systems for deep brain stimulatioN. in vitro evaluation of magnetic resonance imaging-related heating at 1.5 tesla. J Magn Reson Imaging 2002, 15(3): 241-50.

Rhein M. OceanographY. Drifters reveal deep circulation. Nature 2000, 407(6800): 30-31

Rhim H, Goldberg SN, Dodd GD III, Solbiati L, Lim HK, Tonolini M, Cho OK Essential Techniques for Successful Radio-frequency Thermal Ablation of Malignant Hepatic Tumors RadioGraphics 2001, 21: 17 - 35.

Rhind SG. Gannon GA. Shephard RJ. Buguet A. Shek PN. Radomski MW. Cytokine induction during exertional hyperthermia is abolished by core temperature clamping: Neuroendocrine regulatory mechanisms. Int J Hyperther. 2004; 20(5): 503-516.

Rho RH, Brewer RP, Lamer TJ, Wilson PR Complex regional pain syndrome. Mayo Clin Proc 2002, 77(2): 174-80.

Rhoderick GC, Dorko WD. Standards development of global warming gas species: methane, nitrous oxide, trichlorofluoromethane, and dichlorodifluoromethane. Environ Sci Technol. 2004; 38(9): 2685- 92.

Rhudy JL, Grimes JS, Meagher MW. Fear-induced hypoalgesia in humans: effects on low intensity thermal stimulation and finger tem- perature. J Pain. 2004; 5(8):458-68.

Riazantseva NV, Novitskii VV, Riazantsev VP. [Characterization of peripheral erythron component in patients with localized thermal burns]. Klin Lab Diagn. 2000,(6):23-4. 33-4.

Ribeiro GA. Rodrigues LOC. Moreira MCV. Silami-Garcia E. Pascoa MRS. Camargos FFO. Thermoregulation in hypertensive men exercising in the heat with water ingestion. Braz J Med Biol Res. 2004; 37(3): 409-417.

Ribeiro VS, Erfer L. Non-contact IR thermometers in modern maintenance.IN. LeMieux DH, Snell JR, editorS. Thermosense XXI,Proceedings of the Society of Photo-Optical Instrumentation Engineers (SPIE), Vol.3700, Bellingham, 1999. p. 289-96.

Riccardi R, Gaita F, Caponi D, Grossi S, Scaglione M, Caruzzo E, Di Donna P, Pistis G, Richiardi E, Giustetto C, Bocchiardo M. Percutaneous catheter cryothermal ablation of atrioventricular nodal reentrant tachycardia: Efficacy and safety of new ablation technique. Ital Heart J. 2003; 4(1):35-43.

Ricci MR, Fried SK, Mittleman KD. Acute cold exposure decreases plasma leptin in women. MetabolisM. Clinical and Experimental 2000, 49(4): 421-423

Rice OH. The microbiology of. paranasal sinus infectionS. diagnosis and Management. CRC Crit Rev Clin Lab Sci 9 (2): 105-121. 1978

Rich DS Ask the joint commissioN. Checking refrigerator temperatures, storing batteries in refrigerators, use and storage of ketamine, class 100 environment for IV preparation, automatic stop orders, required consent for medications, patient education on medication use, pharmacist review of orders against medication profiles. Hospital Pharmacy 2001, 36(3): 337-342

Rich DS. Cardiac stents; DEA registration of physicians; use of volunteers for drug delivery; transfer order requirements; crash cart locks; pharmacist review of dialysis orders; sample drug documentation; informed consent for drugs. Hosp Pharm. 2003; 38(1):76-82.

Rich PB, Dulabon GR, Douillet CD, Listwa TM, Robinson WP, Zarzaur BL, Pearlstein R, Katz LM. Infrared thermography: a rapid, portable, and accurate technique to detect experimental pneumothorax. J Surg Res. 2004; 120(2):163-70.

Richards MGM. Fiala D. Modelling fire-fighter responses to exercise and asymmetric infrared radiation using a dynamic multi-mode model of human Physiology and results from the Sweating Agile thermal Manikin. Eur J Appl Physiol. 92(6): 649-653. 2004.

Richardson AJ, Schoeman DS.Climate impact on plankton eco- systems in the Northeast Atlantic. Science. 2004; 305(5690): 1609-12.

Richardson H, Lopez-Garcia I, Sferrazza M, Keddie JL. Thickness dependence of structural relaxation in spin-cast, glassy polymer thin films. Phys Rev E Stat Nonlin Soft Matter Phys. 2004; 70(5):051805.

Richter D. Fever in children. Paediat Croatica. 48(2): 79-84. 2004;

Rickard CM, Couchman BA, Hughes M, McGrail MR. Pre- venting hypothermia during continuous veno-venous haemodiafiltra- tion: a randomized controlled trial. J Adv Nurs. 2004; 47(4):393-400

Ricke J, Wust P, Stohlmann A, Beck A, Cho CH, Pech M, Wieners G, Spors B, Werk M, Rosner C, Hanninen EL, Felix R. CT-guided interstitial brachytherapy of liver malignancies alone or in combination with thermal ablation: phase I-II results of a novel technique. Int J Radiat Oncol Biol Phys. 2004; 58(5):1496-505.

Riddell A, Eppich W Should tympanic temperature measurement be trusted? Arch. Dis. Child. 2001, 85(5): 433-4.

Riedl B, Beckmann T, Neundoerfer B, Handwerker HO, Birklein F Autonomic failure after stroke--is it indicative for pathophysiology of complex regional pain syndrome? : Acta Neurologica Scandinavica 2001. 103 (1) 27-34

Rieger-Fackeldey E, Schaller-Bals S, Schulze A. Effect of body temperature on the pattern of spontaneous breathing in extremely low birth weight infants supported by proportional assist ventilation. Pediat Res. 2003; 54(3):332-336.

Rieke V, Vigen KK, Sommer G, Daniel BL, Pauly JM, Butts K. Referenceless PRF shift thermometry. Magn Reson Med. 2004; 51(6): 1223-1231.

Riess ML, Camara AK, Kevin LG, An J, Stowe DF. Reduced reactive O2 species formation and preserved mitochondrial NADH and [Ca2+] levels during short-term 17 degrees C ischemia in intact hearts. Cardiovasc Res. 2004; 61(3):580-90.

Rietveld PJ, Lumori ML, van der Zee J, van Rhoon GC. Quantitative evaluation of 2 x 2 arrays of Lucite cone applicators in flat layered phantoms using Gaussian-beam-predicted and thermographically measured SAR distributions. Physics In Medicine And Biology 1998. 43 /8: 2207-20.

Rietveld PJM, Van Putten WLJ, Van Der Zee J, Van Rhoon GC. Comparison of the clinical effectiveness of the 433 MHz lucite cone applicator with that of a conventional waveguide applicator in applications of superficial hyperthermia. International Journal of Radiation Oncology Biology Physics 1999, 43(3):681-687.

Rightley MJ, Tigges CP, Givler RC, Robino CV, Mulhall JJ, Smith PM. Innovative wick design for multi-source, flat plate heat pipes, Microelectron J, 2003; 34, (39:187-194.

Rignot E, Jacobs SS Rapid Bottom Melting Widespread near Antarctic Ice Sheet Grounding Lines Science 2002, 296: 2020 - 2023.

Rikke BA. Yerg III JE. Battaglia ME. Nagy TR. Allison DB. Johnson TE. Quantitative Trait Loci Specifying the Response of Body Temperature to DietaryRestriction. J Geront Sers A-Bioll Sci Med Sci. 2004; 59(2): 118-125.

Rill RL, Al-Sayah MA.Peptide separations by slab gel electropho- resis in pluronic F127 polymer liquid crystals. Electrophoresis. 2004; 25(9):1249-54.

Rimas M, Gustafsson PM, Kjellman N-IM, Bjorksten B. Conjunctival provocation tesT. High clinical reproducibility but little local temperature change. Allergy 47 I.324-326. 1992

Riminesi C, Andreuccetti D, Fossi R, Pezzati M. ELF magnetic field exposure in a neonatal intensive care unit. Bioelectromagnetics. 2004; 25(7):481-91.]

Ring E F J, D.Elvins. Infra Red Thermal Imaging of the Sk'n Quantifies Reactive Hyperaemia. Proc 1996 IEEE Engineering in Medicine & BiologY. 608-609. 1996

Ring E.F.J, B.J.Sweetman Injury Related Reflex Sympathetic Dystrophy - Case Studies. (abstract) Thermol Österr 7(2): 73. 1997

Ring E.F.J, J.Dicks, D.M.Elvins. High Resolution Infra-Red Imaging (abstract). European Journal of Thermology 8: 71 , 1998

Ring E.F.J. Ammer K. The technique of infrared thermal imaging in medicine. Thermol int. 2000, 10(1):7-14

Ring E.F.J. The historical development of temperature measurement in Western Europe.(abstract) Biomed Thermol 12. 265-266. 1992

Ring E.F.J. The historical development of temperature measurement in Western Europe. IN. Mabuchi K, S.Mizushina, B.Harrison (eds.) Advanced Techniques and Clinical Application in Biomedical Thermologie, harwood academic publishers Chur/Schweiz p. 83-98.1994

Ring EF. Human Temperature Measurement – from Analogue to Digital. (abstract) Thermol int 2003, 13: 80.

Ring EF. Jones C. Ammer K. Plassmann P. Bola T. Cooling effects of Deep Freeze Cold gel applied to the skin, with and without rubbing, to the lumbar region of the back. Therm Int. 2004; 14(2): 64-70.

Ring EF. Jones C. Ammer K. Plassmann P. Bola TS. Cooling effects of Deep Freeze Cold Gel compared to that of an ice pack applied to the skin. Therm Int. 2004; 14(3): 93-98.

Ring EF. Normative data of thermal washout of the knee - Point of view. Therm Int. 14(4)142. 2004.

Ring EF. Progress in the measurement of human body temperature. IEEE Engineering In Medicine And Biology Magazine 1998. 17 (4): 19-24.

Ring EF. The historical development of thermal imaging in Med. Rheumatology (Oxford). 2004; 43(6):800-2.

Ring EFJ , P.PlassmanN. BTHERM For Infra-Red Medical Imaging. (abstract). European Journal of Thermology 8: 184. 1998

Ring EFJ Provocation Tests in Thermal Imaging. Thermol intern 2001, 11(2):80

Ring EFJ The Historical Development of Thermal Imaging in Medicine. Thermol intern 2001. 11(4)

Ring EFJ, Plassmann P.BTHERM - A computer system for quantitative infrared medical imaging. IN. Balageas D, Busse G, Carlomagno, C, Więcek B, editors, Quantitative InfraRed Thermography 4: Medical InfraRed Thermography, MIRT´98. Eurotherm Seminar 60 Proceedings, Łódź, 1999. p.52-56

Ring EFJ, Ammer K, Plassmann P, Jones BF. Errors and artefacts in thermal imaging. IN. Hutten H, Krösel P, eds. Proceedings Part II, EMBEC´02. 2.European Medical & Biological Engineering Conference. IFMBE, Graz, 2002. pp.1620-1621

Ring EFJ, Ammer K, Plassmann P. Jones C, Bola T. Ther- mographic study of topical cooling agents for the skin (abstract). Thermol int 2004, 14(2): 77.

Ring EFJ, Ammer K. Infrared Thermal Imaging in Rheumatic DiseaseS. A Bibliographic Overview. Thermol intern 2001. 11(4):161

Ring EFJ, Ammer K. Errors and Artefacts in Thermal Imaging. Thermol intern 2002. 12: 160-161

Ring EFJ, Ammer K. The Technique of Infra red Imaging in Medicine. Thermol intern 2000 , 10(1): 7-14.

Ring EFJ, D. Thomas, K. Ammer, J.-M. EngeL. Die Bedeutung der Thermographie im Rahmen rheumatischer und neuromuskulärer Erkrankungen. ThermoMed 7: 26-27. 1991

Ring EFJ, Dicks JM. Spatial Resolution of New Thermal Imaging.Systems. Thermol intern 1999, 9(1): 7-14.

Ring EFJ, DM.Elvins. Thermal effects of sports shoes on the plantar foot. Thermol Österr4:182. 1994

Ring EFJ, Elvins DM, Davies J.Quantitative Thermal Imaging in Paget's Disease of Bone (abstract). Thermol intern 1999, 9(4):

Ring EFJ, J.DavieS. Thermal Monitoring of Paget's Disease of Bone, Thermology 3:167- 172.1990

Ring EFJ, J.R.Harding, B.JoneS. IEEE Electronics in Medicine and Biology Annual Conference, Chicago, USA, October 1997 European Journal of Thermology 8: 29 , 1998

Ring EFJ, McCabe CS, Haigh RC, Halligan PW, Wall PD, Blake DR Mirror Visual Feedback Treatment of Complex Regional Pain Syndrome monitored by Thermal imaging. (abstract) Thermol int 2003, 13: 80.

Ring EFJ, Plassmann P, Jones CD. Quality assurance in Med thermography: is it necessary? (abstract). Thermol int 2004, 14(4): 146

Ring EFJ, Plassmann P. Thermal Imaging - A Vision of the Future (abstract). Thermol intern 2000, 10 (1): 40.

Ring EFJ, R. Hawkes, D. M.Elvins, M.JoneS. Evaluation of the Effects of Plastic- and Metal-Studded Football boots on the Plantar Foot IN. Ammer K, EFJ Ring (eds): The Thermal Image in Medicine and Biology, Uhlen Verlag, Wien,pp. 220-224. 1995

Ring EFJ, R.Hawkes, DM Elvins, L Sawyer, M.JoneS. Reactive Hyperemia on the Platar Food Caused by Sport Shoes. (abstract). Thermol Österr 4: 121. 1994

Ring EFJ,Ammer K. Quantification of Infra-red Images, Past, Present and Future. J Korean Med Thermol 2002, 2(1):49

Ring EFJ. Development of Infra-red thermography (abstract). Thermology intern 2000, 10(3):137.

Ring EFJ. A historical perspective of human body temperature. Thermol Österr2:S16. 1992

Ring EFJ. Cold Stress Test for Raynaud's Phenomenon (abstract). Thermol intern 1999, 9(4):

Ring EFJ. Cold stress testing of the hand. IN. Ammer K, EFJ Ring (eds): The Thermal Image in Medicine and Biology, Uhlen Verlag, Wien,pp. 237-240. 1995

Ring EFJ. Cold stress testing of the hand. Thermol Österr4:169. 1994

Ring EFJ. Diagnostic Possibilitles of Thermography In Disease of the Locomotor System. IN. Rathkolb O, K,Ammer (Hrg), Thermographie- evozierte Potentiale. LBF f.Physikalische Diagnostik, Wien, 6-29. 1989

Ring EFJ. Dr.Nicolaas J.M.Aarts. Thermol Österr 6: 70. 1996

Ring EFJ. High Resolution Infra-Red Imaging (abstract).European Journal of Thermology 8: 121. 1998

Ring EFJ. History of thermography. IN. Ammer K, EFJ Ring (eds): The Thermal Image in in Medicine and Biology, Uhlen Verlag, Wien,pp. 13-20. 1995

Ring EFJ. History of thermography. Thermol Österr4:159. 1994

Ring EFJ. Hot and cold (abstract). Thermol int 2004, 14(2): 77.

Ring EFJ. Kenneth Lloyd-Williams. Thermol intern 2000 , 10(1): 23-5.

Ring EFJ. Medizinische Thermologie und thermisches Bild im Spiegel der Geschichte (editorial). ThermoMed 7: 71-73.. 1991

Ring EFJ. Objective Assessments of Physical Diagnosis and Therapy. Thermol Österr 4: 5-9. 1994

Ring EFJ. Objektivierung intraartikulärer Therapie mittels quantitativer Thermographie. ThermoMed 7:89-91. 1991

Ring EFJ. Objektivierung intraartikulärer Therapie mittels quantitativer Thermographie. ThermoMed 7: 89-91.. 1991

Ring EFJ. Protocol and sources of error in thermal imaging. Thermol intern 2002. 12: 59

Ring EFJ. Provocation Tests In Thermal Imaging. Thermol intern 2001. 11(4)

Ring EFJ. Provocation tests with thermal imaging (abstract). Thermol int 2004, 14(2): 79

Ring EFJ. Quantitative Infra Red Imaging and Effects of Drug Therapy in Rheumatology. (abstract) Thermol intern 1999, 9(2):70.

Ring EFJ. Quantitative Studies of Paget s Disease of Bone. (abstract). Biomed Thermol 15:5. 1995

Ring EFJ. Quantitative Thermal Imaging (QTI) and Anti-Inflammatory Drug Treatment. (abstract). Thermol Österr 4: 124-125. 1994

Ring EFJ. Quantitative Thermal Imaging in Rheumatology. Biomed Thermol 15: 69-71. 1995

Ring EFJ. Quantitative Thermal Imaging in Rheumatology.(abstract). Biomed Thermol 15: 2, 1995

Ring EFJ. Quantitative thermal imaging. Clin Phys Physiol Meas 11:suppl A 87-95. 1990

Ring EFJ. Quantitative thermography in rheumatic diseases and vascular disturbances (abstract). ThermoMed 5: 54. 1989

Ring EFJ. Standardization of thermal imaging technique. Thermol Österr 3:11-13. 1993

Ring EFJ. TERMINOLOGY- Is Thermography an Accurate Word (editorial). European Journal of Thermology 8: 5 , 1998

Ring EFJ. The Discovery of Infra Red Radiation (abstract). Thermol intern 2000, 10 (1):31-2

Ring EFJ. The historical development of infra red thermal imaging in medicine. Thermol intern 2002. 12: 74

Ring EFJ. The historical development of thermometry and thermal imaging in medicine. Thermol Int. 2003; 13(2): 53-57.

Ring EFJ. Thermal and mechanical provocation tests for Raynaud's phenomenon and Vibration White Finger. Thermol intern 2002. 12: 66-67

Ring EFJ. Thermal imaging in medicine. Mérés és Automatika 39(Suppl 2): 94-98. 1991

Ring EFJ. Thermal imaging in the 1990's. Thermol Österr2:S17. 1992

Ring EFJ. Thermal Symmetry of Human Skin Temperature Distribution. (editorial). Thermol intern 1999, 9(2): 53-55.

Ring EFJ. Thermographic imaging of vascular disorders. Thermol Österr 3: 33-35. 1993

Ring EFJ. Thermographie beim Raynaud-Phänomen. Thermol Österr1:60-64. 1991

Ring EFJ. Thermography in Paget's discase (abstract). Thermol Österr 3: 64-65. 1993

Ring EFJ. Thermography in Raynaud's Phenomenon (abstract). Thermol Österr1: 32. 1991

Ring EFJ.Thermal imaging in Medico-Legal Claims (abstract) Thermol intern 2000, 10(2):97-8

Ring EFJ; Minchinton MAB.; Elvins DM. A Focal Plane Array System for Clinical Infrared Imaging. In Proceedings of The First Joint BMES/EMBS Conference Serving Humanity, Advancing Technology, Atlanta, 1999, pp.1120

Ring EJF, Ammer K, Murawski P, Wiecek B, Jung A, Zuber J, Zwolenik S, Plassmann P, Jones BF. Standardization of infrared imaging in Medicine and issues for a reference atlas for clinical thermography (abstract). Thermol int 2004, 14(3): 109.

Ring F. Infra red and laser doppler imaging- skin temperature and perfusion studies. (abstract) Thermol Österr 7(2): 68-69. 1997

Ring F. Paget's disease of bone. Rheumatologia. 2004; 18(2): 81-85.

Ring, EFJ. Bath, And The Story Of Thermal Imaging (abstract).European Journal of Thermology 8: 104 , 1998

Rintala DH. Krouskop TA. Wright JV. Garber SL. Frnka J. Henson HK. Itani KMF. Gaddis W. Matamores R. Monga TN. Telerehabilitation for veterans with a lower-limb amputation or ulcer: Technical acceptability of data. J Rehabil Res Develop. 2004; 41(3 B): 481-490.

Rintamaki H. Rissanen S. Makinen T. Peitso A. Finger tempera- tures during military field training at 0 to –29 degrees C. J Thermal Biol. 2004; 29(7-8 Spec. Iss.)857-860.

Rios-Arana JV. Walsh EJ. Gardea-Torresdey JL. Assessment of arsenic and heavy metal concentrations in water and sediments ofthe Rio Grande at El Paso-Juarez metroplex region. Environ Int. 2004; 29(7): 957-971.

Riquelme Garcia OG. Lopez Mombiela F. Jimenez De La Fuente C. Gimeno Aranguez MEscribano DV. Vaquero Martin J. The In- fluence of the Size and Condition of the Reamers on Bone Temperature during Intramedullary Reaming. J Bone Joint Surg-(Am) . 2004; 86(5): 994-999.

Risberg J, Ostberg C, Svensson T, Norfleet W, Ornhagen H, Mjaavatten O, Juvik T. Atmospheric changes and physiological responses during a 6-day "disabled submarine" exercise. Aviat Space Environ Med. 2004; 75(2):138-49.

Risinger FO. Genetic analyses of ethanol-induced hyperglycemia. Alcoholism: Clin Experl Res. 2003; 27(5):756-764

Riske KA, Amaral LQ, Dobereiner HG, Lamy MT. Mesoscopic structure in the chain-melting regime of anionic phospholipid vesicles: DMPG. Biophys J. 2004; 86(6):3722-33.

Ristovski Z, Morawska L, Ayoko GA, Johnson G, Gilbert D, Greenaway C. Emissions from a vehicle fitted to operate on either petrol or compressed natural gas. Sci Total Environ. 2004; 323(1-3): 179-94.

Ritter MM. Legionella. Chirurgische Praxis. 2004; 63(3): 554.

Ritter MM. Legionella. Gynakologische Praxis. 2004; 28(4): 786.

Ritter MM. Legionella. Padiatrische Praxis. 2004; 65(3): 554.

Ritz J-P, Isbert Ch, Roggan A, Germer Ch-T, Muller G, Buhr HJ. Correlation of intrahepatic light and temperature distribution in laser- induced thermotherapy of liver tumors and liver tissue. Lasermedizin 2000, 15(4): 174-180

Riva Sanseverino E, Vannini A, Castellacci P. Therapeutic effects of pulsed magnetic fields on joint diseases. Panminerva Medica, 34: 187-96. 1992

Rivas FJ, Beltran F, Gimeno O, Carvalho F. Fenton-like oxidation of landfill leachate. J Environ Sci Health Part A-Toxic/Hazard Subst Environl Eng. 2003; 38(2):371-379

Rivera-Guerrero MI. Sanchez-Rueda L. Rodriguez-Bataz E. Mar- tinez-Villalobos ANMartinez-Maya JJ. Effects of some chemical and physical agents on the metacestode Taenia solium inspicy meat and sausage. Salud Publica de Mexico. 2004;46(5): 425-429.

Rizos D, Gutierrez-Adan A, Moreira P, O'Meara C, Fair T, Evans AC, Boland MP, Lonergan P. Species-related differences in blastocyst quality are associated with differences in relative mRNA transcription. Mol Reprod Dev. 2004; 69(4):381-6.

Roach H, Harding JR, Jones A, Griffiths H, Morris MHL.Imaging In Diabetic Foot Ulceration: a blinded comparison of infrared imaging with plain film radiology, magnetic resonance imaging, clinical assessment and haematological and biochemical investigation. (abstract) Thermol int 2003, 13: 80-81.

Robaina FJ, Miranda G Avances En El Diagnostico Y Tratamiento Del Dolor Simpatico (Advances in the diagnosis and management of sympathetic pain). Revista de la Sociedad Espanola del Dolor 2000, 7(6): 390-402

Robb PJ, Shahab R Infrared transtympanic temperature measurement and otitis media with effusion. International Journal Of Pediatric Otorhinolaryngology 2001. 59 (3) 195-200

Roberts JL, Fertig CD, Lim MJ, Rolston SL. Electron tempera- ture of ultracold plasmas. Phys Rev Lett. 2004;92(25 Pt 1):253003.

Roberts S, Sewell GJ. Stability and compatibility of 5-fluorouracil infusions in the Braun Easypump. J Oncol Pharm Pract. 2003; 9(2-3):109-112.

Roberts S. Interactions between particulate air pollution and temperature in air pollutionmortality time series studies. Environal Res. 2004; 96(3): 328-337.

Roberts WW, Dinkel TA, Schulam PG, Bonnell L, Kavoussi LR. Laparoscopic infrared imaging. Surgical Endoscopy 11(1)2: 1221-1223. 1997

Robertson MA, . Molyneux EM Triage in the developing world□can it be done? Arch. Dis. Child. 2001, 85: 208 - 213.

Robicsek F, Mohr FW. Thermal coronary angiography in CABG. Annals of Thoracic Surgery 65(1): 303-304. 1998

Robin S. A model for thermograms. Biometrics 1999, 55(1): 37-43

Robins HLI, JP.Woods, CL.Schmitt, JD.CoheN. A new technological approach to radiant heat whole body hyperthermia. Cancer Letters, 79: 137-145.1994

Robinson D, Anis S. Warming patients in the lithotomy position. Anaesthesia. 2004; 59(12):1249-50.

Robinson D. Lomas KJ. Cook MJ. Eppel H. Passive down- draught evaporative cooling: Thermal modelling of an office building. Indoor & Built Environ. 2004. 13(3)205-221.

Robinson DA. O'Brien PKH. Gheewala RM. Nikulina EM. Payne DD. Hammer RP. Warner KG. Differential expression of neuronal fos protein after cold water drowning and controlled rewarming. J Am Coll Surg. 2004; 198(3): 404-409.

Robinson JL. Body temperature measurement in paediatrics: Which gadget should we believe?. Paediat Child Health. 2004; 9(7): 457-459.

Robinson LF, Henderson GM, Hall L, Matthews I. Climatic control of riverine and seawater uranium-isotope ratios. Science. 2004; 305(5685):851-4.

Robinson MO, JL Greene, AW Preece, RN Clarke,MJ RichardsoN. Construction and measurement of tissue equivalent materials for simulation of dielectric and thermal properties. Thermol Österr2:S33. 1992

Robles-Martinez F, Gourdon R. Long-term behaviour of baled household waste. Bioresource Technology 2000, 72(2): 125-130

Roca C, Primo L, Valdembri D, Cividalli A, Declerck P, Carmelite P, Gabriele P, Bussolino F. Hyperthermia Inhibits Angiogenesis by a Plasminogen Activator Inhibitor 1-dependent Mechanism Cancer Res., Apr 2003; 63: 1500 - 1507.

Rocchietti S. Ubiali D. Terreni M. Albertini AM. Fernandez- Lafuente R. GuisanJM. Pregnolato M. Immobilization and stabilization of recombinant multimeric uridine and purinenucleoside phosphoryla- ses from Bacillus subtilis. Biomacromolecules. 2004; 5(6): 2195-22004;.

Roche D, Paillard D, Cortijo E. Constraints on the duration and freshwater release of Heinrich event 4 through isotope modelling. Nature. 2004; 432(7015):379-82.

Roche-Herrero MC, Miranda-Cid C, Royo-Orejas A, Escudero- Lou RM. [Atrophy of the cervical spinal cord as a consequence of a prenatal ischemic infarct] Rev Neurol. 2004; 39(10):932-4.

Rocheleau M-J. Titley M. Bolduc J. Measuring residual solvents in pharmaceutical samples using fast gaschromatography techniques. J Chromat B: Analyt Techne BioMed & LifeSci. 2004805(1): 77-86.;

Rockley G.Adding perspectives to thermal imaging. Thermol Österr4:163. 1994

Rockley GC, M.G.RockleY. New and future aspects of thermal images processing. Thermol Österr4:165

Rodan G, C.Nae, Image processing of thermal images using inverse Abel transform. Thermol Österr4:165. 1994

Rodan G, C.Raduica, I,Capanu, E,Necula, D-R-Radu, F.Ciuncanu, A.Perju, C.NaE. Pressure variation effect on circulatory system paramters monitored with thermography (abstract). Thermol Österr 6:108-109. 1996

Rodan G, c.Raduica, I.Capanu, D.Rodica Radu, F.CiuncanU. Use of Thermography in pilots training in hypoxic-hypobaric conditions. IN. Benkö I, A.Balogh, I.Kovacsics, I Lovak(eds): Abstracts of the 10th International Conference on Thermogrammetry and Thermal Engineering in Budapest 18-20. June 1997. MATE, Budapest, p, 159-162.1997

Rodan G, C.Raduica,I.Capanu, E.Necula, D-R Radu, F.Ciuncanu, A.Perju,C.NaE.Pressure variation effect on circulatury system parameters monitored by thermography ThermolÖsterr 7(1):11-17. 1997

Rodan G, Capanu I, Necula E, Thermography In Thermophysiological Comfort Analysis in The Bucharest Subway (abstract). Thermol intern 1999, 9(3): 116.

Rodan G, CNaE. Image processing of thermal images using inverseabel transform. IN. Ammer K, EFJ Ring (eds): The Thermal Image in Medicine and Biology, Uhlen Verlag, Wien,pp. 90-97. 1995

Rodan G, D.O.Opincaru, F.CiuincanU. Use of thermography in divers training in hyperbaric conditions. IN. Benkö I, A.Balogh, I.Kovacsics, I Lovak(eds): Abstracts of the 10th International Conference on Thermogrammetry and Thermal Engineering in Budapest 18-20. June 1997. MATE, Budapest, p, 196-197.1997

Rodan G, I.Capanu, E.Necula, P.SpatarU. Thermography in High Altitude Hypoxic Exposure with Quick Pressure Variation (abstract). European Journal of Thermology 8: 122 , 1998

Rodan G, O,Capanu, E.Necula, D.Radu, D.Ciuncanu, A.Perju, D.OpincarU. Benefits and limits of use of thermography in clinics and aeronautical medicine. (abstract) ThermolÖsterr 7(2): 89. 1997

Rodan G, O. Opincaru, F. Ciuncanu ,I. Capanu, E. NeculA. Thermography In Divers Training. (abstract) European Journal of Thermology 7(3):155. 1997

Rodan G, Spataru P, Capanu I, Necula E, Babita I.. Thermographic detection of modification induced by "Oxybral SR" on parachutists (abstract). Thermology intern 2000, 10(3):148-9

Rodrigues AG, Lima NR, Coimbra CC, Marubayashi U. Intra- cerebroventricular physostigmine facilitates heat loss mechanisms in running rats. J Appl Physiol. 2004; 97(1):333-8.

Rodrigues LOC, Oliveira A, Lima NRV, Machado-Moreira CA. Heat storage rate and acute fatigue in rats. Braz J Med Biol Res. 2003; 36(1):131-135

Rodriguez I, Lesaicherre M, Tie Y, Zou Q, Yu C, Singh J, Meng LT, Uppili S, Li SFY, Gopalakrishnakone P, Selvanayagam ZE. Practical integration of polymerase chain reaction amplification and electrophoretic analysis in microfluidic devices for genetic analysis. Electrophor. 2003; 24(1-2):172-178

Rodriguez ML, Timokhin VI, Contreras S, Chamarro E, Esplugas S. Rate equation for the degradation of nitrobenzene by 'Fenton-like' reagent. Adv Environ Res. 2003; 7(2):583-595.

Rodriguez-Lopez JL, Montejano-Carrizales JM, Pal U, Sanchez- Ramirez JF, Troiani HE, Garcia D, Miki-Yoshida M, Jose-Yacaman M. Surface reconstruction and decahedral structure of bimetallic nano- particles. Phys Rev Lett. 2004; 92(19):196102.

Rodriguez-Rajo FJ. Dopazo A. Jato V. Environal factors affecting the start of pollen season and concentrations ofairborne Alnus pollen in two localities of Galicia (NW Spain). Anna Agricult Environ Med. 2004;11(1): 35-44.

Roelfsema V, Bennet L, George S, Wu D, Guan J, Veerman M, Gunn AJ. Window of opportunity of cerebral hypothermia for postischemic white matter injury in the near-term fetal sheep. J Cereb Blood Flow Metab. 2004; 24(8):877-86.

Rogalski A. Infrared detectors: status and trends, Progr Quantum Electron, 2003; 27 (s 2-3): 59-210

Rogers IR, O'Brien DL, Wee C, Smith A, Lopez D. Infrared emission tympanic thermometers cannot be relied upon in a wilderness setting (letter). Wilderness Environ Med, 1999. 10 (3) 201-3

Rogers LF. Scientific objectivitY. Differentiating gimmicks from breakthroughs. American Journal of Roentgenology 2000. 174(4): 899

Rogowski J, Mrozinski P, Jagielak D, Lango R, Narkiewicz M, Wujtewicz M. Thermographic assessment of stellate ganglion block effectiveness during cardiosurgical procedures. Medical Science Monitor 2000. 6(2):407-410

Rojas C, Palomo MJ, Albarracin JL, Mogas T. Vitrification of immature and in vitro matured pig oocytes: study of distribution of chromosomes, microtubules, and actin microfilaments. Cryobiology. 2004; 49(3):211-20.

Rojas RD.Dynamic estimation of core temperature in premmies using an adaptive observer. In. Proceedings of The First Joint BMES/EMBS Conference Serving Humanity, Advancing Technology, Atlanta, 1999, pp.1012

Roky R, Chapotot F, Benchekroun MT, Benaji B, Hakkou F, Elkhalifi H, Buguet A. Daytime sleepiness during Ramadan intermittent fasting: Polysomnographic and quantitative waking EEG study. J Sleep Res. 2003; 12(2):95-101

Rokyta R Jr, Matejovic M, Krouzecky A, Opatrny K Jr, Ruzicka J, Novak I. Effects of continuous venovenous haemofiltration-induced cooling on global haemodynamics, splanchnic oxygen and energy ba- lance in critically ill patients. Nephrol Dial Transplant. 2004; 19(3): 623-30.

Roll C, Horsch S, Huesing J, Hanssler L Kleine Fruehgeborene tolerieren die axillaere Temperaturmessung nicht besser als die rektale. Untersuchung zum Effekt von axillaerer und rektaler Temperaturmessung auf Vitalparameter und zerebrale Haemodynamik und Oxygenierung. (Small premature infants do not tolerate axillary temperature measurement any better than rectal measurement. Study of the effect of axillary and rectal temperature measurement on vital parameters and cerebral hemodynamics and oxygenation) Zeitschrift für Geburtshilfe und Neonatologie 2000. 204 (5) 193-7

Rollinson H, Appel PWU, Frei R. A Metamorphosed, Early Archaean Chromitite from West GreenlanD. Implications for the Genesis of Archaean Anorthositic Chromitites J. Petrology 2002, 43: 2143 - 2170.

Romanenko L. Schumann P. Rohde M. Mikhailov V. Stacke- brandt E. Reinekea marinise dimentorum gen. nov., sp. nov., a novel gammaproteobacteriumfrom marine coastal sediments. Int J Syst Evol Microbiol. 2004; 54(3):669-673.

Romanenko LA, Uchino M, Falsen E, Zhukova NV, Mikhailov VV, Uchimura T. Rheinheimera pacifica sp. nov., a novel halotolerant bacterium isolated from deep sea water of the Pacific. Int J Sys Evol Microbiol. 2003; 53(6): 1973-1977.

Romano MJ, JD Fortenberry, E.Autrey, S Harris, T Heyroth, P.Parmeter, F.SteIn. Infrared tympanic thermometry in the pediatric intensive care unit. Critical Care Medicine 21:1181-1185. 1993

Romano T.J, S. Govindan, J. WallacE. Abnormal Thermographic Findings In Patients With Myofascial Pain Syndrome. (abstract) European Journal of Thermology 7(3):154-155. 1997

Romanovsky AA, Ivanov AI, Shimansky YP Molecular Biology of ThermoregulatioN. Selected ContributioN. Ambient temperature for experiments in ratS. a new method for determining the zone of thermal neutrality J Appl Physiol 2002, 92: 2667 - 2679.

Romer LM. Bridge MW. McConnell AK. Jones DA. Influence of Environal temperature on exercise-induced inspiratory muscle fatigue. Eur J Appl Physiol. 2004; 91(5-6): 656-663.

Römer RL, Rötzler J *P–T–t* Evolution of Ultrahigh-Temperature Granulites from the Saxon Granulite Massif, Germany. Part II. Geochronology J. Petrology 2001, 42: 2015 - 2032.

Rongen M-JGM. Beets-Tan RGH. Backes WH. Baeten CGMI. The effects of high field strength MRI on electrodes and pulse generator indynamic graciloplasty. Colorectal Disease. 2004; 6(2): 113-116.

Roomina MR, Bilger RW. Conditional moment closure (CMC) predictions of a turbulent methane-air jet flame. Combustion and Flame 2001, 125(3): 1176-1195

Roper B, Kaisig D, Auer F, Mergen E, Molls M. Theta-Cream versus Bepanthol lotion in breast cancer patients under radiotherapy. A new prophylactic agent in skin care? Strahlenther Onkol. 2004;180(5): 315-22. P

Rosas Miguel A, Perez J, Blandon V, del Rio B, Sienra Monge JJ. [Exercise-induced bronchospasm. Diagnosis and management] Rev Alerg Mex. 2004; 51(2):85-93.

Roscelli JD. Aural, oral, or rectal--does it make any real difference? [letter] Pediatrics, 91: 166.1993

Rose M. Murrell D.Perioperative hypertension due to undia- gnosed aortic coarctation: Are currentstandards of care adequate?. Paediatric Anaesthesia. 2004; 14(4): 357-360.

Rose SC. Noninvasive vascular laboratory for evaluation of peripheral arterial occlusive diseasE. Part I - Hemodynamic principles and tools of the trade. Journal of Vascular and Interventional Radiology 2000, 11(9): 1107-1114

Rosenberg R, Cambron LD, Williamson MR.Magnetic resonance imaging of the breast.Western Journal of Medicine. 165(1)-2: 58-59. 1996

Rosenblum JA, JM.Cohen, M.LeE. Hyperhidrosis-a case history. Angiology, 45: 61-64. 1994

Rosenblum JA, Spielholz NI, Lee MHM, Ma DM. Reflex sympathetic dystrophy of the upper extremity following infection an removal of a sili-cone breast implant. Journal of Neurological and Orthopaedic Medicine and Surgery 13:131-135. 1992

Rosene JM, Whitman SA, Fogarty TD. A Comparison of Thermoregulation With Creatine Supplementation Between the Sexes in a Thermoneutral Environment. J Athl Train. 2004; 39(1):50-55.

Rosenfel'd LG. Infrared telethermography and its current state of development. Vrach Delo (1)(1991):28-31. 1991

Rosenflanz A, Frey M, Endres B, Anderson T, Richards E, Schardt C. Bulk glasses and ultrahard nanoceramics based on alumina and rare-earth oxides. Nature. 2004; 430(7001):761-4.

Rosengren BI, Carlsson O, Venturoli D, al Rayyes O, Rippe B. Transvascular passage of macromolecules into the peritoneal cavity of normo- and hypothermic rats in vivo: active or passive transport? J Vasc Res. 2004; 41(2):123-30.

Rosenow S-E, Stave J, Langnau E, Wild W, Strophal G, Guthoff R. CyclophotocoagulatioN. Experimental investigations of dosage problemS. Graefe's Archive for Clinical and Experimental Ophthalmology 1999, 237/7: 583-92.

Rosenvold K, Andersen HJ. Factors of significance for pork quality—a review, Meat Science, 2003; 64, (3): 219-237

Rosenwaks Y. Editorial, Mats Sci Eng B, 2003; 102 (s 1-3): 1.

Röser A, J.M.Engel, H.HäntzscheL. Diagnosis of akro-peripheral disturbances of rewarming by calculation and presentation of relaxation velocity in relaxation-thermogramms. (abstract) Thermol Österr 7(2): 78-79. 1997

Rosina E, Ludwig N, Rosi L. Optimal environmental conditions to detect moisture in ancient buildings. Case studies in northern Italy. IN. Snell JR, RN Wurzbach (eds): Thermosense XX. Proceedings of the Society of Photo-Optical Instrumentation Engineers (SPIE) Vol.3361. Bellingham, pp. 188-199. 1998

Ross AB, Diederich CJ, Nau WH, Gill H, Bouley DM, Daniel B, Rieke V, Butts RK, Sommer G.Highly directional transurethral ultra- sound applicators with rotational control for MRI-guided prostatic thermal therapy. Phys Med Biol. 2004;49(2):189-204.

Ross D, Gaitan M, Locascio LE. Temperature measurement in microfluidic systems using a temperature-dependent fluorescent dye. Anal Chem 2001, 73(17): 4117-23.

Ross H, M Del Rey, Thermography (letter): Neurology 42:702. discussion 702-703. 1992

Ross RF. Infrared thermography for detecting Sweet itch. Vet Rec, 125 (18): 466. 1989

Rosseland LA, Helgesen KG, Breivik H, Stubhaug A. Moderate- to-severe pain after knee arthroscopy is relieved by intraarticular saline: a randomized controlled trial. Anesth Analg. 2004; 98(6):1546-51,

Rossi A, Iurassich S, Vallone G, Rossi E. Sui Mezzi Diagnostici Da Utilizzare Hello Studio Degli Angiomi Cutanei E Delle Angiomatosi [Diagnostic techniques in the study of hemangiomas of the skin and associated syndromes]. Giornale Italiano di Dermatologia e Venereologia 1999, 134(3):189-95.

Rossi A, S.Iurassich, MT. Uzzauto, D.Piperno, E. RossI. Color Doppler in the diagnosis of cutaneous haemangiomaS. A comparative study with telethermography in 20 cases. Annali Italiani di Dermatologia Clinica e Sperimentale 48:59-163. 1994

Rost A. Thermographische Langzeitbeobachtungen. ThermoMed 12: 56-66. 1996

Rost A, J.Rost, E.DaviD. An die Mitglieder der Deutschen Gesellschaft für Thermographie - Zur Vorstandsneuwahl am 16.6.1990 in Bad Nauheim, ThermoMed 6:95. 1990

Rost A. 45 Jahre Deutsche Gesellschaft für Thermographie e.V. ThermoMed, 1999. 15: 72-75

Rost A. Das »Normthermogramm«. Thermodiagnostik 3(2): 11-12 1987

Rost A. Historisch: 25 Jahre Deutsche Gesellschaft für Thermo- graphie e.V.Thermomed 2004,19/20: 56-58

Rost A. Nachruf Prof. Dr. med. Franz Hopfer. ThermoMed 13: 4. 1997

Rost A. Nahrungsmittelintoleranzen im Regulationsthermogramm. ThermoMed 6: 99-103. 1990

Rost A. Regulationsthermographie .ThermoMed 4: 4-5. 1988

Rost A. Regulationsthermographie der Mamma. ThermoMed 5: 100-108. 1989

Rost A. Regulationsthermographie Grundlagen, Schwerpunkte und Grenzen Thermodiagnostik 1: 5-7. 1985

Rost A. Zum Geleit (editorial). Thermodiagnostik 1: 4. 1985

Rost A. Zum Wechsel im Präsidium der Deutschen Gesellschaft für Thermographie (Editorial). Thermomed 12:2. 1996

Rost J. Erfahrungen aus der Regulationsthermographie und ihre Konsequenzen für die gesamte Medizin Thermodiagnostik 3(1): 10-13. 1987

Rost J. Bericht über das Adventseminar vom 29.-30 November 1991 in Tegernsee. ThermoMed 7:128. 1991

Rost J. Bericht über das Adventssenünar vom 29.-30.November 1991 in Tegernsee. ThermoMed 7: 128. 1991

Rost J. Bericht über die Jahrestagung der Deutschen Gesellschaft für Thermographie e.V. vom 15.bis 17.6.1990 in Bad Nauheim, ThermoMed 6:89-90. 1990

Rost J. Bericht vom Adventseminar 1996. ThermoMed 12:105. 1996

Rost J. Ehrung Prof. Dr. Günter Stüttgen. ThermoMed 5: 99. 1989

Rost J. Jahres-ArbeitstagunG. 35 Jahre Deutsche Gesell schaft für Thermographie e.V. ThermoMed 5: 91-93. 1989

Rost J. Prinzipien der Regulations-Thermographie. Thermodiagnostik 2(1): 5-6. 1986

Rost J. Prof. Dr. Günter Stüttgen zum 80.Geburtstag. ThermoMed, 1999. 15: 5-6

Rost J. Protokoll der Mitgliederversammlung der Deut schen Gesellschaft für Thermographie e.V. am 17. 6.1989 in Bad Nauheim. ThermoMed 5: 95. 1989

Rost J. Protokoll der Mitgliederversammlung der Deutschen Gesellschaft für Thermographie am 16.6.1990 in Bad Nauheim, ThermoMed 6:92-94. 1990

Rostock T, Weiss C, Ventura R, Willems S. Pulmonary vein isolation during atrial fibrillation using a circumferential cryoablation catheter. Pacing Clin Electrophysiol. 2004; 27(7):1024-5.

Roszak K, Siebert J, Jagielak D, Pawlaczyk R, Brzezinski M, Jarmoszewicz K, Jaworski L, Rogowski J. [Application of thermo- graphy in cardiac surgery] Kardiol Pol. 2004; 60 Suppl 1:I-97-9..

Roth DM, Lai NC, Gao MH, Drumm JD, Jimenez J, Feramisco JR, Hammond HK. Indirect intracoronary delivery of adenovirus encoding adenylyl cyclase increases left ventricular contractile function in mice. Am J Physiol Heart Circ Physiol. 2004; 287(1):H172-7.

Roth J, Zeisberger E, Vybiral S, Jansky L. Endogenous anti- pyretics: neuropeptides and glucocorticoids. Front Biosci. 2004; 9: 816-26.

Rothschild BM, Rothschild C. Thermodynamic resolution of periosteal reaction and taphonomic change. Reumatismo 2003; 55(3):195-201), 2003.

Rothschild BM. FibromyalgiA. an explanation for the aches and pains of the nineties. Compr Ther 17:9-14. 1991

Rötzler J, Romer RL *P–T–t* Evolution of Ultrahigh-Temperature Granulites from the Saxon Granulite Massif, Germany. Part I. Petrology J. Petrology 2001, 42: 1995 - 2013.

Roura-Pascual N, Suarez AV, Gomez C, Pons P, Touyama Y, Wild AL, Peterson AT. Geographical potential of Argentine ants (Linepi- thema humile Mayr) in the face of global climate change. Proc R Soc Lond B Biol Sci. 2004; 271(1557):2527-35.

Rovensky J, J.LukaC.MUDr.H.Tauchmannova, CSc, Ph.D.. Thermol Österr 6: 26-28. 1996

Rowan LJ. Hand ischemia in active patientS. Detecting and treating hypothenar hAmmer syndrome. Physician and Sportsmedicine 26(1): 57-58. 63-67. 1998

Rowan R.Coral bleaching: thermal adaptation in reef coral sym- bionts. Nature. 2004; 430(7001):742.

Rowbotham MC, Fields HL.Post-herpetic neuralgiA. the relation of pain complaint, sensory disturbance, and skin temperature. Pain .39 (2): 129-144. 1989

Rowe AK, Onikpo F, Lama M, Cokou F, Deming MS Management of Childhood Illness at Health Facilities in BenIn. Problems and Their Causes Am J Public Health 2001, 91: 1625 - 1635.

Rowe AK, Onikpo F, Lama M. Deming MS. Risk and protective factors for two types of error in the treatment of children with fever at outpatient health facilities in Benin. Int J Epidem. 2003; 32(2):296-303

Roy JD, Girard M, Drolet P. Intrathecal meperidine decreases shivering during cesarean delivery under spinal anesthesia. Anesth Analg. 2004; 98(1):230-4,

Roy S, Powell KR, Gerson LW. emporal artery temperature measurements in healthy infants, children, and adolescents. Clin Pediat. 2003; 42(5):433-437.

Roy SK. Kumar HN. Studies of some mixed valence polyoxo- molybdates. J Indian Chem Soc. 2004;81(3): 233-235.

Rozenberg M, Jung C, Shoham G. Low temperature FTIR spectra and hydrogen bonds in polycrystalline cytidine. Spectrochim Acta A Mol Biomol Spectrosc. 2004; 60(10): 2369-75.

Rozenfel'd LG, NN KolotiloV. The methodology of thermal diagnostic study. Vrach Delo (10(1)991): 74-77. 1991

Rozewicka M. Maleszka R. Ratajczak-Stefanska V. Kempinska A. Parafiniuk M. Thermographic investigations and the fungi enzymatic activity in patients withonychomycosis. Mikologia Lekarska. 2004; 11(1): 27-34.

Rozlosnik AE, Lardone VM. Infrared thermography for process control and predictive maintenance purposes in steel wire drawing machine.IN. LeMieux DH, Snell JR, editorS. Thermosense XXI,Proceedings of the Society of Photo-Optical Instrumentation Engineers (SPIE), Vol.3700, Bellingham, 1999. p. 141-60.

Rozlosnik AE. Infrared thermography and ultrasound both test analyzing valves. IN. Snell JR, RN Wurzbach (eds): Thermosense XX. Proceedings of the Society of Photo-Optical Instrumentation En0gineers (SPIE) Vol.3361. Bellingham, pp.137-153. 1998

Rubin-Preminger JM, Bernstein J. Surprises in a ‘simple’ system: 2,4-Diaminobenzenesulfonic acid. Helv Chim Acta. 2003; 86(9): 3037-3054.

Ruby NF. Hibernation: When good clocks go cold. J Biol Rhythms. 2003; 18(4):275-286.

Rudolf R, Vrtala A, Kulmala M, Vesala T, Viisanen Y, Wagner PE Experimental study of sticking probabilities for condensation of nitric acid - Water vapor mixtures. Journal of Aerosol Science 2001, 32(7): 913-932

Rudzinski KJ. Degradation of isoprene in the presence of sul- phoxy radical anions. J Atmospheric Chem. 2004; 48(2): 191-216.

Ruel-Gariepy E. Leroux J-C. In situ-forming hydrogels - Review of temperature-sensitive systems. Eur J Pharm Biopharm. 2004;58(2): 409-426.

Ruggera PS, Witters DM, von Maltzahn G, Bassen HI. In vitro assessment of t(heating near metallic medical implants by exposure to pulsed radio frequency diathermy. Phys Med Biol 2003; 48(17):2919-2928.

Rugh JP. Farrington RB. Bharathan D. Vlahinos A. Burke R. Huizenga C. Zhang H. Predicting human thermal comfort in a transient nonuniform thermal environment. Eur J Appl Physiol. 2004; 92(6): 721-727.

Rugonyi S, Smith EC, Hall SB. Transformation diagrams for the collapse of a phospholipid monolayer. Langmuir. 2004; 20(23):10100-6

Ruivo CCC. Lachance M-A. Bacci Jr M. Carreiro SC. Rosa CA. Pagnocca FC. Candida leandrae sp. nov., an asexual ascomycetous yeast species isolated fromtropical plants. Int J Syst Evol Microbiol. 2004; 54(6):2405-2408.

Rullmann M, Alig I. Scaling behavior of nonisothermal phase separation. J Chem Phys. 2004; 120(16):7801-10.

Rumchev K. Spickett J. Bulsara M. Phillips M. Stick S. Ass of domestic exposure to volatile organic compounds with asthma inyoung children. Thorax. 2004;59(9): 746-751.

Rumiantsev GV [The temperature and temperature gradient distribution in the thermophysical model of the rabbit body subjected internal and external changes of temperature] Ross Fiziol Zh Im I M Sechenova 2002, 88(3): 406-14.

Rumiantsev luV, Abbasov laD, Gushcha AD. Diagnosticheskie vozmozhnosti sovremennykh metodov issiedovaniia v pozdnem periode oslozhnennoi travmy grudnogo otdela pozvonochnika. (The diagnostic potentials of modern research methods in the late period of complicated trauma to the thoracic spine). Ortop Travmatol Protez 1989m, (12): 17-20.

Ruminski J. Kaczmarek M. Nowakowski A.New Differential Data Analysis Method in the Active Thermography. In: 23rd Annual Internationalö Conference of the IEEE Engineering in Medicine and Biology Society. EMBC 2001. Istanbul, Turkey, Abstract Book, abstract 5.5.1.1. p.155

Rumminger MD, Linteris GT The role of particles in the inhibition of premixed flames by iron pentacarbonyl. Combustion and Flame 2000, 123(1-2): 82-94

Runeman B. Rybo G. Forsgren-Brusk U. Larko O. Larsson P. Faergemann J. The vulvar skin microEnviron: Influence of different panty liners on temperature, pH and micoroflora. Acta Dermato- Venereol. 2004; 84(4): 277-284..

Runowicz CD, Goldberg GL, Smith HO. Cancer screening for women older than 40 years of age. Obstetrics and Gynecology Clinics of North America 20:391-408.1993

Ruokojarvi PH, Asikainen AH, Tuppurainen KA, Ruuskanen J. Chemical inhibition of PCDD/F formation in incineration processes. Sci Total Environ. 2004; 325(1-3):83-94.

rupatkin AI. (Classification and perspectives of development of methods for diagnosis of traumatic neuropathies).Zhurnal Nevrologii I Psikhiatrii Imeni S.S. Korsakova 97(1)2: 54-7. 1997

Rupp ME. Heermann J. Uphoff ME. Need for a reliable system to measure body temperature. Am J Infect Control. 2004; 32(3): 184.

Ruppenthal T, MA Baumann. Zur Temperaturerhöhung in der Zahnpulpa während elektro-chemischer Abnahme von Keramikbrackets. Fortschritte der Kieferorthopädie 53:111-116. 1992

Rusch D, Follmann M, Boss B, Neeck G. Dynamic thermography of the knee joints in rheumatoid arthritis (RA) in the course of the first therapy of the patient with methylprednisolone. Zeitschrift für Rheumatologie 2000. 59 Suppl 2 II(1)31-5

Rusch D, G. BergmanN. Protokoll der Mitgliederversammlung der Deutschen Gesellschaft für Thermologie e.V/Heidelberg am 22.Mai 1991 im ICC in BerlIn. ThermoMed 7 :67. 1991

Rusch D, G. NeecK. Dynamische Thermographie der Kniegelenke bei rheumatoider Arthritis vor und nach vierwöchiger intensiver klinischer Behandlung. ThermoMed 7: 80-84 1991

Rusch D, J.-M. EngeL. Nestor der deutschen Thermographie - Prof. Dr.-Ing. Dr. med Wühelm Vaillant wird 80! ThermoMed 5: 59. 1989

Rusch D, Krüger M. Comparison of the effects of hot peat pack and heat cradle by photomotographic recordings of series of foot plantar flexions in achilles tendon reflexes. Thermol Österr2:S25-26. 1992

Rusch D, Neeck G. Dynamische Thermographie der Kniegelenke bei rheumatoider Arthritis vor und nach vierwöchiger intensiver klinischer Behandlung. ThermoMed 7: 80-84. 1991

Rusch D. Basic physics of infrared and liquid crystal techniques for temperature measurement. Thermol Österr 3:8-10. 1993

Rusch D. Bericht über die Mitgliederversammlung 1997 der Deutschen Gesellschaft für Thermologie e.V.27. September 1997 in Jena. ThermoMed 13: 93-94. 1997

Rusch D. Bericht von der Mitgliederversammlung der Deutschen Gesellschaft für Thermologie e.V. am 7. 9.1996 in Bad Liebenwerda. ThermoMed 12: 99-100. 1997

Rusch D. Der Günther-Bergmann Preis 1998 der Deutschen Gesellschaft für Thermologie. Thermol intern 1999; 9(1): 32.

Rusch D. Generalversammlung der DGT am 18.11.1999 in Celle. Thermol intern 2000 , 10(1): 56-8.

Rusch D. Jahrestagung der Deutschen Gesellschaft für Thermologie e.V. am 22. November 1989 in Düsseldorf, ThermoMed 6:27. 1990

Rusch D. Kurzbericht über die Jahrestagung 1990 der Deutschen Gesellschaft für Thermologie am 21.November 1990 in Essen. ThermoMed 7:25. 1991

Rusch D. Mitgliederversammlung der Deutschen Gesellschaft für Thermologie e.V. am 14.November 1998 in Celle, Steigenberger Esprix Hotel. Thermol intern 1999; 9(1): 32.

Rusch D. Quantitative thermographische Untersuchung der Eimflüsse von Glyceroltrinitratpflastern auf die Wärmeverteilung bei Hochfrequenzwärmetherapie (Diathermie), ThermoMed 6:24-26. 1990

Rusch D. Temperature measurements for documentation of the effects of physical medicine. Thermol Österr 3: 26-29. 1993

Rusch D. Thermology and nonionizing radiation protection (NIRP) in the radiofrequency and microwave range. Thermol Österr2:S33-34. 1992

Rusch D. Über den Stand der Thermographie aus der Sicht der Deutschen Gesellschaft für Thermologie e.V. Thermomed 10:37-41. 1994

Rusch D. Zur Novellierung der (Muster-) Weiterbildungsordnung für Ärzte. ThermoMed 8: 36-37. 1992

Rusch D.Spontane Änderungen der zentralen und peripheren Temperaturen Gesunder über längere Zeit. Thermol Österr4:80-81. 1994

Rush M, Wetherall A. Temperature measurement: practice guidelines. Paediatr Nurs. 2003;15(9):25-8.

Rush PJ, C Giorshev, A Shore, H LevinsoN. The use of thermography in clubbing. Respiratory Medicine 86:257-259. 1992

Russell AD. Biocide use and antibiotic resistance: The relevance of laboratory findings to clinical and environmental situations. Lancet Infect Dis. 2003; 3(12):794-803.

Russell AL, R. Fraser, D.Willoughby, A.Tomlinson, RE.FalK. Review and evaluation of 3% diclofenac in hyaluronan (D.HA) gel. Round Table Series - Royal Society of Medicine 33:64-71.1994

Russell JP, Weenig RH. Primary Cutaneous Small Vessel Vas- culitis. Curr Treat Options Cardiovasc Med. 2004; 6(2):139-149.

Russo E. An interview with Markus Storz: June 29, 2002. J Cannabis Therap. 2003; 3(1):67-78), 2003.

Rutherford MJ, Devine JD. Magmatic Conditions and Magma Ascent as Indicated by Hornblende Phase Equilibria and Reactions in the 1995–2002 Soufrière Hills Magma J Petrol, 2003; 44: 1433 - 1453.

Rutherford PS, Luzar JJ. Corrosion quantification by different nondestructive inspection methods. IN. Mal AK, editor, Nondestructive Evaluation of Aging Aircraft, Airports, and Aerospace Hardware III, Proceedings of the Society of Photo-Optical Instrumentation Engineers (SPIE) Vol.3586.Bellingham, 1999. p. 8-19

Rutka J, Jung A, Zuber J, Kalicki B. Ocena zmian miazszu nerek u dzieci z kamica nerkowa leczonych metoda ESWL w badaniach usg, power Doppler i termowizyjnych. (Changes of kidney parenchyma in children with nephrolithiasis after ESWL treatment in ultrasonography, power Doppler and thermovision monitoring). Polski Merkuriusz Lekarski, 2000. 8 (46) 206-8

Ruzicka P, Donat, A, Hycl J, Jancarek A, Janek M. Konvockova S, Kuhnova G, Vrbova M. Analysis of the laser thermokeratoplasty effect on the corneal curvature. IN. Hutten H, Krösel P, eds. Proceedings Part I, EMBEC´02. 2.European Medical & Biological Engineering Conference. IFMBE, Graz, 2002. pp.174-175

Ryan TP, Wikoff RP, Hoopes PJ. Design of an automated temperature mapping system for ul-trasound or microwave hyperthermia. J Biomed Eng 13:348-354. 1991

Rychtarik D, Engeser B, Nagerl HC, Grimm R. Two-dimensional Bose-Einstein condensate in an optical surface trap. Phys Rev Lett. 2004; 92(17):173003.

Saathoff H, K. -H. Naumann, M. Schnaiter, W. Schöck, E. Weingartner, U. Baltensperger, L. Krämer, Z. Bozoki, U. Pöschl, R. Niessner and U. Schura th Carbon mass determinations during the AIDA soot aerosol campaign 1999, J Aerosol Sci, 2003; 34 (10): 1399-1420.

Sabah JR, Juneja VK, Fung DY. Effect of spices and organic acids on the growth of Clostridium perfringens during cooling of cooked ground beef. J Food Prot. 2004; 67(9):1840-7.

Sabesan V, Dolan L, Weinstein S. The objective measurement of spinal orthosis use for the treatment of adolescent idiopathic scoliosis: Point of view. Spine. 2003; 28(19):2250-2251.

Sabharwal R, Coote JH, Johns EJ, Egginton S.Effect of hypo- thermia on baroreflex control of heart rate and renal sympathetic nerve activity in anaesthetized rats. J Physiol. 2004; 557(Pt 1): 247-59.

Sabharwal R, Johns EJ, Egginton S.The influence of acute hypo- thermia on renal function of anaesthetized euthermic and acclimatized rats. Exp Physiol. 2004; 89(4):455-63

Sacristan-Lista F, Mosquera-Reboredo J, Vazquez-Martul E, Alonso-Hernandez A, Fernandez-Rivera C, Fernandez-Garcia A, Sanchez- Ibanez J, Pertega-Diaz S. Influence of the management of asystolic donors on kidney transplantation outcome. Transplant Proc. 2004; 36(3):745-6.

Sade S, Katzir A Fiberoptic infrared radiometer for real time in situ thermometry inside an MRI system. Magnetic Resonance Imaging 2001. 19 (2) 287-90

Sade S, Katzir A. Multiband fiber optic radiometry for measuring the temperature and emissivity of gray bodies of low or high emissivity. Appl Opt. 2004; 43(9):1799-810.

Sadick N, Schecter AK. Utilization of the 1320-nm Nd:YAG laser for the reduction of photoaging of the hands. Dermatol Surg. 2004; 30(8):1140-4.

Sadick NS, Schecter AK. A preliminary study of utilization of the 1320-nm Nd:YAG laser for the treatment of acne scarring. Dermatol Surg. 2004; 30(7):995-1000.

Sadick NS, Shaoul J.Hair removal using a combination of con- ducted radiofrequency and optical energies—an 18-month follow- up. J Cosmet Laser Ther. 2004; 6(1):21-6.

Sadick NS. Laser treatment of leg veins. Skin Therapy Lett. 2004; 9(9):6-9.

Saether B-E, Tufto J, Engen S, Jerstad K, Rostad OW, Skatan JE. Population dynamical consequences of climate change for a small temperate songbird. Science 2000, 287(5454): 854-856

Sagara M, K. Nagata, S. Miyazaki, A. InouE. Thermographic Analysis In Lumbar Root Compression Syndrome. (abstract). Biomed Thermol 10: 311. 1990

Sagowski C, Kehrl W, Hegewisch-Becker S, Wenzel S, Jaehne M, Panse J, Nierhaus A Tumoroxygenierung unter kombinierter Ganzkorperhyperthermie und PolychemotherapiE. Untersuchungen am Beispiel eines Rezidivkarzinoms der Mundhoehle (Tumor oxygenation in recurrent oral cavity carcinoma under combined whole- body hyperthermia and polychemotherapy). HNO 2000, 48(12): 949-954

Sahuquillo J, Mena MP, Vilalta A, Poca MA.Moderate hypo- thermia in the management of severe traumatic brain injury: a good idea proved ineffective? Curr Pharm Des. 2004; 10(18):2193-004.

Saidel GM, Davies CR, Liu EH, Harasaki H Temperature and perfusion responses of muscle and lung tissue during chronic heating in vivo. Medical and Biological Engineering and Computing 2001, 39(1): 126-133

Saidel GM, Johnson PC. Thermal modeling for MRI-guided radiofrequency tumor ablation. In. Proceedings of The First Joint BMES/EMBS Conference Serving Humanity, Advancing Technology, Atlanta, 1999, pp.1267

Saidel GM,. Liu EH, Harasakiz H. Perfus1on of tissue during chronic heating in vivo. In. Proceedings of The First Joint BMES/EMBS Conference Serving Humanity, Advancing Technology, Atlanta, 1999, pp.1281

Sainz MC, Chantres JR, Elorza B, Elorza MA DSC study of the action of phenylbutazone on phospholipid phase transitions. International Journal of Pharmaceutics 91:1-8.1993

Saito H, Omura K, Tateyama M. Alternating monomeric paresis with decreased skin temperature and hyperhidrosis in a case of thoracolumbar myelopathy. Clin Auton Res. 2000,10(2):77-80

Saito H; Kimura Y; Moinudin HMD; Otsuka K; Shimase A; Okada S;Tsuchiya K.; TogawaT. Improvement of Thermal Properties Imaging System of Skin by Changing Ambient Radiation Temperature in Stepwise Fashion. In Proceedings of The First Joint BMES/EMBS Conference Serving Humanity, Advancing Technology, Atlanta, 1999, pp.1111

Saito N, Horiuchi H, Kobayashi S, Nawata M, Takaoka K. Continuous local cooling for pain relief following total hip arthroplasty. J Arthroplasty. 2004; 19(3):334-7.

Saitongdee P, Becker DL, Milner P, Knight GE, Burnstock G. Levels of gap junction proteins in coronary arterioles and aorta of hamsters exposed to the cold and during hibernation and arousal. J Histochem Cytochem. 2004; 52(5): 603-15.

Saiz-Sapena N, Vanaclocha V, Panta F, Kadri C, Torres W. Operative monitoring of hand and axillary temperature during endoscopic superior thoracic sympathectomy for the treatment of palmar hyperhidrosis. European Journal of Surgery 2000, 166(1): 65-69

Sakagami T, Kubo S, Komiyama T, Suzuki H. Proposal of a new thermographical nondestructive testing technique using microwave heating.IN. LeMieux DH, Snell JR, editorS. Thermosense XXI,Proceedings of the Society of Photo-Optical Instrumentation Engineers (SPIE), Vol.3700, Bellingham, 1999. p. 99-103

Sakagami T, Kubo S. A New Flaw Inspection Method Based on Lock-in Temperature Measurement Under Thermal Wave Stimulation (abstract). Thermol intern 2000, 10 (1):34-5.

Sakagami T, Kubo S. Development of a new crack identification method based on singular currentfield using differential thermography. IN. LeMieux DH, Snell JR, editorS. Thermosense XXI,Proceedings of the Society of Photo-Optical Instrumentation Engineers (SPIE), Vol.3700, Bellingham, 1999. p. 369-76.

Sakagami T. Abstracts of the 2nd Symposium on Thermographic NDT & E Techniques. IN. LeMieux DH, Snell JR, editorS. Thermosense XXI,Proceedings of the Society of Photo-Optical Instrumentation Engineers (SPIE), Vol.3700, Bellingham, 1999. p. 121-30

Sakai T, , F. Yasuno, Y. Ouchi*, H. Orimo, D. Kasuya, K. MatsutA. Thermography In A Clinical Study On The Effectiveness Of Acupuncture For Treatment Of Arteriosclerosis Obliterans.

Sakamoto C. Okada Y. Kanazawa H. Ayano E. Nishimura T. Ando M. Kikuchi A. OkanoT. Temperature- and pH-responsive amino-propyl-silica ion-exchange columns graftedwith copolymers of N-isopropylacrylamide. J Chromat. A.. 2004; 1030(1-2): 247-253.

Sakamoto S, Watanabe Y The experimental studies of thermo- acoustic cooler. Ultrasonics. 2004; 42(1-9):53-6.

Sakamoto T, Duebener LF, Laussen PC, Jonas RA. Cerebral ischemia caused by obstructed superior vena cava cannula is detected by near-infrared spectroscopy. J Cardiothorac Vasc Anesth. 2004; 18(3): 293-303.

Sakamoto T, Nollert GD, Zurakowski D, Soul J, Duebener LF, Sperling J, Nagashima M, Taylor G, DuPlessis AJ, Jonas RA. Hemo- dilution elevates cerebral blood flow and oxygen metabolism during cardiopulmonary bypass in piglets. Ann Thorac Surg. 2004; 77(5): 1656-63;

.Sakao S, Takiguchi Y, Nemoto K, Tatsumi K, Tanabe N, Kurosu K, Ooiwa T, Shirasawa H, Kuriyama T Thermoradiotherapy for local control of chest wall invasion in patients with advanced non-small cell lung cancer. Int J Clin Oncol, 2002, 7(6): 343-8.

Sakatani K, S. Morimoto, M.Otaki, K.HashI. Measurement of local heat generation and effects of irrigation during electrical coagulation using bipolar diathermy forceps. Japanese Journal of Neurosurgery 4:133-137.1995

Sakhelashvili MI, Soldatenko OIa, Pritula EIa, Lutsyshin TV [Diagnostic features of tuberculosis and cancer of the lung detected in patients during planned screening] Probl Tuberk 2002, (5): 27-9.

Salas Jr N. Manns F. Milne PJ. Denham DB. Minhaj AM. Parel J-M. Robinson DS. Thermal analysis of laser interstitial thermotherapy in ex vivo fibro-fattytissue using exponential functions. Phys Med Biol. 2004; 49(9): 1609-1624.

Salem Zel-S, Taniguchi M, Sakura Y. Use of temperature profiles and stable isotopes to trace flow lines: Nagaoka area, Japan. Ground Water. 2004; 42(1):83-91.

Salgueiro A. Egea MA. Espina M. Valls O. Garcia ML. Stability and ocular tolerance of cyclophosphamide-loaded nanospheres. J Micro- encaps. 2004; 21(2): 213-223.

Salikhov IG, Khabirov RA. Klinicheskie proiavleniia i patogeneticheskie osobennosti porazheniia skeletnykh myshts pri revmatoidnom artrite.(The clinical manifestations and pathogenetic characteristics of skeletal muscle involvement in rheumatoid arthritis). Ter Arkh 61 (12): 98-102. 1989

Salikhova CY. Heat condition and workability of workers in production of oil bitumen. Azerbaidzhanskii Meditsinskii Zhurnal. 2004; Issue 1: 65-68.

Salinas AJ, Roman J, Vallet-Regi M, Oliveira JM, Correia RN, Fernandes MH. In vitro bioactivity of glass and glass-ceramics of the 3CaO x P2O5-CaO x SiO2-CaO x MgO x 2SiO2 system. Biomaterials. 2000,21(3):251-7.

Salinas MB. Fardeau M-L. Cayol J-L. Casalot L. Patel BKC. Thomas P. Garcia J-LOlliver B. Petrobacter succinatimandens gen. nov., sp. nov., a moderately thermophilic,nitrate-reducing bacterium isolated from Australian oil well. Int J Syst Evol Microbiol. 2004; 54(3): 645-649.

Salmi AM, Tukiainen E, Asko-Seljavaara S. Thermographic mapping of perforators and skin blood flow in the free transverse rectus abdominis musculocutaneous flap. Annals of Plastic Surgery, 35: 159-164.1995

Salminen A, Varrio J, Immonen VP, Nissila P, Oy L, Polytechnic H. The use of high resolution thermography in control and analysis of laser beam cutting of mild steel. IN. Fabbro R, Kar A, Matsunawa A (eds): Laser Materials Processing Conference, PTS 1 & 2 ICALEO 97. Laser Inst America, Orlando, pP. B46-B53. 1997

Salminen E, Einola J, Rintala J. The methane production of poultry slaughtering residues and effects of pre-treatments on the methane production of poultry feather. Environl Tech. 2003; 24(9):1079-1086.

Salov PP, Zakharova NS. Naruzhnaia i vnutripolostnaia termometriia i temperaturnaia chuvstvitel'nost' mochevogo puzyria u detei. (External and intracavitary thermometry and the temperature sensitivity of the bladder in children) Vestnik Khirurgii Imeni I. I. Grekova, 149: 359-363.1992

Saltveit ME, Hepler PK. Effect of heat shock on the chilling sensitivity of trichomes and petioles of African violet (Saintpaulia ionantha). Physiol Plant. 2004; 121(1):35-43.

Salvesen KA. Infrared tympanic thermometry--worse than reported? Tidsskrift For Den Nors-ke Laegeforening, 113: 3164.1993

Samartsev VN, Polishchuk LS, Paydyganov AP, Zeldi IP. Featu- res of the uncoupling effect of fatty acids in liver mitochondria of mammals with different body weight. Biochemistry (Mosc). 2004; 69(6):678-86.

Samnick S. Romeike BFM. Kubuschok B. Hellwig D. Amon M. Feiden W. Menger MDKirsch C-M. p-[123I]iodo-L-phenylalanine for detection of pancreatic cancer: Basicinvestigations of the uptake cha- racteristics in primary human pancreatic tumourcells and evaluation in in vivo models of human pancreatic adenocarcinoma. Eur J Nuclear Med Molecular Imag. 2004; 31(4): 532-541.

Samokhin AV.[Diagnostic evaluation of patients during treatment of fractures in the proximal region of the femur] Lik Sprava. 2004; (2):42-6.

Sampath Kumar TS, Manjubala I, Gunasekaran J. Synthesis of carbonated calcium phosphate ceramics using microwave irradiation. Biomaterials 2000. 21(16):1623-1629

Samset E, Mala T, Edwin B, Gladhaug I, Soreide O, Fosse E. Validation of estimated 3D temperature maps during hepatic cryo surgery. Magnetic Resonance Imaging 2001:19(5):715-721

Samset E, Mala T, Ellingsen R, Gladhaug I, Soreide O, Fosse E Temperature measurement in soft tissue using a distributed fibre Bragg- grating sensor system. Minimally Invasive Therapy and Allied Technologies 2001.10(2):89-93

Sanborn AF, Villet MH, Phillips PK. Endothermy in african platypleurine cicadas: the influence of body size and habitat (hemiptera: cicadidae). Physiol Biochem Zool. 2004; 77(5):816-23.

Sanborn AF. Thermoregulation and endothermy in the large western cicada Tibicen cultriformis(hemiptera: cicadidae). J Thermal Biol. 2004; 29(2): 97-101.

Sanchez del Aguila MJ, Jones MF, Vohra A. Premixed solutions of diamorphine in ropivacaine for epidural anaesthesia: A study on their long-term stability. BJA: Br J Anaesth. 2003; 90(2): 179-182.

Sanchez V, Zeini M, Camarero J, O'Shea E, Boca L, Green AR, Colado MI. The nNOS inhibitor, AR-R17477AR, prevents the loss of NF68 immunoreactivity induced by methamphetamine in the mouse striatum. J Neurochem, 2003; 85: 515 - 524.

Sanchez-Machado DI. Lopez-Hernandez J. Paseiro-Losada P. Lopez-Cervantes J. An HPLC method for the quantification of sterols in edible seaweeds. BioMed Chromatography. 2004; 18(3): 183-190.

Sanchez-Salas N, Hernandez AC. Harmonic quantum heat devices: optimum-performance regimes. Phys Rev E Stat Nonlin Soft Matter Phys. 2004; 70(4 Pt 2):046134.

Sancho P. Pinacho A. Ramos P. Tejedor C. Microbiological characterization of food residues for animal feeding. Waste Manage. 2004; 24(9): 919-926.

Sanda T, Yasue T. The selectional method of oral Kampo Medicine for postherpetic neuralgia with the medical thermography. Acta Derma-tologica 87:23-28. 1992

Sandakov D, Gerein V. Turpentine-induced fever during stimulation and inhibition of hepatic protein synthesis. J Therm Biol. 2003; 28(6-7):439-443.

Sandeman HA , Clark AH. Glass-rich, Cordierite–Biotite Rhyodacite, Valle Ninahuisa, Puno, SE Peru: Petrological Evidence for Hybridization of 'Lachlan S-type' and Potassic Mafic Magmas. J Petrol 2003; 44: 355 - 385.

Sanden G.Ein Fall von Gold-Allergie. ThermoMed 14: 37-40. 1998

Sanders GH, Roberts CJ, Danesh A, Murray AJ, Price DM, Davies MC, Tendler SJ, Wilkins MJ. Discrimination of polymorphic forms of a drug product by localized thermal analysis. J Microsc. 2000,198 (Pt 2):77-81.

Sandsund M. Geving IH. Reinertsen RE. Aadahl P. Body tem- perature measurements in the clinic; evaluation of practice inNorwegian hospital. J Thermal Biol. 2004; 29(7-8 Spec. Iss.): 877-880.

Sanhueza V, Kelm U, Cid R. Synthesis of mordenite from diatomite: A case of zeolite synthesis from natural material. J Chem Tech Biotech. 2003; 78(5):485-488.

Sanhueza V. Kelm U. Cid R. Lopez-Escobar L. Synthesis of ZSM-5 from diatomite: A case of zeolite synthesis from a natural material. J Chemical Technol Biotechnol. 2004; 79(7): 686-690.

Sano H, Narimiya M, Agata T, Utsunomiya K, Shimizu H, Tajima N. Effect of the short continuous administration of prostaglandin E1 on the circulatory status in the lower extremities of diabetes with subjective symptoms - Assessment by using visual analogue scale (VAS) and thermography method. Ther Res. 2003; 24(6):1135-1139).

Santer BD, Wigley TML, Gaffen DJ, Bengtsson L, Doutriaux C, Boyle JS, Esch M, Hnilo JJ, Jones PD, Meehl GA, Roeckner E, Taylor KE, Wehner MF. Interpreting differential temperature trends at the surface and in the lower troposphere. Science 2000, 287(5456): 1227-1232

Santhosh U, Schuster GB. Long-distance radical cation reactions in DNA three-way junctions: Inter-arm interaction and migration through the junction. Nuc Acids Res. 2003; 31(19): 5692-5699.

Santiago S, Ferrer T, Espinosa ML. Neurophysiological studies of thin myelinated (A delta) and unmyelinated (C) fiberS. application to peripheral neuropathies. Neurophysiol ClIn. 2000,30(1):27-42.

Santiago T, Melo JQ, Gouveia RH, Martins AP. Intra-atrial temperatures in radiofrequency endocardial ablation: Histologic evaluation of lesions. Ann Thor Surg. 2003; 75(5):1495-1501.

Santori FS, Vitullo A, Stopponi M, Santori N, Ghera S. Prophylaxis Against Deep-Vein Thrombosis in Total Hip Replacement. Comparison Of Heparin and Foot Impulse Pump.Journal of Bone and Joint Surgery. British Volume, 76: 579-583. 1994

Santos A, Garzo V, Dufty JW. Inherent rheology of a granular fluid in uniform shear flow. Phys Rev E Stat Nonlin Soft Matter Phys. 2004; 69(6 Pt 1):061303.

Santos A. Marquina D. Killer toxin of Pichia membranifaciens and its possible use as a biocontrolagent against grey mould disease of grapevine. Microbiol. 2004; 150(8): 2527-2534.

Santos Pereira R. Sumita TC. Furlan MR. Cardoso Jorge AO. Ueno M. Antibacterial activity of essential oils on microorganisms isolated from urinarytract infection. Revista de Saude Publica. 2004; 38(2): 326-328.

Santucci RA, Deng D, Carney J. Removal of metal penile foreign body with a widely available emergency-medical-services-provided air- driven grinder. Urology. 2004; 63(6):1183-4.

Sanz JM, Garcia JL, Laynez J, Usobiaga P, Menendez M. Thermal stability and cooperative domains of CPL1 lysozyme and its NH sub(2)- and COOH-terminal modules. Dependence on choline binding. Journal of Biological Chemistry 268: 6125- 6130. 1993

Saravanan M, Bhaskar K, Srinivasa Rao G, Dhanaraju MD. Ibuprofen-loaded ethylcellulose/polystyrene microspheres: An approach to get prolonged drug release with reduced burst effect and low ethylcellulose content. J Microencaps. 2003; 20(3):289-302.

Sargent DF, Richmond TJ. Comment on Flash-cooling of macromolecular crystals to overcome increased mosaicity by Yao, Yasutake & Tanaka (2004). Acta Crystallogr D Biol Crystallogr. 2004; 60(Pt 3):616.

Sari H. Gartner M. Hoeft A. Candas V. Glove thermal insulation: Local heat transfer measures and relevance. Eur J Appl Physiol. 2004; 92(6): 702-705.

Sarin S, S Shami, Da Shields, JH Scurr, PD SmitH. Selection of amputation leveL. a review. Eur J Vasc Surg 5:611-620. 1991

Sarkadi A. Klinische Verlaufsbeobachtung und Hinweise auf die Wirksamkeit der Therapie mit Hilfe der Regulationsthermographie und des Multitest Mérieux. ThermoMed 8:27-35. 1992

Sarlkaya A, Ege T, Firat MF, Duran E. Assessment of digital ischaemia and evaluation of response to therapy by 99mTc sestamibi limb scintigraphy after local cooling of the hands in patients with vasospastic Raynaud's syndrome. Nucl Med Commun. 2004; 25(2): 207-11.

Sarnatskaya VV, Ivanov AI, Nikolaev VG, Rotellar E, von Appen K, Haspar M, Maslenny VN, Klinkmann H. Structure and binding properties of serum albumin in uremic patients at different periods of hemodialysis. Artificial Organs 22(2): 107-115. 1998

Sarusi G, Carbone A, Gunapala S, Liu HC. Preface, Infrared Phys Tech, 2003; 44, (s 5-6): 305.

Sarusi G. QWIP or other alternative for third generation infrared systems, Infrared Phys Tech, 2003; 44, (s5-6): 439-444

Sarwar M, Armitage AW. Tooling requirements for glass container production for the narrow neck press and blow process, J Mat Proces Tech, 2003; 139, (s 1-3): 160-163.

Sasahara T, Kikuno R, Soga H, Sekiguchi T, Satoh Y, Takayama Y, Takahashi A, Aoki M, Kitasato H, Inoue M. [Disinfection of water of remove Legionella species: evaluation of an antimicrobial ceramic] Kansenshogaku Zasshi. 2004; 78(1):22-31.

Sasaki H, Konisi K [Pathophysiology and diagnosis for arteriosclerosis obliterans] Rinsho Byori 2002, 50(8): 802-6.

Sasaki R, Uematsu Y, Yamada M, Saeki H. Application of infrared thermography and a knowledge-based system to the evaluation of the pedestrian-level wind environment around buildings. Journal of Wind Engineering and Industrial Aerodynamics 67-8: 873-883. 1997

Sass H. Cypionka H. Isolation of sulfate-reducing bacteria from the terrestrial deep subsurface and description of Desulfovibrio cavernae sp. nov.. Syst Appl Microbiol. 2004; 27(5): 541-548.

Satake T, Nose K, Matsushita Y, Segawa Y. An evaluation of infrared thermometry for skin temperature monitoring. Japanese Journal of Plastic and Reconstructive Surgery 38:1299-1303.1995

Sato F, Soh T, Hattori M-A, Fujihara N. Evaluation of deoxyribonuclease activity in seminal plasma of ejaculated chicken semen. Asian J Androl. 2003; 5(3):213-216.

Sato H, K. Sou, I. Murayama, T. TanakA. Application Of Contact Thermography To Esophageal Surgery. (abstract). Biomed Thermol 11: 304. 1991

Sato K, Ebihara T, Adachi E, Kawashima S, Hattori S, Irie S. Possible involvement of aminotelopeptide in self-assembly and thermal stability of collagen I as revealed by its removal with proteases. J Biol Chem. 2000,275(33):25870-5.

Sato K, Maitani T. Determination of methanol in gardenia red and gardenia blue. J Food Hygienic Soc Japan. 2003; 44(1):73-76.

Sato T, T.Tsuboi, K.Egawa, M.MiyazakI. Hoffmann Reflex Response in Human Legs During Localized Cooling. (abstract). Biomed Thermol 15: 22. 1995

Satoh K, Hatakeyama T, Ichikawa M, Kumagai M, Kikuchi K, Satoh M, Kuji A, Joh S Influence of sevofulurane anesthetic on body temperature of diverse patientS. A comparison of mentally retarded, cerebral palsied and neurologically normal individuals.Journal of Japanese Dental Society of Anesthesiology 2001: 29(3):384-388

Satoh K, Ohe Y, Kobayashi N, Tachibana C, Fukada T, Furuya Y. Relation between fingertip temperature pattern and epidural puncture site during epidural anesthesia combined with general anesthesia. Japanese Journal of Anesthesiology 42: 60-65.1993

Satoh M, Terada S, Onouchi K, Takeda K, Kuzuhara S Somatosensory and skin temperature disturbances caused by infarction of the postcentral gyrus A case report. J Neurol 2002, 249(10): 1404-8.

Satomura S, Yokota I, Tatara K, Naito E, Ito M, Kuroda Y Paradoxical weight loss with extra energy expenditure at brown adipose tissue in adolescent patients with Duchenne muscular dystrophy. Metabolism 2001, 50(10): 1181-5.

Satybaldyev VM. Early diagnosis and prognosis of severity in frostbite of the extremities. Vestn Khir Im I I Grek. 2003; 162(1):46-8.

Sauer H. Das Problem der Seitenasymmetrie im Regulationsthermogramm. Thermomed 10: 31-36. 1994

Sauer H. Protokoll der Mitgliederversammlung am 14. Juni 1997 im Parkhotel in Bad Nauheim, ThermoMed 13: 97-99. 1997

Sauer H. Protokoll der Mitgliederversammlung der Deutschen Gesellschaft für Thermographie e.V 19.09.1999. Bad Nauheim. ThermoMed, 1999. 15: 67-71

Sauer H. Vegetativum und Regulationsthermographie Thermo- med 2004,19/20: 17-25

Saumweber C, Schulz A, Wittig S, Gritsch M. Effects of entrance crossflow directions to film cooling holes. Annals Of The New York Academy Of Sciences 2001. 934 401-8

Sauve C. The diagnosis and prognosis of thermography in breast cancer. Thermol Österr2:S31. 1992

Savel'eva GM, Antonova LV. Ostrye vospalitel 'nye zabolevaniia pridatkov matki. Metody diagnostiki, profilaktii, terapii. (Acute inflammatory diseases of the adnexa uteri. Methods of diagnosis, prevention and treatment). Akush Ginekol (Mosk) (1): 67-75. 1990

Saxena AK, Schleef J, Morcate JJ, Schaarschmidt K, Willital GH. Thermography of Clostridium perfringens infection in childhood. Pediatric Surgery International 1999. 15(1): 75-6.

Saxena AK, Topp S S, Heinecke A, Willital GH Application criteria for infrared ear thermometers in pediatric surgery. Technology And Health Care 2001. 9 (3) 281-5

Saye WB, W.Miller, P.HertzmanN. Electrosurgery Thermal Injury. Myth or Misconception? Surgical Laparoscopy and Endoscopy 1: 223-228.1991

Scallan MJ. Cerebral injury during paediatric heart surgery: perfusion issues. Perfusion. 2004; 19(4):221-8.

Scantlebury MH, Ouellet PL, Psarropoulou C, Carmant L. Freeze lesion-induced focal cortical dysplasia predisposes to atypical hyper- thermic seizures in the immature rat. Epilepsia. 2004; 45(6):592-600.

Schabauer AMA, TW.RookE. Cutaneous Laser Doppler FlowmetrY.Applications and Findings. Mayo Clinic Proceedings 69: 564-574. 1994

Schachne M, vanKempen L, Milojevic D, Sahli H, VanHam P, Acheroy M, Cornelis J. Mine detection by means of dynamic thermographY. Simulation and experiments. IN. Second International Conference on the Detection of Abandoned Land Mines, IEE Conference Publications Issue 458. Inst Electrical Engineers, Stevenage Herts, 1998, p. 124-8

Schaefer G, Zhu SY. Compressing thermal Med images. (abstract). Thermol int 2004, 14(4): 147

Schaefer L, Light G. Comparison of acoustic microscopy, pulsed infrared thermography(PIRT) and laser shearography for the detection of debonds in honeycomb structures.IN. Kliger HS, Rasmussen BM, Pilato LA, Tolle TB, editors 43rd International Sampe Symposium And Exhibition On Materials And Process Affordability - Keys To The Future, Vol 43. Soc Advancement Material & Process Engineering, Covina, 1998, 1499-501

Schäfer G, H.PfeifeR. Das Zahnthermogramm - Mittelwerte aus einem Kollektiv Gesunder. Thermomed 10: 14-22. 1994

Schaffer C. Franck WL. Scheberl A. Kosma P. McDermott TR. Messner P. Classification of isolates from locations in Austria and Yellowstone NationalPark as Geobacillus tepidamans sp. nov. Int J Syst Evo Microbiol. 2004; 54(6):2361-2368.

Schaller B, Graf R. Hypothermia and stroke: The pathophysiological background. Pathophysiol. 2003; 10(1):7-35.

Schaller G, Paolucci V, Manegold BC. Grundsätzliche Fragen zur Cholezystektomie aus chirurgischer Sicht. ThermoMed, 1999. 15: 27-34

Schaper M, Haferkamp H, Niemeyer M, Pelz C, Viets R. Thermal investigation of compound cast steel tools. IN. LeMieux DH, Snell JR, editorS. Thermosense XXI,Proceedings of the Society of Photo-Optical Instrumentation Engineers (SPIE), Vol.3700, Bellingham, 1999. p. 164-70

Schar C, Vidale PL, Luthi D, Frei C, Haberli C, Liniger MA, Appenzeller C. The role of increasing temperature variability in European summer heatwaves. Nature. 2004; 427(6972):332-6.

Schardt P, Deuringer J, Freudenberger J, Hell E, Knupfer W, Mattern D, Schild M. New x-ray tube performance in computed tomography by introducing the rotating envelope tube technology. Med Phys. 2004; 31(9): 2699-706.

Schartelmüller T, Ammer K, Melnizky P, Engelbert B. Therapiemonitoring durch Infrarot- Thermographie nach Heilgymnastik. (abstract) Thermol intern 1999, 9(2):73.

Schartelmüller T, Ammer K. Cervical Disc, Thoracic Outlet Syndrome Or Peripheral Occlusive Disease? A Case Report. (abstract) European Journal of Thermology 7(3):154. 1997

Schartelmüller T, Ammer K. Infrared Thermography of Patients Suffering From Thoracic Outlet Syndrome. (abstract). Thermol Österr 5: 114 1995

Schartelmüller T, Ammer K. Rathkolb O.Thermographic Diagnosis of Thoracic Outlet syndrome - a re-evaluation. Thermol intern 2001, 11(2):87-88

Schartelmüller T, Ammer K. Räumliche Auflösung von Infrarotkameras. Thermol Österr 5: 28-31. 1995

Schartelmüller T, Ammer K. Szintigraphy and Thermography in Rheumatic Diseases. (abstract) Thermol Österr 7(2): 69. 1997

Schartelmüller T, Ammer K. Temperatur von Stickstoffdampf zur Kryotherapie (abstract). Thermol Österr1: 31.1991

Schartelmüller T, Ammer K.- Thoracic outlet syndrome. IN. Ammer K, EFJ Ring (eds): The Thermal Image in Medicine and Biology, Uhlen Verlag, Wien,pp. 201-205. 1995

Schartelmüller T, Ammer K. Zervikaler Diskusprolaps, Thoracic Outlet Syndrome oder periphere arterielle Verschluákrankheit- ein Fallbericht. European Journal of Thermology 7(3):146-150. 1997

Schartelmüller T, Ammer K. Zur räumlichen Auflösung von Infrarotkameras. Thermol Österr4:79-80. 1994

Schartelmüller T, Ammer K., Cao G,Kitzinger E,. Melnizky P. Thermometrische Evaluierung unterschiedlicher Nadelungstechniken der Akupunktur. (abstract). Thermol Österr 3: 67-68. 1993

Schartelmüller T, Ammer K.Temperatur der Haut während und nach der Behandlung mit Wärmepackungen (abstract). Thermol Österr2:43. 1992

Schartelmüller T, Ammer K.Temperatur von Stickstoff zur Kryotherapie. ThermoMed 8: 4-8. 1992

Schartelmüller T, Ammer K.Thermography Versus Scintigraphy - A Computer Assisted Literature Search. (abstract) European Journal of Thermology 7(3):159. 1997

Schartelmüller T, Ammer K.Thoracic outlet syndrome. Thermol Österr4:179. 1994

Schartelmüller T, Melnizky P, Ammer K. Vergleich von Patienten mit Fazialisparese oder mit akutem Herpes opthalmicus . European Journal of Thermology 8: 65 , 1998

Schartelmüller T, Melnizky P, Ammer K.. Facial ThermographY. Comparison of Patients Suffering from Facial Paralysis with Acute Herpes Ophtalmicus. (abstract) Thermol Österr 7(2): 66. 1997

Schartelmüller T, Melnizky P, Engelbert B. Infrarotthermographie zur Evaluierung des Erfolges physikalischer Therapie bei Patienten mit klinischem Verdacht auf Thoracic Outlet Syndrome.(abstract). Thermol intern 1999, 9(1): 30.

Schartelmüller T, Melnizky P, Engelbert B. Infrarotthermographie zur Evaluierung des Erfolges physikalischer Therapie bei Patienten mit klinischem Verdacht auf Thoracic Outlet Syndrom. Thermol intern 1999, 9(1):20-24.

Schartelmüller T, Melnizky P, Solar S, Kern E, Kuchar K, Engelbert B, Birtalan L, Hamerle S, Ammer K.Thermographie bei akutem Herpes zoster und bei Postzosterneuralgie (abstract). Thermol Österr 6: 67, 1996

Schartelmüller T. Generalversammlung der ÖGT am 20.10. 1999 in Wien. Thermol intern 2000 , 10(1): 59.

Schartelmüller T., K. Ammer.Infrared Thermography for the Diagnosis of Thoracic Outlet Syndrome. Thermol Österr 6: 139-144. 1996

Schechter L. Eaton MP. Dhillon AK. Comparisons between Level 1 and other fast flow fluid warming systems [1] (multiple letters). Anesth Analg. 2004; 99(1)301-302.

Scheck T, Kober A, Heigl P, Schiller E, Buda P, Szvitan G, Lieba F, Hoerauf K. Evaluation of new insulation device for intravenous infusions in trauma care: A prospective, randomized study. Wien Klin Woschrift. 2003; 115(7-8):259-262.

Scheck T. Kober A. Bertalanffy P. Aram L. Andel H. Molnar C. Hoerauf K. Active warming of critically ill trauma patients during intrahospital transfer: A prospective, randomized trial. Wien Klin Wochenschr. 2004.116(3)94-97.

Scheffler K. Fast frequency mapping with balanced SSFP: theory and application to proton-resonance frequency shift thermometry. Magn Reson Med. 2004; 51(6):1205-11.

Scheinkonig C. Kappicht S. Kolb H-J. Schleuning M. Adoption of long-term cultures to evaluate the cryoprotective potential oftrehalose for freezing hematopoietic stem cells. Bone Marrow Transplant. 2004; 34(6): 531-536.

Schick CH, Fronek K, Held A, Birklein F, Hohenberger W, Schmelz M. Differential effects of surgical sympathetic block on sudomotor and vasoconstrictor function. Neurol. 2003; 60(11): 1770-1776.

Schiermeier Q. Global warming anomaly may succumb to microwave study. Nature. 2004; 429(6987):7.

Schiermeler Q. Arctic rockets give glimpse of the atmosphere's top layers. Nature. 2003; 424(6946):243.

Schiff JD, Li PS, Goldstein M. Correlation of ultrasonographic and orchidometer measurements of testis volume in adults. BJU Int. 2004; 93(7):1015-7.

Schijven JF. Bradford SA. Yang S. Brown Jr GE. Release of Cryptosporidium and Giardia from dairy cattle manure: Physical fac- tors. J Environ Quality. 2004; 33(4): 1499-1508.

Schill RO, Steinbruck GH, Kohler HR. Stress gene (hsp70) sequences and quantitative expression in Milnesium tardigradum (Tardigrada) during active and cryptobiotic stages. J Exp Biol. 2004; 207(Pt 10):1607-13.

Schilling J. Metody rozpoznawania lozyska przodujacego. Polski Tygodnik Lekarski 46: 299-302.1991

Schimmel Kl. Ch. Hufeland-Medaille 1991 - Arno undJutta Rost. ThermoMed 7: 35-36. 1991

Schindl A, Heinze G, Schindl M, Pernerstorfer-Schön H, Schindl L Systemic effects of low-intensity laser irradiation on skin microcirculation in patients with diabetic microangiopathy. Microvasc Res, 2002, 64(2): 240-6.

Schindl A, Schindl M, Schoen H, Knobler R, Havelec L, Schindl L. Low-intensity laser irradiation improves skin circulation in patients with diabetic microangiopathy. Diabetes Care 21(4): 580-584. 1998

Schindl L, Kainz A, Kern H. Effect of low level laser irradiation on indolent ulcers caused by Buerger's disease, Literature review and preliminary report. Laser Therapy 4:25-32. 1992

Schirripa Spagnolo G, Ambrosini D, Paoletti D. An NDT electro-optic system for mosaics investigations, J Cultural Heritage, 2003; 4, (4): 369-376

Schleenbecker HG, Schmidt KL Zur wirkung einer iterativen milden Ganzkorperhyperthermie auf den FibromyalgieschmerzZ. Pilotstudie [The effect of iterative whole-body hyperthermia on fibromyalgia pain - A pilot study]. Physikalische Medizin Rehabilitationsmedizin Kurortmedizin 1998, 8(4): 113-7.

Schleier P. Der Einfluß pathologischer Veränderungen im orofacialen System auf das Wärmeprofil des Gesichts. (abstract) ThermoMed 12: 104. 1996

Schlenker EH, Prestbo A. Elimination of the post-hypoxic frequency decline in conscious rats lesioned in pontine A5 region. Respir Physiol Neurobiol 2003; 138(2-3):179-191.

Schliack H. Viszeroreflektorische Krankheitszeichen auf der Haut, ThermoMed 6:12-16. 1990

Schmalijohann D, Oswald J, Jorgensen B, Nitschke M, Beyerlein D, Werner C. Thermo-responsive PNiPPAAm-g-PEG films of controlled cell detachment. Biomacromol 2003; 4(6): 1733-1739.

Schmaljohann D, Beyerlein D, Nitschke M, Werner C. Thermo- reversible swelling of thin hydrogel films immobilized by low-pressure plasma. Langmuir. 2004; 20(23): 10107-14.

Schmaranzer S J. Thermoregulation of water collecting honey bees (Apis mellifera). Insect Physiol. 2000 Aug 1,46(8):1187-1194

Schmaranzer S, Kovac H, Stabentheiner A. A comparison of endothermic reactions of the solitary bee Andrena taraxaciand the honeybee in the field area. Mitteilungen der Deutschen Gesellschaft für Allgemeine und Angewandte Entomologie 11(1)-6: 173-178. 1997

Schmauser H. Regulationsthermographie des Bauchraums Thermodiagnostik 1: 12-13. 1985

Schmehl MK, Graham EP, Kilkowski SM. Thermographic studies of phantom and canine kidneys thawed by microwave radiation. Cryobiology 27 (3): 311-318. 1990

Schmermund A, Rodermann J, Erbel R. Intracoronary thermography. Herz. 2003; 28(6):505-512.

Schmidlin D, Hager P, Schmid ER. Monitoring level of sedation with bispectral EEG analysis. Comparison between hypothermic and normothermic cardiopulmonary bypass. British Journal of Anaesthesia 2001, 86(6): 769-776

Schmidlin FR, Rupp CC, Hoffmann NE, Coad JE, Swanlund DJ, Hulbert JC, Bischof JC. Measurement and prediction of thermal behavior and acute assessment of injury in a pig model of renal cryosurgery. Journal of Endourology 2001,15(2): 0193-197

Schmidt DN, Thierstein HR, Bollmann J, Schiebel R. Abiotic forcing of plankton evolution in the Cenozoic. Science. 2004; 303 (5655): 207-10.

Schmidt GK, Frey MA, Vernikos J. NASA's Technolog Transfer Program for the Early Detection of Breast Cancer. Proc 1996 IEEE Engineering in Medicine & BiologY.1130-1131. 1996

Schmidt J, Lazar I, Papp Z.. The effects of local application of nitroglycerine ointment. (abstract). IN. Benkö I, I.Lovak, I.Kovacsics (eds): 9th International Conference on Thermal Engineering and Thermogrammetry (THERMO). Budapest. p. 143-144. 1995

Schmidt KD, Chan CW. Thermoregulation and fever in normal persons and in those with spinal cord injuries. Mayo Clinic Proceedings, 67:469-475.1992

Schmidt M, Ratcliff W 2nd, Radaelli PG, Refson K, Harrison NM, Cheong SW. Spin singlet formation in MgTi2O4:evidence of a helical dimerization pattern. Phys Rev Lett. 2004; 92(5): 056402.

Schmidt MW. Spero HJ. Lea DW. Links between salinity variation in the Caribbean and North Atlanticthermohaline circulation. Nature. 2004; 428(6979): 160-163.

Schmittendorf HE. Unterstützung der Thermographischen Therapiekontrolle durch digitale Bildverarbeitung. Thermomed 10: 4-8. 1994

Schmittendort H.E, O. AnnA. A method foir standardization of thermograms in therapy control. IN. Benkö I, I.Lovak, I.Kovacscs, A.Faludi (ed): 8th International Conference on Thermal Engineering and Thermogrammetry, 2.-4.Juni 1993. Scientific Society of Measurement and Automation (MATE). Branch of Thermo Technical Measurements and Thermogrammetry, p.309-310. Budapest 1993

Schmitz T, Bair N, Falk M, Levine C A comparison of five methods of temperature measurement in febrile intensive care patients.American Journal of Critical Care, 4: 286-292. 1995

Schmolke S. Kirsch L. Gosse F. Flamme C. Bohnsack M. Ruh- mann O. Risk evaluation of thermal injury to the cervical spine during intradiscal laserapplication in vitro. Photo Med Laser Surg. 2004; 22(5): 426-430.

Schneditz D, Levin NW. Keep your tempeR. How to avoid heat accumulation in haemodialysis. Nephrology Dialysis Transplantation 2001, 16(1): 7-9

Schneeweiss B. Evaluation of body temperature. Padiat Prax. 2003; 63(3):391-392.

Schneider JR, AM Veltri, WA deGraw, JA FrencH. Telemetered temperature monitoring in preweanling Mongolian gerbils (Meriones unguiculatus). Physiology And Behavior 57: 199-203. 1995

Schneider-Bibus L. Regulationsthermographie bei Herzerkrankungen. Thermodiagnostik 8-10. 1985

Schnoor J. Macko S. Weber I. Rossaint R. The air elimination capabilities of pressure infusion devices and fluid-warmers. Anaesthe- sia. 2004; 59(8): 817-821.

Schnoor J. Simon HB. Schalte G. Weber I. Rossaint R. Heating capabilities of fluid warming systems during low infusion rates. An- asthesiol Intensivmed Notfallmed Schmerzther 2004;. 39(8): 477-481.

Schnoor JL. Energy and global warming: the great convergence. Environ Sci Technol. 2004; 38(7):119A.

Schober AL, Peterson DG. Flavor release and perception in hard candy: influence of flavor compound-compound interactions. J Agric Food Chem. 2004; 52(9): 2623-7.

Schoenhagen P, Tuzcu EM, Ellis SG. Plaque Vulnerability, Plaque Rupture, and Acute Coronary SyndromeS. (Multi)-*Focal* Manifestation of a *Systemic* Disease Process Circulation 2002, 106: 760 - 762.

Schols EHM. van den Eijnde WAJ. Heus R. A method for assessing thermal comfort of shoes using a ' sweating' foot. Eur J Appl Physiol. 2004; 92(6): 706-709.

Schönbach B. 30 Jahre Thermographie in der Medizin - Stand Der Technik. Thermomed 9: 74-82. 1993

Schonhals A. Goering H. Schick C. Frick B. Zorn R. Glass transition of polymers confined to nanoporous glasses. Colloid & Polymer Science. 2004; 282(8): 882-891.

Schoop U. Kluger W. Moritz A. Nedjelik N. Georgopoulos A. Sperr W. Bactericidal effect of different laser systems in the deep layers of dentin. Lasers Surg Med. 2004; 35(2): 111-116.

Schrage NF, Flick S, vonFischern T, Reim M, Wenzel M. Changes in the corneal temperature by two different bandages. Ophthalmologe 94/7: 492-495. 1997

Schreiber SJ, Lambert UKW, Doepp F, Valdueza JM. Effects of prolonged head-down tilt on internal jugular vein cross-sectional area Br. J. Anaesth. 2002, 89: 769 - 771.

Schreiber TU, Smolenski UC. Applikationstemperaturen von Kaltlufttherapiegeraten [Application temperatures of cold air stream devices]. Physikalische Medizin Rehabilitationsmedizin Kurortmedizin 1998, 8/6: 208-10.

Schubert H Messtechnik in der medizinischen Diagnostik. Medizintechnik 118(3): 107-111. 1998

Schubert H.Metrology in medical diagnosis: Thermographs. Medizintech. 2003; 123(3):108-112.

Schuderer J, Schmid T, Urban G, Sa as T, Kuster N. Nov el high-resolution temperature probe for radiofrequency dosimetry. Phys Med Biol. 2004; 49(6):N83-92.

Schuermann M, Gradl G, Wizgal I, Tutic M, Moser C, Azad S, Beyer A Clinical and physiologic evaluation of stellate ganglion blockade for complex regional pain syndrome type I. Clinical Journal Of Pain 2001. 17 (1) 94-100

Schuh S, Komar L, Stephens D, Chu L, Read S, Allen U. Com- parison of the temporal artery and rectal thermometry in children in the emergency department. Pediatr Emerg Care. 2004; 20(11): 736-41.

Schuhfried O, Vacariu G, Lang T, Korpan M, Kiener HP, Fialka-Moser V. Thermographic parameters in the diagnosis of secondary Raynaud's phenomenon. Arch Phys Med Rehabil. 2000,81(4):495-9.

Schuhfried O,Vacariu G, Harringer D, Alacamlioglu Y, Korpan M, Kiener H, Graninger W, Fialka V.. Der Einsatz der Thermographie zur Diagnose von Raynaud-Phänomenen bei Verdacht auf Kollagenose. Thermol Österr 5: 32-34. 1995

Schule G, Huttmann G, Framme C, Roider J, Brinkmann R. Noninvasive optoacoustic temperature determination at the fundus of the eye during laser irradiation. J Biomed Opt. 2004; 9(1): 173-9.

Schuler F, F. Rampp, J. Martin, J. WolfruM. TACCOS - A thermography-assisted combustion control system for waste incinerators. Combustion and Flame 99: 431-439. 1994

Schulte H, Sollevi A, Segerdahl M. The distribution of hyperaemia induced by skin burn injury is not correlated with the development of secondary punctate hyperalgesia. J Pain. 2004; 5(4):212-7.

Schulte J, Reski R. High throughput cryopreservation of 140,000 Physcomitrella patens mutants. Plant Biol (Stuttg). 2004; 6(2):119-27.

Schulze MA, JA PearcE. Morphological ima-ge processing techniques in thermographic imaging. Biomedical Sciences Instrumentation 29: 227- 234. 1993

Schulze-Makuch D, Grinspoon DH, Abbas O, Irwin LN, Bullock MA. A sulfur-based survival strategy for putative phototrophic life in the venusian atmosphere. Astrobiology. 2004; 4(1):11-8.

Schumacher P. Beitrag zur Thermographiedes kindlichen Abdomens Thermodiagnostik 1: 14-16. 1985

Schumacher P. Der Einfluß akuten Geschehens auf das kindliche Thermogramm. ThermoMed 4: 6-10. 1988

Schumacher P. Thermographie bei Kindern. Thermodiagnostik 3(1): 14-17. 1987

Schuman AJ. Terndrup TE, Milewski A, Ferguson KL, Fraden J. Clinical notes (1): Clinical Pediatrics 30:602-605. 1991

Schürholz T. Dissertation zum Thema Regulationsthermographische Untersuchungen bei Patienten mit Colltis ulcerosa und M. Crohn (abstract). ThermoMed 13: 39. 1997

Schutyser MA, Briels WJ, Boom RM, Rinzema A. Combined discrete particle and continuum model predicting solid-state fermen- tation in a drum fermentor. Biotechnol Bioeng. 2004; 86(4):405-13.

Schutyser MAI, Weber FJ, Briels WJ, Rinzema A, Boom RM. Heat and water transfer in a rotating drum containing solid substrate particles. Biotech Bioeng. 2003; 82(5):552-563.

Schwab BE, Johnston AD. Melting Systematics of Modally Variable, Compositionally Intermediate Peridotites and the Effects of Mineral Fertility J. Petrology 2001, 42: 1789 - 1811.

Schwaitzberg SD, Chan MW, Cole DJ, Read M, Nichols T, Bellinger D, Connolly RJ. Comparison of poly-N-acetyl glucosamine with commercially available topical hemostats for achieving hemostasis in coagulopathic models of splenic hemorrhage. J Trauma. 2004l; 57(1 Suppl): S29-32.

Schwartz GE, Swanick S, Sibert W, Lewis DA, Lewis SE, Nelson L, Jain S, Mallory L, Foust L, Moore K, Tussing D, Bell IR. Biofield detection: role of bioenergy awareness training and individual differen- ces in absorption. J Altern Complement Med. 2004; 10(1):167-9.

Schwartz P, Randall D. Future global warming scenarios, take 2. Science. 2004; 305(5692):1911-2.

Schwartz RG. Current Theoretical Concepts iIn Monitoring Electric Sympathetic Block with Thermography (abstract). Thermol intern 1999, 9(3): 116-117.

Schwartz SH, QinX, Zeevaart JAD. Elucidation of the Indirect Pathway of Abscisic Acid Biosynthesis by Mutants, Genes, and Enzymes, Plant Physiol. 2003; 131: 1591 - 1601.

Schwartzman D, Michele JJ, Trankiem CT, and Ren JF Electrogram-guided radiofrequency catheter ablation of atrial tissue comparison with thermometry-guide ablatioN. comparison with thermometry-guide ablation. J Interv Card Electrophysiol 2001, 5(3): 253-66.

Schwartzman D, Parizhskaya M, Devine WA Linear ablation using an irrigated electrode electrophysiologic and histologic lesion evolution comparison with ablation utilizing a non- irrigated electrode. Journal Of Interventional Cardiac Electrophysiology 2001. 5 (1) 17-26

Schwesinger F, Ros R, Strunz T, Anselmetti D, Guntherodt HJ, Honegger A, Jermutus L, Tiefenauer L, Pluckthun A. Unbinding forces of single antibody-antigen complexes correlate with their thermal dissociation rates. Proc Natl Acad Sci U S A. 2000,97(18):9972-7.

Schwimmer H, Gerstberger R, Horowitz M. Heat acclimation affects the neuromodulatory role of AngII and nitric oxide during combined heat and hypohydration stress. Brain Res Mol Brain Res. 2004; 130(1-2):95-108.

Schyma P, Schyma C. [No title available]. VersicherungsmedizIn. 2000, 52(3):141-6.

Sciscione AC, Zainia T, Leet T, Winn JN, Winn HN, Carpenter RJ Jr : A new device for measuring intrauterine temperature. American Journal of Obstetrics and Gynecology 2001, 184(7): 1431-1435

Scleroderma (Abstracts Nos. 102-113) Rheumatology, 41: 54 - 58.

Scolnik Kozer D, Jacobson S, Diamond S,. Young NL Comparison of E Oral Versus Normal and High-Dose Rectal Acetaminophen in the Treatment of Febrile Children Pediatrics 2002, 110: 553 - 556.

Scotece GG. Reflex sympathetic dystrophY. Description and multidisciplinary approach. Orthopaedic Physical Therapy Clinics of North America 4:459-469. 1995

Scott CG. Ducharme MB. Haman F. Kenny GP. Warming by immersion or exercise affects initial cooling rate during subsequent cold water immersion. Aviat Space Environ Med. 2004. 75(11) 956-963.

Scott FD. Jr.; Kang KA; Williams GM. Diagnosis of Deep Vein Thrombosis with NIR Spectroscopy. In Proceedings of The First Joint BMES/EMBS Conference Serving Humanity, Advancing Technology, Atlanta, 1999, pp.1101

Scott M, Rezaizadeh A, Delahaza A, Santos CG., Moore M, Graybeal B, Washer G. A comparison of nondestructive evaluation methods for bridge deck assessment, NDT & E Int , 2003; 36, (4): 245-255.

Scudds RJ, A.Helewa, RA ScuddS. The effects of transcutaneous electrical nerve stimulation on skin temperature in asymptomatic subjects. Physical Therapy 75:621-628. 1995

Sedin G. To avoid heat loss in very preterm infants. J Pediatrics. 2004 145(6)720-722..

Seebacher F, Franklin CE. Integration of autonomic and local mechanisms in regulating cardiovascular responses to heating and cooling in a reptile (Crocodylus porosus). J Comp Physiol [B]. 2004; 174(7):577-85.

Seebacher F, Shine R. Evaluating thermoregulation in reptiles: the fallacy of the inappropriately applied method. Physiol Biochem Zool. 2004; 77(4): 688-95.

Seeley TD, Kleinhenz M, Bujok B, Tautz J. Thorough warm-up before take-off in honey bee swarms. Naturwissenschaften. 2003; 90(6):256-260.

Segal R, Stacey BR, Rudy TE, Baser S, Markham J. Spinal cord stimulation revisited. Neurological Research 20/5: 391-396. 1998

Segal R, Stacey BR, Rudy TE, Baser S, Markham J. Spinal cord stimulation revisited. Neurological Research 1998. 20 /5: 391-6.

Segal R. Consensus report therapy guidelines for CRPS 1. Clinical Journal of Pain 1999,15(2) (1)54-5.

Segers PAM, Heida JF, de Vries I, Maas C, Boogaart AJ, Eilander S. Clinical evaluation of nine hollow-fibre membrane oxygenators. Perfusion 2001, 16(2): 95-106

Seguin J, Terry K. Neonatal infrared axillary thermometry. Clinical Pediatrics 1999. 38(1):35-40.

Segura T, Ramio LI : Infarto polar bilateral. Neurologia 2001, 15(9): 403

Sehgal A, Dubey NK, Jyoth MC, Jain S. Comparison of tympanic and rectal temperature in febrile patients. Indian J Pediatr 2002, 69(4): 305-8. .

Sehgal A, Jyothi MC, Dubey NK. Comparison of tympanic and rectal temperatures in febrile children. Indian Pediat. 2003; 40(2):135-140.

Seidelin S, Gomes JV, Hoppeler R, Sirjean O, Boiron D, Aspect A, Westbrook CI. Getting the elastic scattering length by observing inelastic collisions in ultracold metastable helium atoms. Phys Rev Lett. 2004; 93(9):090409.

Seifalian AM, G.Stansby, A.Jackson, K.Howell, G.HamiltoN. Comparison of laser doppler perfusion imaging, laser doppler flowmetry, and thermographic imaging for assessment of blood Flow in Human SkIn.European Journal of Vascular Surgery 8: 65-69. 1994

Seki S, S.Igarashi, H.Sasaki, Y. NakanO. Autonomic nervous function in patients with vertigo - an analysis using thermographY. Equilibrium Research 52:433-437.1993/

Sekiguchi T, S Otsuka, H SatO. Face Scale (Lorish) as a pain measurement in clinical course of patients with herpes zoster. Japanese Pharmacology and Therapeutics 22:361-372.1994

Sekine H, Kobayashi M, Honda C, Aoki M, Nakagawa M, Kanehira C.Skin Reactions after Breast-conserving Therapy and Prediction of Late Complications Using Physiological Functions.Breast Cancer. 2000,7(2):142-148.

Sekins KM, Leeper DB, Hoffman JK, Wolfson MR, Shaffer TH. Feasibility of lung cancer hyperthermia using breathable perfluoro- chemical (PFC) liquids. Part I: Convective hyperthermia. Int J Hyper- thermia. 2004; 20(3):252-77.

Sekins KM. Leeper DB. Hoffman JK. Keilman GW. Ziskin MC. Wolfson MR. Shaffer TH. Feasibility of lung cancer hyperthermia using breathable perfluorochemical (PFC) liquids. Part II: Ultrasound hyper- thermia. Int J Hyperthermia. 2004; 20(3): 278-299.

Selfe J, Harper L, Pedersen I, Breen-Turner J, Waring J, Stevens D. Cold legs: a potential indicator of negative outcome in the rehabilitation of patients with patellofemoral pain syndrome, Knee, 2003; 10, (2):139-143.

Selhofer A. , B.Hohenfellner, K.Binder, Ch.Weissmann, Lumbar sympathectomy in severe cases of occlussive vascular disease. Preoperative epidural anaestesia and documantation of the vascular effect by infrared thermography. (abstract) Thermol Österr 7(2): 80. 1997

Selivonenko VG, Boev SS, Kovaleva OV. Izmeneniia termogrammy pri provedenii proby s anaprilinom u bol'nykh stenokardiei. [Changes in the thermogram in performing the anaprilin test on stenocardia patients]. Likarska Sprava 1998. (2): 38-40

Selivonenko VG, Porada LV, Kovaleva OV. Izmeneniia termogrammy predserdechnoi oblasti i kistei ruk pod vliianiem proby s no-shpoi u bol'nykh stenokardiei. [Changes in the thermogram of the precordial area and the hands under the influence of the No-Shpa test in stenocardia patients] Likarska Sprava 1998. (3): 50-2.

Selkirk GA. McLellan TM. Wong J. Active versus passive cooling during work in warm Environs while wearing firefighting protective clothing. J Occup Environ Hyg. 2004; 1(8): 521-531.

Sella G.E.Forensic Criteria of Acceptability of Thermography. Eur.J.Thermol. 7(4) :205-207. 1997

Sella G.E.Forensic Criteria of Acceptibility of Thermography. (abstract) Thermol Österr 7(2): 72. 1997

Semple S. Dermal exposure to chemicals in the workplace: Just how important is skin absorption?. Occup Environ Med. 2004; 61(4.

Sener G. Sehirli O. Erkanli G. Cetinel S. Gedik N. Yegen B. 2-Mercaptoethane sulfonate (MESNA) protects against burn-induced renal injury inrats. Burns. 2004; 30(6): 557-564.

Senesac LR, Corbeil JL, Rajic S, Lavrik NV, Datskos. PG IR imaging using uncooled microcantilever detectors, Ultramicroscopy, 2003; 97, (s 1-4): 451-458.

Senkan S, Ozturk S, Krantz K, Onal I. Photoionization detection (PID) as a high throughput screening tool in catalysis, App Catalysis A: Gen, 2003; 254, (1): 97-106

Senkan SM. High-throughput screening of solid-state catalyst libraries. Nature 1998, 394/6691:350-3.

Sentjurc M, Kristl J, Abramovic Z.Transport of liposome- en- trapped substances into skin as measured by electron paramagnetic resonance oximetry in vivo. Methods Enzymol. 2004; 387:267-87.

Seo Y. Tajima H. Yamasaki A. Takeya S. Ebinuma T. Kiyono F. A new method for separating HFC-134a from gas mixtures using clathrate hydrateformation. Environ Sci Technol. 2004; 38(17): 4635-4639.

Seon J, Creuly C, Duchez D, Pons A, Dussap CG. Degradation of plant wastes by anaerobic process using rumen bacteria. Water Sci Tech. 2003; 48(4):213-216.

Seppey M, C Hessler, M Bruchez, M savary, A PecouD. Facial thermography during nasal provocation tests with histamine and allergen. AllergY. European Journal of Allergy and Clinical Immu-nology 48: 314-318. 1993

Seppey M, Hausler R, Bruchez M, Krayenbuhl M, Coulie P Facial thermograpy - An assessment of cetirizine effects upon nasal provocation in rhinitis. Allergy and Clinical Immunology International 2000, 12(5): 232-239

Sepulveda L. Fernandez K. Contreras E. Palma C. Adsorption of dyes using peat: Equilibrium and kinetic studies. Environ Technol. 2004;25(9): 987-996.

Séraudie A, Perraud J, Moens F. Transition measurement and analysis on a swept wing in high lift configuration, Aerospace Sci Tech 2003; 7 (8): 569-576.

Series F, Marc I. Upper airway mucosa temperature in obstructive sleep apnoea/hypopnoea syndrome, nonapnoeic snorers and nonsnorers. European Respiratory Journal 1998. 12 (1): 193-7.

Serikov VB, Jerome EH. Noninvasive measurements of cardiac output in sheeP. an improved thermometry method. Medical Engineering and Physics 19/7: 618-629. 1997

Serra J, Campero M, Ochoa J. Flare and hyperalgesia after intradermal capsaicin injection in human skIn. Journal Of Neurophysiology 1998. 80 /6: 2801-10.

Serrano J, Velazquez G, Lopetcharat K, Ramirez JA, Torres JA. Effect of moderate pressure treatments on microstructure, texture, and sensory properties of stirred-curd cheddar shreds. J Dairy Sci. 2004; 87(10):3172-82.

Sethia S. Squillante E. Solid dispersion of carbamazepine in PVP K30 by conventional solvent evaporationand supercritical methods. Int J Pharm. 2004;272(1-2): 1-10.

Seto Y, Kameyama K, Tanaka N, Kunugi S, Yamamoto K, Akashi M. High-pressure studies on the coacervation of copoly (N-vinylformamide-vinylacetate) and copoly (N-vinylacetylamidevinyl- acetate). Coll Polymer Sci. 2003; 281(7):690-694.

Sevostianov I, VerijenkoV, Verijenko B. Evaluation of microstructure and properties deterioration in short fiber reinforced thermoplastics subjected to hydrothermal aging, Compos Struc, 2003; 62 (s 3-4): 409-415

Sforza M, Ballerini A, Russo R, Carzaniga Pl, Vertemati G. Contact thermography in breast apthology. A critical review. Minerva Chir 46: 375-377. 1991

Sganga A, Wallace R, Kiehl E, Irving T, Witter L. A comparison of four methods of normal newborn temperature measurement. MCN Am J Matern Child Nurs. 2000,25(2):76-9.

Shackleton N Climate change across the hemispheres. Science 2001, 291(5501): 58-59

Shadrin Sa, La KharitonovA. Distant thermography in the diagnosis of digestive organ diseases in childreN. Pediatriia (9(1)991):45-52. 1991

Shafer D. Thermographic Evaluation of Reattached Digits. (abstract). Thermol Österr 4: 124. 1994

Shafer DE, Farley JD, Shafer ST. Thermology in back pain (abstract). Thermol int 2004, 14(3): 105.

Shah RK, Nemati B, Wang LV, Shapshay SM Optical-thermal simulation of tonsillar tissue irradiation. Lasers in Surgery and Medicine 2001: 28(4): 313-319

Shah RK, Nemati B, Wang LV, Volk MS, Shapshay SM. Optical-thermal simulation of human tonsillar tissue irradiatioN. Clinical implicationS. Lasers in Surgery and Medicine 2000: 27(3): 269-273

Shaibani SJ. Activation energies for hema subjected to Hypothermia (abstract). Thermol Österr 6: 109, 1996

Shaibani SJ. Thermodynamics of Hypothermic Blood. (abstract). Thermol Österr 5: 112. 1995

Shakespeare PG, Dewar AE, Carruth JA. RE. UltraPulse carbon dioxide laser with computer pattern generator for facial cosmetic surgery and resurfacing. Annals of Plastic Surgery 38/5: 547-550. 1997

Shakespeare PG. Looking at burn woundS. The A.B.Wallace Memorial Lecture 1991. Burns 18: 287-295. 1992

Shamilov AK, Lenskaya OP, Bogdasarov YuB. Thermographic and radionuclide monitoring of the efficacy of treatment of postoperative wounds after mastectomy. Meditsinskaya Radiologiya 38: 11-13.1993

Shang EC, Wang YY. Subarctic frontal effects on long-range acoustic propagation in the North Pacific Ocean. Journal of the Acoustical Society of America 1999, 105(3): 1592-5

Shanmugam G, Polavarapu PL. Vibrational circular dichroism spectra of protein films: thermal denaturation of bovine serum albumin. Biophys Chem. 2004; 111(1):73-7.]

Shanthi C, Panduranga Rao K. Regulation of biocalcification of bovine pericardial tissue by grafting poly(glycidyl methacrylate-butylacrylatecopolymers. Journal of Bioactive and Compatible Polymers 12(4): 308-320. 1997

Sharan A, Rezai AR, Nyenhuis JA, Hrdlicka G, Tkach J, Baker K, Turbay M, Rugieri P, Phillips M, Shellock FG. MR safety in patients with implanted deep brain stimulation systems (DBS). Acta Neurochir Suppl. 2003;87:141-5.

Sharkov G, M. Van Montagu, D. Van Der StraeteN. Do plants have fever? IR-studies of plant thermogenic responses to stress . IN. Benkö I, I.Lovak, I.Kovacscs, A.Faludi (ed): 8th International Conference on Thermal Engineering and Thermogrammetry, 2.-4.Juni 1993. Scientific Society of Measurement and Automation (MATE). Branch of Thermo Technical Measurements and Thermogrammetry, p.335-340. Budapest 1993

Sharley PH, Williams I, Hague S. Blood transportation for medical retrieval services. Air Med J. 2003; 22(6):24-27.

Sharma S, Kaur P, Jain A, Rajeswari MR, Gupta MN. A smart bioconjugate of chymotrypsin. Biomacromol. 2003; 4(2): 330-336.

Sharma SD, Smith EM, Hazleman BL, Jenner JR.Thermographic changes in keyboard operators with chronic forearm paIn. BMJ (Clinical Research Ed.) 314 :7074: 118. 1997

Shave R. Dawson E. Whyte G. George K. Nimmo M. Layden J. Collinson P. Gaze D. The impact of prolonged exercise in a cold Environ upon cardiac function. Med Sci Sports Exerc. 2004; 36(9): 1522-1527.

Shawket S, C Dickerson, N Hazleman, MJ BrowN. Prolonged effect of CGRP in Raynaud's patientS. a double blind randomised comparison with prostacyclIn. Br J Clin Pharmacol 32: 209-213. 1991

Shcherbak L, Feychuk P, Kopach O, Falenchuk O, Panchuk O. In and InSe doping influence on CdTe postmelting effect. Journal de Chimie Physique et de Physico-Chimie Biologique 1998 , 95/7 : 1757-64.

Shcherbakov AB, Koreneva LG, Markov AG. a study of Raynaud's phenomenon using dynamic infrared thermography. Rheumatologiia (Mosk) (2(1)990): 7-11. 1990

Shehata MA. Ashour A. Hassan NY. Fayed AS. El-Zeany BA. Liquid chromatography and chemometric methods for determination of rofecoxib inpresence of its photodegradate and alkaline degradation products. Analyt Chim Acta. 2004;519(1): 23-30.

Sheik-Bahae M, Epstein RI. Can laser light cool semiconductors? Phys Rev Lett. 2004 Jun 18;92(24):247403.

Sheinberg M, Hayashi R, Bromley J, Dormer L. Application of telethermography in the evaluation of preterm premature rupture of the fetal membranes. Biomedical Instrumentation And Technology 30 /6: 526-530. 1996

Shellman YG. Ribble D. Yi M. Pacheco T. Hensley M. Finch D. Kreith F. MahajanRL. Norris DA. Fast response temperature mea- surement and highly reproducible heating methodsfor 96-well plates. Biotechniques. 2004; 36(6): 968-976.

Shellock FC. Crues JV. MR procedures: Biologic effects, safety, and patient care. Radiology. 2004. 232(3)635-652.

Shellock FG Radiofrequency energy-induced heating of bovine capsular tissuE. Temperature changes produced by bipolar versus monopolar electrodes. Arthroscopy 2001. 17 (2) 124-31

Shellock FG Metallic neurosurgical implantS. evaluation of magnetic field interactions, heating, and artifacts at 1.5-Tesla. Journal Of Magnetic Resonance Imaging 2001. 14 (3) 295-9

Shellock FG Metallic neurosurgical implantS. evaluation of magnetic field interactions, heating, and artifacts at 1.5-Tesla. J Magn Reson Imaging 2001, 14(3): 295-9.

Shellock FG New Metallic Implant Used for Permanent Contraception in WomeN. Evaluation of MR Safety Am. J. Roentgenol. 2002, 178: 1513 - 1516.

Shellock FG Radiofrequency energy induced heating of bovine articular cartilagE. comparison between temperature-controlled, monopolar, and bipolar systems. Knee Surg Sports Traumatol Arthrosc 2001, 9(6): 392-7.

Shellock FG Radiofrequency energy induced heating of bovine capsular tissuE. in vitro assessment of newly developed, temperature-controlled monopolar and bipolar radiofrequency electrodes. Knee Surg Sports Traumatol Arthroscl 2002, 10(4): 254-9.

Shellock FG Radiofrequency energy-induced heating of bovine articular cartilagE. evaluation of a new temperature-controlled, bipolar radiofrequency system used at different settings. J Knee Surg 2001, 15(2): 90-6.

Shellock FG, Detrick MS, Brant-Zawadski MN. MR compatibility of Guglielmi detachable coils.Radiology. 203(2) :568-570. 1997

Shellock FG, DJ Schaefer, W Grundfest, JV CrueS. Thermal effects of high-field (1.5 tesla) magnetic resonance imaging of the spine. Clinical experience above specific absorption rate of 0.4W/kg. Acta Radiol Suppl (Stockh) 369:,514-516. 1986

Shellock FG, Shields CL Jr Radiofrequency energy-induced heating of bovine articular cartilage using a bipolar radiofrequency electrode. Am J Sports Med. 2000,28(5):720-4.

Shellock FG, Shields CL JR. Temperature changes associated with radiofrequency energy-induced heating of bovine capsular tissuE. evaluation of bipolar RF electrodes. Arthroscopy. 2000,16(4):348-58.

Shellock FG. Metallic surgical instruments for interventional MRI procedureS. Evaluation of MR safety. Journal of Magnetic Resonance Imaging 2001, 13(1): 152-157

Shelygin SI. Termografiia v diagnostike zabolevanii organov dykhaniia u shakterov ugol´nykh shakt (Thermography in the diagnosis of respiratory organ diseases in coal miners). Vrach Delo (8): 108-120. 1989

Shen CH. Gau C. Thermal chip fabrication with arrays of sensors and heaters for micro-scale impingement cooling heat transfer analysis and measurements. Biosens Bioelectron. 2004. 20(1)103-114.

Shendell DG, Winer AM, Stock TH, Zhang L, Zhang JJ, Maberti S, Colome SD.Air concentrations of VOCs in portable and traditional classrooms: results of a pilot study in Los Angeles County. J Expo Anal Environ Epidemiol. 2004;14(1):44-59.

Shennib H. A renaissance in cardiovascular surgerY. endovascular and device-based revascularization Ann. Thorac. Surg. 2001, 72: 993 - 994.

Sheppard LM, J Werkhaven, S Mickelson, JD Crissman, E Peterson, G JacobseN. Effect of ster-oids or tissue precooling on edema and tissue thermal coagulation after CO2 laser impact. Lasers in Surgery and Medicine 12 :137-146. 1992

Sherar MD, Gladman AS, Davidson SR, Easty AC, Joy ML. Infrared thermographic SAR measurements of interstitial hyperthermia applicators: errors due to thermal conduction and convection. Int J Hyperthermia. 2004; 20(5):539-55.

Sherar MD, Gladman AS, Davidson SRH, Trachtenberg J, Gertner MR. Helical antenna arrays for interstitial microwave thermal therapy for prostate canceR. Tissue phantom testing and simulations for treatment Physics in Medicine and Biology 2001, 46(7): 1905-1918

Sherar MD, H. Clark, B. Cooper, J. Kumaradas, FF. LiU. A variable microwave array attenuator for use with single-element waveguide applica- tors. International Journal of Hyperthermia 10: 723-731.1994

Sherar MD, Liu FF, Newcombe DJ, Cooper B, Levin W, Taylor WB Hunt JW. Beam shaping for microwave waveguide hyperthermia applicators. International Journal of Radiation Oncology Biology Physics 25:849-857.1993/

Sherar MD, Moriarty JA, Kolios MC, Chen JC, Peters RD, Ang LC, Hinks RS, Henkelman RM, Bronskill MJ, Kucharcyk W Comparison of thermal damage calculated using magnetic resonance thermometry, with magnetic resonance imaging post-treatment and histology, after interstitial microwave thermal therapy of rabbit braIn. Physics In Medicine And Biology 2000. 45 (12) 3563-76

Sheridan PP, Loveland-Curtze J, Miteva VI, Brenchley JE. Rhodoglobus vestalii gen. nov., sp. nov., novel psychrophilic organism isolated from an Antarctic Dry Valley Lake. Int J Sys Evol Microbiol. 2003; 53(4):985-994.

Sherman RA, KW.Karstetter, M.Damiano, CB. EvanS. Stability of temperature asymmetries in reflex sympathetic dystrophy over time and changes in paIn. Clinical Journal Of Pain, 10: 71-77.1994

Sherman RA, Woerman A, Karstetter KW, May H. Prediction and portrayal of repetitive stress-induced lower limb pain disorders among soldiers in basic training using videothermography. Clinical Journal of Pain, 11:236-241.1995

Sherman RA, Woerman AL, Karstetter KW. Comparative effectiveness of videothermography contact thermography and infrared beam thermography for scanning relative skin temperature.Journal Of Rehabilitation Research And Development 33 (4): 377-386. 1996

Sherwood ER. Enoh VT. Murphey ED. Lin CY. Mice depleted of CD8+ T and NK cells are resistant to injury caused by cecalligation and puncture. Lab Invest 2004;84(12): 1655-1665.

Shetlar MD. Basus VJ. Falick AM. Mujeeb A. The cyclobutane di- mers of 5-methylcytosine and their deamination products. Photochem Photobiol Sci 2004; 3(10): 968-979.

Shetty V, Gratt BM, Flack V. Thermographic assessment of reversible inferior alveolar nerve deficit.Journal of Orofacial Pain, 8: 375-383.1994

Shetty V. Thermographic imaging of postoperative inflammation modified by anti- inflammatory pretreatmenT. Discussion. Journal of Oral and Maxillofacial Surgery 2001, 59(2): 149-150

Shevelev IA, EN Tsicalov, KP Budko, GA Sharaev, AM GorbacH. Dynamic infrared functional mapping of the cerebral cortex. Biomed Sci 1:571-577. 1990

Shevelev IA, Tsicalov EN, Gorbach AM, Budko KP, Sharaev GA. Thermoimaging of the braIn. Journal of Neuroscience Methods, 46: 49-57. 1993

Shevelev IA, Tsicalov EN.Fast thermal waves spreading over the cerebral cortex..Neuroscience 76 :2. 531-40 1997

Shevelev IA, Tsykalov EN, Sharaev GA, Gorbach AM, Budko KN.Bystrye termovolny, rasprostraniaiushchiesia po kore mozga pri zritel´noi stimuliatsii.(Rapid thermal waves propagated through the cerebral cortex during stimulation). Neirofiziologiia 21 (4): 467-475. 1989

Shevelev IA. Functional imaging of the brain by infrared radiation/thermoencephaloscopy. Progress In Neurobiology 1998. 56(3): 269-305.

Shevelev IA. Temperature topography of the brain corteX. thermoencephaloscopy.Brain Topography, 5: 77-85. 1992

Shevenell AE. Kennett JP. Lea DW. Middle Miocene Southern Ocean cooling and antarctic cryosphere expansion. Science. 2004; 305(5691) 1766-1770.

Shi J-M. Liu Q-Y. Xu W. Meng L. Cheng P. Zhao B. Yu W-T. Syntheses, crystal structures, and magnetism of one-dimensional com- plexes generated from copper(II) and carbamyldicyanomethanide brid- ging ligand. Can J Chem. 2004; 82(3): 483-489.

Shi Y, Witte RS, Milas SM, Neiss JH, Chen XC, Cain CA, O'Donnell M. Microwave-induced thermal imaging of tissue dielectric properties. Ultrasonic Imaging. 2003; 25(2):109-121.

Shi Z-L. Du X-K. Wang Y-P. Analysis of calcium polyphos- phate/poly (L-lactic acid) cartilage tissueEngin scaffold composite. Zhongguo Linchuang Kangfu. 2004; 8(17): 3373-3375.

Shibasaki M, Kondo N, Tominaga H, Aoki K, Hasegawa E, Idota Y, Moriwaki T. Continuous measurement of tympanic temperature with a new infrared method using an optical fiber. Journal Of Applied Physiology 1998. 85 (3): 921-6.

Shibasaki M. Sakai M. Oda M. Crandall CG. Muscle mechano- receptor modulation of sweat rate during recovery from moderate exercise. J Appl Physiol. 2004; 6(6): 2115-2119.

Shibata H, M.Hirohata, Y.Shibata, T.Yamamoto, A.MatsuokA. Seasonal Change in Skin Temperature in Diabetic Patients with Penpheral Cir- culatory Disturbance. (abstract). Biomed Thermol 15: 46. 1995

Shibata H, T. Yamamoto, A. MatsuokA. Seasonal Change of Skin Temperature in Diabetic Patients with Peripheral Circulatory Disturbance. Biomed Thermol 15: 168-175. 1995

Shibata S, Kishi Y, Murashige N, Kami M. The lower pole of the earlobe is an alternative site for painless blood sampling in the self- assessment of blood glucose concentrations. Intern Med. 2004; 3(9): 787-91.

Shih JKC, Kogut M, Delpak R, Hu CW, Plassmann P, Wawrzynek A. NDT Damage Detection Using Thermography for Metallic and Cementitious Materials Used in Construction Industry (abstract). Thermol intern 2000, 10 (1):34.

Shih JKC, Wawrzynek A, Kogut M, Delpak R, Hu CW, Plassmann P.Thermomechanical Properties Calibration for Construction Industry Cementitious Material Using Infrared Camera and Conventional Methods (abstract). Thermol intern 2000, 10 (1):28

Shih T-S, Wang P-Y, Chen C-Y, Smith TJ, Hu Y-PI. Measurement of percutaneous uptake of 2-methoxy ethanol vapor in humans. Journal of Occupational and Environmental Medicine 2000: 42(5): 475-482

Shikana M, S. Kawashima, N. Imai, S. Goto, A. Takagi, F. Sugita, K. IshigO.Cold Stress Test in Diabetic Patients. Biomed Thermol 15: 99-103. 1995

Shikano M, Murakami K, Tomita M, Hasegawa M, Sugiyama S, Sobajima H. 486 Computer-assisted thermography can predict the high-risk patients of diabetic foot. IN. Hutten H, Krösel P, eds. Proceedings Part II, EMBEC´02. 2.European Medical & Biological Engineering Conference. IFMBE, Graz, 2002. pp.1628-1629

Shikano M, N.Imai, S.Goto, A.Takagi, F.Sugita, K.IshigO. Cold Water Challenge Test in Diabetic Patients. (abstract). Biomed Thermol 15: 19. 1995

Shiloh R, Bodinger L, Katz N, Sigler M, Stryjer R, Hermesh H, Munitz H, Weizman A. Lower corneal temperature in neuroleptic-treated vs. drug-free schizophrenia patients. Neuropsychobio. 2003; 48(1):1-4.

Shiloh R, Portuguese S, Bodinger L, Katz N, Sigler M, Hermesh H, Munitz H, Weizman A. Increased corneal temperature in drug-free male schizophrenia patients. Eur Neuropsycho- pharm. 2003; 13(1):49-52.

Shimuta T-R. Nakano K. Yamaguchi Y. Ozaki S. Fujimitsu K. Matsunaga C. NoguchiK. Emoto A. Katayama T. Novel heat shock protein HspQ stimulates the degradation of mutant DNA A protein in Escherichia coli. Genes to Cells. 2004; 9(12): 1151-1166.

Shin HT, Shin SU, Song JC, Chung SH, Lee JS, Kim SS, Shin HD. Diagnostic Efficacy of Thermography in Lumbar Disc Herniation with Radiculopathy. J Korean Med Thermol 2002, 2(1):78-79

Shin JB, You S, Lee SK. Usefulness of Digital Infrared Thermal Imaging (DITI) in Evaluation of PaIn. J Korean Med Thermol 2002, 2(1):70

Shindo H. Tawata M, Aida K, Onaya T. Clinical efficacy of a stable prostacyclin analog, iloprost, in diabetic neuropathy. Prostaglandins 41:85-96. 1991

Shine R. Does viviparity evolve in cold climate reptiles because pregnant females maintain stable (not high) body temperatures? Evo- lution Int J Org Evolution. 2004; 8(8):1809-18.

Shine TSJ. Murray MJ. Intraoperative management of aortic aneu- rysm surgery. Anesthesiol Clin North Am 204; 22(2): 289-305.

Shioyama H, Yamada Y, Ueda A, Kobayashi T.Screening of carbon supports for DMFC electrode catalysts by infrared thermo graphy, Carbon, 2003; 41 (3) 607-609.

Shioyama H. Particles of palladium hydride dispersed in the graphite matrix, Carbon, 2003; 41, (14): 2882-2884

Shiozawa Z, K,Ohashi, M.Mineno, K,.Shindo, M.IrikI. Thermography in Aged Individuals with Chronic Cerebrovascular Diseases.(abstract). Biomed Thermol 15: 23. 1995

Shipkova M, Armstrong VW, Oellerich M, Wieland E. Acyl glucuronide drug metabolites: Toxicological and analytical implications. Ther Drug Mon. 2003; 25(1):1-16.

Shipp NJ, Scroop GC, Jackson SC, Holmes MD, Thornton AT, Gore CJ. Rectal temperature correction overestimates the frequency of exercise-induced hypoxemia. Med Sci Sports Exerc. 2004; 36(7):1111-6.

Shirabe H, K.Takagi, T.KawatsU. Combinalion of Infrared Therrnography with Color Doppler Ultrasonography in Patients with Peripheral Circulatory Disturbance and Skin Ulcers. (abstract). Biomed Thermol 15: 45. 1995

Shirabe H. , K. Takagi, T. KawatsU. Combination of Infrared Thermography with Color DopplerUltrasonography in Patients with Peripheral Circulatory Disturbance and Skin Ulcers. Biomed Thermol 15: 163-167. 1995

Shiratori T. Fujisawa T. Ichino T. Mitono Y. Inokuti M. Ohata J. Anaesthetic management of a patient with the intracardiac extension of Wilms' tumour. Paed Anaesthesia. 2004; 14(4)361-364. .

Shirkura T, Tamura K, Fujiwara T, Akiyama Y.Effect of sodium sulfate.sodium bicarbonate bathing on body surface. temperature cutaneous blood flow and circadian variation in blood pressure.Journal of Japanese Association of Physical Medicine Balneology and. Climatology 594 :230-235. 1996

Shitzer A, Stroschein LA, Gonzalez RR, Pandolf KB. Lumped-parameter tissue temperature-blood perfusion model of a cold- stressed fingertip. Journal of Applied Physiology 80:1829-1834. 1996

Shlygin GK, Lindenbraten LD, Gapparov MM, Vasilevsaia LS. Radiothermometric research of tissues during the initial refelx period of the specific dynamic action of food. Med Radiol (Mosk) 36:10-12. 1991

Shrake A, Ross PD. Origins and consequences of ligand-induced multiphasic thermal protein denaturation. Biopolymers 32:925-940. 1992

Shreve SM, Kelty JD, Lee RE Jr. Preservation of reproductive behaviors during modest cooling: rapid cold-hardening fine-tunes orga- nismal response. J Exp Biol. 2004; 07(Pt 11):1797-802.]

Shuman AJ. The accuracy of infrared autiditory canal thermometry in infants and children. Clinical Pediatrics 32:347-354. 1993

Shuran M , Nelson RA. Quantitation of energy expenditure by infrared thermography. Am J Clin Nutr 53: 1361-1367. 1991

Siauve N. Nicolas L. Vollaire C. Marchal C. Optimization of the sources in local hyperthermia using a combined finite element-genetic algorithm method. Int J Hyperthermia. 2004; 20(8): 815-833.

Siddiqui KS. Bokhari SA. Afzal AJ. Singh S. A novel thermo- dynamic relationship based on Kramers theory for studying enzyme kinetics under high viscosity. IUBMB Life. 2004; 6(7): 403-407.

Side´lnikov IuN, Toshchenko EG. Termometriia kak metod otsenki sostoianiia perifericheskoi nervnoi sistemy u bo'lnykh gemorragicheskoi likhoradkoi s pochechnym sindromom. (Thermometry as a method of evaluating the status of the peripheral sympathetic nervous system in patients with hemorrhagic fever with nephrotic syndrome).SO. Klin Med (Mosk), 67 (10): 105-107.1989

Sidorenko LV, Koval' DE. IR-termografiia v otsenke effektivnosti lecheniia bol'nykh s sheinom osteokhondrozom metodom manual'noi terapii.(IR thermography in the evaluation of the effectiveness of treating patients with cervical osteochondrosis by manual therapy). Ortop Travmatal Protez (12): 28-31. 1989

Siebert H-C, Andre S, Vliegenthart JFG, Gabius H-J, Minch MJ. Suitability of binary mixtures of water with aprotic solvents to turn hydroxyl protons of carbohydrate ligands into con- formational sensors in NOE and transferred NOE experiments. J Biomolecular NMR. 2003; 25(3):197-215.

Siebert J, Rogowski J, Anisimowicz L, Kaczmarek M, Brzezinski M, Narkiewicz M. Intraoperative thermal angiographY. Flow evaluation in the internal mammary artery during coronary artery grafting procedures. Kardiologia Polska 1999, 50(4):322-30.

Siebert J, Keita L, Kaczmarek M, Anisimowicz L, Rogowski J, Narkiewicz M. Application of intraoperative thermography in coronary artery bypass grafting without extracorporeal circulation - clinical report. Med Sci Monit 2001. 7(4) 766-70

Siebert W, C.Böck, B.Siebert, C.J.WirtH. Das lumbale Wurzelkompressions-Syndrom im infrarotthermographischen Bild, ThermoMed 6:20-23. 1990

Siebert W, D.Kohn, C.J.WirtH. Thermographische Aspekte bei der orthopädischen UIntersuchung des Kniegelenks, ThermoMed 6:17-19. 1990

Sieck GC. Commentary J Appl Physiol 2002, 92: 2656.

Siegenthaler MA, Vu DH, Ebnother M, Ketterer N, Luthi F, Schmid P, Bargetzi M, Gasparini D, Tissot JD. 'Agglutination and flocculation' of stem cells collected by apheresis due to cryofibrinogen. Bone Marrow Transplant. 2004; 3(7):765-7.

Sievert U, Pau HW, Weidemann T. Das 'Ohr-Fieberthermometer' - Untersuchungen zur Ohrthermographie [Experiments in infrared ear thermometry]. Laryngo- Rhino- Otologie 1999, 78/7: 397-400.

Sigman DM, Jaccard SL, Haug GH. Polar ocean stratification in a cold climate. Nature. 2004; 28(6978):59-63.

Sikorski R, Smaga A, Paszkowski T, Walczak R. Analiza obrazow termograficznych sromu oraz szyjki macicy--doniesienie wstepne.[Infrared thermographic imaging of normal vulva and uterine cerviX. a preliminary report]. Ginekologia Polska 1998. 69 (1)2: 1268-72.

Silva MA, Rino JP, Monteil A, Ribeiro SJ, Messaddeq Y. Mole- cular dynamics simulation on devitrification: isothermal devitrification and thermodynamics of PbF(2) glasses. J Chem Phys. 2004; 121(15): 7413-20.

Silverman BG, Daley WR, Rubin JD. The use of infrared ear thermometers in pediatric and family practice offices. Public Health Reports 113(3): 268-272. 1998

Silvestre MA, Sanchez JP, Gomez EA. Vitrification of goat, sheep, and cattle skin samples from whole ear extirpated after death and maintained at different storage times and temperatures. Cryobiology. 2004; 9(3):221-229.

Sim JH. Diagnostic Significance of Digital Infrared Thermographic Imaging after Cerebrovascular Stroke. J Korean Med Thermol 2002, 2(1):75

Simkhovich BZ, Hale SL, Kloner RA. Metabolic mechanism by which mild regional hypothermia preserves ischemic tissue. J Cardio- vasc Pharmacol Ther. 2004; (2):83-90.

Simmons JW, Harris WP, Koulisis CW, Kimmich SJ. Intravenous colchicine for low back paIn. a double blind study. Spine 15 :716-717.1990

Simmons NA, Gurrola H. Multiple seismic discontinuities near the base of the transition zone in the Earth's mantle. Nature 2000, 405(6786): 559-562

Simpkins SA , AM Heath, CB Navarre, DG Pugh, J Barnett, DD Pascoe, RC PurohiT. Effects of Heat Stress on Thermal Patterns of Lama Pacos (abstract).European Journal of Thermology 8: 121 , 1998

Simpson HW. Sir James Young Simpson Memorial Lecture 1995. Breast cancer prevention, a pathologist's approach. Journal Of The Royal College Of Surgeons Of Edinburgh 41 /6: 359-370. 1996

Simpson R, McEvoy H. Med infrared radiation thermometry – traceability and calibration. (abstract). Thermol int 2004, 14(4): 146

Sinatra BA. Neuromusculoskeletal ThermographY. An overview of its clinical usefulness. Journal of Neurological and Orthopaedic Medicine and Surgery 15:7-9.1994/

Sinclair BJ, Klok CJ, Chown SL. Metabolism of the sub-Antarctic caterpillar Pringleophaga marioni during cooling, freezing and thawing. J Exp Biol. 2004; 07(Pt 8):1287-94.

Singer D, Aumann C, Schröder M, Benninghoff U Prevention of Hypothermia in Preterm NeonateS. Benefits of Water-Filtered IR Radiation. Thermol intern 2001, 11(2):83

Singer SF. Global warming data (3) Nature 2001, 409(6818): 281

Singh AK, Moros EG, NovP, Straube W, Zeug A, Locke JE, Myerson RJ. MicroPET-compatible, small animal hyperthermia ultrasound system (SAHUS) for sustainable, collimated and controlled hyperthermia of subcutaneously implanted tumours. Int J Hyperthermia 2004; 20(1): 2-44.

Singh B, Fu C, Bhattacharya J. Vascular expression of the alpha(v)beta(3)-integrin in lung and other organs. Am J Physiol Lung Cell Mol Physiol. 2000,278(1):L217-26.

Singh B. Sapra R. Gupta RK. Kachru R. Ghose T. Kaul U. Pace Mapping for the Localization of Focal Atrial Tachycardia Arising Near theMitral Annulus. Indian Heart J. 2004; 56(1): 58-60.

Singh G, Bhinder HS. Closed chamber thermometry and humidity measurements in normal and dry eye patients: pilot study. Eur J Ophthalm. 2003; 13(4):343-350.

Singh M, Pai M, Kalantri SP. Accuracy of perception and touch for detecting fever in adults: hospital-based study from rural, tertiary hospital in Central India. Trop Med Int Health. 2003; 8(5):408-414.

Singh S. Singh J. Dermal toxicity and microscopic alterations by JP-8 jet fuel components in vivo in rabbit. Environ Toxicol Pharmacol. 2004. 16(3)153-161.

Sinha PK, Acharya AK, Roy SK. Synthesis of some new oxovanadates containing two hetero atoms. Journal of the Indian Chemical Society 2000. 77 (3):164-5

Sinha PS. Schioth HB. Tatro JB. Roles of the melanocortin-4 receptor in antipyretic and hyperthermic actions of centrally administe- red a-MSH. Brain Res. 2004; 1001(1-2)150-158.

Siniewicz K, Wiecek B, Baszczynski J. The use of thermography in children with orthostatic disorders of the cardiovascular system – a new diagnostic method . Thermol intern 2001, 11(2):92

Siniewicz K, Wiecek B, Baszczynski J, Zwolenik S. Thermal imaging before and after physical exercises in children with orthostatic disorders. Thermol intern 2002. 12: 61-62

Siniewicz K, Wiecek B, Baszczynski J, Zwolenik S. Thermal imaging before and after physial exercises in children with orthostatic disorders of the cardiovascular system. Thermol intern 2002. 12: 139-146

Siniewicz K, Wiecek B, Baszczynski J, Zwolenik S. Use of Thermal Imaging in Children with Orthostatic Cardiovascular DisorderS.A New Method of Diagnosis. Thermol intern 2001: 11(4):168-175

Sipe K. Leventhal L. Burroughs K. Cosmi S. Johnston GH. Deecher DC. Serotonin 2A receptors modulate tail-skin temperature in two rodent models of estrogen deficiency-related thermoregulatory dysfunction. Brain Res. 2004. 1028(2)191-202.

Siperstein A, Garland A, Engle K, Rogers S, Berber E, Foroutani A, String A, Ryan T, Ituarte P. Local recurrence after laparoscopic radiofrequency thermal ablation of hepatic tumors. Ann Surg Oncol. 2000,7(2):106-13.

Sissons GRJ. Investigation of suspected lower limb venous thrombosis. Annals of the Royal College of Surgeons of England 1998; 80(1): 49-54.

Sitnikov VP, Egorova TA. Termograficheskie i rinoreograficheskie parallele v klinicheskoi diagnostike vospalitel'nykh zabolevanii okolonosovykh pazukh. (Thermographic and rhinorheographic parallels in clinical diagnosis of inflammatory diseases of paranasal sinuses). Vestn Otorinolaringol 1989, (4) 53-56.

Sivagnanam G. Iatrogenic uneasiness and fast forward ventricular ectopics. Indian J Pharmacol. 2004;36(2): 106-107.

Sivarajan V. MacKay IR. The relationship between location, color, and vessel structure within capillary vascular malformations. Annf Plastic Surg. 2004; 53(4): 378-381.

Sivaramakrishnan R. Tranter RS. Brezinsky K. High-pressure, high-temperature oxidation of toluene. Combust Flame. 2004;139(4): 340-350

Skanes AC, Klein GJ, Krahn AD, Yee R. Advances in energy delivery. Corony Art Dis. 2003; 14(1):15-23.

Skanes AC. Jones DL. Teefy P. Guiraudon C. Yee R. Krahn AD. Klein GJ. Safety and feasibility of cryothermal ablation within the mid- and distalcoronary sinus. J Cardiovasc Electrophysiol. 2004; 15(11): 1319-1323.

Skarsoulis EK, Send U, Piperakis G, Testor P. Acoustic thermo- metry of the western Mediterranean basin. J Acoust Soc Am. 2004; 116(2):790-8.

Skoromets AA, Nikitina VV. (Magnetic stimulation in restorative therapy of patients with spondylogenic diseases of nervous system). Zhurnal Nevrologii I Psikhiatrii Imeni S.S. Korsakova 97(1)2: 28-31. 1997

Slager J, Domb A.J. Heterostereocomplexes prepared from D-poly(lactide) and leuprolide.I.Chracterization. Biomacromol.2003; 4(5):1308-1315.

Slama K. Mechanical aspects of heartbeat reversal in pupae of Manduca sexta. J Insect Physiol. 2003; 49(7): 645-57.

Slama K. Extracardiac versus cardiac haemocoelic pulsations in pupae of the mealworm (Tenebrio molitor L.). J Insect Physiol. 2000,46(6):977-992

Slavnov VN, VV.Markov, EV Luchitskii, VA Oleinik,VM RudichenkO.(Use of liquid-crystal contact thermography in the differential diagnosis of hypothalamo-hypophyseal diseases) .Klinicheskaia Meditsina 73: 62. 1995

Slepchuk NA. Restoration of the functions of the respiratory center in rats after total coldparalysis. Neurosci Behav Physiol. 34(5): 453-457. 2004;

Sleptsov VP, Astakhova IR, Astakhov AA. Distantsionnaia termografiia pri obsledovanii detei posle orkhipeksii. (Telethermography in the examination of children following orchiopexy). Khirurgiia, (11-12): 56-7. 1992

Slim K. Millat B. Routine or selective intraoperative cholangio- graphy during laparoscopiccholecystectomy. Annal Chirurgie. 129(9): 518-520. 2004;

Slobodkin AI, Tourova TP, Kostrikina NA, Chernyh NA, Bonch-Osmolovskaya EA, Jeanthon C, Jones BE. epidibacter thalassicus gen. nov., sp. nov., novel moderately thermophilic, anaerobic, fermentative bacterium from deep-sea hydrothermal vent. Int J Sysc Evol Microbiol. 2003; 53(4):1131-1134.

Slotboom J, Kiefer C, Brekenfeld C, Ozdoba C, Remonda L, Nedeltchev K, Arnold M, Mattle H, Schroth G. Locally induced hypo- thermia for treatment of acute ischaemic stroke: a physical feasibility study. Neuroradiology. 2004; 46(11):923-34.

Sluka KA, HH. Jordan, KN. WestlunD. Reduction in joint swelling and hyperalgesia following post-treatment with a non-NMDA glutamate receptor antagonist. Pain 59:95-100.1994

Sluka KA, NB.Lawand, KN.WestlunD. Joint inflammation is reduced by dorsal rhizotomy and not by sympathectomy or spinal cord transection. Annals of the Rheumatic Diseases 53: 309-314. 1994

Sluka KA, WD.Willis, KN.WestlunD. Joint inflammation and hyperalgesia are reduced by spinal bicuculline. Neuroreport 5:109-112.1993/

Smaga A, Paszkowski T, Wozniak S, Walczak R. [In Process Citation] Ginekol Pol. 2003 Sep;74(9):847-54.

Smaglik P. US climate report underlines local impacts of warming. Nature 2000, 405(6788): 725

Smart DR. Exposure to elevated carbon dioxide concentration in the dark lowers the respiration quotient of Vitis cane wood. Tree Physiol. 2004; 24(1):115-20.

Smejkal GB, Shainoff JR, Kottke-Marchant KM. Rapid high-resolution electrophoresis of multimeric von Willebrand Factor using a thermopiloted gel apparatus. Electrophor. 2003; 24(4):582-587.

Smichowski P, Farias S, Valiente L, Iribarren ML, Vodopivez C. Total arsenic content of nine species of Antarctic macro algae as determined by electrothermal atomic absorption spectrometry. Anal Bioanal Chem. 2004; 378(2):465-9.

Smirnov VE, Lavreshin PM. Possibilities of liquid crystal thermography in the diagnosis of acute paraproctitis. Vestn Khir 145(1)0:37-41. 1990

Smirnov VE, Lavreshin PM. Zhidkokristallicheskaia termografiia v vybore metoda operatsii pri epitelial'nom kopchikovom khode. (Liquid-crystal thermography in selecting the method for surgery in epithelial coccygeal cysts). Vestnik Khirurgia Imeni I. I. Grekova, 148: 99-100. 1992

Smirnov VE, PM. Lavreshin, IE. Vartanov, VK .GobedzhishvilI. Diagnosis and treatment of acute paraproctitis. Khirurgiya 71(2):21-23.1995

Smirnov VE, Vartanov IE, Lavreshin PM. Diagnostika zadnenizhneqo poddiafragmal'nogo abstsessa s ispol'zc zhidkokristallicheskoi termografii. (Diagnosis of postero-inferior subdiaphragmatic abscess using liquid crystal thermography). Klin Khir (1): 72. 1990

Smith DL, Fehling PC. Reliability of infra-red tympanic thermometry (ITT). Aviation Space and Environmental Medicine 67:272-274. 1996

Smith E, Skelton M, Kremer D, Purohit RC, Pascoe D. Temperature and metabolic response to exercise in heat wearing different fabrics. Proc 19th Annual Meeting of Southeast Regional Chapter of Am College of Sports Medicine, Feb 1.1992, pp 98. 1992

Smith GM, Clayton BR. Inspection of a lightning-damaged wind turbine blade. IN. Hunter R (ed): Wind Energy Conversion 1997. Mechanical Engineering Publ, Suffolk, pp. 149-165. 1997

Smith J. Are electronic thermometry techniques suitable alternatives to traditional mercury in glass thermometry techniques in the paediatric setting? Journal Of Advanced Nursing 1998. 28/5: 1030-9.

Smith J.W, Molloy J.M, Pascoe D.D, Purohit R.C.The Influence of Thermal Skin Responses to Protective Barrier Clothing. Thermol intern 2001, 11(3): 137.

Smith JC, Siu KW, Rafferty SP. Collisional cooling enhances the ability to observe non-covalent interactions within the inducible nitric oxide synthase oxygenase domain: dimerization, complexation, and dissociation. J Am Soc Mass Spectrom. 2004; 15(5): 629-38.

Smith JW, Kovacs MS, Strecker E, Purohit RC, Pascoe DD Reliabiity and validity of thermographic imaging in work Physiol (ab- stract). Thermol int 2004, 14(3): 111.

Smith JW, Molloy JM, Purohit RC, Pascoe DD. Infrared Thermography In Sports Medicine. (abstract). Thermol int 2003,13, 37

Smith LS Reexamining age, race, site, and thermometer type as variables affecting temperature measurement in adults — A comparison study. BMC Nurs, 2003; 2(1): 1.

Smith LS. Temperature measurement in critical care adults: a comparison of thermometry and measurement routes. Biol Res Nurs. 2004; 6(2):117-25.

Smith MP, Beacham D, Ensor E, Koltzenburg M. Cold-sensitive, menthol-insensitive neurons in the murine sympathetic nervous system. Neuroreport. 2004; 15(9):1399-403.

Smith NB, Buchanan MT, Hynynen K. Transrectal ultrasound applicator for prostate heating monitored using MRI thermometry. International Journal Of Radiation Oncology, Biology, Physics 1999. 43 (1): 217-25.

Smith NB, Merrilees NK, Dahleh M, Hynynen K Control system for an MRI compatible intracavitary ultrasound array for thermal treatment of prostate disease. International Journal Of Hyperthermia 2001. 17 (3) 271-82

Smith PA, MacDonald S. Gas chromatography using a resistively heated column with mass spectrometric detection for rapid analysis of pyridine released from Bacillus spores. J Chromatogr A. 2004; 1036(2): 249-53.

Smith S, Juneja V, Schaffner DW. Influence of several metho- dological factors on the growth of Clostridium perfringens in cooling rate challenge studies. J Food Prot. 2004; 67(6): 1128-32.

Smith S, Schaffner DW. Evaluation of a Clostridium perfringens predictive model, developed under isothermal conditions in broth, to predict growth in ground beef during cooling. Appl Environ Microbiol. 2004; 70(5): 2728-33.

Smith S, Schaffner DW. Evaluation of a predictive model for Clostridium perfringens growth during cooling. J Food Prot. 2004; 67(6):1133-7.

Smitz S, Giagoultsis T, Dewe W, Albert A.Comparison of rectal and infrared ear temperatures in older hospital inpatients. J Am Geriatr Soc. 2000,48(1):63-6.

Smolander J, Kuklane K, Gavhed D, Nilsson H, Holmer I. Effectiveness of a light-weight ice-vest for body cooling while wearing fire fighter's protective clothing in the heat. Int J Occup Saf Ergon. 2004; 10(2): 111-7.

Smriga M, Murakami H, Mori M, Torii K Use of thermal photography to explore the age-dependent effect of monosodium glutamate, NaCl and glucose on brown adipose tissue thermogenesis. Physiology And Behavior 2000. 71 (3-4) 403-7

Snellen JW. An improved estimation of mean body temperature using combined direct calorimetry and thermometry. Eur J Appl Physiol. 2000,82(3):188-96.

Snider GL. Nosology for Our Day: Its Application to Chronic Obstructive Pulmonary Disease. Am J Respir Crit Care Med 2003; 167: 678 - 683.

Snyder JR.. Waldsmith JK.Combined Diagnostic Imaging in Equine Veterinary Medicine (abstract). Thermol intern 1999, 9(3): 117.

Snyder WE, Qi H, Elliott RL, Head JF, Wang CX. Increasing the effective resolution of thermal infrared images. IEEE Eng Med Biol Mag. 2000,19(3):63-70.

Snyder, W. E, C. WanG. Improving the Resolution of Infrared Images of the Breast. Proc 1996 IEEE Engineering in Medicine & BiologY. 1058-1059. 1996

So YT, Aminoff MJ, Olney RK. The role of thermography in the evaluation of lumbosacral radiculopathy.Neurology 39 (9): 1154-1158. 1989

So YT, Olney RK, Aminoff MJ. A comparison of thermography and electromyography in the diagnosis of cervical radiculopathy. Muscle Nerve 13:1032-1036. 1990

Soares DD, Lima NRV, Coimbra CC, Marubayashi U. Intra- cerebroventricular tryptophan increases heating and heat storage rate inexercising rats. Pharmacol Biochem Behavior. 2004; 78(2): 255-261.

Socolinsky DA, Selinger A, and Neuheisel JD. Face recognition with visible and thermal infrared imagery*1, Comput Vision Image Understand, 2003; 91, (s 1-2): 72-114.

Söderberg BCG. Transition metals in organic synthesis: highlights for the year 2000, Coordin Chem Rev, 2003; 241, (s 1-2): 147-247.

Soderstrom G. Marklund S. Formation of PBCDD and PBCDF during Flue Gas Cooling. Environ Sci Technol. 2004; 38(3)825-830.

Soderstrom J, Pilcher L, Galbe M, Zacchi G. Combined use of H2SO4 and SO2 impregnation for steam pretreatment of spruce in ethanol production. App Biochem Biotech. 2003; 105-108:127-140.

Sodian R, Sperling JS, Martin DP, Egozy A, Stock U, Mayer JE Jr, Vacanti JP. Fabrication of a trileaflet heart valve scaffold from a polyhydroxyalkanoate biopolyester for use in tissue engineering. Tissue Eng. 2000,6(2):183-8.

Sofuoglu A. Cetin E. Bozacioglu SS. Sener GD. Odabasi M. Short-term variation in ambient concentrations and gas/particle parti- tioning of organochlorine pesticides in Izmir, Turkey. Atmospheric Environ. 2004; 38(27): 4483-4493.

Sojak L. Addova G. Kubinec R. Kraus A. Bohac A. Capillary gas chromatography-mass spectrometry of all 93 acyclic octenes andtheir identification in fluid catalytic cracked gasoline. J Chromat. A. 2004; 1025(2): 237-253.

Sokka SD, Hynynen KH The feasibility of MRI-guided whole prostate ablation with a linear aperiodic intracavitary ultrasound phased array. Physics In Medicine And Biology 2000. 45 (11) 3373-83

Sokka SD, King R, Hynynen K. RI-guided gas bubble enchanced ultrasound heating in in vivo rabbit thigh. Phys Med Biol. 2003; 48(2):223-241.

Sokol W. Korpal W. Determination of the optimal operational parameters for a three-phase fluidisedbed bioreactor with a light bio- mass support when used in treatment of phenolic waste waters. Bio- chemical Engin J. 2004; 20(1): 49-56.

Sokolova IM.Cadmium effects on mitochondrial function are en- hanced by elevated temperatures in a marine poikilotherm, Crassostrea virginica Gmelin (Bivalvia: Ostreidae). J Exp Biol. 2004; 207(Pt 15): 2639-48.

Sokolova TG. Gonzalez JM. Kostrikina NA. Chernyh NA. Slepova TVBonch-Osmolovskaya EA. Robb FT. Thermosinus carbo- xydivorans gen. nov., sp. nov., a new anaerobic, thermophilic, carbon- monoxide-oxidizing,

hydrogenogenic bacterium from a hot pool of Yellowstone National Park. Int J Syst Evolut Microbiol. 2004; 54(6): 2353-2359.

Sokolovich A.G. L.A.Mekshina, L.P.Vaks, O.V.Slesarenko, V.V.Shiryaev, V.P. VaviloV. potentials of infrared thermography in evaluating pathology of the lower extremities blood flow. IN. Benkö I, A.Balogh, I.Kovacsics, I Lovak(eds): Abstracts of the 10th International Conference on Thermogrammetry and Thermal Engineering in Budapest 18-20. June 1997. MATE, Budapest, p, 199-200.1997

Solanki SK, Usoskin IG, Kromer B, Schussler M, Beer J. Unusual activity of the Sun during recent decades compared to the previous 11,000 years. Nature. 2004; 431(7012):1084-7.

Soldan P, Hutson JM. Interaction of NH(X3Sigma-) molecules with rubidium atoms: implications for sympathetic cooling and the formation of extremely polar molecules. Phys Rev Lett. 2004; 92(16): 163202.

Soller EC, Hoffman GT, McNally-Heintzelman KM. Optimal parameters for arterial repair using light-activated surgical adhesives. Biomed Sci Instrum. 2003; 39:18-23.

Solomon RA. Brain and systemic temperature in patients with severe subarachnoid hemorrhage: Commentary. Surg Neurol. 2003; 60(2):164.

Solomon SB, Nicol TL, Chan DY, Fjield T, Fried N, Kavoussi LR. Histologic e2003; ution of high-intensity focused ultrasound in rabbit muscle. Invest Radiol. 2003; 38(5):293-301.

Soltero JFA, Gonzalez-Alvarez A, Puig JE, Manero O, Sanchez-Rubio M, Schulz PC, Rodriguez JL. Phase and rheological behavior of the allyldimethyldodecylammonium bromide/water system. Colloids and Surfaces A. Physicochemical and Engineering Aspects 1998, 145(1)-3: 121-32.

Solun MN, AI LiaifeR. Acupuncture in the treatment of diabetic angiopathy of the lower extremities.Probl Endokrinol(Mosk) 37:20-23. 1991

Sommer SG, Sogaard HT, Moller HB, Morsing S Ammonia volatilization from sows on grassland. FEMS Microbiology Ecology 2001, 35(1): 2023-2032

Son IH, Lane AM, Johnson DT.The study of the deactivation of water-pretreated Pt/-Al2O3 for low-temperature selective CO oxidation in hydrogen, J Power Sources, 2003; 124, (2): 415-419.

Song GJ, Kim KH, Seo YC, Kim SC. Characteristics of ashes from different locations at the MSW incinerator equipped with various air pollution control devices. Waste Manag. 2004;24(1): 99-106.

Song J, Xu LX, Lemons DE, Weinbaum S. Microvascular thermal equilibration in rat spinotrapezius muscle. Annals Of Biomedical Engineering 1999. 27(1): 56-66.

Song J, Xu LX,. Lemons DE, Weinbaum S. Experimental study of microvascular thermal equilibration in the rat spinotrapezius muscle. In. Proceedings of The First Joint BMES/EMBS Conference Serving Humanity, Advancing Technology, Atlanta, 1999, pp.1263

Song S, Xiao P. An impedance spectroscopy study of high- temperature oxidation of thermal barrier coatings, Mat Sci Eng B, 2003; 97, (1): 46-53

Sönmez B, Arbatli H, Tansal S, Yagan N, Ünal M, Demirsoy E, Tükenmez F, Yilmaz O. Real-time patency control with thermal coronary angiography in 1401 coronary artery bypass grafting patients, Eur J Cardio-Thor Surg, 2003; 24, (6):961-966

Sonna LA, Wenger CB, Flinn S, Sheldon HK, Sawka MN, Lilly CM. Exertional heat injury and gene expression changes: a DNA microarray analysis study. J Appl Physiol. 2004; 96(5):1943-53.

Sonoda M. Maeshiro C, Ishikawa K, Kono S. A Novel Survey of Tuberculin Teaction by Thermology. J Korean Med Thermol 2002, 2(1):58

Soong Y-Y. Barlow PJ. Antioxidant activity and phenolic content of selected fruit seeds. Food Chem. 2004; 88(3): 411-417.

Sorg BS, Welch AJ. Laser-tissue soldering with biodegradable polymer films in vitrO. Film surface morphology and hydration effects. Lasers in Surgery and Medicine 2001: 28(4): 297-306

Sorokina MN, AP.Zinchenko, RL.Bass, IuA. Rosin, VA.Khachatrian, LA.Alekseeva, VV.Mosenkov, RA.Nasyrov, SV.SergeeV. Subdural'nyi vypot pri bakterial'nykh meningitakh u detei. Zhurnal Nevropatologii I Psikhiatrii Imeni S. S. Korsakova, 93: 28-31.1993

Sosnowski P, Wieczorek A, Ledakowicz S. Anaerobic co-digestion of sewage sludge and organic fraction of municipal solid wastes. Adv Environ Res. 2003; 7(3):609-616.

Sotgiu ML, Castagna A., Lacerenza M., Marchettini P.. Pre-injury lidocaine treatment prevents thermal hyperalgesia and cutaneous thermal abnormalities in a rat model of peripheral neuropathy. Pain 61:3-10.1995

Souissi N, Sesboue B, Gauthier A, Larue J, Davenne D. Effects of one night's sleep deprivation on anaerobic performance the following day. Eur J App Physiol. 2003; 89(3-4):359-366.

Soukup J, Zauner A, Doppenberg EM, Menzel M, Gilman C, Young HF, Bullock R The importance of brain temperature in patients after severe head injurY. relationship to intracranial pressure, cerebral perfusion pressure, cerebral blood flow, and outcome. J Neurotrauma 2002, 19(5): 559-71. .

Southward AJ, Langmead O, Hardman-Mountford NJ, Aiken J, Boalch GT, Dando PR, Genner MJ, Joint I, Kendall MA, Halliday NC, Harris RP, Leaper R, Mieszkowska N, Pingree RD, Richardson AJ, Sims DW, Smith T, Walne AW, Hawkins SJ. Long-term oceanographic and ecological research in the Western english channel. Adv Mar Biol. 2004; 47:1-105.

Sowunmi A, Adedeji AA, Fateye BA, Babalola CP. Plasmodium falciparum hyperparasitaemia in children. Risk factors, treatment out- comes, and gametocytaemia following treatment. Parasite. 2004; 11(3): 317-23.

Sowunmi A, Akinbami FO. Body temperature in apparently healthy African childern under 10 years of age. Afr J Med Med Sci 20:97-99. 1991

Soylu A, Kavukcu S, Gunes D, Turkmen M, Gurc O. Evaluation of the effects of vesicoureteral reflux on urine temperature [2]. Pediat Nephrol. 2003; 18(7):724-725

Sparling PB, TK.Snow, ML.Millard-StafforD. Monitoring core temperature during exercisE. ingestible sensor vs. rectal thermistor. Aviation Space and Environmental Medicine 64:760-763. 1993

Speakman JR, Ward S. Infrared thermographY. principles and applications. Zoology-Analysis Of Complex Systems 1998, 101(3): 224-32.

Spear SL, Hess CL, Elmaraghy MW. Evaluation of abdominal sensibility after TRAM flap breast reconstruction. Plastic and Reconstructive Surgery 2000, 106(6): 1300-1304

Spearman L. Smith RM. Dube S. Monitoring effective column temperature by using shape selectivity andhydrophobicity and the ef- fects of mobile phase temperature. J Chromat A. 2004; 1060(1-2 Spec. Iss.): 147-151.

Specchiulli F, Mastrosimone N, Laforgia R, Solarino GB. Acute lesions of the lateral ligaments of the ankle.Clinical and radiographic review. Ital J Orthop Traumatol 17:261-268. 1991

Spees WM, Yablonskiy DA, Oswood MC, Ackerman JJH Water proton MR properties of human blood at 1.5 TeslA. Magnetic susceptibility, T(sub(1), T(sub(2)*, T(sub(2), and non-Lorentzian signal behavior . Magnetic Resonance in Medicine 2001, 45(4): 533-542

Spektor S. The Use of Thermography for Systematic Assessment of Disability in Chronic Pain Patients. (abstract). Thermol Österr 5: 115 1995

Spencer JR, Jessup KL, McGrath MA, Ballester GE, Yelle R. Discovery of gaseous S sub(2) in Io's Pele plume. Science 2000, 288(5469): 1208-1210

Spencer JR, Rathbun JA, Travis LD, Tamppari LK, Barnard L, Martin TZ, McEwen AS. Io's thermal emission from the Galileo photopolarimeter-radiometer. Science 2000, 288(5469): 1198-1201

Spicer JWM, Osiander R, Aamodt LC, Ben Givens R. Microwave thermoreflectometry for detection of rebar corrosion. IN. Medlock RD, Laffrey DC (eds), Structural Materials Technology III. SPIE Proceedings Series and NDT Conference Vol.3400. Bellingham, pp. 402-409. 1998

Spiegel J, Hansen C, Treede R-D. Clinical evaluation criteria for the assessment of impaired pain sensitivity by thulium-laser evoked potentials. Clinical Neurophysiology 2000: 111(4): 725-735

Spiesberger JL An updated perspective on basin-scale tomography. Journal of the Acoustical Society of America 2001, 109(4): 1740-1742

Spietz L, Lehnert KW, Siddiqi I, Schoelkopf RJ. Primary electronic thermometry using the shot noise of tunnel junction. Science. 2003; 300:1929-1932.

Spindler G. Muller K. Bruggemann E. Gnauk T. Herrmann H. Long-term size-segregated characterization of PM10, PM 2.5, and PM1 at the IfTRes station Melpitz downwind of Leipzig (Germany) using high and low-volumefilter samplers. Atmospheric Environ. 2004; 38(31): 5333-5347.

Spire MF, Drouillard JS, Galland JC, Sargeant JM. Use of infrared thermography to detect inflammation caused by contaminated growth promotant ear implants in cattle. Journal of the American Veterinary Medical Association, 215 (9) 1999, 1320-4

Spitzer A, Lang E., Birklein F, Claus D., Handwerker HO., Neundörfer B.. Thermographic recording of sympathetic reflexes in diabetics. Thermol Österr4:170. 1994

Spitzer A, Lang E, Birklein F, Claus D. Thermographic recording of sympathetic reflexes in diabetics. IN. Ammer K, EFJ Ring (eds): The Thermal Image in Medicine and Biology, Uhlen Verlag, Wien,pp. 136-139. 1995

Splinter R, Svenson RH, .Littmann L, Brucker GG, Chuang Chi Hui, Tuntelder JR,. Dezern KR, Thompson M, Nanney GA,. Tatsis GP. Myocardial temperatures during in vivo endocardial ND.YAG laser irradiation. Journal of Clinical Laser Medicine and Surgery 13:61-68.1995

Springer K. Things that make us think. Biomedical Instrumentation and Technology. 34(4): 240

Sprott H, Jeschonneck M, Grohmann G, Hein G. [Microcirculatory changes over the tender points in fibromyalgia patients after acupuncture therapy (measured with laser-Doppler flowmetry)]. Wien Klin Wochenschr. 2000,112(13):580-6.

Sreenivasa G, GellermannJ, Rau B, Nadobny J, Schlag P, Deuflhard P, Felix R, Wust P. Clinical use of the hyperthermia treatment planning system HyperPlan to predict effectiveness and toxicity, Int J Rad Onc Biol Phys, 2003; 55, (2):407-419

Sri R. Tanuwidjaja F. Rukayadi Y. Suwanto A. Thenawidjaja Suhartono M. Hwang JKPyun YR. Study of thermostable chitinase enzymes from Indonesian Bacillus K29-114. J Microbiol Biotech- nology. 2004; 14(4): 647-652.

Srinivasan H, Stumpe B. Value of thermal sensibility testing in leprosy diagnosis in the field - field trial of a pocket device.Lepr Rev, 60 (4): 317-326. 1989

Srivastava A, Kumar R, Joseph E, Kumar A. Heat exposure study in the workplace in a glass manufacturing unit in India. Annals of Occupational Hygiene 2000: 44(6): 449-453

Srivastava A, Liu X. Statistical hypothesis pruning for identifying faces from infrared images. Image Vision Comput, 2003; 21 (7): 651-661

Staals JE, de Krom MC, van der Geest S. [The hot summer of 2003: heat stroke in Maastricht] Ned Tijdschr Geneeskd. 2004; 148(26): 1269-72.

Stabel TJ. Fedorka-Cray PJ. Effect of 2-deoxy-D-glucose induced stress on Salmonella choleraesuis sheddingand persistence in swine. Res in Vet Science. 76(3): 187-194. 2004;

Stabentheiner A, Kovac H, Schmaranzer S Honeybee nestmate recognitioN. the thermal behaviour of guards and their examinees J. Exp. Biol. 2002, 205: 2637 - 2642.

Stabentheiner A, Pressl H, Papst T, Hrassnigg N, Crailsheim K Endothermic heat production in honeybee winter clusters J. Exp. Biol. 2003, 206: 353 - 358.

Stabentheiner A, Pressl H, Papst T, Hrassnigg N, Crailsheim K. Endothermic heat production in honeybee winter clusters J Exp Biol., 2003; 206: 353 - 358.

Stabentheiner A, Schmaranzer S. Body temperature of honeybees in natural resting clusters. Mitteilungen der Deutschen Gesellschaft für Allgemeine und Angewandte Entomologie 11(1)-6: 169-172. 1997

Stabentheiner A, VollmannJ, KovacH, Crailsheim K. Oxygen consumption and body temperature of active and resting honeybees, J Insect Physiol 2003; 49(9): 881-889

Stachecki JJ, Cohen J. An overview of oocyte cryopreservation. Reprod Biomed Online. 2004; 9(2):152-63.

Stadler I, Lanzafame RJ, Oskoui P, Zhang RY, Coleman J, Whit- taker M. Alteration of skin temperature during low-level laser irradia- tion at 830 nm in a mouse model. Photomed Laser Surg. 2004; 22(3): 227-31.

Stafford RJ, Hazle JD, Glover GH. Monitoring of high-intensity focused ultrasound-induced temperature changes in vitro using an interleaved spiral acquisition. Magnetic Resonance in Medicine 2000, 43(6): 909-912

Stagg MA. Malik AH. MacLeod KT. Terracciano CMN. The effects of overexpression of the Na+/Ca2+ exchanger on calcium regulation inhypertrophied mouse cardiac myocytes. Cell Calcium. 36(2): 111-118. 2004;

Stan MR, Skadron K, Barcella M, Huang W, Sankarana- rayanan K, Velusamy S. HotSpot: a dynamic compact thermal model at the processor-architecture level, Microelectron J, 2003; 34, (12): 1153-1165

Stanko V, Kutarana A, Vasko J. New ra-diodiagnostic methods form the aspect of dental surgeon. Prakt Zubn lek 39 :38-47. 1991

Stanley TO, Grocott HP, Phillips-Bute B, Mathew JP, Landolfo KP, Newman MF. Preliminary evaluation of the Arctic Sun temperature-controlling system during off-pump coronary artery bypass surgery. Ann Thor Surg. 2003; 75(4):1140-1144

Stanton MB, Smith JW, Pugh D, Pascoe DD, Purohit RC. Testicu- lar thermography as a diagnostic and prognostic tool in evaluation of testicular injury in stallions (abstract). Thermol int 2004, 14(3): 107-108.

Starchak AV, Isaenko OI. Thermal indicator diagnosis of lung pathology at a rural hospital. Probl Tuberk (8(1)990): 11-13. 1990

Stasiek J. True-colour image processing in scientific and industrial applications.IN. Crowder JP, editor, Flow Visualization VII, Begell House, New York, 1995, p. 278-83-

Staszkiewicz W, Madycki G, Grzegrzolka J, Hendiger W. Nutzen der Thermographie beim präoperativen Mapping von primären und rezidivierenden Varizen. (The value of thermography in the preoperative mapping of primary and recurrent varicose veins). Phlebologie 2000 29(5): 129-133

Staud R, Cannon RC, Mauderli AP, Robinson ME, Price DD, Vierck CJ jr. Temporal summation of pain from mechanical stimulation of muscle t(in normal controls and subjects with fibromyalgia syndrome, Pain, 2003; 102, (s 1-2): 87-95

Stauffer P, Jacobsen S, Rossetto F, Diederich C, Neuman D. Dual mode antenna array for microwave heating and non-invasive thermometry of superficial tissue disease.IN.Thermal Treatment of Tissue With Image Guidance, Proceedings of the Society of Photo-Optical Instrumentation Engineers, SPIE, Vol.3594. Bellingham, 1999. p.139-47.

Stauffer PR, Neuman D, Hwang C, Rossetto F, Diederich C J. Microwave Vest for Hyperthermia Treatment of Large Area Superficial Disease. In. Proceedings of The First Joint BMES/EMBS Conference Serving Humanity, Advancing Technology, Atlanta, 1999, pp.1275

Stauffer PR, Rossetto F, Prakash M, Neuman DG, Lee T. Phantom and animal tissues for modelling the electrical properties of human liver. Int J Hyperther. 2003; 19(1):89-101.

Stavem K, Saxholm H, Erikssen J. Tympanic or rectal temperature measurement? A cost-minimization analysis. Scand J Infect Dis. 2000,32(3):299-301.

Stavem K, Saxholm H, Smith-Erichsen N. Accuracy of infrared ear thermometry in adult patients..Intensive Care Medicine 23 (1): 100-105. 1997

Stazi SR, Fevereiro P, Sermanni GG, Aires Barros R. Oxidative polymerization and partial dechlorination of 2.4.6-trichlorophenol by a mixture of peroxidase isozymes from Vaccinium myrtillus. Journal of Chemical Technology and Biotechnology 2001, 76(2): 210-214

Stec B, Dobrowolski A, Susek W. Multifrequency microwave thermograph for bioMed applications. IEEE Trans Biomed Eng. 2004; 51(3): 548-51.

Steck DA, Jacobs K, Mabuchi H, Bhattacharya T, Habib S. Quantum feedback control of atomic motion in an optical cavity. Phys Rev Lett. 2004; 92(22): 223004.

Steed P. The Utilization of Thermal Imaging of Facial Structures for Diagnosisof Craniofacial Disorders. (abstract) Thermol Österr 7(2): 67. 1997

Steed P. Thermography in Craniofacial Disorders. (abstract). Thermol Österr 5: 115 1995

Steed P.A. The utilization of thermal imaging in the diagnosis of temporomandibular dysfunction. Thermol Österr4:170. 1994

Steed PA. The utilization of contact liquid crystal thermography in the evaluation of tempe-romandibular dysfunction.Cranio9:120-128. 1991

Steele CT, Ilkovic BD, Siopes T, Underwood H Ocular clocks are tightly coupled and act as pacemakers in the circadian system of Japanese quail Am J Physiol Reg Integr Comp Physiol, 2003; 284: 208 - 218.

Steele CT, Zivkovic BD, Siopes T, Underwood H. Ocular clocks are tightly coupled and act as pacemakers in the circadian system of Japanese quail Am J Physiol Regulatory Integrative Comp Physiol 2003, 284: 208 - 218.

Steele JD, JF Dillon, JN Plevris, JL Hauer, IA Bouchier, PC HayeS. Hand skin temperature changes in patients with chronic liver disease. Journal Of Hepatology 21: 927-933. 1994

Steele RW. Comparison of rectal axillary and forehead temperatures..Clinical Pediatrics 35 /7: 378. 1996

Stefanadis C, Chrysochoou C, Markou D, Petraki K, Panagiotakos DB, Fasoulakis C, Kyriakidis A, Papadimitriou C, Toutouzas PK Increased temperature of malignant urinary bladder tumors in vivO. the application of a new method based on a catheter technique. Journal Of Clinical Oncology 2001. 19 (3) 676-81

Stefanadis C, Chrysohoou C, Panagiotakos DB, Passalidou E, Katsi V, Polychronopoulos V, Toutouzas PK. Temperature differences are associated with malignancy on lung lesions: a clinical study. BMC Cancer. 2003 Jan 6;3(1):1.

Stefanadis C, Chrysohoou C, Paraskevas E, Panagiotakos DB, Xynopoulos D, Dimitroulopoulos D, Petraki K, Papadim- itriou C, Karoutsos K, Pitsavos C, Toutouzas PK. Thermal heterogeneity constitutes a marker for the detection of malignant gastric lesions in vivo. J Clin Gastroent. 2003; 36(3):215-218

Stefanadis C, Diamantopoulos L, Dernellis J, Economou E, Tsiamis E, Toutouzas K, Vlachopoulos C, Toutouzas P.Heat production of atherosclerotic plaques and inflammation assessed by the acute phase proteins in acute coronary syndromes. J Mol Cell Cardiol. 2000,32(1):43-52.

Stefanadis C, Diamantopoulos L, Vlachopoulos C, Tsiamis E, Dernellis J, Toutouzas K, Stefanadi E, Toutouzas P. Thermal heterogeneity within human atherosclerotic coronary arteries detected in vivO. A new method of detection by application of a special thermography catheter. Circulation 1999. 99 (1)5: 1965-71.

Stefanadis C, Toutouzas K, Tsiamis E, MitropoulosI, Tsioufis C, Kallikazaros I, Pitsavos C, Toutouzas P. Thermal heterogeneity in stable human coronary atherosclerotic plaques is under- estimated in vivo: the “cooling effect” of blood flow. J Am Coll Cardiol 41(3): 403-408

Stefanadis C, Toutouzas K, Tsiamis E, Pitsavos C, Papadimitriou L, Toutouzas P. Identification and stabilization of vulnerable atherosclerotic plaqueS. the role of coronary thermography and external heat delivery. Indian Heart Journal 2001. 53 (1) 104-9

Stefanadis C, Toutouzas K, Tsiamis E, Stratos C, Vavuranakis M, Kallikazaros I, Panagiotakos D, Toutouzas P Increased local temperature in human coronary atherosclerotic plaqueS. an independent predictor of clinical outcome in patients undergoing a percutaneous coronary intervention. Journal of The American College Of Cardiology 2001. 37 (5) 1277-83

Stefanadis C, Toutouzas K, Tsiamis E, Vaina S, Tsioufis C, Stefanadis E, Toutouzas P. The cooling effect of coronary blood flow on heart: a new approach. J Invasive Cardiol. 2004; 16(9):455-8.

Stefanadis C, Toutouzas K, Tsiamis E, Vavuranakis M, Kallikazaros I, Stratos C, Vaina S, Toutouzas P Unfavorable outcome after successful percutaneous intervention in patients with increased temperature of culprit atherosclerotic plaques. Thermol intern 2001, 11(2):93

Stefanadis C, Toutouzas K, Tsiamis E, Vavuranakis M, Kallikazaros I, Toutouzas P Thermography of human arterial system by means of new thermography catheters. Catheter Cardiovasc Interv 2001, 54(1): 51-8.

Stefanadis C, Toutouzas K, Vaina S, Vavuranakis M, Toutouzas P. Thermography of the cardiovascular system. J Interv Cardiol 2002, 15(6): 461-6.

Stefanadis C, Toutouzas K, Vavuranakis M, Tsiamis E, Tousoulis D, Panagiotakos DB, Vaina S, Pitsavos C, Toutouzas P. Statin treatment is associated with reduced thermal heterogeneity in human atherosclerotic plaques. Eur Heart J 2002, 23(21): 1664-9.

Stefanadis C, Toutouzas K, Vavuranakis M, Tsiamis E, Vaina S, Toutouzas P. New balloon-thermography catheter for in vivo temperature measurements in human coronary athero- sclerotic plaques: a novel approach for thermography? Catheter Cardiovasc Interv. 2003; 58(3):344-50.

Stefanadis C, Toutouzas P. In vivo local thermography of coronary artery atherosclerotic plaques in humans [letter] Annals Of Internal Medicine 1998. 129 (1)2: 1079-80.

Stefanadis C, Tsiamis E, Vaina S, Toutouzas K, Boudoulas H, Gialafos J, Toutouzas P. Temperature of blood in the coronary sinus and right atrium in patients with and without coronary artery disease. Am J Cardiol. 2004; 93(2): 207-10.

Stefanadis C, Vavuranakis M, Toutouzas P. Vulnerable plaque: the challenge to identify and treat it. J Interv Cardiol. 2003; 16(3): 273-80.

Stefanadis C. Thermography of the human arterial system. Br J Cardiol. 2004; 11(2): 144-147.

Stefanini S, Cavallo S, Wang C-Q, Tataseo P, Vecchini P, Giartosio A, Chiancone E. Thermal stability of horse spleen apoferritin and human recombinant H apoferritIn.Archives of Biochemistry and Biophysics 325:58-64.1996

Stehmann A. Schroder HFr. Derivatisation of 4-nonylphenol and bisphenol A with halogenated anhydrides. Water Science & Technol. 50(5): 115-118. 2004;

Stein B. Mack PF. Bronchospasm due to malpositioned esophageal temperature probe [6]. Anesth Analg. 2003; 97(3): 920-921.

Steinberg GK, Ogilvy CS, Shuer LM, Connolly ES Jr, Solomon RA, Lam A, Kassell NF, Baker CJ, Giannotta SL, Cockroft KM, Bell-Stephens TE, Allgren RL. Comparison of endovascular and surface cooling during unruptured cerebral aneurysm repair. Neuro- surgery. 2004; 55(2):307-15

Steinberg GK. Ogilvy CS. Shuer LM. Connolly Jr ES. Solomon RA. Lam A. Kassell NF. Baker CJ. Giannotta SL. Cockroft KM. Bell-Stephens TE. Allgren RL. Comparison of endovascular and surface cooling during unruptured cerebral aneurysm repair. Neurosurgery. 55(2): 307-314. 2004.

Steiner AA. Rudaya AY. Ivanov AI. Romanovsky AA. Febrigenic signaling to the brain does not involve nitric oxide. Br J Pharmacol. 2004; 141(7): 1204-1213. ..

Steinke K, Arnold C, Wulf S, Morris DL. Safety of radiofrequency ablation of myocardium and lung adjacent to the heart: An animal study. J Surg Res. 2003; 114(2):140-145.

Steinman MA. Sauaia A. Maselli JH. Houck PM. Gonzales R. Office evaluation and treatment of elderly patients with acute bron- chitis. J Am Geriatr Soc. 52(6): 875-879. 2004;

Steiss J, Braund K, Wright J, Lenz S, Hudson J, Brawner W, Hathcock J, Purohit R, Bell L, Horne R. Coccygeal muscle injury in English Pointers (limber tail). Journal of Veterinary Internal Medicine, 1999, 13 (6) 540-8

Stemmann, E.A.Neurodermitis ist heilbar - das Gelsenkirchener Programm unter besonderer Berücksichtigung der Nahrungsrnittelallergien. ThermoMed 13:12-20. 1997

Stephens BG, Jentzen JM, Karch S, Mash DC, Wetli CV. Criteria for the interpretation of cocaine levels in human biological samples and their relation to the cause of death. Am J Forensic Med Pathol. 2004; 25(1):1-10.

Stephens DP, Saad AR, Bennett LA, Kosiba WA, Johnson JM. Neuropeptide Y antagonism reduces reflex cutaneous vasoconstriction in humans. Am J Physiol Heart Circ Physiol. 2004; 287(3): H1404-9.

Sterbova D. Matejicek D. Vlcek J. Kuban V. Combined micro- wave-assisted isolation and solid-phase purification proceduresprior to the chromatographic determination of phenolic compounds in plant materials. Analyt Chim Acta. 2004; 513(2): 435-444.

Stern JC. Anderson BJ. Owens TJ. Schildbach JF. Energetics of the sequence-specific binding of single-stranded DNA by thefactor relaxase domain. J Biol Chem. 2004; 279(28): 29155-29159.

Stern T, A Penhasi, D CohN. Derivatization of a new poly(ether urethane amide) containing chemically active sites. Biomaterials, 16: 17-23. 1995

Sterns EE, Zee B, SenGupta S, Saunders FW. Thermography. Its relation to pathologic characteristics, vascularity, proliferation rate, and survival of patients with invasive ductal carcinoma of the breast. Cancer, 77: 1324-1328.1996

Sterns EE, Zee B. Thermography as a predictor of prognosis in cancer of the breast. Cancer 67: 1678-1680. 1991

Steude U, D Abendroth, L Sunder-PlassmanN. Epidural spinal electrical stimulation in the treatment of severe arterial occlusive disease. Acta Neurochir Suppl (Wien) 52:118-120. 1991

Steuer S, Pingoud V, Pingoud A, Wende W. Chimeras of the homing endonuclease PI-SceI and the homologous Candida tropicalis intein: a study to explore the possibility of exchanging DNA-binding modules to obtain highly specific endonucleases with altered specificity. Chembiochem. 2004; 5(2): 206-13.

Stevenson AJ, Moss JG, Kirkpatrick AE. Comparison of temperature profiles (DeVeTherm) and conventional venography in suspected lower limb thrombosis. Clin Radiol 42 (1): 37-39. 1990

Stevenson NJ, Calverley PM. Effect of oxygen on recovery from maximal exercise in patients with chronic obstructive pulmonary dis- ease. Thorax. 2004; 59(8):668-72.

Stevenson WG, Cooper J, Sapp J.Optimizing RF output for cooled RF ablation. J Cardiovasc Electrophysiol. 2004; 15(10 Suppl): S24-7.

Stewart D, Macaluso A, De Vito G. The effect of an active warm-up on surface EMG and muscle performance in healthy humans. Eur J App Physiol. 2003; 89(6):509-5133.

Stewart JD, DM Williams, MS McLachlan, Acro-osteolysis in a polyvinyl chloride worker with an atypical industrial history. J Soc Occup Med 25:103-109. 1975

Stewart JV, Webster D. Re-evaluation of the tympanic thermometer in the emergency department. Annals of Emergency Medicine 21: 158-161. 1992

Stiborova H, Kostal J, Mulchandani A, Chen W. One-step metal-affinity purification of histidine-tagged proteins by temperature-triggered precipitation. Biotech Bioeng. 2003; 82(5): 605-611

Stiehm ER.The psychologic fallout fromChernobyl. American Journal of Diseases of Children 146:761-762. 1992

Stier JC, Filiault DL, Wisniewski M, Palta JP. Visualization of freezing progression in turfgrasses using infrared video thermography Crop Sci, 2003; 43: 415 - 420.

Stinson J. McCartney CJL. Leung A. Katz J. Impact of attending a health care conference in Toronto during the severe acuterespiratory syndrome crisis: Survey of delegates. Pain Res Manage. 2004; 9(3): 137-140.

Stocks JM, Taylor NA, Tipton MJ, Greenleaf JE. Human physiological responses to cold exposure. Aviat Space Environ Med. 2004; 75(5): 444-57.

Stocks JM. Patterson MJ. Hyde DE. Jenkins AB. Mittleman KD. Taylor NAS. Effects of immersion water temperature on whole-body fluid distribution inhumans. Acta Physiol Scand 2004; 182(1): 3-10.

Stockton GR, Allen LR. Using infrared thermography to determine the presence & correct placement of grouted cells in single-width Concrete Masonry Unit.IN. LeMieux DH, Snell JR, editorS. Thermosense XXI,Proceedings of the Society of Photo-Optical Instrumentation Engineers (SPIE), Vol.3700, Bellingham, 1999. p. 483-93.

Stokstad E. Environment. States sue over global warming. Science. 2004; 305(5684): 590.

Stone R. SeismologY. Data Treasures of the Test Ban Treaty Science 2002, 297: 41 - 43.

Stoy J, Hjollund NH, Mortensen JT, Burr H, Bonde JP. Semen quality and sedentary work position. Int J Androl. 2004; 27(1):5-11.

Stoyneva Z, Lyapina M, Tzvetkov D, Vodenicharov E. Current pathophysiological views on vibration-induced Raynaud's phenomenon, Cardiovas Res, 2003; 57, (3): 615-624.

Stoyneva Z. Laser Doppler-recorded venoarteriolar reflex in Ray- naud's phenomenon. Autonom Neurosci-Basic Clin. 2004; 116(1-2): 62-68.

Strangi T, Lombardi G, Braccili MP, Lo Sterzo E, Lalli A, Pennesi A. Peripheral vascular hyperreactivity in arterial hypertension. Int J Cardiol 25 Suppl 1: S57-61. 1989

Stratton HM, Brooks PR, Carr EL, Seviour RJ. Effects of culture conditions on the mycolic acid composition of isolates of Rhodococcus spp. from activated sludgefoams. Sys App Micro- biol. 2003; 26(2):165-171.

Stratton R, Howell K, Goddard N, Black C. Digital sympathectomy for ischaemia in scleroderma. British Journal of Rheumatology 36(1)2: 1338-1339. 1997

Straube WL, Moros EG, Myerson RJ, Fan X. A two-parameter method for the estimation of ultrasound-inducedtemperature artifacts.International Journal of Hyperthermia 1999. 15(3): 187-202

Strauch JT, Lauten A, Spielvogel D, Rinke S, Zhang N, Weisz D, Bodian CA, Griepp RB. Mild hypothermia protects the spinal cord from ischemic injury in a chronic porcine model. Eur J Cardiothorac Surg. 2004 ; 25(5):708-15. P

Strauch JT, Spielvogel D, Haldenwang PL, Shiang H, Zhang N, Weisz D, Bodian CA, Griepp RB. Changes in regional cerebral blood flow under hypothermic selective cerebral perfusion. Thorac Cardio- vasc Surg. 2004; 52(2):82-9.

Strecker E, Smith JW, Kovacs MS, Pascoe DD Infrared imaging for tennis sports Med (abstract). Thermol int 2004, 14(3): 111.

Strike PC. Wardle J. Steptoe A. Mild acute inflammatory sti- mulation induces transient negative mood. J Psychosom Res. 2004; 57(2): 189-194.

Strobel E. MammakarzinoM. Trend zur Organerhaltung. Fortschritte der Medizin 111(2)9:24-25.1993

Strohmeier GA, Kappe CO Rapid parallel synthesis of polymer-bound enones utilizing microwave-assisted solid-phase chemistry. J Comb Chem 2002, 4(2): 154-61.

Strong WE, J Blanchard, S Ramamurthy, J HoffmaN. Does the sympathetic block outlast sensory blocK. a thermographic evaluation. Pain 46:173-176. 1991

Stroszczynski C, Hosten N, Stahl H, Wlodarczyk W, Hentschel M, Lemke AJ, Wust P, Felix R. Image-guided interstitial therapies of brain tumourS. Clinical MRI 2000, 10 (1):9-14

Stroszczynski C, Hosten N, Puls R, Nagel S, Scholman HJ, Wlodarczyk W, Oettle H, Moesta KT, Schlag PM, Felix R Histopathological correlation to MRI findings during and after laser-induced thermotherapy in a pig pancreas model. Investigative Radiology 2001, 36(7):(413-421

Struys MMRF. Bouche MPLA. Rolly G. Vandevivere YDI. Dyzers D. Goeteyn WVersichelen LFM. Van Bocxlaer JFP. Mortier EP. Pro- duction of compound A and carbon monoxide in circle systems: An in vitrocomparison of two carbon dioxide absorbents. Anaesthesia. 2004; 59(6): 584-589.

Stucker M, Moll C, Altmeyer P. [Cutaneous oxygen supply. With special consideration of skin uptake of oxygen from the atmosphere] Hautarzt. 2004; 55(3):273-9.

Stucker M, T. Reuther, K. Hoffmann, M.Jeske, J. Schaffstein, P AltmeyeR. Nicht-invasive Evaluierung der kutanen Mikrozirkulation. Aktuelle Dermatologie 21:4-10. 1995

Stulin ID, GIa.Lukacher, LP.Teplova, EN.BorovikovA. Dinamika mozgovogo krovoobrashcheniia pri lechenii bol'nykh shizofreniei s depressivnym sindromom metodom vnutrivennogo lazernogo oblucheniia krovi. . Zhurnal Nevropatologii I Psikhiatrii Imeni S. S. Korsakova, 94: 54-56. 1994

Stüttgen G. Muster der Hautwärmestrahlung und ihre Bewertung in Physiologie und Pathologie. Thermodiagnostik 3(1): 27-34. 1987

Stüttgen G. Bewertung allergischer Hautphänomene mit tels Infrarot-Thermographie und ihrer therapeutischen Beeinflussung. ThermoMed 7: 8-14. 1991

Stüttgen G. Carl August Wunderlich-Preis 2003 verliehen an Prof.Dr.med Reinhold Berz. Thermomed 2001/2002,18/19, 73.

Stüttgen G. Clinical and experimental development of biphasical reactions of the skin evaluated by thermography. Thermol Österr2:S19. 1992

Stüttgen G. Erfassung des Wärmemusters der Haut als Analysator für reflektorische und persistierende Auswirkungen zellulärer und nervaler Mediatoren. ThermoMed 10: 56-65. 1994

Stüttgen G. Ernst Schwamm-Medaillle 2003 verliehen an Dr.med Helmut Sauer. Thermomed 2001/2002,18/19, 74.

Stüttgen G. Prof. Dr. Arno Rost zum 80.Geburtstag. ThermoMed, 1999. 15: 3-4

Stüttgen G. Regulationsthermographie - Quo Vadis? ThermoMed 14: 3-10. 1998

Stüttgen G. Thermologie - Thermographie. Theorie und Praxis. ein notwendig gemeinsamer Weg (editorial) ThermoMed 5: 68-69. 1989

Stüttgen G. Wunderlichpreis 2003 verliehen an Prof Dr.med Reinhold Berz. Thermomed 2003,18/19: 73

Stüttgen G.Ernst-Schwamm-Preis 2003 verliehen an Dr. med Helmut Sauer. Thermomed 2003,18/19: 74

Styron JS. Developments in IR thermographic technology (ab- stract). Thermol int 2004, 14(3): 106.

Su Z-Q. Wang Y. Zhao Q-J. Sun X-Y. Yang H-Y. Wang D-S. Recent effect of local mild hypothermia for improving neurological deficits inpatients with cerebral hemorrhage. Zhongguo Linchuang Kangfu. 2004; 8(10): 1816-1817.

Suarez WA, Hunter WS. Stereotaxic implant microinjection and temperature recording system for rabbits. Brain Res Bull 3:571-574. 1978

Subramanian K, Zubairy AI, Geary NPJ. Frost bite in both feet–conservative approach, Foot Ankle Surg, 2003; 9, (3): 183-186.

Such H. O. Near Infrared CCD imaging of Hemodynamics. Proc 1996 IEEE Engineering in Medicine & BiologY.175-176. 1996

Sucher BM. Thoracic"outlet syndrome - a myofascial varianT. Part 1. Pathology and diagnosis. J Am Osteopath Assoc 90 (8): 686-96. 703-4. 1990

Suda H, Takashina M, Ebihara A, Anjou T, a Takeda A . Use of high-power pulsed Nd:YAG laser in endodontics, Int Congr Ser, 2003; 1248: 9-12

Sudharsan NM, Ng EY Parametric optimization for tumour identificatioN. bioheat equation using ANOVA and the Taguchi method. Proceedings Of The Institution Of Mechanical Engineers. Part H, Journal Of Engineering In Medicine 2000. 214 (5) 505-12

Sugimoto Y, Ohkura M, Inoue K, Yamada J Involvement of the 5-HT sub(2) receptor in hyperthermia induced by p- chloroamphetamine, a serotonin-releasing drug in mice. European Journal of Pharmacology 2000, 403(3): 225-228

Sugiura K. Muro Y. Tomita Y. A case of a childhood linear scleroderma with limb asymmetry. Modern Rheumatol 2004;14(3): 254-256.

Suhendra N, Stachowiak GW. Temperature prediction in a finite element model for sliding contact analysis of total hip prosthesis. Proc Inst Mech Eng [H]. 2004; 218(5): 361-70.

Suizu K, Inoue M, Fujimura T, Morita H, Inagaki J, Kan H, Harada N. Influence of waterproof covering on finger skin temperature and hand pain during immersion test for diagnosing hand-arm vibration syndrome. Ind Health. 2004; 42(1):79-82.

Sukumar M, Doyle BL, Combs JL, Pekar AH.Opalescent ap- pearance of an IgG1 antibody at high concentrations and its relationship to noncovalent association. Pharm Res. 2004; 21(7):1087-93.

Suleman M-I, Doufas AG, Akça O, Ducharme M, Sessler DI. Insufficiency in a New Temporal-Artery Thermometer for Adult and Pediatric Patients Anesth. Analg. 2002, 95: 67 - 71.

Sullivan JL, Baker RE, Boyer BA, Hammerle RH, Kenney TE, Muniz L, Wallington TJ. CO2 emission benefit of diesel (versus gasoline) powered vehicles. Environ Sci Technol. 2004; 38(12):3217-23.

Suma H, Isomura T, Horii T, Sato T Intraoperative coronary artery imaging with infrared camera in off-pump CABG. Annals of thoracic surgery 2000. 70 (5) 1741-2

Sumikura H, Andersen OK, Drewes AM, Arendt-Nielsen L. Spatial and temporal profiles of flare and hyperalgesia after intradermal capsaicin. Pain. 2003; 105(1-2):285-291.

Summerfield W, Cooper I Investigation of migration from paper and board into food - Development of methods for rapid testing. Food Additives and Contaminants 2001, 18(1): 77-88

Sun W, Arculus RJ, Kamenetsky VS, Binns RA.Release of gold- bearing fluids in convergent margin magmas prompted by magnetite crystallization. Nature. 2004; 431(7011):975-8.

Sun W. Ablation pathway currents of a linear phased multi-electrode system. In. Proceedings - 20th Annual International Conference - IEEE/EMBS, 1998, Hong Kong, p.248

Sun W-Z. Yeh H-M. When economy meets Med - Malignant hyperthermia in Taiwan. Ma Tsui Hsueh Tsa Chi Anaesth Sinica. 2004;42(3): 125-126.

Sun X, Zemel MB. Calcium and dairy products inhibit weight and fat regain during ad libitum consumption following energy restriction in Ap2-agouti transgenic mice. J Nutr. 2004; 134(11):3054-60.

Sun XF, Zhang WH, Chen XJ, Xiao GH, Mai WY, Wang WH. Spindle dynamics in living mouse oocytes during meiotic maturation, ageing, cooling and overheating: a study by polarized light microscopy. Zygote. 2004; 12(3):241-9.

Sun XF. Sun RC. Sun JX. Acetylation of sugarcane bagasse using NBS as a catalyst under mild reactionconditions for the production of oil sorption-active materials. Bioresource Technol. 95(3): 343-350. 2004;

Sun XY, Zhou XT, Li Y, Wang LJ, Wang JD. Error analysis of temperature measurement by Boltzmann plot in atomic emission spectroscopy for a high-density plasma produced by electrothermal capillary discharge. Guang Pu Xue Yu Guang Pu Fen Xi. 2003; 23(3):563-5.

Sun Y, Sugawara M, Mulkern RV, Hynynen K, Mochizuki S, Albert M, Zuo CS Simultaneous measurements of temperature and pH in vivo using NMR in conjunction with TmDOTP(sup(5-). NMR in Biomedicine 200, 13(8): 460-466

Sun Y-B, Hilber K, Irving M Effect of active shortening on the rate of ATP utilisation by rabbit psoas muscle fibres. Journal of Physiology 2001, 531(3): 781-791

Sunderam S, Osorio I. Mesial temporal lobe seizures may activate thermoregulatory mechanisms in humans: an infrared study of facial temperature*1, Epilepsy & Behav, 2003; 4, (4): 399-406

Sunderam S, Osorio I. Mesial temporal lobe seizures may activate thermoregulatory mechanisms in humans: An infrared study of facial temperature. Epilepsy Behav. 2003; 4(4):399-406.

Sundgren-Andersson AK, Ostlund P, Bartfai T. Simultaneous measurement of brain and core temperature in the rat during fever, hyperthermia, hypothermia and sleep. Neuroimmunomodulation 1998. 5 /5: 241-7.

Sund-Levander M, Grodzinsky E, Loyd D, Wahren LK. Errors in body temperature assessment related to individual variation, measuring technique and equipment. Int J Nurs Pract. 2004; 10(5): 216-23.

Suominen S, Asko-Seljavaara S. Thermography of hands after a radial forearm flap has been raised..Scandinavian Journal Of Plastic And Reconstructive Surgery And Hand Surgery 30 (4): 307-314. 1996

Surana R, Randall L, Pyne A, Vemuri NM, Suryanarayanan R. Determination of Glass Transition Temperature and in Situ Study of the Plasticizing Effect of Water by Inverse Gas Chromatography. Pharm Res. 2003; 20(10):1647-1654.

Susil RC, Krieger A, Derbyshire JA, Tanacs A, Whitcomb LL, Fichtinger G, Talar E. System for MR Image–guided Prostate Interventions: Canine Study. Radiol, 2003; 228: 886 - 894.

Sussich F, Urbani R, Princivalle F, Cesaro A. Polymorphic amorphous and crystalline forms of trehalose. Journal of the American Chemical Society 1998, 120(3)1:7893-9

Suter B, Kistler A. Nachweis der Akupunkturwirkung auf das autonome Nervensystem mittels Untersuchung der Mikrozirkulation.[Demonstration of the effective of acupuncture on the autonomic nervous system by examination of the microcirculation] Forschende Komplementärmedizin 1999. 6 Suppl 1 32-4.

Sutter G, Faure L, Molinari A, Ranc N, Pina V. An experimental technique for the measurement of temperature fields for the orthogonal cutting in high speed machining, Int J Mach Tools Manufac, 2003; 43, (7): 671-678.

Sutton JA, Driscoll JF. Rayleigh scattering cross sections of combustion species at 266, 355, and 532 nm for thermometry ap- plications. Opt Lett. 2004; 29(22): 2620-2.

Sutton RG, Jackson S, Baker DE, Djuric M. Arterial temperature measurement inaccuracies in the extracorporeal circuit Ann. Thorac. Surg. 2002, 73: 373.

Suzdal'nitskii DV, Grigor'eva VD, Fedorova NE, Strel'tsova EN, Tarasova LIU. [The comparative efficacy of methods for the cryo-electropulse therapy of osteoarthrosis patients]. Vopr Kurortol Fizioter Lech Fiz Kult. 2000,(3):24-8.

Suzuki S, Bing H, Sugawara T, Matsuda Y, Tabata T, Hoshikawa Y, Saijo Y, Kondo T. Paclitaxel prevents loss of pulmonary endothelial barrier integrity during cold preservation. Transplantation. 2004; 78(4): 524-9.

Suzuki S. Hotchkiss JR. Takahashi T. Olson D. Adams AB. Marini JJ. Effect of core body temperature on ventilator-induced lung injury. Critical Care Med. 2004. 32(1)144-149.

Suzuki T, Kurokawa K, Higashi H, Suzuki K, Daikuzono N, Yamanaka H. Transurethral balloon laser enhanced thermotherapy in the canine prostate. Lasers in Surgery and Medicine, 21(4): 321-328. 1997

Suzuki T, Kurokawa K, Suzuki K, Nakano K, Daikuzono N, Yamanaka H. Transurethral balloon laser thermotherapY. effects of a directionally shielded balloon in canine prostates.International Journal of Urology, 3: 35-38.1996

Suzuki T. Kitajima O. Watanabe A. Nonaka H. Saeki S. Ogawa S. Duration of vecuronium-induced neuromuscular block can be pre- dicted by change of skin temperature over the thenar muscles. J Anesth. 2004; 18(3): 172-176.

Svaasand LO, Nelson JS. On the physics of laser-induced selective photothermolysis of hair follicles: Influence of wavelength, pulse duration, and epidermal cooling. J Biomed Opt. 2004; 9(2): 353-61.

Svaasand LO, Randeberg LL, Aguilar G, Majaron B, Kimel S, Lavernia EJ, Nelson JS. Cooling efficiency of cryogen spray during laser therapy of skin. Lasers Surg Med. 2003; 32(2):137-42.

Svedberg LE, Nordahl UEG, Lundeberg TCM Effects of acupuncture on skin temperature in children with neurological disorders and cold feeT. An exploratory study. Complementary Therapies in Medicine 2001, 9(2): 89-97

Svensen H, Planke S, Malthe-Sorenssen A, Jamtveit B, Myklebust R, Rasmussen Eidem T, Rey SS. Release of methane from a volcanic basin as a mechanism for initial Eocene global warming. Nature. 2004; 429(6991): 42-5. P

Swerdlow B, Dieter JN. "Cold patch" is not a prognostic index for headache. Headache, 29 (9) 562-568.1989

Swerdlow B, Dieter JN. Cold spot question heats up.Headache 29 (2): 122-123. 1989

Swerdlow B, JN DieteR. An evaluation of the sensitivity and specifity of medical thermography for the documentation of myofascial trigger points. Pain 48:205-213. 1992

Swerdlow B, JN DieteR. Cold spots (letter), Headache 31:693. 1991

Swicord M, Morrissey J, Zakharia D, Ballen M, Balzano Q. Dosimetry in mice exposed to 1.6 GHz microwaves in a carrousel irradiator. Bioelectromagnetics 1999. 20 (1): 42-7.

Swinney K, Bornhop DJ. Quantification and evaluation of Joule heating in on-chip capillary electrophoresis. Electrophoresis 2002, 23(4): 613-20.

Swinney K, Bornhop DJ Noninvasive picoliter volume thermometry based on backscatter interferometry. Electrophoresis 2001, 22(10) 2032-2036.

Symons FJ, Sutton KA, Bodfish JW Preliminary study of altered skin temperature at body sites associated with self-injurious behavior in adults who have developmental disabilities American Journal on Mental Retardation 2001, 106(4):336-343.383.386

Synchykova OP. Shpakova NM. Bondarenko VA. Effect of alkyl- beta,D-glucopyranosides on hypertonic haemolysis of erythrocytes. Bioelectrochem. 2004; 62(2): 163-167.

Sypniewski J, Wojaczynska-Stanek K, Broen B, Mandat K. Die thermographische Beurteilung der Hoden von Knaben nach Orchidopexie. Thermol intern 2000 10(3):128-31

Sypniewski J, Wojaczyńska-Stanek K, Katra M, Broen B. Application of an infrared method of applying BIOFIX implants for internal fixation of intra-articular fractures and fractures of tibial epiphysis. (abstract). Thermol intern 2001, 11(4):204

Szabo B. Lakatos A. Koszegi T. Botz L. HPTLC and HPLC determination of alkaloids in poppies subjected to stress. J Planar Chromatogr - Modern Tlc. 2003; 16(4):293-297

Szabo T, Geller L, Merkely B, Selmeci L, Juhasz-Nagy A, Solti F. Investigating the dual nature of endothelin-1: Ischemia or direct arrhythmogenic effect? Life Sciences 2000, 66(26):2527-2541

Szabo T, Fazekas L, Geller L, Horkay F, Merkely B, Gyongy T, Juhasz-Nagy A. Cardiothermographic assessment of arterial and venous revascularization. IEEE Eng Med Biol Mag. 2000,19(3):77-82.

Szabó T, Gellér L. Infrared Imaging in CardiologY. Evaluating the Dual Nature of Endothelin-1. Thermol intern 2002. 12: 14-22

Szabo T, Horkay F, Fazekas L, Geller L, Gyongy T, Juhasz-Nagy A. Thermographic evaluation of myocardial protection. IEEE Eng Med Biol Mag. 2000 M,19(3):83-6.

Szabo T, L,Fazekas, F.Horkay, L.Geller, A.Juhasz-NagY.Cardiothermographic evaluation of coronary blood flow during open heart surgery. (abstract) Thermol Österr 7(2): 77-78. 1997

Szabo T, L. Fazekas, L. Geller, F. Horkay, T. Gyöngy, A. Juhasz-NagY. Cardiothermographic Assessment of Arterial Bypass Graft Patency and Myocardial Protection (abstract). European Journal of Thermology 8: 122 , 1998

Szabo, T, L.Fazekas, F.HorkaY. Thermographic imaging during human open heart surgery. IN. Benkö I, A.Balogh, I.Kovacsics, I Lovak(eds): Abstracts of the 10th International Conference on Thermogrammetry and Thermal Engineering in Budapest 18-20. June 1997. MATE, Budapest, p, 170-176.1997

Sze DY, Mackey SC MR Guidance of Sympathetic Nerve BlockadE. Measurement of Vasomotor Response?Initial Experience in Seven Patients Radiology 2002, 223: 574 - 580. .

Szekely V, Rencz M. Image processing procedures for the thermal measurements.IEEE Transactions on Components and Packaging Technologies 1999, 22(2): 259-265.

Szelenyi Z, Hummel Z, Szekely M, Petervari E. CCK-8 and PGE1:central effects on circadian body temperature and activity rhythms in rats. Physiol Behav. 2004; 81(4):615-21.

Szelenyi Z, Hummel Z, Szolcsanyi J, Davis JB. Daily body temperature rhythm and heat tolerance in TRPV1 knockout and cap- saicin pretreated mice. Eur J Neurosci. 2004; 19(5):1421-4.

Szenczi O, Kemecsei P, Miklos Z, Ligeti L, Snoeckx LH, van Riel NA, Op den Buijs J, Van der Vusse GJ, Ivanics T. In vivo heat shock preconditioning mitigates calcium overload during ischaemia/ reper- fusion in the isolated, perfused rat heart. Pflugers Arch. 2004; Epub ahead of print

Sznitowska M. Pietkiewicz J. Stokrocka M. Janicki S. Dissolution test for ivermectin in oral Vet paste. Pharmazie. 2004; 59(10): 814-815.

Szydłowski L, Kempińska A, Parafiniuk M. The Infrared Evaluation of Induced Inflammatory Reaction in the Skin of Rats. . (abstract) Thermol int 2003, 13: 81.

Szyndler K, Lango R, Siebert J, Rogowski J, Jagielak D, Roszak K, Lewicki L, Jaworski L. Thermography: Temperature analysis of the myocardial surface during cold cardioplegia infusion. Kardiol Polska. 2003; 58(Suppl. 1):I17-I21.

Tabakova S. Feuillebois F. On the solidification of a supercooled liquid droplet lying on a surface. J Coll Interface Sci 2004, 272(1) 225-234.

Tabarean IV, Behrens MM, Bartfai T, Korn H. Prostaglandin E2-increased thermosensitivity of anterior hypothalamic neurons is associated with depressed inhibition. Proc Natl Acad Sci U S A. 2004; 101(8):2590-5.

Tabata H, Ohtsuka S, Yamakage A, Yamazaki S. Cutaneous electron microscopic study of sclerodermia diffusa in childhood. International Journal of Dermatology 36(1)0: 764-767. 1997

Tabayashi K, Takahashi G, Motoyoshi N, Kokubo H, Sakurai M, Oda K, Saiki Y, Iguchi A. [Spinal cord protection during most or all of descending thoracic or thoracoabdominal aneurysm repair] Kyobu Geka. 2004; 57(4):301-6.

Taenaka Y, E Tatsumi, M Sakaki, E Sasaki, T Mazuzawa, T Nakatani, H Akagi, M Goto, Y Matsuo, K Inoue et aL. Peripheral circulation during nonpulsatile systemic perfusion in chronic awake animals. ASAIO Trans 37:M365-366. 1991

Tagawa A, Rappleye CA, Aroian RV pod-2. along with pod-1. defines a new class of genes required for polarity in the early Caenorhabditis elegans embryo. Developmental Biology 2001, 233(2): 412-424

Taguchi A, Ratnaraj J, Kabon B, Sharma N, Lenhardt R, Sessler DI, Kurz. A Effects of a circulating-water garment and forced-air warming on body heat content and core temperature. Anesthesiology. 2004;100(5):1058-64.

Taha EI. Al-Saidan S. Samy AM. Khan MA. Preparation and in vitro characterization of self-nanoemulsified drug delivery system (SNEDDS) of all-trans-retinol acetate. Int J Pharm. 2004; 285(1-2): 109-119.

Tai C-J, Wang W-H, Chen P-M, Hsieh J-C.Hyperthermia therapy for low blood supplied tumors: a model of computer simulation. In. Proceedings of The First Joint BMES/EMBS Conference Serving Humanity, Advancing Technology, Atlanta, 1999, pp.1271

Taira H, Teranishi H, Kenda Y Preseasonal scattering of Cryptomeria japonica pollen in Japan, with reference to the dormancy of the male flowers. Allergology International 2000, 49(4): 263-268

Tajima Y, Tsukishima E, Sudo K, Aimoto Y, Tashiro K (A case of Sjoegren syndrome associated with multiple mononeuritis and dysautonomia including bilateral tonic pupils. No To Shinkei. Brain and Nerve 49/9: 825-828. 1997

Takada T, Kitamura M, Matsumiya K, Miki T, Kiyohara H, Namiki M, Okuyama A.Infrared thermometry for rapid noninvasive detection of reflux of spermatic vein in varicocele.Journal of Urology 156/5 :1652-1654. 1996.

Takagi A, M. Shikano, N. Imai, H. Sugita, S. Goto, K. IshigO.Ankle Pressure Index And Skin Temperature In Diabetes Mellitus. (abstract). Biomed Thermol 10: 308. 1990

Takagi H, T. Koga, I. Ikeda, T. KakegawA. Correlation Of Contact Thermography Findings With Histological Observations Of Breast Cancer. (abstract). Biomed Thermol 11: 306. 1991

Takahashi H, S. Matuoka, Y. Amemiya, I. HattA. Simultaneous differential scanning calorimetry and time-resolved X-ray diffraction of lipid-water system. I. Relationship between chain melting and endothermic heat at the main transition of a dipalmitoylphosphatidylcholine-water system. Chemistry and Physics of Lipids 76:115-121.1995

Takahashi R. Tokunou H. Kubota K. Ogawa E. Oida T. Kawase T. Nishinari K. Solution properties of gellan gum: Change in chain stiffness between single- and double-stranded chains. Biomacromole- cules. 2004; 5(2): 516-523.

Takahashi S, Tanaka R, Watanabe M, Takahashi H, Kakinuma K, Suda T, Yamada M, Takahashi HI. Effects of whole-body hyperthermia on the canine central nervous system. International Journal of Hyperthermia 1999, 15(3): 203-16.

Takahashi S, Iwamoto M, Yoshimura M, Laskar MS, Shirono S, Fujimura T, Harada N. Factors influencing autonomic nervous function during cold-water immersion test in patients with hand-arm vibration syndrome. Int Arch Occup Environ Health. 2003; 76(3):249-252.

Takahashi S, Yokota S, Hara R, Kobayashi T, i Akiyama M, Moriya T, Shibata S Physical and Inflammatory Stressors Elevate Circadian Clock Gene *mPer1* mRNA Levels in the Paraventricular Nucleus of the Mouse Endocrinology 2001, 142: 4910 - 4917.

Takahashi S. Takahashi H. Kakinuma K. Tanaka R. An animal model as new tactics to study the effects of a varying bodytemperature on evoked potentials. Acta Med Biol. 2004; 52(2): 73-79.

Takahashi T, S Kawauchi, K Suzuki, E NakaO. Bindability and digestibility of high-pressure-treated starch with glucoamylases from Rhizopus sp. Journal Of Biochemistry 116: 1251-1256. 1994

Takahashi Y, Hirayama J, Nakajima Y Segmental regulation pattern of body surface temperature in the rat hindlimb. Brain Res 2002, 947(1): 100-9

Takahashi Y, K Takahashi, H MoriyA. Thermal deficit in lumbar radiculopathy. Correlations with pain and neurologic signs and its value for assessing symptomatic severity. Spine 19: 2443-2450. 1994

Takahashi Y, M. Murakami, K. Takahashi, M. Yamagata, Y. Otake, T. Toyone, K. GotO. Temperature Changes In Legs Induced By Electrical Stimulation - A Study On Low Back Pain Syndrome. (abstract). Biomed Thermol 11: 307. 1991

Takahashi Y, M. Murakami, K. Takahashi, M. Yamagata, Y.Ohtake, T. Toyom, K. GotO.Temperature Changes In Llmbs Induced By Electrical Stimulation - A Study Of Healthy Subjects. Biomed Thermol 11: 277-285. 1991

Takahashi Y, Murata A, Nakajima Y. Dilatation of subcutaneous perforating blood vessels associated with capsaicin-induced cutaneous axon refleX. demonstration with subtraction thermography. Journal Of The Autonomic Nervous System 1999. 75 (2)-3: 87-92.

Takai K, Kobayashi H, Nealson KH, Horikoshi K. Sulfuri- hydrogenibium subterraneum gen. nov., sp. nov., from sub surface hot aquifer. Int J Sys Evol Microbiol. 2003; 53(3):823-827.

Takai K, Nakagawa S, Sako Y, Horikoshi K. Balnearium lithotrophicum gen. nov., sp. nov., a novel thermophilic, strictly anaerobic, hydrogen-oxidizing chemolithoautotroph isolated from a black smoker chimney in the Suiyo Seamount hydrothermal system. Int J Sys Evol Microbiol. 2003; 53(6): 1947-1954.

Takai K. Hirayama H. Nakagawa T. Suzuki Y. Nealson KH. Horikoshi K. Thiomicrospira thermophila sp. nov., a novel micro- aerobic, thermotolerant,sulfur-oxidizing chemolithomixotroph isolated from a deep-sea hydrothermalfumarole in the TOTO caldera, Mariana Arc, Western Pacific. Int J Syst Evol Microbiol. 2004; 54(6): 2325-2333.

Takai K. Nealson KH. Horikoshi K. Methanotorris formicicus sp. nov., a novel extremely thermophilic,methane-producing archaeon iso- lated from a black smoker chimney in the CentralIndian Ridge. Int J Syst Evol Microbiol. 2004;54(4):1095-1100.

Takai K. Orthostatic Thermograpiiy Of Autonomic Dysfunctional Symptoms In Pediatric Patients. (abstract). Biomed Thermol 10: 312. 1990

Takaseya T, Ishimatsu M, Tayama E, Nishi A, Akasu T, Aoyagi S. Mechanical unloading improves intracellular Ca2+ regulation in rats with doxorubicin-induced cardiomyopathy. J Am Coll Cardiol, 2004; 44(11): 2239-2246

Takatori A. Assessment of diagnostic criterion of coldness in women with thermography. Nippon Sanka Fujinka Gakkai Zasshi.Acta Obstetrica et Gynaecologica Japonica 44: 559-565. 1992

Takatori A., H. OkudA. Relationship Between Seasonal Changes In Atmospheric Temperature And The Body Surface Temperature In Female Patients Complaining Of Coldness In The Limbs. (abstract). Biomed Thermol 11: 299. 1991

Takayama H, Seo K, Miura K, Tanaka Y, Kobayashi Y, Someya G.Treatment of chronic orofacial pain with prostaglandin E sub(1), ointment.Journal of Japanese Dental Society of Anesthesiology 24(3) :518-522. 1996

Takazawa K, T.Iketani, C.IbukiyamA. Pulse wave velocity, thermography in the diagnosis of arteriosclerosis. Nippon Rinsho. Japanese Journal of Clinical Medicine, 51: 2074-2079.1993

Takei Y. Nishikawa Y. Tachibana M. Takami T. Miyajima T. Hoshika A. Takashima S. Hypothermia during kainic acid-induced seizures reduces hippocampal lesions andcerebral nitric oxide pro- duction in immature rabbits. Brain Development. 2004; 26(3): 176-183.

Takemasa T, Sugimoto K, Miyazaki M, Machida M, Ikeda S, Hitomi Y, Kizaki T, Ohno H, Yamashita K, Haga S. Simple method for the identification of oxidative fibers in skeletal muscle. Eur J Appl Physiol. 2004; 91(2-3):357-9.

Takeuchi M, Kageyama S, Suzuki H, Wada T, Notsu Y, Ishii F. Rheological properties of reversible thermo-setting in situ gelling solutions with the methylcellulose-polyethylene glycol-citric acid ternary system. Coll Polymer Sci. 2003; 281(12): 1178-1183.

Taliaferro C. Submucosal radiosurgical uvulopalatoplasty for the treatment of snorinG. Is the monitoring of tissue impedance and temperature necessary? Otolaryngology - Head and Neck Surgery 2001, 124(1): 46-50

Taltavull JF, Chefer VI, Shippenberg TS, Kiyatkin EA. Severe brain hypothermia as a factor underlying behavioral immobility during cold-water forced swim. Brain Res. 2003; 975(1-2): 244-247.

Tamai K. Imaging modalities of rheumatoid arthritis, Nippon Rhinsho. Japanese Journal of Cli-nical Medicine 50::479-482. 1992

Tamaki K, Shimizu I, Oshio A, Fukuno H, Inoue H, Tsutsui A, Shibata H, Sano N, Ito S. Influence of large intrahepatic blood vessels on the gross and histological characteristics of lesions produced by radiofrequency ablation in a pig liver model. Liver Int. 2004; 24(6): 696-701.

Tamanishi T, S. Katayama, Y.Kurose, K. NishitanI.Thermographic Findings In The Forearms And Lower Legs Of Children With Cerebral Palsy (abstract). Biomed Thermol 11: 308. 1991

Tamanishi T, Y. Ikuta, T. Murakami, Y.Karose, K. MabuchI. Thermographic Findings for Infants with Cerebral Palsy. Biomed Thermol 15: 117-119. 1995

Tamanishi T, Y.Ikuta, T.Murakami, Y.Kurose, K.SawanO. Thermographic Findings for Infants with Cerebral Palsy. (abstract). Biomed Thermol 15: 25. 1995

Tamura A, Akiyama R, Chiba Y, Moriya K, Dzialowski EM, Burggren WW, Tazawa H. Heart rate responses to cooling in emu hatchlings. Comp Biochem Physiol. Part A, Molr Integr Physiol. 2003; 134(4):829-838.

Tamura K, Subramanian S, Kumar S. Temporal patterns of fruit fly (Drosophila) evolution revealed by mutation clocks. Mol Biol Evol. 2004; 21(1):36-44.

Tamura Y, Tatsumi Y Remelting of an Andesitic Crust as a Possible Origin for Rhyolitic Magma in Oceanic ArcS. an Example from the Izu–Bonin Arc J. Petrology 2002, 43: 1029 - 1047.

Tamura Y, Yuhara M, Ishii T, Irino N, Shukuno H. Andesites and Dacites from Daisen Volcano, Japan: Partial-to-Total Remelting of an Andesite Magma Body J Petrol, 2003; 44: 2243 - 2260.

Tan C, Govendir M, Zaki S, Miyake Y, Packiarajah P, Malik R. Evaluation of four warming procedures to minimise heat loss induced by anaesthesia and surgery in dogs. Aust Vet J. 2004; 82(1-2):65-8.

Tan KS, I.HinberG. Temperature Distribution Beneath Pediatric Electrosurgical Dispersive Elec-trodeS. A Model Study. Biomedical Instrumentation and Technology 27: 506-513.1993

Tanaka H, Yasumatsu M, Hasegawa H. Changes in Selected Ambient Temperatures Following Physical Training in Rats. Jap J Physiol. 2003; 53(4):309-312), 2003.

Tanaka K, Onuki Y. Observation of 4f electron transfer from Ce to B6 in the Kondo crystal CeB6 and its mechanism by multi-temperature X-ray diffraction. Acta Crystallogr B 2002, 58(Pt 3 Pt 2): 423-36.

Tanaka M, Monjushiro H, Watarai H.Laser photophoretic migra- tion with periodic expansion-contraction motion of Foto- absorbing microemulsion droplets in water. Langmuir. 2004 7; 20(25):10791-7.

Tanaka S. Sakai M. Hattori M-A. Kikuyama S. Wakabayashi K. Hanaoka Y. Effect of bullfrog LH and FSH on newt testes under different temperatures. Gen Comp Endocrin. 2004;138(1): 1-7.

Tanaka S. Vitamin E and peripheral circulation. Jikeikai Medical Journal 41:367-387.1994

Taneda T. Kikuchi A. Genetic analysis of RSC58, which encodes a component of a yeast chromatinremodeling complex, and interacts with the transcription factor Swi 6. Molr Genet Genomics: MGG. 2004; 271(4): 479-489.

Tang HJ, Ding TY, Xue SW, Zong MC. Processing of infrared thermography images in pulsed-heating infrared thermography non-destructive testing. IN. Ye S, editor, Automated Optical Inspection for IndustrY. Theory, Technology, and Applications II, Proceedings of the Society of Photo-Optical Instrumentation Engineers (SPIE) Vol.3558. Bellingham, 1998: p. 587-90.

Tang H-R, Belton PS, Davies SC, Hughes DL Solid state NMR and X-ray diffraction studies of (alpha)-D-galacturonic acid monohydrate. Carbohydrate Research 2001, 330(3): 391-399

Tang J, Zeng F, Savage H, Ho PP, Alfano RR. Laser irradiative tissue probed in situ by collagen 380-nm fluorescence imaging. Lasers Surg Med. 2000,27(2):158-64.

Tang X, Zhang J, Cai Y, Miao S, Zong S, Koide SS, Wang L. Sperm membrane protein (hSMP-1) and RanBPM complex in the microtubule-organizing centre. J Mol Med. 2004; 82(6): 383-8.

Tang Z-G, Teoh S-H, McFarlane W, Poole-Warren L, Umezu M. Compression-induced changes on physical structures and calcification of the aromatic polyether polyurethane composite. J Biomat Sci, Polymer Ed. 2003; 14(10):1117-1133.

Tangboriboonrat P, Buranabunya U. Composite natural rubber-polychloroprene latex particles produced by the heterocoagulation technique. Colloid and Polymer Science 2001, 279(6): 615-620

Tanghe A, Van Dijck P, Colavizza D, Thevelein JM. Aquaporin- mediated improvement of freeze tolerance of Saccharomyces cerevisiae is restricted to rapid freezing conditions. Appl Environ Microbiol. 2004; 70(6):3377-82.

Tangwongsan C. Will JA. Webster JG. Meredith Jr KL. Mahvi DM. In vivo measurement of swine endocardial convective heat trans- fer coefficient. IEEE Transact BioMed Eng. 2004; 51(8): 1478-1486.

Taniguchi N, Kanai S, Kawamoto M, Endo H, Higashino H. Study on Application of Static Magnetic Field for Adjuvant Arthritis Rats. Evid Based Complement Alternat Med. 2004; 1(2):187-191.]

Tanninen J. Platt S. Weis A. Nystrom M. Long-term acid resis- tance and selectivity of NF membranes in very acidicconditions. J Membrane Sci. 2004; 240(1-2): 11-18.

Tanzi EL, Alster TS.Long-pulsed 1064-nm Nd:YAG laser-assisted hair removal in all skin types. Dermatol Surg. 2004; 30(1):13-7.

Tao Q-H. Tang H-X. Effect of dye compounds on the adsorption of atrazine by natural sediment. Chemosphere. 2004;56(1): 31-38.

Taormina PJ, Dorsa WJ.Growth potential of Clostridium per- fringens during cooling of cooked meats. J Food Prot. 2004; 67(7): 1537-47.

Tappin DM, Ford RPK, Price B, Macey PM, Larkin J. Overnight central and peripheral temperature changes in normal infants. Acta Paediat. 2003; 92(9):1003-1006.

Tarasov, A.V, A.G.Markov, L.G.KorenevA. Investigation of the role of sympathetic system in several thermal processes on human hands. (abstract) Thermol Österr 7(2): 81-82. 1997

Tarbeev YuV. The problem of unification of metrological basis of measurements in medicine. Biomedical Engineering 1998, 32(3):121-33.

Tarbutt MR, Bethlem HL, Hudson JJ, Ryabov VL, Ryzhov VA, Sauer BE, Meijer G, Hinds EA. Slowing heavy, ground-state molecules using an alternating gradient decelerator. Phys Rev Lett. 2004; 92(17): 173002.

Tarczy-Hornoch P, Lee ER, Sokol JL, Prio-nas SD, Lohrbach AW, Kapp DS. Automated mechanical thermometry probe mapping systems for hyperthermia. Int J Hyperther 8 :543-554. 1992

Tarumi M, Shimada M, Murakami T, Tamura M, Shimada M, Arimoto H, Yamada Y. Simulation study of in vitro glucose measurement by NIR spectroscopy and method of error reduction. Phys Med Biol. 2003; 48(15):2373-2390.

Tash JS, Johnson DC, Enders GC. Long-term (6-wk) hindlimb suspension inhibits spermatogenesis in adult male rats J Appl Physiol 2002, 92: 1191 - 1198.

Tattersall GJ, Blank JL, Wood SC. Ventilatory and metabolic responses to hypoxia in the smallest simian primate, the pygmy marmoset J Appl Physiol 2002, 92: 202 - 210.

Tattersall GJ, Milsom WK Transient peripheral warming accompanies the hypoxic metabolic response in the golden-mantled ground squirrel J. Exp. Biol. 2003, 206: 33 - 42.

Tattersall GJ, Milsom WK, Abe AS, Brito SP, Andrade DV. The thermogenesis of digestion in rattlesnakes. J Exp Biol. 2004; 207(Pt 4):579-85.

Tattersall GJ, Milsom WK. Transient peripheral warming accompanies the hypoxic metabolic response in the golden- mantled ground squirrel. J Exp Biol. 2003;206(Pt 1):33-42.

Tatton WG. Delta opioid receptor agonists and neuronal survival. NeuroReport 2000, 11(5): F3

Tauchmannova H, J Gabrhel, J Cibak. Thermographischer Nachweis der vasoaktivenWirkung der Akupunktur. (abstract). Thermol Österr 3: 68. 1993

Tauchmannova H, J Gabrhel, M.Cibak. Thermographic findings in different sportS. their value in the prevention of soft tissue injuries (abstract). Thermol Österr2:S21. 1992

Tauchmannova H, J.Gabrhel, M.Cibak. Thermal image of the injured knee. Thermol Österr4:175-176. 1994

Tauchmannova H, J.Gabrhel, M.Cibak. Thermographic findings in different sportS. their value in the prevention of soft tissue injuries. Thermol Österr 3: 94-97. 1993

Tauchmannova H, J.Gabrhel, M.Cibak. Thermographischer Nachweis der vasoaktiven Wirkung der Akupunktur. Thermol Österr 3: 84-93. 1993

Tauchmannova H, J.Gabrhel, M.Tauchmann. Die IR-Thermographie in der Sportmedizin (abstract). European Journal of Thermology 8:74. 1998

Tauchmannova H, Z.Gubzova, F.Malis. Thermographisches Monitoring einer topischen Therapie mit Iboprufen in Salbenform (abstract). Thermol Österr 6: 62. 1996

Tauchmannova H, Z.Gubzova, F.Malis.Topische Therapie von schmerzhaften Weichteilveränderungen des Bewegungsapprates mit dem Präparat Dolgit. Thermol Österr 6: 93-98. 1996

Tauchmannova H,J.GabrbelM.Cibak.Thermal image of the injured knee IN. Ammer K, EFJ Ring (eds): The Thermal Image in Medicine and Biology, Uhlen Verlag, Wien,pp. 178-180. 1995

Tauchmannova H. Beitrag der Thermographie zur Diagnose und Therapieverlaufskontrolle bei systemischer Sklerodermie (abstract). Thermol Österr2: 43-44. 1992

Tauchmannova H. Beitrag der Thermographie zur Diagnose und Therapieverlaufskontrolle bei systemischer Sklerodermie. Thermol Österr2:62-64. 1992

Tauchmannova H. The Painful Knee in Adolescent AthleteS. A Clinical and Thermographic Study. (abstract). Thermol Österr 5: 78-79. 1995

Tauchmannova H. Thermal imaging in rheumatology. Thermol Österr 3:23-25.1993

Tauchmannova H. Thermographie bei M. Bechterew. Thermol Österr 4: 97-100. 1994

Tauchmannova H. Thermographie bei Morbus Bechterew (abstract). Thermol Österr 3: 65-66. 1993

Tauchmannova H. Transkutane Nervenstimulation zur Therapie des Raynaud-Phänomens. Thermol Österr2::65-69. 1992

Tautz J, Maier S, Groh C, Rössler W, Brockmann A. Behavioral performance in adult honey bees is influenced by the temperature experienced during their pupal development PNAS, Jun 2003; 100: 7343 - 7347.

Tavares EC, Marcelino SIS, ChiavoneFilho O, Souza CP. Determination of salt solubility data for ternary aqueous systems with a quasiisothermic thermometric technique. Thermochimica Acta 1999, 328(1)-2, 253-8

Tawakol A, Muller J. Through the looking glass: An angio- scopic view of the effect of statin therapyon coronary artery plaques*, J Am Coll Cardiol, 2003; 42, (4): 687-689

Tawfik A, Zeeman G, Klapwijk A, Sanders W, El-Gohary F, Lettinga G. Treatment of domestic sewage in combined UASB/RBC system. Process optimization for irrigation purposes. Water Sci Tech. 2003; 48(1):131-138.

Taylor A, M.Carello, W.Garroway, R.K.WilL. Whiplash injurieS.Infrared thermographic changes in patients and controls. Thermol Österr4:175. 1994

Taylor DL, Mehmet H, Cady EB, Edwards AD. Improved Neuroprotection with Hypothermia Delayed by 6 Hours Following Cerebral Hypoxia-Ischemia in the 14-Day-Old Rat Pediatr. Res. 2002, 51: 13 - 19.

Taylor EN. DeNardo DF. Malawy MA. A comparison between point- and semi-continuous sampling for assessing body temperature in a free-ranging ectotherm. 2004;. J Thermal Biol. 29(2): 91-96

Taylor GD, Johnson DB, Hogg DC, Cadeddu JA. Development of a renal tumor mimic model for learning minimally invasive nephron sparing surgical techniques. J Urol. 2004; 172(1):382-5.

Taylor JO, Dupont HM. Inspection of metallic thermal protection systems for the X-33 launch vehicle using pulsed infrared thermography. IN. Snell JR, RN Wurzbach (eds): Thermosense XX. Proceedings of the Society of Photo-Optical Instrumentation Engineers (SPIE) Vol.3361. Bellingham, pp. 301-310. 1998

Taylor SJ, Morken JP. Thermographic selection of effective catalysts from an encoded polymer- bound library. Science 280/5361: 267-270. 1998

TaylorA.L, W. Garroway, M. Carello, R. K. WilL. Whiplash injuries - an assessment of infrared thermographic change in patients with unilateral upper limb paIn. IN. Mabuchi K, S.Mizushina, B.Harrison (eds.) Advanced Techniques and Clinical Application in Biomedical Thermologie, harwood academic publishers Chur/Schweiz p. 237-244. 1994

TaylorA.L, W. Garroway, M. Carello,G.Mastaglia,R. K. WilL. Whiplash injuries - an assessment of symptom duration, current pain and infrared thermographic changes in patients with unilateral upper limb paIn.(abstract) Biomed Thermol 12: 295-296. 1992

Tchou S, JF Costich, RC Burges, CE WexleR.Thermographic observations in unilateral carpal tunnel syndromE. report of 61 cases. Journal of Hand Surgery.American Volume 17:631-637. 1992

Tedford RH, Harington CR. An arctic mammal fauna from the Early Pliocene of North America. Nature. 2003; 425: 388-390.

Teh LS, Manning J, Moore T, Tully MP, O'Reilly D, Jayson MI. Sustained-release transdermal glyceryl trinitrate patches as a treatment for primary and secondary Raynaud's phenomenon. British Journal of Rheumatology, 34: 636-641.1995

Tehei M. Franzetti B. Madern D. Ginzburg M. Ginzburg BZ. Giudici-Orticoni M-TBruschi M. Zaccai G. Adaptation to extreme Environs: Macromolecular dynamics in bacteria comparedin vivo by neutron scattering. EMBO Reports. 2004; 5(1): 66-70.

Teich J. S. Digital Infrared Imaginga for MedicinE. Recent Advances in I.R. Focal Plane Array Imaging Technology. Proc 1996 IEEE Engineering in Medicine & Biology :1055-1056. 1996

Teich JS. Digital infrared imaging for medicine - Recent advances in IR focal plane array imaging technology. IN. Boom H, Robinson C, Rutten W, Neuman M, Wijkstra H (eds): Proceedings of the 18th Annual International Conference of the IEEE Engineering in Medicine ind Biology Society, Vol 18. Pts 1-5. I E E E New York, pp. 2079-2080. 1997

Tejerina M H, Castillo D C. Hyperglycaemia of stress in paedriatrics. Rev Chil Pediat. 2003; 74(1):31-36.

Telfair WB, Bekker C, Hoffman HJ, Yoder PR Jr, Nordquist RE, Eiferman RA, Zenzie HH. Histological comparison of corneal ablation with ER.YAG laser, ND.YAG optical parametric oscillator, and excimer laser. J Refract Surg. 2000,16(1):40-50.

Teller P, Fobbe F, Wolf KJ, Einsatz bild-gebender Verfahren in der Diagnostik der tiefen Becken-Bein-Venenthrombose. Röntgenpraxis 44:137-145. 1991

Telliez F. Dewasmes G. Cardot V. Delanaud S. Chardon K. Leke A. Thermoregulatory control of feeding and sleep in premature infants. ITBM-RBM. 25(4)192-198. 2004.

Tempany CMC, Stewart EA, McDannold N, Quade BJ, Jolesz FA, Hynynen K. MR imaging-guided focused ultrasound surgery of uterine leiomyomas: A feasibility study. Radiol. 2003; 226(3):897-905.

ten Have AG. Gijsen FJH. Wentzel JJ. Slagger CJ. van der Steen AFW. Temperature distribution in atherosclerotic coronary arteries: Influence ofplaque geometry and flow (a numerical study). Phys Med Biol. 2004; 49(19): 4447-4462.

ten Hoopen GM, Ortiz JL, Aguilar ME, Krauss U. Preservation methodology for Rosellinia species. Mycol Res. 2004; 108(Pt 3):274-82.

Tepper M, Persinger R, Daniels K, Chomicz S, Teich J. Military infrared technology advances diabetes research. Diabetes Technology Therapeutics. 2003; 5(2): 283-288.

Terada S, Suzuki N, Uchide K, Hashimoto S, Inoue M.Imaging study of Mondor's disease in the lactating breast. Breast Disease 9(4) :211-216. 1996

Terao K, Nagasawa N, Nishida H, Furusawa K, Mori Y, Yoshii F, Dobashi T. Reagent-free crosslinking of aqueous gelatin: Manufacture and characteristics of gelatin gels irradiated with gamma-ray and electron beam. J Biomat Sci, Polymer Ed. 2003; 14(11):1197-1208.

Tercero J, Diaz C, Ribas J, Mahia J, Maestro MA New oxamato-bridged trinuclear Cu(II)-Cu(II)-Cu(II) complexes with hydrogen-bond supramolecular structureS. synthesis and magneto-structural studies. Inorg Chem 2002, 41(21): 5373-81.

Terech P, Rossat C, Volino F. On the measurement of phase transition temperatures in physical molecular organogels. Journal of Colloid and Interface Science 2000, 227(2): 363-370

Terent'ev IG, Abelevich IG, Siz'mina LK. Sravnitel'naia otsenka teplovizionnogo i radiotermometricheskogo metodov pri dispanserizatsii zhenshchin s disgormanal 'nymi giperplaziiaiii molochnykh zhelez.(Comparative evaluation of thermographic and radiothermometric methods of examination during mass screening of women with dyshormonal hyperplasia of the breast).Khirurgiia (Mosk) (4): 30-32.1990

Terini RA, Pereira MA, Kunzel R, Costa PR, Herdade SB. Comprehensive analysis of the spectrometric determination of voltage applied to X-ray tubes in the radiography and mammography energy ranges using a silicon PIN photodiode. Br J Radiol. 2004; 77(917): 395-404.

Terndrup TE, Rajk J. Impact of operator technique and device on infrared emission detection tympanic thermometry. Journal of Emergency Medicine, 10: 683-687.1992

Terndrup TE. An appraisal of temperature assessment by infrared emission detection tympanic thermometry. Annals of Emergency Medicine 21: 1483-1492.1992/

Terova B. Peter Slotte J. Nyholm TKM. Miscibility of acyl-chain defined phosphatidylcholines with N-palmitoylsphingomyelin in bi- layer membranes. Biochim BiophyS Acta - Biomembranes. 2004; 1667(2): 182-189.

Terrizzi A, Arnulfo G, Di Somma C, Sganga F, Mereta F, Franchi
Berti Riboli E. L'endotermografia dinamica computerizzata della mucosa gastrointestinale quale indice indiretto dello stato di vascolarizzazione degli organi addominali. Nota preliminare. (Computerized dynamic endothermography of the gastrointestinal mucosa as indirect index of the state of vascularization of the abdominal organs. preliminary note). Minerva Chir 44 (23-24): 2389-2392. 1989

Terzaghi A, G.Tettamanti, M.MasserinI. Interaction of glycosphingolipids and glycoproteinS. thermotropic properties of model membranes containing g(m1) ganglioside and glycophorIn. Biochemistry 32:9722-9725.1993

Terzioglu T,S.Tezelman, S.Baktiroglu, Y.Onaran, S. Unal, M.OzguR. Intraarterial prostaglandin E1 (PGE1) infusion with increased dosage in chronic arterial occlusive disease. Medical Bulletin of Istanbul Medical Faculty 27(2):1-5.1994

Tesfaigzi Y, Rudolph K, Fischer MJ, Conn CA Bcl-2 mediates sex-specific differences in recovery of mice from LPS-induced signs of sickness independent of IL-6 J Appl Physiol 2001, 91: 2182 - 2189.

Tessier M, Du Tremblay D, Klopfenstein C, Beauchamp G, Boulianne M. Abdominal skin temperature variation in healthy broiler chickens as determined by thermography. Poult Sci. 2003; 82(5):846-9.

Teteris J. Holographic recording in amorphous chalcogenide thin films, Curr Opin Solid State Mat Sci, 2003; 7, (2): 127-134

Tetreau C. Blouquit Y. Novikov E. Quiniou E. Lavalette D. Competition with Xenon Elicits Ligand Migration and Escape Path- ways inMyoglobin. Biophys J. 004;86(1 I): 435-447. 2

Tett S, Thorne P. Atmospheric science: tropospheric temperature series from satellites. Nature. 2004 Dec 2;432(7017): 572

Tew WL, Meyer CW, Strouse GF, Furukawa GT. Recent advances in the realization and dissemination of the ITS-90 below 83.8058 K at NIST. IN. Kittel P, editor, Advances In Cryogenic Engineering, VOL 43 PTS A and B, Plenum Press, New York, 1998, p. 733-40

Tew WL, Strouse GF. Maintenance and validation of a resistance ratio chain for platinum resistance thermometry. IN. Nelson TL,editor,1998 Conference on Precision Electromagnetic Measurements Digest, IEEE, New York, 1998,p. 98-9

Tewari S, Ramteke PW, Garg SK. Evaluation of simple microbiol tests for detection of fecal coliforms directly at 44.5 degreesC. Environ Monitor Assess. 2003; 85(2):191-198.

Teyssier E, Hirokawa G, Tretiakova A, Jameson B, Kaji A, Kaji H. Temperature-sensitive mutation in yeast mitochondrial ribosome recycling factor (RRF). Nuc Acids Res. 2003; 31(14):4218-4226.

Thakur M, Deb MK. Lead levels in the airborne dust particulates of an urban city of Central India. Environmental Monitoring and Assessment 2000: 62(3): 305-316

Thalau HP, Raczek J, Marx B, Hombach V, Cooper J. Temperature changes in chicken embryos exposed to a continuous- wave 1.25 GHz radiofrequency electromagnetic field. Radiation Res. 2003; 159(5): 685-692.

Tham TC, Silke B, Taylor SK. Comparison of central and peripheral haemodynamic effects of dilevalol and atenolol in essential hypertension.J Hum Hypertens 4 Suppl 2: 77-83. 1990

Tham TCK, Herity N, Guy S, Silke B. Echo-Doppler haemodynamic comparison of amlodipine and atenolol in essential hypertension. British Journal of Clinical Pharmacology 35: 85P, 1993

Thavarungkul P, Suppapitnarm P, Kanatharana P, Mattiasson B. Batch injection analysis for the determination of sucrose in sugar cane juice using immobilized invertase and thermometric detection. Biosensors and Bioelectronics 1999, 14(1): 19-25

The Steering Committee on Clinical Practice Guidelines for the Care and Treatment of Breast CanceR. The palpable breast lumP. information and recommendations to assist decision-making when a breast lump is detected. CMAJ, 158 (Suppl 3): S3-8. 1998

Thein Th, U. Weber, G. LautH. Wertigkeit diagnostischer Methoden bei Erkrankungen der Mamma. Teil 1: Einzelvergleich der Methoden. ThermoMed 5: 109-121. 1989

Thein Th, U.Weber, G.LautH. Wert diagnostischer Methoden bei Erkrankungen der Mamma- Teil II. Kombination der Methoden, ThermoMed 6:79-85. 1990

Theisen D, Vanlandewijk Y, Sturbois X, Francaus M. Cutaneous vasomotor adjustments during arm-cranking in individuals with paraplegia. European Journal of Applied Physiology 2000, 83(6): 539-544

Theisen MJ, Misra I, Saadat D, Campobasso N, Miziorko HM, Harrison DH. 3-hydroxy-3-methylglutaryl-CoA synthase intermediate complex observed in “real-time”. Proc Natl Acad Sci U S A. 2004; 101(47):16442-7.

Theodoro LH, Haypek P, Bachmann L, Garcia VG, Sampaio JEC, Zezell DM, Eduardo Cde P. Effect of Er:YAG and diode laser irradiation on the root surface: Morphological and thermal analysis. J Periodont. 2003; 74(6):838-843.

Thermography (letter). Med J Aust 154: 57-58. 1991

Thermography (letter). Med J Aust 154: 777-778. 1991

Theumann NH, Goettmann S, Le Viet D, Resnick D, Chung CB, Bittoun J, Chevrot A, . Drapé J-L. Recurrent Glomus Tumors of FingertipS. MR Imaging Evaluation Radiology 2002, 223: 143 - 151. .

Theuns DAMJ. Kimman GP. Szili-Torok T. Res JCJ. Jordaens LJ. Ice mapping during cryothermal ablation of accessory pathways in WPW: The roleof the temperature time constant. Europace. 2004; 6(2): 116-122.

Thiagalingam A, Campbell CR, Boyd AC, Eipper VE, Ross DL, Kovoor P. Cooled intramural needle catheter ablation creates deeper lesions than irrigated tip catheter ablation. Pacing Clin Electrophysiol. 2004; 27(7): 965-70.

Thiery G, Boyer A, Pigne E, Salah A, De Lassence A, Dreyfuss D, Ricard J-D. Heat and moisture exchangers in mechanically ventilated intensive care unit patients: A plea for an in- dependent assessment of their performance. Crit Care Med. 2003; 31(3):699-704

Thiery L, Marini N. Thermal behaviour modelling of tapered optical fibres for scanning near-field microscopy. Ultramicroscopy. 2003; 94(1):49-69

Tholey A, Heinzle E. Methods for biocatalyst screening. Adv Biochem Eng Biotechnol 2002, 74: 1-19.

Thoma K, Korting HC, Thoma-Greber E. Kuhlwirkung von Topika - Kenntnisstand und Bestimmungsmoglichkeiten in vivo und in vitro [Cooling effects of topicals - Present results and testing methods in vivo and in vitro]. Pharmazie 1998, 53(1)2: 813-9.

Thomas CD, Cameron A, Green RE, Bakkenes M, Beaumont LJ, Collingham YC, Erasmus BF, De Siqueira MF, Grainger A, Hannah L, Hughes L, Huntley B, Van Jaarsveld AS, Midgley GF, Miles L, Ortega- Huerta MA, Peterson AT, Phillips OL, Williams SE. Extinction risk from climate change. Nature. 2004; 427(6970):145-8.

Thomas D, Cobby MJ, Rhys Davies E, Jeans WD, Whicher JT. Liquid crystal thermography and C reactive protein in the detection of deep veneus thrombosis. BMJ, 299 (6705): 951-952. 1989

Thomas D, Collins S, Strauss S. Somatic sym- pathetic vasomotor changes documented by medical thermographic imaging during acupuncture analgesia. Clinical Rheumatology 11:55-59. 1992

Thomas D, Cullum D, Siahamis G, Langlois S. Infrared thermographic imaging, magnetic resonance imaging, CT scan and myelography in low back paIn. Br J Rheumatol 29 (4): 268-273. 1990

Thomas D, Cullum D.,.Raptis S. Traumatic Thrombosis of the Right Subclavian Vein, 209-213. 1990

Thomas D, Siahamis G, Marion M, Boyle C. Computerised infrared thermography and isotopic bone scanning in tennis elbow. Ann Rheum Dis 51:103-107. 1992

Thomas D, Thermography (letter).Neurology 42:701-702. discussion 702-703. 1992

Thomas DC, Stones RW, Farquhar CM, Beard RW.Measurement of pelvic blood flow changes in response to posture in normal subjects and in women with pelvic pain owing to congestion by using a thermal technique. Clinical Science 83. 55-58. 1992

Thomas G. Sailing to utopia: A revolutionary new phase for the pharmaceutical cold chainshipping scene. Epc - Eur Pharm Contractor. 2004;Issue SUMMER: 114-118.

Thomas GL, Thorne RE. Night-time predation by Steller sea lions. Nature 2001, 411(6841): 1013

Thomas KA Infant Weight and Gestational Age Effects on Thermoneutrality in the Home Environment J Obstet Gynecol Neonatal Nurs, 2003; 32: 745 - 752.

Thomas KA, Burr R, Wang SY, Lentz MJ, Shaver J. Axillary and thoracic skin temperatures poorly comparable to core body temperature circadian rhythm: results from 2 adult populations. Biol Res Nurs. 2004; 5(3): 187-94.

Thomas LD, Shah H, Green SA, Bankhurst AD, Whalen MM. Tributyltin exposure causes decreased granzyme B and perforin levels in human natural killer cells. Toxicology. 2004; 200(2-3):221-33.

Thomassin L, Giraud D, Sauve C.. Infrared Thermography and Non-Palpable Breast Cancers in 394 Cases. (abstract). Thermol Österr 4: 125. 1994

Thomassin L. The value of thermography in small size breast cancer. Thermol Österr 1992, 2:S28.

Thompson B, Wigley FM, Wise R, Haythornwaite J, Raud C, Smith EA, Maricq HB, Middaugh S, Silver RM, Valter I, Allenback G, Arnold J, Steedman S, Risinger A, King A, Bielory L, Attanasio V, Tarantola J, Jacob RG, Medsger T, Jennings R, Scheter M, Vaughan C, Wasko MC, Steen VD, Dunbar-Jacob J, Tamres L, Freedman RR, Mayes MD, Tindall C, Frederick LM, Canner M, Canner J, Canner P, Shaffer TR, Hill DR, Kaufmann PG, Czajkowski S, Geller N, Hunsberger S, Jennings C, Stevens WM, Hess EV, Corson JA, Jobe JB, Smith H, Tilley B. Comparison of sustained-release nifedipine and temperature biofeedback for treatment of primary Raynaud phenomenoN. Results from a randomized clinical trial with 1-year follow-up. Archives of Internal Medicine 2000, 160(8): 1101-1108

Thompson CI. Brannon AJ. Heck AL. Emotional fever after habituation to the temperature-recording procedure. Physiol Behav. 2003; 80(1):103-108.

Thompson CS. Kenney WL. Altered neurotransmitter control of reflex vasoconstriction in aged human skin. J Physiol. 2004; 558(2): 697-704.

Thompson H. Neale SA. Salt TE. Activation of Group II and Group III metabotropic glutamate receptors byendogenous ligand(s) and the modulation of synaptic transmission in thesuperficial superior colliculus. Neuropharmacol. 2004; 47(6): 822-832.

Thompson J. Dahlberg AE. Testing the conversation of the translational machinery over evolution indiverse Environs: Assaying Thermus thermophilus ribosomes and initiationfactors in a coupled transcription-translation system from Escherichia coli. Nucleic Acids Res. 2004; 32(19): 5954-5961.

Thompson JR. Randa MA. Marcelino LA. Tomita-Mitchell A. Lim E. Polz MF. Diversity and dynamics of a North Atlantic coastal Vibrio community. Appl Environ Microbiol. 2004; 70(7): 4103-4110.

Thompson RL, Lewis SL, Murphy MR, Hale JM, Blackwell PH, Acton GJ, Clough DH, Patrick GJ, Bonner PN. Are there sex differences in emotional and biological responses in spousal caregivers of patients with Alzheimer's disease? Biol Res Nurs. 2004; 5(4):319-30.

Thompson SA, Andrade FJ, Inon FA. Light emission diode water thermometer: a low-cost and noninvasive strategy for monitoring tem- perature in aqueous solutions. Appl Spectrosc. 2004; 58(3): 344-8.

Thomsen DD, Laurendeau NM LIF measurements and modeling of nitric oxide concentration in atmospheric counterflow premixed flames. Combustion and Flame 2001, 124(3): 350-369

Thong WY, Strickler AG, Li S, Stewart EE, Collier CL, Vaughn WK, Nussmeier NA Hyperthermia in the Forty-Eight Hours After Cardiopulmonary Bypass Anesth. Analg, 2002, 95: 1489 - 1495.

Thoresen M, Satas S, Løberg EM, Whitelaw A, Acolet D, Penrice CL, Robertson N, Haug E, Steen PA Twenty-Four Hours of Mild Hypothermia in Unsedated Newborn Pigs Starting after a Severe Global Hypoxic-Ischemic Insult Is Not Neuroprotective Pediatr. Res. 2001, 50: 405 - 411.

Thornber CR, Heliker C, Sherrod DR, Kauahikaua JP, Milium A, Okubo PG, Trusdell FA, Budahn JR, Ridley WI, Meeker GP. ilauea East Rift Zone Magmatism: an Episode 54 Perspective J Petrol, 2003; 44: 1525 - 1559.

Thornburg JW. Rodes CE. Lawless PA. Stevens CD. Williams RW. A pilot study of the influence of residential HAC duty cycle on indoor airquality. Atmospheric Environ. 2004; 38(11): 1567-1577.

Thorp G. Zwak J. Measuring process temperature in small dia- meter lines. Pharm Engin. 2004; 24(5): 8-18.

Thrall DE, Rosner GL, Azuma C, Larue SM, Case BC, Samulski T, Dewhirst MW. Using units of CEM 43 degrees C T90. local hyperthermia thermal dose can be delivered as prescribed. Int J Hyperthermia. 2000,16(5):415-28

Thrall DE, Rosner GL, Azuma C, Larue SM, Case BC, Samulski T, Dewhirst MW Using units of CEM 43 degrees C T90. local hyperthermia thermal dose can be delivered as prescribed. International Journal Of Hyperthermia 2000. 16 (5) 415-28

Thuiller W, Araujo MB, Pearson RG, Whittaker RJ, Brotons L, Lavorel S. Biodiversity conservation: uncertainty in predictions of extinction risk. Nature. 2004; 430(6995): 33;

Thür H, Mayr H, Ammer K. Reproduzierbarkeit der Messungen von Oberflächentempera-turen mit einem Infrarotthermometer . Thermol Österr1: 65-68. 1991

Thür H, Mayr H. Reproduzierbarkeit der Messungen von Oberflächentemperaturen mit einem Infrarotthermometer (abstract). Thermol Österr1: 32. 1991

Thür H, Mayr H.. Mögliche Ursachen der Hypothermie peripherer Paresen (abstract). Thermol Österr 6: 66. 1996

Thür H, Mayr H.. Vergleich der mittleren Temperatur des Line-Scans mit der flächenmäßigen Temperaturauswertung am Kniegelenk. Thermol Österr4:81-82. 1994

Thuröczy Gy. Microwave dosimetry in biological objects. IN. Benkö I, I.Lovak, I.Kovacscs, A.Faludi (ed): 8th International Conference on Thermal Engineering and Thermogrammetry, 2.-4.Juni 1993. Scientific Society of Measurement and Automation (MATE). Branch of Thermo Technical Measurements and Thermogrammetry, p.327-330. Budapest 1993

Tian H, Liaw PK, Strizak JP, Mansur LK. Effects of mercury on fatigue behavior of Type 316 LN stainless steel: application in the spallation neutron source. J Nuc Mat, 2003; 318: 157-166.

Tian WH, Wen XH, Qian Y. Using a zeolite medium biofilter to remove organic pollutant and ammonia simultaneously. J Environ Sci (China). 2004;16(1):90-3.

Tibby SM,Murdoch IA. Monitoring cardiac function in intensive care. Archf Dis Child. 2003; 88(1):46-52.

Tikuisis P Heat balance precedes stabilization of body temperatures during cold water immersion J Appl Physiol. 2003; 95: 89 - 96.

Tilly W, Wust P, Rau B, Harder C, Gellermann J, Schlag P, Budach V, Felix R Temperature data and specific absorption rates in pelvic tumourS. predictive factors and correlations. International Journal Of Hyperthermia 2001. 17 (2) 172-88

Timur S. Telefoncu A. Acetylcholinesterase (AChE) electrodes based on gelatin and chitosan matricesfor the pesticide detection. Artifl Cells Blood Subst Immobil Biotechnol. 2004; 32(3):427-442.

Tindbaek N. Svendsen A. Oestergaard PR. Draborg H. Engin a substrate-specific cold-adapted subtilisin. Protein Engin, Design Selec- tion. 2004; 17(2): 149-156.

Tingey DT. Hogsett WE. Lee EH. Laurence JA. Stricter ozone ambient air quality standard has beneficial effect on ponderosapine in California. Environ Manag. 2004; 34(3): 397-405.

Tisherman SA. Suspended animation for resuscitation from exsanguinating hemorrhage. Crit Care Med. 2004; 32(2 Suppl):S46-50.

Tiwari F, Singh DK. Attraction to amino acids by Lymnaea acuminata, the snail host of Fasciola species. Braz J Med Biol Res. 2004; 37(4):587-90.

Tiwari SB, Pai RM, Udupa N. Influence of ultrasound on the percutaneous absorption of ketorolac tromethamine in vitro across rat skin. Drug Deliv. 2004; 11(1):47-51.

Tjernstrom M, Zagar M, Svensson G. Model simulations of the Arctic atmospheric boundary-layer from the SHEBA year. Ambio. 2004; 33(4-5):221-7.

Tjin SC, Tan YK, Yow M, Lam Y-Z, Hao J. Recording compliance of dental splint use in obstructive sleep apnoea patients by force and temperature modelling. Medical and Biological Engineering and Computing 2001, 39(2): 182-184

Tkachyshyn VS. (A complex of methods for the early diagnosis of premorbid states of the bronchopulmonary system and of the main forms of chronic nonspecific lung diseases in those who took part in the cleanup of the aftermath of the accident at the Chernobyl Atomic Electric Power Station). Likarska Sprava, -(1): 21-24. 1998

Toba K, Ouchi Y, Akishita M, Kozaki K, Ishikawa M, Nagano K, Etoh M, Hashimoto M, Liang J, Ueda N, Orimo H. Improved skin blood flow and cutaneous temperature in the foot of a patient with arteriosclerosis obliterans by vasopressin V1 antagonist (OPC21268) - A case report. Angiology 46:1027-1033. 1995

Tober H. Thermographie Systeme von Flir Systems Inc und Avio. Thermol Österr2:37-40. 1992

Tobias A. Saez M. Galan I. Graphic tools for the descriptive analysis of temporary series in medical research. Medicina Clinica. 2004;;122(18): 701-706.

Tobiska S, Kleinebudde P A simple method for evaluating the mixing efficiency of a new type of pan coater. International Journal of Pharmaceutics 2001: 224(1-2): 141-149

Toda K, DiCorte CJ, McFadden PM. Assessment of thoracoscopic sympathectomy by infrared thermal imaging. Ann Thorac Surg. 2000,70(3):983.

Todd G, Butler JE, Taylor JL, Gandevia SC. Hyperthermia: a failure of the motor cortex and the muscle. J Physiol. 2004; Epub ahead of print

Togawa T, H SaitO.Non-contact imaging of thermal properties of the skIn. Physiological Measurement 15: 291-298. 1994

Tokoro H, Ohkoshi S, Matsuda T, Hashimoto K. A large thermal hysteresis loop produced by a charge-transfer phase transition in a rubidium manganese hexacyanoferrate. Inorg Chem. 2004; 43(17): 5231-6.

Tokuda Y, Matsumoto M, Sugita T, Nishizawa J. Nasal mask bilevel positive airway pressure ventilation for diaphragmatic paralysis after pediatric open-heart surgery. Pediatr Cardiol. 2004; 25(5):552-3.

Tokunaga H, Ishibashi M, Arakawa T, Tokunaga M. Highly efficient renaturation of beta-lactamase isolated from moderately halo- philic bacteria. FEBS Lett. 2004; 558(1-3):7-12.

Tolmachev AV, Vilkov AN, Bogdanov B, Pasa-Tolic L, Masselon CD, Smith RD.Collisional activation of ions in RF ion traps and ion guides: the effective ion temperature treatment. J Am Soc Mass Spec- trom. 2004; 15(11):1616-28.

Tomaz C, Verburg MS, Boere V, Pianta TF, Belo M. Evidence of hemispheric specialization in marmosets (Callithrix penicillata) using tympanic membrane thermometry. Braz J Med Biol Res. 2003; 36(7):913-918.

Tomes A. UK government science policy: the `enterprise deficit' fallacy. Technovation, 2003; 23 (10): 785-792.

Tominaga K, Hamada Y. Efficient production of sex-identified and cryosurvived bovine in-vitro produced blastocysts. Theriogeno- logy. 2004; 61(6):1181-91.

Tominaga T. Rapid identification of pickle yeasts by fluorescent PCR andmicrotemperature-gradient gel electrophoresis. FEMS Micro- biol Letters. 2004; 238(1): 43-48.

Tomlinson JE, Sage AM, Turner TA. Ultrasonographic abnormalities detected in the sacroiliac area in twenty cases of upper hindlimb lameness. Equ Vet J. 2003; 35(1):48-54.

Tomono N, Kuriyama T, Mori M, Takahashi Y, Mitsuda T, Aihara Y, Yokota S.Serial computed thermography for Raynaud's phenomenon of patient with. progressive systemic sclerosis (PSS). Ryumachi 36 (3): 522-527. 1996

Toms SL, ED CookE. A comparison of the functioning of arteriovenous anastomoses in secondary Raynaud's phenomenon and control subjects in response to local hand warming. International Angiology 14:74-79. 1995

Tonnesen HH, Skrede G, Martinsen BK. Photoreactivity of biologically active compounds. XIII. Photostability of mefloquine hydrochloride in the solid state. Drug Stability 1(4): 249-253. 1997

Topcu S. Sezginturk MK. Dinckaya E. Evaluation of a new biosensor-based mushroom (Agaricus bisporus) tissue homogenate: Investigation of certain phenolic compounds and some inhibitoreffects. Biosensors Bioelectron. 2004; 20(3): 592-597.

Topping A, Gault D, Grobbelaar A, Green C, Sanders R, Linge C. The temperatures reached and the damage caused to hair follicles by the normal-mode ruby laser when used for depilation. Ann Plast Surg. 2000,44(6):581-90.

Torii M, M Yamasaki, T Sasaki, H MakyamA. Fall in skin temperature of exercising man. British Journal of Sports Medicine 26:29-32. 1992

Torii M. Szygla Z. Iwashita M. Effect of bilateral carotid cooling on thermal responses during cycling and arm cranking work due to identical oxygen consumption. J Thermal Biol. 2004. 29(7-8 Spec. Iss.)871-876.

Torija MJ, Beltran G, Novo M, Poblet M, Guillamon JM, Mas A, Rozes N. Effects of fermentation temperature and Saccharomyces species on the cell fatty acid composition and presence of 2003; atile compounds in wine. Int J Food Microbiol 2003; 85(1-2):127-136.

Toropov IuD, Kashchenko-Bogan VG, Davydov VI. Primenenie infrakrasnoi termografii v diagnostike i lechenii obliteriruiushchikh zabolevanii sosudov konechnostei. (Use of infrared thermography in the diagnosis of obliterating diseases of the blood vessels of the limbs). Klin Khir (7): 46-45. 1989

Toropov IuD, VI Izbitskii, VN Vysotskil. The diagnosis and surgical treatment of nodular eu-thyroid and toxic goiter. Khirurgiia (Mosk) (7(1)991): 81-85. 1991

Torossian F, Giard A, Cereja F. TI. (Digital thermography for the evaluation of the effect of betamethasone in the treatment of acute sinusitis. Preliminary study). Presse Medicale 26(3)1: 1482-1487. 1997

Torres JH, Springer TA, Welch AJ, Pearce JA. Limitations of a theramal camera in measuring surface temperatures of laser-irradiated tissues. La-sers Surg Med 10:510-523. 1990

Torres M, Mendez JJ, Sanahuja V, Canela R. Reactive extraction of the acylglycerides present in various materials using Rhizopus oryzae resting cells. Biocat Biotrans. 2003; 21(3): 129-134.

Torrijos M, Vuitton V, Moletta R. The SBR procesS. An efficient and economic solution for the treatment of wastewater at small cheesemaking dairies in the Jura mountains. Water Science and Technology 2001, 43(3): 373-380

Torup L, Diemer NH. Is the 5-HT(2C) receptor a therapeutic target in cerebral ischaemia? Pharmacology and Toxicology 2000: 87(2): 74-78

Toshitani S, Nakayama J, Yahata T, Yasuda M, Urabe H. A new apparatus for hair regrowth in male-pattern baldness. J Dermatol 17 (4): 240-246 , 1990

Totani T. Solving the cooling flow problem of galaxy clusters by dark matter neutralino annihilation. Phys Rev Lett. 2004 ; 92(19): 191301.

Toth A, J. BoczaN.The measurement of tone dominance of the vegetative nervous system in students of 'the medical college . (abstract). IN. Benkö I, I.Lovak, I.Kovacsics (eds):9th International Con- ference on Thermal Engineering and Thermogrammetry (THERMO). Budapest. p.130-131. 1995

Toth P, Mark G, Kobor A, Fejerdy P. Szelent fogyaszto kiserleti allatok kemeny szoeveteinek derivatografias vizsgalata.(Thermo-analytic study of hard tissues in selenium-consuming experimental animals).Fogarv Sz 81 (3): 79-84. 1988

Touijer K, Guillonneau B. Advances in laparoscopic partial nephr- ectomy. Curr Opin Urol. 2004; 14(4):235-7.

Tourangeau A, F.Macleod, M.BreakwelL. Tap in on ear thermometry. Canadian Nurse 89: 24-28.1993

Toutouzas K. Tsiamis E. Vavuranakis M. Stefanadis C. Coronary artery plaque temperature: What do we measure? [2]. Eur Heart J. 2004; 25(11): 993-994.

Towill LE, Widrlechner M.Cryopreservation of Salix species using sections from winter vegetative scions. Cryo Letters. 2004; 25(1):71-80.

Toyota K. Sakura S. Saito Y. Ozasa H. Uchida H. The effect of pre-operative administration of midazolam on the development of intra-operative hypothermia. Anaesthesia. 2004;59(2): 116-121.

Trannoy N, Grossel P, Troyon M. Thermal effects induced by laser irradiation in scanning tunneling microscopY. Thermal expansion of sample and tip influence. Probe Microscopy 1998, ½: 201-6.

Tranoudis I. Efron N. Water properties of soft contact lens materials. Contact Lens & Anterior Eye. 2004; 27(4): 193-208.

Trapp O. Trapp G. Schurig V. Determination of the cis-trans isomerization barrier of enalaprilat by dynamiccapillacy electrophoresis and computer simulation. Electrophoresis. 2004; 25(2): 318-323.

Traycoff R.R, W.Zhong. M.GerberdinG. Use Of High Defintion Tele-Thermography To Identify Patients With Diabetes Mellitus At Risk For Developing Neuropathic Foot Ulcers. (abstract) Thermol Österr 7(1):28. 1997

Tregoures A, Beneito A, Berne P, Gonze MA, Sabroux JC, Savanne D, Pokryska Z, Tauziede C, Cellier P, Laville P, Milward R, Arnaud A, Levy F, Burkhalter R. Comparison of seven methods for measuring methane flux at a municipal solid waste landfill site. Waste Management and Research 1999, 17(6):453-8

Trelles MA, Allones I, Trelles O. An 810 nm diode laser in the treatment of small (< or = 1.0 mm) leg veins: a preliminary assessment. Lasers Med Sci. 2004; 19(1):21-6.

Trelles MA, Calderhead RG. A prototype vessel compressor helps efficient laser treatment of small leg veins. J Cosmet Laser Ther. 2004; 6(3):152-5.

Tremey B, Vigue B [Changes in blood gases with temperature: implications for clinical practice] Ann Fr Anesth Reanim. 2004 ; 23(5): 474-81.

Trenberth KE Climatology (communication arising): rural land- use change and climate. Nature. 2004; 427(6971):213- 214.

Trieloff M, Jessberger EK, Herrwerth I, Hopp J, Flenl C, Ghelis M, Bourot-Denise M, Pellas P. Structure and thermal history of the H-chondrite parent asteroid revealed by thermochronometry. Nature. 2003; 422(6931):502-506.

Trishkin VA AG, Vesnin, VI, Stoliarov II Semenov, AI Novikov, MA ChibisovA. (A comparative analysis of the current methods for the outpatient diagnosis of soft tissue tumors)

Tritto T. McCallum SE. Waddle SA. Hutton SR. Paylor R. Collins AC. Marks MJ. Null mutant analysis of responses to nicotine: Deletion of beta2 nicotinicacetylcholine receptor subunit but not a7 subunit reduces sensitivity tonicotine-induced locomotor depression and hypo- thermia. Nicotine Tobacco Res. 2004; 6(1): 145-157.

Troilius A, K Wardell, S Bornmyr, GE Nielsson, B LjunggreN. Evaluation of port wine stain perfusion by laser Doppler imaging and thermography before and after argon laser treatment. Acta Dermato-Venereologica 72:6-10. 1992

Tronnier H. Bildanalytische Testverfahren an der menschlichen Haut. Image-analytical method for the human skIn. Aktuelle Dermatologie 2000, 26 (6):200-6

Tronnier H. Hautphysiologie Untersuchungen als Beleg für Werbeaussagen Kosmetischer Mittel. Zeitschrift fur Dermatologie 183(3)-4: 163-170, 1997

Troschew K. Hauttemperaturveränderungen rings um die Wunde nach einer thermischen Läsion (Verbrennung). ThermoMed 12: 7-12. 1996

Trowbridge C, Bruhn T, Arends B. Selective deep spinal hypothermia with vacuum-assisted cerebral spinal fluid drainage for thoracoabdominal aortic surgery. J Extra-Corp Tech. 2003; 35(2):152-155.

Trowbridge CA, Draper DO, Feland JB, Jutte LS, Eggett DL. Paraspinal musculature and skin temperature changes: comparing the Thermacare HeatWrap, the Johnson & Johnson Back Plaster, and the ABC Warme-Pflaster. J Orthop Sports Phys Ther. 2004; 34(9):549-58.

Trubel H, Herman P, Kampmann C, Huth R, Maciejewski PK, Novotny E, Hyder F. A novel approach for selective brain cooling: implications for hypercapnia and seizure activity. Intensive Care Med. 2004; 30(9):1829-33.

Trubel H, Herman P, Kampmann C, Novotny E, Hyder F. [Duration of induced seizures during selective pharyngeal brain cooling] Biomed Tech (Berl). 2004; 49(10):279-81. s]

Trübel HKF, Maciejewski PK, Farber JH, Hyder F. Brain temperature measured by ^{1}H-NMR in conjunction with a lanthanide complex J Appl Physiol, 2003; 94: 1641 - 1649.

Trujillo ME. Velazquez E. Kroppenstedt RM. Schumann P. Rivas R. Mateos PFMartinez-Molina E. Mycobacterium psychrotolerans sp. nov., isolated from pond water near a uraniummine. Int J Syst Evol Microbiol. 2004; 54(5):1459-1463.

Trum JW, Gubler FM, Laan R, Van der Veen F. The value of palpation, varicoscreen contact thermography and colour Doppler ultrasound in the diagnosis of varicocele. Human Reproduction 11: 1232-1235. 1996

Trunk P, Gersak B, Trobec R. Topical cardiac cooling - Computer simulation of myocardial temperature changes. Computers Biol Med. 2003; 33(3):203-214

Trunk P, Trobec R, Gersak B. Measurement of porcine heart temperatures. Pflügers Archiv European Journal of Physiology 2000, 440(Suppl. 5): R132-R133

Trunz T. Kontakt-Thermometrie in der Regulations-Diagnose. Thermodiagnostik 2(1): 7-11. 1986

Truong L. Moran JL. Blum P. Post anaesthesia care unit discharge: A clinival scoring system versus traditional time-based criteria. Anaesth Intensive Care. 2004;32(1): 33-42.

Tsai JC, Lim KB, Lin SY, Kao MC. Thermographic study of palmar and facial skin temperature of hyperhidrosis patients before and after thoracic sympathectomy. J Formos Med Assoc. 2000,99(6):466-71.

Tsai S-W. Tsai S-T. Wang V-S. Lai J-S. Laboratory and field validations of a solid-phase microextraction device for the determina- tion of ethylene oxide. J Chromatogr. A.. 1026(1-2): 25-30. 2004;4.

Tsallis C. Comment on “Critique of q-entropy for thermal statistics”. Phys Rev E Stat Nonlin Soft Matter Phys. 2004; 69(3 Pt 2):038101-2.

Tsamis C, Nassiopoulou AG, Tserepi A. Thermal properties of suspended porous silicon micro-hotplates for sensor applications, Sens Act B: Chem, 2003; 95, (s 1-3): 78-82

Tsang KW, Shum DK, Chan S, Ng P, Mak J, Leung R, Shum IH, Ooi GC, Tipoe GL, Lam WK. Pseudomonas aeruginosa adherence to human basement membrane collagen in vitro. Eur Resp J. 2003; 21(6):932-938,

.Tsao J, Behnia B,Webb AG Unifying linear prior-information-driven methods for accelerated image acquisition. Magn Reson Med, 2001, 46(4): 652-60.

Tschudi HR, Schubnell M, Muller C. Measuring temperatures on absorbers irradiated in a solar furnace by flash assisted multi-wavelength pyrometry.Journal De Physique IV 1999,9/P3: 629-34

Tschumi J. Comparison of temperature rise interpretations between Eur and United States Pharmacopeias’ pyrogen tests. PDA: J Pharm Sci Tech. 2003; 57(3):218-227), 2003.

Tsivian A, Sidi AA. A simple and reliable hemostatic technique during partial nephrectomy. Urology. 2004; 63(5):976-8.

Tsonev T, Velikova V, Georgieva K, Hyde PF, Jones HG. Low Temperature Enhances Photosynthetic Down-regulation in French Bean (*Phaseolus vulgaris* L.) Plants. Ann. Bot., Feb 2003; 91: 343 - 352.

.Tsonev T, Velikova V, Georgieva K, Hyde PF, Jones HG Low Temperature Enhances Photosynthetic Down-regulation in French Bean (*Phaseolus vulgaris* L.) Plants Ann. Bot,2002, 201.

Tsubota K, Hata S, Mori A, Nakamori K, Fujishima H. Decreased blinking in dry saunas.Cornea 16(2) :242. 1997

Tsuchiya M. Ueda W, Tomoda M, Takimoto E, Fouruno K, Kuzume Y, Kanaya H, Hasegawa, T, Aono J, Maesako M et al. Liquid crystal thermographY. a reliable method for detecting soda lime exhaustion. Masui 39:915-917. 1990

Tsuda H, Tanaka M, Manag T, Ikeda H, Negro S, Ishiko O, Yamamoto K. Phase I study of combined radiation, hyperthermia and intra-arterial carboplatin for local recurrence of cervical cancer Ann Onc. 2003; 14: 298 - 303.

Tsuei BJ, Kearney PA. Hypothermia in the trauma patient. Injury. 2004; 35(1):7-15.

Tsuji H. Tezuka Y.Stereocomplex formation between enantio- metric poly(lactic acid)s. 12. Spherulitegrowth of low-molecular-weight poly(lactic acid)s from the melt. Biomacromolecules. 2004; 5(4): 1181-1186.

Tsuji T, Fujimoto T, Fujii M, Nakano T, Togawa T. In vivo T1 measurements of canine brain fo r deep tissue measurements with MRI. Front Med Biol Eng 2:99-109. 1990

Tsukayama H, H. Osawa, K.i Nishijyo, H. MorI. Cardiovascular Response To Low-Power Laser Stimulation. (abstract). Biomed Thermol 11: 294. 1991

Tsuneoka H, Shiba T, Takahashi Y (Wound temperature during ultrasmall incision phacoemulsification) Nippon Ganka Gakkai Zasshi. Acta Societatis Ophthalmologicae Japonicae 2001. 105 (4) 237-43

Tsurikisawa N, Taniguchi M, Saito H, Himeno H, Ishibashi A, Suzuki S, Akiyama K. Treatment of Churg-Strauss syndrome with high-dose intravenous immunoglobulin. Ann Allergy Asthma Immu- nol. 2004; 92(1):80-7.

Tsuruoka M, Karube I. Rapid hybridization at high salt concentration and detection of bacterial DNA using fluorescence polarization. Comb Chem High Throughput Screen. 2003; 6(3):225-234.

Tsushima N, M. Sano, K.Kimura, S.NagatA. Changes in Skin Circulation After Percutaneous Transvenous Mitral Commisurotomy. (abstract) Biomed Thermol 15: 47. 1995

Tsutsumi A, Horita T, Ohmuro J, Atsumi T, Ichikawa K, Tashiro K, Koike T. Reflex sympathetic dystrophy in a patient with the antiphospholipid syndrome. Lupus, 1999. 8 (6) 471-3

Tsvetkov AA, Kuznetsov IuA, Zotov AA. Local capillarotrophic insufficiency syndrome in patients with osteoarthrosis deformans. Revmatologiia (Mosk) (3(1)990):19-23. 1990

Tucker A, Pearson R, Benjamin N. Topical application of a novel nitric oxide generating system in patients with severe Raynaud's syndrome. Thermol intern 2002. 12: 71-72

Tucker AT Infrared thermographic assessment of the human scrotum. Fertility And Sterility 2000. 74 (4) 802-3

Tucker M, Morton P, Liebermann J.Human oocyte cryopreser- vation: a valid alternative to embryo cryopreservation? Eur J Obstet Gynecol Reprod Biol. 2004; 113 Suppl 1: S24-7.

Tuckermann R, Bauerecker S, Neidhart B Evaporation rates of alkanes and alkanols from acoustically levitated drops. Anal Bioanal Chem 2002, 372(1): 122-7.

Tugrul M, Camci E, Sungur Z. Effects of sevoflurane and isoflurane on the efficacy of rewarming from hypothermic cardiopulmonary bypass [5]. Eur J Anaesth. 2003; 20(7):583-585.

Tunell R. Prevention of neonatal cold injury in preterm infants. Acta Paediatrica. 93(3)308-310. 2004.

Tunley BV, Henson FM. Reliability and repeatability of thermo- graphic examination and the normal thermographic image of the tho- racolumbar region in the horse. Equine Vet J. 2004; 36(4):306-12.

Turchanin A, Tsekov R, Freyland W.Oscillatory wetting instability induced by liquid-liquid decomposition in a Ga—Pb alloy. J Chem Phys. 2004;120(23):11171-82.]

Turchetto M, Vanin S. [Forensic entomology and globalisation] Parassitologia. 2004; 46(1-2):187-90.

Turetgen I. Comparison of the efficacy of free residual chlorine and monochloramine against biofilms in model and full scale cooling towers. Biofouling. 2004;20(2):81-5.

Turler D. Predicting the geometry and location of defects in adhesive and spot-welded lap joints using steady-state thermographic techniques. IN. LeMieux DH, Snell JR, editorS. Thermosense XXI,Proceedings of the Society of Photo-Optical Instrumentation Engineers (SPIE), Vol.3700, Bellingham, 1999. p. 54-62

Turnbull WNO, Misener DL, Smith TJN, Oram GRJ, Smith RW ATEN. A New High Temperature Materials Processing Facility for the International Space Station Ann. N.Y. Acad. Sci. 2002, 974: 157 - 163.

Turner E.Rewarming of patients with moderate to severe hypothermia. J fur Anasthesie und Intensivbehandlung. 11(1)261. 2004.

Turner JR, SV. HerinG. The additivity and stability of carbon signatures obtained by evolved gas analysis Aerosol Science and Technology 21: 294-305.1994

Turner PF.MRI integration with 3D phased array BSD-2000.3-D hyperthermia system. In. Proceedings of The First Joint BMES/EMBS Conference Serving Humanity, Advancing Technology, Atlanta, 1999, pp.1278.

Turner TA Diagnostic thermography. Veterinary Clinics Of North America. Equine Practice 2001. 17 (1) 95-113

Turner TA, Purohit RC, Fessier JF. ThermographY. A review in equine medicine. Copm Cont Educ Pract Vet. 11: 855-861. 1986

Turner TA. Back problems in horses (abstract). Thermol int 2004, 14(3): 108.

Turner TA. Thermographic assessment of racing thoroughbreds (abstract). Thermol int 2004, 14(3): 107.

Tutudaki M, Tsakalof AK, Tsatsakis AM. Hair analysis used to assess chronic exposure to the organophosphate diazinon: A model study with rabbits. Hum Exper Tox. 2003; 22(3): 159-164.

Tyler JW, Angel KL, Carson RL, Anderson T, Purohlt RC. Bradycardia, altered thermographic patterns, an dysphonia associated with cervical laxity in an Ankole-Watusi Bull. Am J Vet Med Assoc., 199: 767-768. 1991

Tyler JW, KL Angel, RL Carson, T Anderson, RC PurohiT. Bradycardia, altered thermographic patterns , and dysphonia associated with cervical laxity in an Ankole-Watusi bull. J AM Vet Med Assoc 199:767-768. 1991

Uchida Frausto H, Pieters JG. Modelling evaporative cooling in greenhouses under central Mexican conditions. Commun Agric Appl Biol Sci. 2004; 69(2):285-8.

Uchida K. Fujisaki T. Hachiya Y. Yoshikawa R. Oda S. Mori K. Ogai H. Fatigue estimation of visual display terminal (VDT) workers by physiological data - Preliminary study of a new computer program for VDT work analysis. J UOEH. 2004; 26(3)315-325.

Uchikawa T, T Murakami, H.FurukawA. Effects of the anti-platelet agent cilostazol on pe-ripheral vascular disease in patients with diabetes mellitus.Arzneimittel-Forschung 42:322-324. 1992

Uchisawa H, Sato A, Ichita J, Matsue H, Ono T. Influence of low-temperature processing of the brackish-water bivalve, Corbicula japonica, on the ornithine content of its extract. Biosci Biotechnol Biochem. 2004; 68(6):1228-34. Uchiyama S, Matsumura Y, de Silva AP, Iwai K. Modulation of the sensitive temperature range of fluorescent molecular thermometers based on thermoresponsive polymers. Anal Chem. 2004; 76(6):1793-8.

Ueda M, Sakurai T, Kasai K, Ushikubo Y, Samejima H. Localisation of sensory motor cortex during surgery by changes of cortical surface temperature after median nerve stimulation (1): Lancet 350/9077: 561. 1997

Ueda Y. Suehiro E. Wei EP. Kontos HA. Povlishock JT. Un- complicated Rapid Posthypothermic Rewarming Alters Cerebrovas- cular Responsiveness. Stroke. 2004, 35(2)601-606.

Uehara K, Murakami S, Oikawa S, Wakamatsu S : Wind tunnel experiments on how thermal stratification affects flow in and above urban street canyons. Atmospheric Environment 2000, 34(10): 1553-1562

Uehling DE, Donaldson KH, Deaton DN, Hyman CE, Sugg EE, Barrett DG, Hughes RG, Reitter B, Adkison KK, Lancaster ME, Lee F, Hart R, Paulik MA, Sherman BW, True T, Cowan C Synthesis and evaluation of potent and selective beta(3) adrenergic receptor agonists containing acylsulfonamide, sulfonylsulfonamide, and sulfonylurea carboxylic acid isosteres. J Med Chem 2002, 45(3): 567-83.

Uematsu S. Biomedical thermologY. its prospects from the standpoint of a clinician treating patiuents with epilepsy. (abstract) Biomed thermol 12. 291-292. 1992

Uematsu S. Cerebral Cortex in the Control of Skin Temperature in Man, Thermology 3:199-204. 1990

Uematsu S. Non-invasive thermal imaging of the braIn. its prospects from the standpoint of a clinician. IN. Mabuchi K, S.Mizushina, B.Harrison (eds.) Advanced Techniques and Clinical Application in Biomedical Thermologie, harwood academic publishers Chur/Schweiz p. 305-319. 1994

Uematsu S.Skin Temperature MeasuremenT. A Clinician's Perspective. Biomed Thermol 11: 256-268. 1991

Ueno T, Uemura K, Harris MB, Pappas TN, Takahashi T. Role of vagus nerve in postprandial antro-pyloric coordination in conscious dogs. Am J Physiol Gastrointest Liver Physiol. 2004; Epub ahead of print

Uesaka Y [The usefulness of the thermography for patients with diabetes mellitus] Nippon Rinsho 2002, 60 Suppl 8: 688-90.

Uetera Y, Saito H, Ookuni M, Tanaka C Überprüfung der thermischen Desinfektion In Reinigungs-Desinfektionsautomaten mit drahtlosen Thermologgern (Evaluation of thermal disinfection procedure in washer disinfectors using a wireless thermologger). Zentralsterilisation - Central Service 2001. 9(2): 88-99

Uezu K, Sei H, Sano A, Toida K, Suzuki-Yamamoto T, Houtani T, Sugimoto T, Takeshima H, Ishimura K, Morita Y. Lack of nociceptin receptor alters body temperature during resting period in mice. Neuro- report. 2004; 15(5):751-5.

Ugaz VM, Lin R, Srivastava N, Burke DT, Burns MA. A versatile microfabricated platform for electrophoresis of double- and single-stranded DNA. Electrophor. 2003; 24(1-2):151-157.

Uhlmann J. Amalgam-Belastung im Regulations-Thermogramm. ThermoMed 13:25-35. 1997

Uhlmann J. Neuraltherapeutische Segmenttherapie im ZMK-Bereich, dokumentiert mittels Regulationsthermographie. Thermomed 10: 23-30. 1994

Uhlmann J. Regulationsthermographie der Zähne- eine Propädeutik. ThermoMed 11:21- 24. 1995

Uhlmann J. Zur differentialdiagnostischen Bedeutung des Zahnthermogramms bei Abklärung des Kopfherdgeschehens (Regulations-Thermographie nach Prof.Rost), ThermoMed 6:51-57. 1990

Uhlmann K. Zur morphologischen Basis der RegulationsthermographiE. Die topographischen Beziehungen der Meßareale des Standardthermogramms zum lymphatischen System. ThermoMed 11: 132- 20. 1995

Ulmer HU, Brinkmann M, Frischbier HJ. Thermography in the follow-up of breast cancer patients after breast-conserving treatment by tumorectomy and radiation therapy. Cancer 65 (12): 2676-2680. 1990

Unger EL, Mazzola-Pomietto P, Murphy DL, Andrews AM. 2'-NH_2-MPTP [1-Methyl-4-(2'-aminophenyl)-1.2.3.6-tetrahydropyridine] Depletes Serotonin and Norepinephrine in RatS. A Comparison with 2'-CH_3-MPTP [1-Methyl-4-(2'-methylphenyl)-1.2.3.6-tetrahydropyridine] J. Pharmacol. Exp. Ther. 2002, 303: 527 - 533.

Unterer S. Lutz H. Gerber B. Glaus TM. Hassig M. Reusch CE. Evaluation of an electrolyte analyzer for measurement of ionized cal- cium andmagnesium concentrations in blood, plasma, and serum of dogs. Am J Vet Res. 2004 65(2): 183-187.;

Urabe A. Clin features of the neutropenic host: definitions and initial evaluation. Clin Infect Dis. 2004; 39 Suppl 1:S53-5.

Urabe Y. M Ideishi, M Sasaguri, M Ikeda, A. ArakawA. Beneficial effects of a serine protease inhibitor in peripheral vascular disease. American Journal of Cardiology 72:218-222.1993

Urakami S, Gonda N, Kikuno N, Shigeno K, Shiina H, Igawa M, Uchida N, Kawaguchi A, Moriyama M, Kitagaki H Combined transperineal radiofrequency (RF) interstitial hyperthermia and brachytherapy for localized prostate cancer (PC). Nishinihon Journal of Urology 2001, 63(5): 314-323

Urban G, Jachimowics A, Kohl F, Kuttner H, Olcaytug F, Goiser P, Lindenr K, Pockberger H, Prohaska O, Schoenauer M. High resulution multi-temperature sensors for biomedical application. Med Prog Technol 16:173-181. 1990

Urban P, Philipp C, Weinberg L, Berlien HP. Different imaging methods in the comparative assessment of vascular lesions - Colour coded duplex sonography, laser Doppler perfusion imaging, infrared thermography. IN. Altshuler GB, Birngruber R, DalFante M, Hibst R, Hönigstmann H, Krasner N, Laffitte F, Katzir A (eds): Proceedings of Medical Applications of Lasers in Dermatology, Ophthal- mology, Dentistry, and Endoscopy. Proceedings of The Society of Photo-Optical Instrumentation Engineers (SPIE) Vol.3192. Bellingham, pp. 111-116. 1997

Urbanek R. Mite-reducing measures. Chir Prax. 2003; 62(1):193-194.

Uricchio J. Use of Thermography in Orthopedics, Particulary Associated with Reflex Sympathetic Dystrophy. (abstract). Thermol Österr 4: 122. 1994

Uricchio JV JR. Diagnostic accuracy and clinical utility of thermography for lumbar radiculo-pathy (letter), Spine 17:456. discussioN. 457-458. 1991

Urios L. Cueff-Gauchard V. Pignet P. Postec A. Fardeau M-L. Ollivier B. BarbierG. Thermosipho atlanticus sp. nov., a novel member of the Thermotogales isolatedfrom a Mid-Atlantic Ridge hydrothermal vent. Int J Syst Evol Microbiol. 2004; 54(6):1953-1957

Urquiza R. Treatment of RSD with Corticosteroids. (abstract). Thermol Österr 4: 122-123. 1994

Urschey J, Kühnle A, Maier WF.Combinatorial and conventional development of novel dehydrogenation catalysts, App Catalysis A: Gen, 2003; 252, (1): 91-106

Urschey J, Weiss P-AW, Scheidtmann J, Richter R, Maier WF. A low cost reactor for high-throughput activity screening of heterogeneous catalysts by mass spectrometry, Sol State Scie, 2003; 5 (6): 909-916

Ushakov IV, Mirzoian IE. The outlook for computed thermography in dermatology. Vestn Dermatol Verol (9(1)990):48-50. 1990

Ushijima H, Yoshioka H, Esaki R, Takahashi K, Kuwayama M, Nakane T, Nagashima H. Improved survival of vitrified in vivo-derived porcine embryos. J Reprod Dev. 2004; 50(4):481-6.

Usuki H, I. Eda, N. ShimizU. Breast Thermography and Prostaglandin E. Biomed Thermol 15: 140-141. 1995

Usuki H, I.Eda, N.ShimizU. Breast Thermography and Prostaglandin E. (abstract). Biomed Thermol 15: 36. 1995

Usuki H, J Matsubara, Y Onada, K. Kawashima, K Kino, K. Yamashita, S. Hirai, S.Komatsubara, S.TeramotO. The relationship between thermographic findings and the malignant grade of breast cancer. Thermol Österr2:S27. 1992

Usuki H, M. Murakami, T. Misumi, S. Komatsubara, S. TeramotO. The Relationships Between Thermographic Observations and A)Mitosis Of Breast Cancer, and B)The DNA Indices Obtained By Use Of Flow Cytometry. (abstract). Biomed Thermol 10: 305. 1990

Usuki H, M. Murakami, T. Misumi,S. Komatsubara, S. TeramotO. Analysis Of Thermograms And The Histological Type Of Thyroid Cancer. (abstract). Biomed Thermol 10: 306. 1990

Usuki H, Murakami M, Komatsubara S, Te-ramoto S, Kawaski S, Misumi T, Morokoshi Y, Yamamoto M, Ono M, Kawai K. A case of inflammatory breast cancer well treated with intraarterial infusion chemotherapy- evaluation of therapy by contact thermography, Gan To Kagaku Ryoho 18: 1191-1194. 1991

Usuki H, T.Ikeda, Y.Igarashi, U.Takahashi, A. Fukami, T.Yokoe, H.Sonoo, K.Asaihi, H.Fukushima : Clinico-pathological characteristics of non palpable breast cancer detected by thermography . (abstract) Thermol Österr 7(2): 71. 1997

Usuki H, Teramoto S, S. Komatsubara, S.-I. Hirai, T. Misumi, M. Murakami, Y. Onoda, K. Kawashima, K. Kino, K.Yamashita, J. MatsubarA. Advantages Of Subtraction Thermography In The Diagnosis Of Breast Disease. Biomed Thermol 11: 286-291. 1991

Usuki H, Y. Onoda, S.i Kawasaki, T. Mitsui, M. Mumkami, Komatsubara S, Teramoto S..Relationship between Tthermographic Observations of Breast Tumors and the DNA Indices Obtained by Flow Cytometry Biomed Thermol 10: 282-285. 1990

Usuki H,. Onoda Y, Murakami M, Nakashima M,. Hirai S, Komatsubara S, Teramoto S.Principal Component Analysis Of Histological. And Thermographic Findings Pertaining To Thyroid Cancer. (abstract). 1991, Biomed Thermol 11: 295.

Usuki H. Computerized Analysis of Breast Thermography and Histological Findings of Breast Cancer. (abstract). Thermol Österr 4: 126. 1994

Usuki H. Efficacy of Thermographic Examination for Minimum Breast cancer. In: 23rd Annual Internationalö Conference of the IEEE Engineering in Medicine and Biology Society. EMBC 2001. Istanbul, Turkey, Abstract Book, abstract 5.5.3.2. p.157

Usuki K, Kanekura T, Aradono K, Kanzaki T. Effects of nicotine on peripheral cutaneous blood flow and skin temperature. Journal of Dermatological Science 16(3): 173-181. 1998

Uyama E, Yamada K, Kawano H, Chan W-M, Andrews C, Yoshioka M, Uchino M, Engle EC. A Japanese family with FEOM1-linked congenital fibrosis of the extraocular muscles type 1 associated with spinal canal stenosis and refinement of the FEOM1 critical region, Neuromus Disorders, 2003; 13, (6): 472-478.

Uzuka T, Tanaka R, Takahashi H, Kakinuma K, Matsuda J, Kato K. Planning of hyperthermic treatment for malignant glioma using computer simulation. International Journal of Hyperthermia 2001,17(2): 114-122

v.Buenger P. thertec - ein gut durchdachtes RTG-Gerät. ThermoMed 13: 78-81. 1997

Vacariu G, M.Herceg. M.Korpan, M.Knötig, V.FialkA. Sensory Disturbances in Patients with CRPS. (abstract) Thermol Österr 7(2): 74. 1997

Vacariu G, O.Schuhfried, M.Korpan, KL. Resch, V.FialkA. Normwertermittlung der thermographisch bestimmten Handtemperatur. Thermol Österr 4: 66-72. 1994

Vacariu G. O.Schuhfried, M.Korpan, H.Kiener, V. Fialka, W.GraningeR. Die thermographische Diagnose des Raynaud-PhänomenS.Wertigkeit verschiedener Meßparameter. Thermol Österr 6: 57-59. 1996

Vaden MF. Purohit RC, McCoy MD, Vaughan JT. ThermographY. a technique for subclinical diagnosis of osteoarthritis. Am J Vet Res,,41:1175-11791980.

Vaden TD, Weinheimer CJ, Lisy JM. Evaporatively cooled M+ (H2O)Ar cluster ions: infrared spectroscopy and internal energy simulations. J Chem Phys. 2004; 121(7):3102-7.

Vaeckenstedt J, J-M.Engel, M.MarshalL. Ein neuer Sensor zur Messung der thermischen Clearence der Haut - Vergleichende Validierung mit der Infrarot-Thermographie und der transkutanen Sauerstoffpartialdruckmessung bei Gesunden und gefäßkranken Patienten. ThermoMed 8: 56-66. 1992

Vahasoini A, Vazquez R, Birmingham CL, Gutierrez E. Unrepor- ted sauna use in anorexia nervosa: evidence from the world-wide-web. Eat Weight Disord. 2004; 9(1):50-5.

Vaidyanathan B. Kumar RK. Neurological complications and neurodevelopmental sequelae of pediatric cardiacsurgery. Indian Heart J. 2004; 56(4): 286-292.

Vaillant J, Troupe M, Manuceau J, Lanska V Nonparametric selection method of survival predictors with an application to breast cancer. Methods of Information in Medicine 2001, 40(1): 12-17

Vaisfel'd DN, Korobov SA, Petrov AP. Sravnitel'nye reoentsefalograficheskie i radiatsionno-konvektsionnye entsefaloteplometricheskie issledovaniia.. (Comparative rheoencephalographic and convective radiation encephalic thermometric studies). Likarska Sprava /7-9. 77-80. 1996

Vaishya RC, Gupta SK. Modelling arsenic(III) adsorption from water by sulfate-modified iron oxide-coated sand (SMIOCS). J Chem Tech Biotech. 2003; 78(1):73-80.

Vajkoczy P, Roth H, Horn P, Lucke T, Thome C, Hubner U, Martin GT, Zappletal C, Klar E, Schilling L, Schmiedek P. Continuous monitoring of regional cerebral blood floW. experimental and clinical validation of a novel thermal diffusion microprobe. J Neurosurg. 2000,93(2):265-74.

Vakulenko GA, Pal'ti AM, Arakelian MA.Teplovye metody diagnostiki v meditsine. (Thermal diagnostic methods in medicine). Klinichna Khirurhiia (1)1-12: 42-49.1996

Valade DR, Stix MS, Gray AW Jr : Use of level 1(Registered trade mark) warmer for lavage fluid during bilateral pulmonary lavage (7). Anesthesia and Analgesia 2000, 90(2): 501

Valckenborg R, Pel L, Kopinga K Cryoporometry and relaxometry of water in silica-gels. Magnetic Resonance Imaging, 19(3-4): 489-491

Valentin A, Henry A, Claveau C, Camy-Peyret C, Hurtmans D, Mantz AW. Development of a stabilized low temperature infrared absorption cell for use in low temperature and collisional cooling experiments. Spectrochim Acta A Mol Biomol Spectrosc. 2004; 60(14): 3477-82.

Valentino M, Rapisarda V, Scalise L, Paone N, Santarelli L, Fenga C, Rossi GL. A new method for the experimental assessment of finger haemodynamic effects induced by a hydraulic breaker in operative conditions. J Occup Health. 2004; 46(4): 253-9.

Valiullin RA. Sharafutdinov RF. Ramazanov AS. A Res into thermal field in fluid-saturated porous media. Powder Technol. 2004; 148(1): 72-77.

Valle PC, Kildahl-Andersen O, Steinvoll K. A comparative study of infrared tympanic thermometry and rectal mercury thermometry.Scandinavian Journal Of Infectious Diseases 1999. 31(1):105-6.

Valle PC, Kildahl-Andersen O, Steinvoll K. Infrarod tympanisk termometri sammenliknet med bruk av kvikksolvtermometer. (Infrared tympanic thermometry compared to mercury thermometers). Tidsskrift For Den Norske Laegeforening, 2000. 120 (1) 15-7

Vallerand S, Darabi A, Maldague X. Defect detection in pulsed thermographY. A comparison of Kohonen and Perceptron neural networks. IN. LeMieux DH, Snell JR, editorS. Thermosense XXI,Proceedings of the Society of Photo-Optical Instrumentation Engineers (SPIE), Vol.3700, Bellingham, 1999. p. 20-5.

Valtorta SE, Gallardo MR. Evaporative cooling for Holstein dairy cows under grazing conditions. Int J Biometeorol. 2004 ; 48(4):213-7.

Van Adrichem LNA, Gultuna I, Mulder HD, Hovius SER, Van Strik R, Van der Meulen JC. Differences between arterial and venous occlusion in microvascularsurgery. Scandinavian Journal of Plastic and Reconstructive Surgery and Hand Surgery 27:23-27.1993

Van Aken GA, Visser KA. Firmness and crystallization of milk fat in relation to processing conditions. J Dairy Sci. 2000,83(9):1919-32.

van Beeck JP, Grosges T, De Giorgi MG. Global rainbow thermometry assessed by Airy and Lorenz-Mie theories and compared with phase Doppler anemometry. Appl Opt. 2003 Jul 1;42(19):4016-22.

van Dam H, Nduka C. Carver N. No touch free-flap temperature monitoring [1]. Br J Plast Surg. 2003; 56(8):835.

van de Rijdt C. Thermographie in der Veterinärmedizin- mögliche Anwendung beim Hund, vorläufige Mitteilung (abstract). Thermol Österr2:44. 1992

van de Vusse AC, Stomp-van den Berg, SGM de Vet HCW, Weber WEJ. Interobserver reliability of diagnosis in patients with complex regional pain syndrome, Eur J Pain, 2003; 7, (3): 259-265.

van den Akker JTHM. Boot K. Vernon DI. Brown SB. Groenen- dijk L. van Rhoon GC. Sterenborg HJCM. Effect of elevating the skin temperature during topical ALA application on in vitro ALA pene- tration through mouse skin and in vivo PpIX production in human skin. Photochem Photobiol Sci. 2004. 3(3)263-267.

Van den Boom A Nutricion En El Trabajo (II) IIa. Prevencion De Patologias Iib. Comedores De Empresa (Nutrition and occupational health (II) IIa. Prevention of pathologies IIb. Company dining rooms). Mapfre Medicina 2000, 11(2): 136-146

van den Burg EH, Peeters RR, Verhoye M, Meek J, Flik G, Van der Linden A.Brain responses to ambient temperature fluctuations in fish: reduction of blood volume and initiation of a whole-body stress re- sponse. J Neurophysiol. 2004; Epub ahead of print

van den Heuvel CJ, Ferguson SA, Dawson D, Gilbert SS. Comparison of digital infrared thermal imaging (DITI) with contact thermometry: pilot data from a sleep research laboratory. Physiol Meas. 2003; 24(3):717-25.

Van Den Heuvel CJ. Ferguson SA. Gilbert SS. Dawson D. Thermoregulation in normal sleep and insomnia: The role of peripheral heat loss and new applications for digital thermal infrared imaging (DITI). J Thermal Biol. 2004. 29(7-8 Spec. Iss.)457-461.

Van Der Straeten D, G,Sharkov, M.Van MonatgU. Fever in plants. thermogenic response of tobacco to exogenous salicylate.Thermol Österr 4: 10-17. 1994

van der Zee J. Heating the patienT. a promising approach? Ann. Onc. 2002, 13: 1173 - 1184.

van Eps AW, Pollitt CC. Equine laminitis: cryotherapy reduces the severity of the acute lesion. Equine Vet J. 2004; 36(3):255-60.

van Genderen PJ, Michiels JJ. ErythromelalgiA. a pathognomonic microvascular thrombotic complication in essential thrombocythemia and polycythemia vera. Seminars in Thrombosis and Hemostasis 23(4): 357-363. 1997

Van Hamme H, G.De Geest, J.CorneliS. An Acquisition and Scan Conversion Unit for the AGA THV680 Medical Infrared Camera, Thermology 3:209-212. 1990

Van Hees T, Evrard B, Piel G, Delattre L. Inclusion of piroxicam into beta -cyclodextrin by means of supercritical carbon dioxidE. Thermal, spectroscopic and physicochemical studies. Journal de Pharmacie de Belgique 2000, 55(1): 30-31

Van Hhoogmoed LM, Snyder JR. Use of infrared thermography to detect injections and palmar digital neurectomy in horses. Vet J 2002, 164(2): 129-41.

Van Houten JP, Benaron DA, Spilman S, Stevenson DK. Imaging brain injury using time-resolved near infrared light scanning.Pediatric Research 39:470-476.1996

Van Laarhoven H. Veurink J. Kruft M-A. Vromans H. Influence of spinline stress on release properties of a coaxial controlledrelease device based on EVA polymers. Pharmaceutical Res. 2004; 21(10): 1811-1817.

Van Langenhove G, Verheye S, Vermeersch P, Diamantopoulos L, Serruys PW.Intracoronary thermography provides on-line imaging of the temperature heterogeneity of atherosclerotic plaques in human beings, J Am Coll Cardiol, 2003; 41, (6, Suppl 1): 1

Van Leeuwen JH, Hu Z, Yi T, Pometto III AL. Jin B. Kinetic model for selective cultivation of microfungi in microscreen process for food processing wastewater treatment and biomass production. Acta Biotech. 2003; 23(2-3):289-300.

van Marken Lichtenbelt QD, Schrauwen P, van de Kerckhove S, Westerterp-Plantenga MS. Individual variation in body temperature and energy expenditure in response to mild cold Am J Physiol Endocrinol Metab 2002, 282: 1077 - 1083. .

Van Marken Lichtenbelt WD, Westerterp-Plantenga MS, Van Hoydonck P. Individual variation in the relation between body temperature and energy expenditure in response to elevated ambient temperature. Physiology and Behavior 2001, 73(1-2): 235-242

Van Marken Lichtenbelt WD. Frijns AJH. Fiala D. Janssen FEM. Van Ooijen AMJ. Van Steenhoven AA. Effect of individual cha- racteristics on a mathematical model of human thermoregulation. J Thermal Biol. 2004. 29(7-8 Spec. Iss.)577-581.

Van Noort PCM. Comment on 'Aqueous solubilities of non- and mono-ortho PCBs at four temperatures'. Water Res. 2004;38(16): 3643-3644.

Van Ooijen AMJ. Van Marken Lichtenbelt WD. Van Steenhoven AA. Westerterp KR. Seasonal changes in metabolic and temperature responses to cold air in humans. Physiol Behavior. 2004; 82(2-3): 545-553.

van Reekum CM. Johnstone T. Banse R. Etter A. Wehrle T. Scherer KR. Psychophysiological responses to appraisal dimensions in a computer game. Cognition Emotion. 2004.18(5)663-688.

Van Ruth S, Verwaal VJ, Hart AAM, Van Slooten GW, Zoetmulder FAN. Heat penetration in locally applied hyper- thermia in the abdomen during intra-operative hyperthermic intraperitoneal chemotherapy. Anticancer Res. 2003; 23(2B): 1501-1508.

Van Schuylenbergh R. Vanden Eynde B. Hespel P. Effects of air ventilation during stationary exercise testing. Eur J Appl Physiol. 2004; 92(3): 263-266.

Van Someren EJW. Gilbert SS. Van Den Heuvel CJ. Ferguson SA. Dawson D. Letter to the Editor (multiple letters).Sleep Med Reviews. 2004. 8(4)327-328.

Van Someren EJW. Sleep propensity is modulated by circadian and behavior-induced changes in cutaneous temperature. J Thermal Biol. 2004. 29(7-8 Spec. Iss.)437-444.

Van Staaij BK, Rovers MM, Schilder AG, Hoes AW. Accuracy and feasibility of daily infrared tympanic membrane temperature measurements in the identification of fever in children. Int J Pediatric Otorhinolaryn 2003; 67(10): 1091-1097.

Van Tonder EC. Maleka TSP. Liebenberg W. Song M. Wurster DE. De Villiers MM. Preparation and physicochemical properties of niclosamide anhydrate and twomonohydrates. Int J Pharm. 2004; 269(2): 417-432.

Van Vulpen M, De Leeuw AAC, Van De Kamer JB, Kroeze H, Boon TA, Warlam-Rodenhuis CC. Lagendijk JJW. Batter- mann JJ. Comparison of intra-luminal versus intratumoural temperature measurements in patients with locally advanced prostate cancer treated with the coaxial TEM system: Report of a feasibility study. Int J Hyperther. 2003; 19(5):481-497.

van Vulpen M, Raaymakers BW, Lagendijk JJ, Crezee J, de Leeuw AA, van Moorselaar JR, Ligtvoet CM, Battermann JJ. Three-dimensional controlled interstitial hyperthermia combined with radiotherapy for locally advanced prostate carcinoma--a feasibility study. Int J Radiat Oncol Biol Phys 2002, 53(1): 116-26.

Van Westing J, Clinton CW Use of intravesical temperature as a monitor of core temperature during and following general anaesthesia. S Afr J Surg 2001, 39(4): 133-6.

VanBrunt MP, Ambenge RO, Weinreb SM. A mild, convenient, and inexpensive procedure for conversion of vinyl halides to a-haloketones. J Org Chem. 2003; 68(8): 3323-3326.

Vandame R, Belzunces LP. Joint actions of deltamethrin and azole fungicides on honey bee thermoregulation.Neuroscience Letters 1998. 251 (1): 57-60.

Vandelli MA. Romagnoli M. Monti A. Gozzi M. Guerra P. Rivasi F. Forni F. Microwave-treated gelatin microspheres as drug delivery system. J Control Release. 2004;96(1): 67-84.

Vanden Hoek TL, Kasza KE, Beiser DG, Abella BS, Franklin JE, Oras JJ, Alvarado JP, Anderson T, Son H, Wardrip CL, Zhao D, Wang H, Becker LB. Induced hypothermia by central venous infusion: saline ice slurry versus chilled saline. Crit Care Med. 2004; 32(9 Suppl): S425-31.

Vander Haeghen Y; Naeyaert JM, Lemahieu I. Consistent Digital Color Image Acquisition of the SkIn. In: Proceedings of the 20th Annual International Conference of the IEEE-EMBS,Hong Kong, 1998, p 944

Vanderbrink BA, Gilbride C, Aronovitz MJ, Lenihan T, Schorn G, Taylor K, Regan JF, Carr K, Schoen FJ, Link MS, Homoud MK, Estes III M, Wang PJ. Safety and efficacy of a steerable temperature monitoring microwave catheter system for ventricular myocardial ablation. Journal of Cardiovascular Electrophysiology 2000: 11(3): 305-310

Vanderby R jr, SS KohleS. Thermographic stress analysis in cortical bone. J Biomech Eng 113:418-422. 1991

VanderSteen JDJ, Birk AM. Fire tests on defective tank- car thermal protection systems, J Loss Preve Process Industr, 2003; 16, (5): 417-425.

VanderZee J, Gonzalez DG, Vernon CC, Overgaard J, Valdagni R, Sneed PK, Dahl O. Therapeutic gain by hyperthermia added to radiotherapy. IN. Kogelnik HD, Sedlmayer F, editors,: Progress in Radio-Oncology VI, Monduzzi Editore, Bologna 1998, p. 137-45.

Vanhoutte L, Cortvrindt R, Nogueira D, Smitz J. Effects of chilling on structural aspects of early preantral mouse follicles. Biol Reprod. 2004; 70(4):1041-8.

Vanne A, Hynynen K. MRI feedback temperature control for focused ultrasound surgery. Phys Med Biol. 2003; 48(1):31-43

Vaquero J, Blei AT. Cooling the patient with acute liver failure. Gastroenterology. 2004; 127(5):1626-9.

Varela M, Jimenez L, Farina R. Complexity analysis of the temperature curve: New information from body temperature. Eur J AppPhysiol. 2003; 89(3-4):230-237.

Varith J, Hyde GM, Baritelle AL, Fellman JK, Sattabongkot T. Non-contact bruise detection in apples by thermal imaging, Innov Food Sci Emerg Tech, 2003; 4, (2): 211-218.

Varju G, Pieper CF, Renner JB, Kraus VB. Assessment of hand osteoarthritis: correlation between thermographic and radiographic methods. Rheumatology (Oxford). 2004; 43(7):915-9.

Varney SM, Manthey DE, Culpepper VE, Creedon JF Jr A comparison of oral, tympanic, and rectal temperature measurement in the elderly. J Emerg Med 2002, 22(2): 153-7.

Varotsos C. The extraordinary events of the major, sudden stratospheric warming, the diminutive antarctic ozone hole, and its split in 2002. Environ Sci Pollut Res Int. 2004;11(6):405-11.

Vasil'ev AE. Leonov GN. A controller for Med devices. BioMed Engin. 2004; 38(2): 96-100.

Vaughan G, Garland WE, Dewey KJ, Gerbig C. Aircraft measurements of a warm conveyor belt - A case study. J Atmosph Chem. 2003; 46(2):117-129..

Vaughan RG, Calvin WM, Taranik JV. SEBASS hyperspectral thermal infrared data: surface emissivity measurement and mineral mapping, Remote Sens Environ, 2003; 85, (1): 48-63

Vaux B, Denuc I, Gauvain JB, Prudhomme S, Solety-Dauphin L, Chavanne D. La Temperature Tympanique Chez Le Sujet Age. Etude Prospective Comparative Avec La Temperature Rectale (Measuring temperature in the aged patients. Comparative prospective studY. Tympanic temperature versus rectal temperature). Revue de Geriatrie 2000, 25(3): 139.142-144.146

Vavilov V, Marinetti S, Grinzato E, Bison PG. Thermal tomography, characterization and pulse pha- se thermography of impact damage in CFRP, or why end-users are still reluctant about practical use of transient IR thermography. IN. Snell JR, RN Wurzbach (eds): Thermosense XX. Proceedings of the Society of Photo-Optical Instrumentation Engineers (SPIE) Vol.3361. Bellingham,: pp. 275-281. 1998

Vavilov VP. Infrared thermographic surveying of building debriS. Tomsk High Military School of Communication Engineering catastrophe case study. IN. Snell JR, RN Wurzbach (eds): Thermosense XX. Proceedings of the Society of Photo-Optical Instrumentation Engineers (SPIE) Vol.3361. Bellingham,: pp. 164-168. 1998

Vavouranakis M, Tsiamis E, Vaina S, Toutouzas K, Gialafos J, Boudoulas H, Toutouzas P, Stefanadis C. Increased coronary sinus temperature in patients with significant athero - sclerotic lesions in left coronary artery determined by a new technique: The coronary sinus thermography, J Am Coll Cardiol, 2003; 41, (6, Suppl 1): 41-42

Vayssairat M.Le laboratoire d'exploration des petits vaisseaux, son utilite en pathologie vasculaire. (Laboratory for exploration of small vessels, its utility in vascular diseases). Bulletin De L Academie Nationale De Medecine 181 (1): 117-125. 1997

Vaz JLP. Dancour MAA. Bottino DA. Bouskela E. Nailfold videocapillaroscopy in primary antiphospholipid syndrome (PAPS). Rheumatology. 2004.43(8)1025-1027.

Vecchio PC, Adebajo AO, Chard MD, Thomas PP, Hazleman BL. Thermography of frozen shoulder and rotator cuff tendinitis. Clinical Rheumatology, 11: 382-384. 1992

Vedam SS, Keall PJ, Kini VR, Mostafavi H, Shukla HP, Mohan R. Acquiring a four-dimensional computed tomography dataset using an external respiratory signal. Phys Med Biol. 2003; 7;48(1):45-62.

Veening JG, Bouwknecht JA, Joosten HJ, Dederen PJ, Zethof TJ, Groenink L, van der Gugten J, Olivier B. Stress-induced hyperthermia in the mouse: c-fos expression, corticosterone and temperature chan- ges. Prog Neuropsychopharmacol Biol Psychiatry. 2004; 28(4):699-707.

Veiga MD, Diaz PJ, Ahsan F. Interactions of griseofulvin with cyclodextrins in solid binary systems. Journal of Pharmaceutical Sciences 1998, 87/7:891-900.

Veillette M, Thorne PS, Gordon T, Duchaine C. Six month tracking of microbial growth in a metalworking fluid after system cleaning and recharging. Ann Occup Hyg. 2004;48(6):541-6.

Veillette Y, Fletcher D, Prithvi Raj P, Kelly J, Beyer B. Thermographic study of magnet pad versus heating pad on cutaneous temperature. Pain Digest 7/5:258-260. 1997

Vella-Brincat JWA. Begg EJ. Gallagher K. Kirkpatrick CMJ. Zhang M. Frampton CChambers ST. Stability of benzylpenicillin during continuous home intravenous therapy. J Antimicr Chemother 2004; 53(4): 675-677.

Veltkamp R, Rajapakse N, Robins G, Puskar M, Shimizu K, Busija D. Transient Focal Ischemia Increases Endothelial Nitric Oxide Synthase in Cerebral Blood Vessels Stroke, 2002, 33: 2704 - 2710.

Vemuri S, I.Beylin, V.Sluzky, P.Stratton, G. Eberlein, YJ.WanG. The stability of BFGF against thermal denaturation. Journal of Pharmacy and Pharmacology 46:481-486.1994/

Ventae I, Hyrkaes T, Paakkari I, Ylipaavalniemi P Thermographic imaging of postoperative inflammation modified by anti- inflammatory pretreatment. Journal Of Oral And Maxillofacial Surgery, 59 2001 (2) 145-50

Veranth JM. Reilly CA. Veranth MM. Moss TA. Langelier CR. Lanza DL. Yost GS. Inflammatory cytokines and cell death in BEAS-2B lung cells treated with soildust, lipopolysaccharide, and surface- modi- fied particles. Toxicol Sci. 2004;82(1): 88-96.

Verdugo R, Ochoa JL. Quantitative somatosensory thermotesT. a key method for functional evaluation of small calibre afferent channels. Brain 115:893-913. 1992

Verdugo RJ, JL.OchoA. Use and misuse of conventional electrodiagnosis, quantitative sensory testing, thermography, and nerve blocks in the evaluation of painful neuropathic syndromes. Muscle and Nerve 16:1056-1062.1993

Verdugo RJ, M.Campero, JL.OchoA. Phentolamine sympathetic block in painful polyneuropathies.II.Further questioning of the concept of 'sym- pathetically maintained pain'. Neurology 44: 1010- 1014. 1994

Verheul M, Roefs SPFM, De Kruif KG. Aggregation of beta -lactoglobulin and influence of D sub(2)O. FEBS Letters 421(3): 273-276. 1998

Verheye S, De Meyer GRY, Van Langenhove G, Knaapen MWM, . Kockx MM In Vivo Temperature Heterogeneity of Atherosclerotic Plaques Is Determined by Plaque Composition ¤Circulation 2002, 105: 1596 - 1601. .

Verheye S, Diamantopoulos L, Serruys PW, Van Langenhove G Imaging of atherosclerosis. Intravascular imaging of the vulnerable atherosclerotic plaquE. spotlight on temperature measurement. J Cardiovasc Risk 2002, 9(5): 247-54.

Verheye S, Kockx MM, Casscells SW. Thermography to detect inflamed macrophage-rich plaques.Circulation. 2003 107(22): e212-3; author reply e212-3.

Verheye S, Van Langenhove G, van Es GA, Serruys P. The percutaneous assessment of regional and acute coronary hot unstable plaques by thermographic evaluation (PARACHUTE) study: a pro- spective reproducibility and prognostic Clin study using thermography to predict future ischemic cardiac events. Int J Cardiovasc Intervent. 2004;6(2):69-75.

Verheye S. De Meyer GRY. Krams R. Kockx MM. Van Damme LCA. Gourabi BM. KnaapenMWM. Van Langenhove G. Serruys PW. Intravascular thermography: Immediate functional and morphological vascularfindings. Eur Heart J. 2004;25(2): 158-165.

Verlaan JJ. Oner FC. Belkoff SM. Molloy S. Re: Belkoff SM, Molloy S. Temperature measurement during polymerization of poly- methyl methacrylate cement used for vertebroplasty. Spine. 2004; 3;28: 1555-9[2] (multiple letters). Spine. 2004; ;29(10): 1161-1162.

Vermeer AWP, Bremer MGE, Norde W. Structural changes of IgG induced by heat treatment and by adsorption onto a hydrophobic Teflon surface studied by circular dichroism spectroscopy. Biochimica et Biophysica Acta - General Subjects 1998, 1425(1):1-12

Vermonden T, van Steenbergen MJ, Besseling NA, Marcelis AT, Hennink WE, Sudholter EJ, Cohen Stuart MA. Linear rheology of water-soluble reversible neodymium(III) coordination polymers. J Am Chem Soc. 2004; 126(48):15802-8.

Veronese N, Perbellini L, Brugnone F. La cronotermometria nella diagnosi delle vasculopatie Raynaud-simili da uso prolungato di strumenti vibranti.[Chrono-thermometry in the diagnosis of Raynaud-like vasculopathies caused by prolonged use of vibrating tools] Medicina Del Lavoro 1998. 89 (4): 334-42

Veronesi MC, Battocchio M, Marinelli L, Faustini M, Kindahl H, Cairoli F. Correlations among body temperature, plasma progesterone, cortisol and prostaglandin F2alpha of the periparturient bitch. J Vet Med A Physiol Pathol Clin Med 2002, 49(5): 264-8.

Vestergaard JB. Test method for evaluation of anti-scale devices for cooling condensers. Water Sci Technol. 2004;49(2):161-8.

Vetrano MR, van Beeck JP, Riethmuller ML. Global rainbow thermometry: improvements in the data inversion algorithm and vali- dation technique in liquid-liquid suspension. Appl Opt. 2004; 43(18): 3600-7.

Vetrily ST, Kolesov SV, Es'kin NA, Krupatkin AI, Palatov AE [Vascular disturbances in craniovertebral pathology in children and adolescents] Zh Nevrol Psikhiatr Im S S Korsakova 2002, 102(5): 6-9.

Vetterlein T, Walle G, Meyendorf N. Multi-channel pyrometry and thermography - A noncontact method for the determination of the spectral emissivity of high-temperature materials. IN. Green RE, editor, Nondestructive Characterization of Materials VIII, Plenum Press, New York, 1998, p. 377-82.

Vialette M. Jandos-Rudnik A-M. Guyard C. Legeay O. Pinon A. Lange M. Validating the use of green fluorescent-marked Escherichia coli O157:H7 forassessing the organism behaviour in foods. J Appl Microbiol. 2004; 96(5): 1097-1104.

Viator JA, Choi B, Peavy GM, Kimel S, Nelson JS. Spectra from 2.5-15 microm of t(phantom materials, optical clearing agents and ex vivo human skin: implications for depth profiling of human skin. Phys Med Biol. 2003 21;48(2):N15-24.

Victoria MM, David CJ. Thermal and rheological study of lipophilic ethosuximide suppositories. Eur J Pharm Sci. 2003; 19(2-3): 123-128.

Videcoq E, Petit D, Piteau A. Experimental modelling and estimation of time varying thermal sources, Int J Ther Sci, 2003; 42, (3):255-265.

Viehland LA, Goeringer DE. Kinetic theory of radio frequency quadrupole ion traps. I. Trapping of atomic ions in a pure atomic gas. J Chem Phys. 2004; 120(19):9090-103.

Vieira LGT, Fazolo A, Zaiat M, Foresti E. Integrated horizontal-flow anaerobic and radial-flow aerobic reactors for the removal of organic matter and nitrogen from domestic sewage. Environ Techn. 2003; 24(1):51-58.

Vierck Jr CJ. Kline IV R. Wiley RG. Comparison of operant escape and innate reflex responses to nociceptive skin temperatures produced by heat and cold stimulation of rats. Behav Neurosci. 2004. 118(3). 627-635.

Vigen KK, Daniel BL, Pauly JM, Butts K. Triggered, Navigated, Multi-Baseline Method for Proton Resonance Frequency Temperature Mapping With Respiratory Motion. Mag Res Med. 2003; 50(5):1003-1010.

Vijayachari P. Hartskeerl RA. Sharma S. Natarajaseenivasan K. Roy S. TerpstraWJ. Sehgal SC. A unique strain of Leptospira isolated from a patient with pulmonaryhaemorrhages in the Andaman Islands: A proposal of serovar portblairi ofserogroup Sehgali. Epidemiol Infect 2004; 132(4): 663-673.

Viktorov VA, Gundarov VP, Yurkevich AP. Medical equipment presented at the 'Zdravookhranenie-93' International Exhibition. Biomedical Engineering 28:221-224.1994

Vilahur G. Duran X. Juan-Babot O. Casani L. Badimon L. Anti- thrombotic effects of saratin on human atherosclerotic plaques. Thromb Haemostas. 2004;92(1): 191-2004;.

Vimeux FC, De Zwart JA, Palussiere J, Fawaz R, Delalande C, Canioni P, Grenier N, Moonen CT. Real-time control of focused ultrasound heating based on rapid MR thermometry. Investigative Radiology 1999. 34(3):190-3.

Vincent WF, Mueller DR, Bonilla S. Ecosystems on ice: the microbial ecology of Markham Ice Shelf in the high Arctic. Cryobiology. 2004; 48(2):103-12. E]

Vink A, Pasterkamp G. Atherosclerotic plaques: How vulnerable is the definition of 'the vulnerable plaque'?. J Intervent Cardiol. 2003; 16(2):115-122.

Vionnet M. Mueller X. Von Segesser LK. Unusual complications after rewarming for deep accidental hypothermia.. Thorac Cardiovascr Surg. 2004 52(3)185-186..

Virkkunen I. Yli-Hankala A. Silfvast T. Induction of therapeutic hypothermia after cardiac arrest in prehospitalpatients using ice-cold Ringer's solution: A pilot study. Resuscitation. 2004; 62(3): 299-302.

Visser CC. Stevanovic S. Voorwinden LH. Gaillard PJ. Crom- melin DJA. Danhof M. DeBoer AG. Validation of the transferrin receptor for drug targeting to brain capillaryendothelial cells In Vitro. J Drug Targeting. 2004; 12(3): 145-150.

Vitale RG, De Hoog GS, Verweij PE. In vitro activity of amphotericin B, itraconazole, terbinafine and 5-fluocytosine against Exophiala spinifera and evaluation of post-antifungal effects. Med Mycol. 2003; 41(4): 301-307.

Vives I, Grimalt JO, Catalan J, Rosseland BO, Battarbee RW. Influence of altitude and age in the accumulation of organochlorine compounds in fish from high mountain lakes. Environ Sci Technol. 2004; 38(3):690-8.

Vlachakis I. Arbiros I. Velaoras K. Charissis G. Different modes cooling the epidermis with ice during Nd:YAG laser treatment of hemangiomas in children. Med Laser Application. 2004. 19(1)19-23.

Vlaisavljevic V. A comparative study of the diagnostic value of telethermography ant contact thermography in the diagnosis of varicocele. Adv Exp Med Biol 286:261-265. 1991

Vlaisavljevic V. The ROCC analysis of five different methods in the diagnosis of varicocele. Adv Exp Med Biol 286:271-280. 1991

Vlasuk SL- Introduction to the ACII and ACBII (abstract). Thermol int 2004, 14(3): 106.

Voelkl PK, MA Konerding, M KrolL. Wirkung von topischem Heparin auf histamin-induzierte Quaddeln. Eine Doppelblindstudie. Fortschr Med 109:462-464. 1991

Vogel CU. Wolpert C. Wehling M. How to measure heart rate?. Eur J Clin Pharmacol. 2004; 60(7): 461-466.

Vogel MW, Pattynama PMT, Lethimonnier FL, Le Roux P. Use of fast spin echo for phase shift magnetic resonance thermometry. J Mag Res Imag. 2003; 18(4):507-512.

Voges M. Faict D. Lechien G. Taminne M. Stability of drug additives in peritoneal dialysis solutions in a new container. Peritoneal Dialysis Int. 2004;24(6): 590-595.

Vogl ThJ, Mack MG, Straub R, Zangos S, Engelmann K, Eichler K Perkutane Laserablation von malignen Lebertumoren(Percutaneous laser ablation of malignant liver tumors) Zentralblatt fur Chirurgie 2001:126(8): 571-575

Vogl TJ Laser-induced thermotherapY. do we really need MR thermometry? Eur Radiol, 2002, 12(1): 5-6.

Vogl TJ, Straub R, Eichler K, Woitaschek D, Mack MG Malignant Liver Tumors Treated with MR Imaging–guided Laser-induced ThermotherapY. Experience with Complications in 899 Patients (2.520 lesions) Radiology 2002, 225: 367 - 377.

Vogl TJ, Mack MG, Roggan A, Straub R, Eichler KC, Mueller PK, Knappe V, Felix R. Internally cooled power laser for MR-guided interstitial laser-induced thermotherapy of liver lesionS. initial clinical results. Radiology 1998. 209 (2): 381-5.

Vogl TJ, Mack MG, Straub R, Engelmann K, Zangos S, Eichler K. Interventionelle MR-gesteuerte laserinduzierte Thermotherapie bei onkologischen Fragestellungen. Stand und Ausblick. (Interventional MR-guided laser induced thermotherapy in oncologic indications. Status and prospects). Radiologe, 1999. 39 (9) 764-71

Vogl TJ, Straub R, Lehnert T, Eichler K, Luder-Luhr T, Peters J, Zangos S, Sollner O, Mack M. [Percutaneous thermoablation of pulmonary metastases. Experience with the application of laser-induced thermotherapy (LITT) and radiofrequency ablation (RFA), and a litera- ture review] Rofo. 2004; 176(11):1658-66.

Vogl TJ, Weinhold N, Mack MG, Mueller PK, Scholz WR, Straub R, Roggan A, Felix R. Verifizierung der MR-Thermometrie mittels in vivo intralaesionaler, fluoroptischer Temperaturmessung fuer die laserinduzierte Thermotherapie von Lebermetastasen. [Verification of MR thermometry by means of an in vivo intralesional, fluoroptic temperature measurement for laser-induced thermotherapy of liver metastases] RöFo. Fortschritte auf dem Gebiete der Rontgenstrahlen und der neuen bildgebenden Verfahren 1998. 169 (2): 182-8.

Vohs JK. Brege JJ. Raymond JE. Brown AE. Williams GL. Fahlman BD. Low-temperature growth of carbon nanotubes from the catalytic decomposition ofcarbon tetrachloride. J Am Chem Society. 2004; 126(32): 9936-9937.

Volckaert G, Voet M, Van der Schueren J, Robben J, Vanstreels E, Vander Stappen J. Disruption of 12 ORFs located on chromosomes IV, VII and XIV of Saccharomyces cerevisiae reveals two essential genes Yeast. 2003; 20(1): 79-88.

Volgushev M, Kudryashov I, Chistiakova M, Mukovski M, Nies- mann J, Eysel UT. Probability of transmitter release at neocortical synapses at different temperatures. J Neurophysiol. 2004; 92(1): 212-20.

Volodin A, Ahlskog M, Seynaeve E, Van Haesendonck C, Fonseca A, Nagy JB. Imaging the elastic properties of coiled carbon nanotubes with atomic force microscopy. Phys Rev Lett. 2000,84(15):3342-5.

Voloshyn HH [The thermal pattern of skin in healthy persons] Lik Sprava 2002, (1): 20-4.

von Bary S, M Camcl. Die Thermographie in der Angiologie. Vasa Suppl 32:523-525. 1991

von Bierbrauer A, Schilk I, Lucke C, Schmidt JA. Infrared thermography in the diagnosis of Raynauds phenomenon in vibration-induced white finger. VASA 27(2): 94-99. 1998

von Lewinski D, Stumme B, Fialka F, Luers C, Pieske B. Functional relevance of the stretch-dependent slow force response in failing human myocardium. Circ Res. 2004; 94(10):1392-8.

Von Schweinitz DG. Thermographic evidence for the effectiveness of acupuncture in equine neuro- muscular disease. Acupuncture in Medicine 16(1):14-17. 1998

von Schweinitz DG. Thermographic Evidence for the Effectiveness of Acupuncture in Equine Neuromuscular Disease (abstract). Thermol intern 2000, 10 (1): 46.

von Storch H, Zorita E, Jones JM, Dimitriev Y, Gonzalez-Rouco F, Tett SF Reconstructing past climate from noisy data. Science. 2004; 306(5696):679-82.

Voogt JA; Oke TR. Thermal remote sensing of urban climates. Remote Sens Environ, 2003; 86, (39: 370-384.

Vorenhout M. Van Der Geest HG. Van Marum D. Wattel K. Eijsackers HJP. Automated and continuous redox potential measure- ments in soil. J Environ Quality. 2004;33(4): 1562-1567.

Voss LJ, Bolton DP, Galland BC, Taylor BJ. Endotoxin effects on markers of autonomic nervous system function in the piglet: im- plications for SIDS. Biol Neonate. 2004; 86(1):39-47.

Vowden P. Peripheral arterial disease. 1. Functional investigations.Journal Of Wound Care 6 (2): 75-78. 1997

Vrouenraets BC, Eggermont AMM, Hart AAM, Klaase JM, van Geel AN, Nieweg OE, Kroon BBR Regional toxicity after isolated limb perfusion with melphalan and tumour necrosis factor-(alpha) versus toxicity after melphalan alone. European Journal of Surgical Oncology 2001, 27(4): 390-395

Vu H, Aguilar G, Nelson JS. Passive Mass Deposition Control of Cryogen Sprays Through the Use of WireMeshes. Lasers Surg Med. 2004; 34(4): 329-334.

Vujaskovic Z, Poulson JM, Gaskin AA, Thrall DE, Page RL, Charles HC, MacFall JR, Brizel DM, Meyer RE, Prescott DM, Samulski TV, Dewhirst MW. Temperature-dependent changes in physiologic parameters of spontaneous canine soft tissue sarcomas after combined radiotherapy and hyperthermia treatment. Int J Radiat Oncol Biol Phys. 2000 Jan 1,46(1):179-85.

Vujcic M, R NedeljkoviC. Thermography in the detection and follow up of chondromalacia patellae. Ann rheum Dis. 50:921-925. 1991

Vujcic M. Effects of Flugaline in Sciatica and Cervical Syndrome (Clinical and Thermographic evaluation). IN. Benkö I, I.Lovak, I.Kovacscs, A.Faludi (ed): 8th International Conference on Thermal Engineering and Thermogrammetry, 2.-4.Juni 1993. Scientific Society of Measurement and Automation (MATE). Branch of Thermo Technical Measurements and Thermogrammetry, p.321-326. Budapest 1993

Vujcic M. Infrared thermography in chondromalacia patellae. Thermol Österr2:S25. 1992

Vujcic M. The importance of thermography in the diagnosis of the cervico-brachial syndrome. Rheumatizam 36:12-19. 1989

Vujcic M. Thermographie als Zusatzuntersuchung bei Patienten mit Ischialgie (abstract). Thermol Österr1: 32-33. 1991

Vygodner EB,' Serebriakov SN, Ruzova TK, Robkova AS, Strel'tzova EN. Primenenie fizicheskikh faktorov na vorotnikovuiu oblast' pri iazvennoi bolezni zheludka i dverladtsatiperstrioi kishki. (The use of physical factors on the neck area in gastric and duodenal ulcer).Vapr Kurortol Fizioter Lech Fiz Kult (2): 41-45. 1990

Vykhodtseva N, McDannold N, Martin H, Bronson RT, Hynynen K Apoptosis in ultrasound-produced threshold lesions in the rabbit braIn. Ultrasound In Medicine And Biology 2001. 27 (1) 111-7

Vykhodtseva N, Sorrentino V, Jolesz FA, Bronson RT, Hynynen K MRI detection of the thermal effects of focused ultrasound on the braIn. Ultrasound In Medicine And Biology 2000. 26 (5) 871-80

Vykhodtseva N, Sorrentino V, Jolesz FA, Bronson RT, Hynynen K. MRI detection of the thermal effects of focused ultrasound on the braIn. Ultrasound Med Biol. 2000,26(5):871-880.

Wada H, Higuchi H, Arimura S. Temperature and humidity of the Drager Cato anesthetic machine circuit. J Anesth. 2003; 17(3):166-170.

Wage KE, Baggeroer AB, Preisig JC. Modal analysis of broadband acoustic receptions at 3515-km range in the North Pacific using short-time Fourier techniques. J Acoust Soc Am. 2003 Feb;113(2):801-17.

Wagner FC Jr. The Brain Research Laboratory at the Cleveland Metropolitan General Hospital and case Western Reserve University. J Neurosurg. 2004; 101(5):881-7.

Wagrell L, Schelin S, Bolmsjo M, Brudin L. Intraprostatic temperature monitoring during transurethral microwave thermotherapy for the treatment of benign prostatic hyperplasia. Journal of Urology 1998, 159/5:1583-7.

Wagrell L, Schelin S, Nordling J, Richthoff J, Magnusson B, Schain M, Larson T, Boyle E, Duelund J, Kroyer K, Ageheim H, Mattiasson A. Feedback microwave thermotherapy versus TURP for clinical BPH--a randomized controlled multicenter study. Urology 2002, 60(2): 292-9.

Wagshal AB, Crystal E, Katz A : Patterns of accelerated junctional rhythm during slow pathway catheter ablation for atrioventricular nodal reentrant tachycardiA. Temperature dependence, prognostic value, and insights into the nature of the slow pathway. Journal of Cardiovascular Electrophysiology 2000, 11(3): 244-254

Wahba H. The Antipyretic Effect of Ibuprofen and Aceamino- phen in Children. Pharmacother. 2004; 24(2 I): 280-284.

Wahl JH, Riechers DM, Vucelick ME, Wright BW. A portable multi-dimensional gas chromatographic system for field applications. J Separat Sci. 2003; 26(12-13): 1083-1090.

Wahler D, Reymond JL Novel methods for biocatalyst screening. Current Opinion In Chemical Biology 2001. 5 (2) 152-8

Wakamiya J, M Osame, A IgatA. The significance and limit of thermography at present. Nippon Rinsho.Japanese Journal of Clinical Medicine 50:729-734. 1992

Wakamura T. Sato M. Sato A. Dohi T. Ozaki K. Asou N. Hagata S. Tokura H. A preliminary study on influence of negative air ions generated from pajamas on core body temperature and salivary IgA during night sleep. Int J Occupl Med Environ Health. 2004. 17(2): 295-298.

Waldner JC, Lahr SJ, Edgell MH, Pielak GJ. Nonideality and protein thermal denaturation. Biopolymers 1999: 49/6:471-79.

Waldsmith J.K, A.Kent AlleN. Diagnostic Thermography in Atlanta (abstract) European Journal of Thermology 8: 123 , 1998

Waldsmith JR. Dynamic evaluation of saddle fit in horses using real time thermal imaging (abstract). Thermol int 2004, 14(3): 108-109.

Walker J. Wertigkeit der Kontaktthermographie in der naturheil- kundlichen Praxis. Thermomed 2004,19/20: 32

Walker JL, Russell SS, Workman GL. Thermographic qualification of graphite/epoxy instrumentation racks. IN. Geithman GA, Georgeson GE (eds): Nondestructive Evaluation of Aging Aircraft, Airports, and Aerospace Hardware II. Proceedings of The Society of Photo-Optical Instrumentation Engineers (SPIE) Vol.339. Bellingham, pp. 141-148. 1998

Walko EJ, C.JanouscheK. Effects of osteopathic manipulative treatment in patients with cervicothoracic paIn. pilot study using thermography. Journal of the American Osteopathic Association 94: 135-141. 1994

Wallace ML, Joos B, Plischke M. Rigidity transition in polymer melts with van der Waals interaction. Phys Rev E Stat Nonlin Soft Matter Phys. 2004; 70(4 Pt 1):041501.

Wallach S. Paget`s disease and fibrous dys-.plasia. Curr Opin Rheumatol 3 :472-480

Walsh JR. Diller KR. Brand JJ. Measurement and Simulation of Water and Methanol Transport in Algal Cells. J Biomech Engin. 2004;126(2): 167-179.

Walters TJ, Blick DW, Johnson LR, Adair ER, Foster KR. Heating and pain sensation produced in human skin by millimeter waveS. comparison to a simple thermal model. Health Physics, 2000. 78 (3) 259-67

Walters TJ, Ryan KL, Constable SH. Thermoregulation by rhesus monkeys at different absolute humidities. J Comp Physiol [B]. 2004; 174(6):481-7.

Walters TJ, Ryan KL, Nelson DA, Blick DW, Mason PA. Effects of blood flow on skin heating induced by millimeter wave irradiation in humans. Health Phys. 2004; 86(2): 115-20.

Walther M, Harms H, Krenn V, Radke S, Kirschner S, Gohlke F Synovial Tissue of the Hip at Power Doppler US. Correlation between Vascularity and Power Doppler US Signal Radiology 2002, 225: 225 - 231.

Walther T, Kiefer H, Dahnert I, Kostelka M. Successful treatment for intraoperatively evolving acute aortic dissection in a neonate. Ann Thor Surg. 2003; 76(4): 1286-1287.

Wampler WR, D. G. Whyte, C. P. C. Wong and W. P. West. Erosion in the DIII-D divertor by neon-detached plasmas, J Nuc Mat, 2003; 313-316: 333-336.

Wang C-H. Lin S-S. Study on catalytic incineration of methane using Cr2O 3/gamma-Al2O3 as thecatalyst. J Environ Sci Health Part A-Toxic/Hazard Subst Environ Engin. 2004; 39(6): 1631-1641.

Wang CL. Li DF. Lu WQ. Wang YH. Lai CH. Influence of cultivating conditions on the a-galactosidase biosynthesis fromnovel strain of Penicillium sp. in solid-state fermentation. Letters Appl Micro- biol. 2004; 39(4): 369-375.

Wang E, Schneditz D, Kaufman AM, Levin NW. Sensitivity and specificity of the thermodilution technique in detection of access recirculation. Nephron 2000: 85(2): 134-141

Wang F-R. Jiang Y-S. Liu Q-X. Xiao W-W. Zhang S-M. Stability and reproducibility of a mouse model of focal cerebral ischemia- re- perfusion. Zhonghua Linchuang Kangfu Zazhi. 2004; 8(7): 1348-1350.

Wang GP, Shi HC, Shen ZS. Influence of osmotic distillation on membrane absorption for the treatment of high strength ammonia wastewater. J Environ Sci (China). 2004; 16(4):651-5.

Wang H, Olivero W, Lanzino G, Elkins W, Rose J, Honings D, Rodde M, Burnham J, Wang D. Rapid and selective cerebral hypo- thermia achieved using a cooling helmet. J Neurosurg. 2004; 100(2): 272-7.

Wang JL, Din GZ, Chan CC.Validation of a laboratory- construc- ted automated gas chromatograph for the measurement of ozone precursors through comparison with a commercial analogy. J Chro- matogr A. 2004; 1027(1-2):11-8.

Wang K-S, Tsai C-C, Lin K-L, Chiang K-Y. The recycling of MSW incinerator bottom ash by sintering. Waste Manag & Res. 2003; 21(4):318-329.

Wang M, Joshi S, Emerson RG. Comparison of intracarotid and intravenous propofol for electrocerebral silence in rabbits. Anesthesiol. 2003; 99(4):904-910).

Wang P, X Hu, B Wu (Displaying of the infrared radiant track along meridians on the back of human body) Chen Tzu Yen Chiu Acupuncture Research 18: 90-93.1993

Wang P. Liu C-S. Zhang Y-J. Chen W-W. Study on microwave assisted extraction of Curcumin. Chin J Natural Med. 2004;2(5): 319-320.

Wang SS, VanderBrink BA, Regan J, Carr K, Link MS, Homoud MK, Foote CM, Estes NA 3rd, Wang PJ. Microwave radiometric thermometry and its potential applicability to ablative therapy. J Interv Card Electrophysiol. 2000,4(1):295-300.

Wang T-H, Fu H, Shieh Y-J. Monomeric NarB is a dual-affinity nitrate reductase, and its activity is regulated differently from that of nitrate uptake in the unicellular diazotrophic cyanobacterium Synechococcus sp. strain RF-1. J Bacteriol. 2003; 185(19):5838-5846.

Wang W, Ben RN. Upregulation and protein trafficking of aquaporin-2 attenuate cold-induced osmotic damage during cryopre- servation. In Vitro Cell Dev Biol Anim. 2004; 40(3-4):67-70.

Wang W. Liu X-F. Miao D-M. Chen Z-H. Chen J. Relation between emotional stability and the static electromyography and skin temperature in Sternberg cognitive task. Zhonghua Linchuang Kangfu Zazhi. 2004. 8(6)1084-1085.

Wang X, Andrews L.Solid mercury dihydride: mercurophilic bon- ding in molecular HgH(2) polymers. Inorg Chem. 2004; 43(22): 7146-50.

Wang X, Shen X, Athanasiou KA, Agrawal CM.Correlation of collagen network integrity with the biomechanical properties of bone. In. Proceedings of The First Joint BMES/EMBS Conference Serving Humanity, Advancing Technology, Atlanta, 1999, pp. 499

Wang XM, Jiang W, Hang YN, Zhou M, Zhao G. [Effects of moderate hypothermia on pancreatic injury and survival in rats with acute hemorrhagic necrotizing pancreatitis.] Zhongguo Wei Zhong Bing Ji Jiu Yi Xue. 2004; 16(12):719-22.

Wang Y, Holroyd G, Hetherington AM, Ng CK. Seeing 'cool' and 'hot'—infrared thermography as a tool for non-invasive, high-t hrough- put screening of Arabidopsis guard cell signalling mutants. J Exp Bot. 2004; 55(400):1187-93.

Wang Y, Toth A, Tran R, Szabo T, Welter JD, Blumberg PM, Lee J, Kang S-U, Lim J-O, Lee J. High-affinity partial agonists of the vanilloid receptor. Mol Pharmacol. 2003; 64(2): 325-333.

Wang YF, Wang LC, Shih M, Tsai CH. Effects of experimental parameters on NF(3) decomposition fraction in an oxygen-based RF plasma environment. Chemosphere. 2004; 57(9):1157-63. P

Wang YH, Huang TS, Lin MC, Yeh CS, Lien IN. Scrotal temperature in spinal cord injury. American Journal of Physical Medicine and Rehabilitation 1993, 72: 6-9.

Wang ZJ, Zhou Y, Wang XW, Jin W. A fiber-optic Bragg grating sensor for simultaneous static and dynamic temperature measurement on a heated cylinder in cross-flow, Int J Heat Mass Trans, 2003; 46, (16): 2983-2992.

Wania F, Dugani CB. Assessing the long-range transport potential of polybrominated diphenyl ethers: A comparison of four multimedia models. Environ Tox & Chem. 2003; 22(6): 1252-1261.

Wanklyn P,DW.Ilsley,D.Greenstein,IF Hamp-ton, TA Roper, RC Kester, GP MulleY. The cold hemiplegic arm. Stroke 1994, 25: 1765-1770.

Wansapura JP, Daniel BL, Pauly J, Butts K. Temperature mapping of frozen tissue using eddy current compensated half excitation RF pulses. Magn Reson Med 2001, 46(5): 985-92.

Warashina H, Hasegawa Y, Tsuchiya H, Kitamura S, Yamauchi K-I, Torii Y, Kawasaki M, Sakano S. Clinical, radiographic, and thermographic assessment of osteoarthritis in the knee joints Ann. Rheum. Dis 2002, 61: 852-854.

Ward GH, Nolan PE Jr, Chawla N, Yalkowsky SH. Studies in phlebitis detection and quantitation using a thermographic camera. Pharm Res 8 :76-91. 1991

Ward RS, Tuckett RP, English KB, Johansson O, Saffle JR. Substance P axons and sensory threshold increase in burn-graft human skin. J Surg Res. 2004 May 15;118(2):154-60.

Ward RW, R. Chin Jr, JW. Keyes Jr, EF. HaponiK. Demonstration with positron emission tomography. Chest 107:1172-1173.1995

Warkentin TE, Whitlock RP, Teoh KH. Warfarin-associated multiple digital necrosis complicating heparin-induced thrombocyto- penia and Raynaud's phenomenon after aortic valve replacement for adenocarcinoma-associated thrombotic endocarditis. Am J Hematol. 2004;75(1):56-62.

Warn PA, Brampton MW, Sharp A, Morrissey G, Steel N, Denning DW, Priest T. Infrared body temperature measurement of mice as an early predictor of death in experimental fungal infections. Lab Anim. 2003 Apr;37(2):126-31. .

Warner DO. Joyner MJ. Charkoudian N. Nicotine increases initial blood flow responses to local heating of human non-glabrous skin. J Physiol. 2004; 559(3): 975-984.

Warren TA. McCarty EC. Richardson AL. Michener T. Spindler KP. Intra-articular Knee Temperature Changes: Ice Versus Cryothera- py Device. Am J Sports Med. 2004; 32(2): 441-445.

Wasilewski K, Deboa D, Krolewski J. Badanie termograficzne stawow biodrowych i nasad dalszych kosci udowych u dzieci po zabiegach operacyjnych na blizszym koncu kosci udowej. (Thermographic examination of the hip and distal femoral epiphysis in children after surgery of the proximal femur) Chirurgia Narzadow Ruchu I Ortopedia Polska, 60:181-185.1995

Wasner G, Heckmann K, Maier C, Baron R. Vascular abnormalities in acute reflex sympathetic dystrophy /CRPS I. complete inhibition of sympathetic nerve activity with recovery. Archives Of Neurology 1999. 56 /5: 613-20.

Wasner G, Schattschneider J, Baron R Skin temperature side differences--a diagnostic tool for CRPS? Painl 2002, 98(1-2): 19-26.

Wasner G, Schattschneider J, Heckmann K, Maier C, Baron R Vascular abnormalities in reflex sympathetic dystrophy (CRPS I): mechanisms and diagnostic value. Brain 2001. 124 (Pt 3) 587-99

Wasner G. Schattschneider J. Binder A. Baron R. Topical menthol - A human model for cold pain by activation and sensitization ofC nociceptors. Brain. 2004; 127(5): 1159-1171.

Wasselius J, Johansson K, Hakansson K, Abrahamson M, Ehinger B. Cystatin C uptake in the eye. Graefes Arch Clin Exp Ophthalmol. 2004; Epub ahead of print

Wassenaar LI, Hobson KA. Improved method for determining the stable-hydrogen isotopic composition (delta D) of complex organic materials of environmental interest. Environmental Science and Technology 2000: 34(11): 2354-2360

Watanabe F, Tawada Y, Komatsu S, Hata Y. Heat distribution in bone during preparation of implant siteS. heat analysis by real-time thermography. International Journal of Oral and Maxillofacial Implants, 7:212-219. 1992

Watanabe F, Y Tawada, S Komatsu,Y HatA. Heat distribution within the bone tissue by rotary cutting instrument for IMZ implant. Heat analysis by a real-time thermography. Nippon Hotetsu Shika Gakkai Zassshi 34: 18-24 , 1990

Watanabe I, A Sagawa, Y Baba, T Atsumi, S Jodo, Y Amazaki, T Nakabayashi, M Mukai, A Fujisaku, S NakagawA. Thermography of collagen diseases with raynaud's phenomenon. Ryumachi 31:167-174. 1991

Watanabe I, H.i Noro, N. Yabunaka, Y. Ohtsuka, Y. AgishI. Changes of Skin Temperatures After Immersion of One Hand Cold Water Immersion. Biomed Thermol 15: 109-112. 1995

Watanabe I, H.Noro, N.Yabunaka, Y .Ohtsuka, Y.AgishI. Changes in Skin Temperatures After Immersion of One Hand in Cold Water. (abstract). Biomed Thermol 15: 21. 1995

Watanabe I, Liu J, Baba N, Atsuta M, Okabe T. Optimizing mechanical properties of laser-welded gold alloy through heat treat- ment. Dent Mater. 2004; 20(7):630-4.

Watanabe S, Asakura H, Power GG, Araki T. Alterations of thermoregulation in women with hyperemesis gravidarum. Archf Gynecol Obstet 2003; 267(4):221-226.

Watanabe T, Iwase S, Saito K, Nagatani T, Yoshida J. Altered sympathetic thermoregulation in patients with hypothalamic dysfunc- tion following resection of suprasellar tumors. Auton Neurosci. 2004; 112(1-2):80-7.

Watanabe T, Utsumi T, Sugasawa J. A case of long persisting pre-ganglionic Horners syndrome following stellate ganglion block. Neuro-Ophthalmology Japan 14(2): 161-165. 1997

Watanabe Y Scrotal imaging. Curr Opin Urol 2002, 12(2): 149-53.

Watarida S, Shiraishi S, Fujimura M, Hirano M, Nishi T, Imura M, Yamamoto I Laparoscopic lumbar sympathectomy for lower-limb disease. Surg Endosc, 2002, 16(3): 500-3.

Waterhouse J, Edwards B, Bedford P, Hughes A, Robinson K, Nevill A, Weinert D, Reilly T. Thermoregulation during mild exercise at different circadian times. Chronobiol Int. 2004; 21(2):253-75.

Waterhouse J, Weinert D, Minors D, Folkard S, Owens D, Atkinson G, Macdonald I, Sytnik N, Tucker P, Reilly T. A comparison of some different methods for purifying core temperature data from humans. Chronobiology International 2000: 17(4): 539-566

Waterman FM, Komarnicky L, Leeper DB. The response of human tumour blood flow to a fractionated course of thermoradiotherapy- International Journal of Hyperthermia 1998, 14/5: 421-34.

Watkins ML, Hinders MK. The characterization of iron aluminide green sheet thermal properties. Materials Science and Engineering A –S tructural Materials Properties Microstructure and Processing 1998, 258(1)-2: 266-9

Watson A. Measurement and the single particle. Science. 2004; 306(5700): 1308-1309.

Watson JC, Gorbach AM, Pluta RM, Rak R, Heiss JD, Oldfield EH Real-time detection of vascular occlusion and reperfusion of the brain during surgery by using infrared imaging. J Neurosurg 2002, 96(5): 918-23. .

Watson P, Shirreffs SM, Maughan RJ. The effect of acute branched-chain amino acid supplementation on prolonged exercise capacity in a warm environment. Eur J Appl Physiol. 2004; Epub ahead of print

Watson P. Shirreffs SM. Maughan RJ. The effect of acute branched-chain amino acid supplementation on prolonged exercise capacity in a warm Environ. Eur J Appl Physiol. 2004 93(3)306-314. .

Wattrisse B, Muracciole J-M, Chrysochoos A. Dissipative mechanisms during the necking of a semi-crystalline polymer, Mécanique & Industries, 2003; 4 (6) : 667-671

Watts J. China takes drastic action over SARS threat: But has it done enough to avert a disaster, or is the SARS crisis set to deepen?, Lancet, 2003; 361:1708-1709

Watts M. Pankhurst NW. King HR. Maintenance of Atlantic salmon (Salmo salar) at elevated temperature inhibitscytochrome P450 aromatase activity in isolated ovarian follicles. Gen Comp Endocrinol. 2004;135(3): 381-390.

Wawrzynek A, Nowak AJ, Bartoszek M, Delpak R, Shih JKC, Hu CW. Application of direct/inverse analysis to evaluate the structure integrity of concrete. Part I. Formulation for thermo-mechanical properties determination, NDT & E Int , 2003; 36, (2): 101-110.

Waxman S, Mittleman MA, Zarich SW, Fitzpatrick PJ, Lewis, SM Leeman DE, Shubrooks SJ Jr, Abela GS, Nesto RW. Plaque disruption and thrombus in Ambrose's angiographic coronary lesion types, Am J Cardiol 2003; 92, (1): 16-20

Weakley TJ, Ylvisaker ER, Yager RJ, Stephens JE, Wiegel RD, Mengis M, Bauer MR, Wu P, Photinos P, Abrahams SC. Phase transitions in K2Cr2O7 and structural redeterminations of phase II. Acta Crystallogr B. 2004; 60(Pt 6):705-15.

Weaver AJ, Hillaire-Marcel C. Ocean science. Global warming and the next ice age. Science. 2004; 304(5669):400-2.

Webb DJ, Hathaway MW, Jackson DA, Jones S, Zhang L, Bennion I. First in-vivo trials of a fiber Bragg grating based temperature profiling system. J Biomed Opt. 2000,5(1):45-50.

Weber W. Nachweis der Stabilisierung des Regulationsverhaltens nach Infrarot-A-Bestrahlung durch Impulsthermographie. Thermol intern 2000 , 10(2): 89-95.

WebeR. W. Zellular vermittelte Überempfindlichkeitsreaktion und Hauttemperatur über den Kieferhöhlen.Thermodiagnostik 1: 25-28. 198525

Webster P. Study finds heavy contamination across vast Russian Arctic. Science. 2004; 306(5703): 1875.

Webster VL, Mahajan RP. Transient hyperaemic response to assess vascular reactivity of skin, effect of locally iontophoresed sodium nitroprusside Br. J. Anaesth. 2002, 89: 265 - 270.

Węgrewicz A, Żelechowski J, Zwolenik S, Więcek B. The Use of Functional Thermography for the Verification of the Clinical.Adequacy of Postoperative DAS. Thermol intern 1999, 9(4):

Węgrewicz A, Żelechowski J, Zwolenik S, Więcek B. The Use of Functional Thermography for the Verification of the Clinical Adequacy of Postoperative DSA. Thermol intern 1999, 9(4):

Wei DT, Saidel GM, Jones SC. Optimal design of a thermistor probe for surface measurement of cerebral blood flow. IEEE Trans Biomed Eng 37 :1159-1172. 1990

Wei JYT, Yeh NC, Fu CC, Vasquez RP. Tunneling spectroscopy study of spin-polarized quasiparticle injection effects in cuprate/manganite heterostructures. Journal of Applied Physics 1999, 85(8-2B). 5350-2.

Weidensteiner C, Quesson B, Caire-Gana B, Kerioui N, Rullier A, Trillaud H, Moonen CT. Real-time MR temperature mapping of rabbit liver in vivo during thermal ablation. Mag Res Med. 2003 ;50(2):322-30.

Weigert N, Eckel F, Born P, Erhardt W, Henke J, Werner M, Classen M, Rosch T. Endohyperthermia--experimental evaluation of a new therapeutic approach for treatment of biliary carcinoma. Endoscopy. 2000,32(4):306-10.

Weih M, Amberger N, Wegener S, Dirnagl U, Reuter T,. Einhäupl K Sulfonylurea Drugs Do Not Influence Initial Stroke Severity and In-Hospital Outcome in Stroke Patients With Diabetes Stroke 2001, 32: 2029 - 2032.

Weijers M, Barneveld PA, Stuart MAC, Visschers RW. Heat-induced denaturation and aggregation of ovalbumin at neutral pH described by irreversible first-order kinetics. Prot Sci. 2003; 12(12):2693-2703.

Weil GH. Nondestructive testing of airport concrete structureS. Runways, taxiways, roads, bridges, and building walls and roofs. IN. Geithman GA, Georgeson GE (eds): Nondestructive Evaluation of Aging Aircraft, Airports,

and Aerospace Hardware II. Proceedings of The Society of Photo-Optical Instrumentation Engineers (SPIE) Vol.339. Bellingham, pp. 18-29. 1998

Weil GJ, Rowe TJ. Nondestructive testing and repair of the concrete roof shell at the Seattle Kingdome.NDT & E International 1998, 31/6: 389-400.

Weil GJ. Infrared thermographic pipeline leak detection systems for pipeline rehabilitation programs. In. Reuter WG (ed): Nondestructive Evaluation of Utilities and Pipelines II. SPIE Proceedings Series Vol.3398. Bellingham, pp. 54-65. 1998

Weil GJ. Nondestructive testing of the concrete roof shell at the Seattle Kingdome. IN. Snell JR, RN Wurzbach (eds): Thermosense XX. Proceedings of the Society of Photo-Optical Instrumentation Engineers (SPIE) Vol.3361. Bellingham,: pp. 177-187. 1998

Weil GJ. Remote sensing of voids in large concrete structures - Runways, taxiways, roads, bridges, & building walls & roofs.IN. Andresen BF, Strojnik M, editors, Infrared Technology and Applications XXIV, Pts 1-2. Proceedings of the Society of Photo-Optical Instrumentation Engineers (SPIE) Vol.3436. Part 1-2.Bellingham, 1998, p. 305-16

Weil M, Litzke LF, Fritsch R. Diagnostische Aussagekraft der Thermographie bei Lahmheiten des Pferdes.[iagnostic validity of thermography of lameness in horses] Tierarztliche Praxis. Ausgabe G, Grosstiere Nutztiere 1998. 26 /6: 346-54.

Weil M, Puchberger M, Baran EJ.Preparation and characterization of dimercury(I) monofluorophosphate(V), Hg2PO3F: crystal structure, thermal behavior, vibrational spectra, and solid-state 31P and 19F NMR spectra. Inorg Chem. 2004;43(26):8330-5.

Weil RR, Islam KR. Comments on “Evaluation of the Microwave Irradiation Method for Measuring Soil Microbial Biomass” Soil Sci Soc Am J, 2003; 67: 674 - 675.

Weilbach C, Scheinichen D, Juttner B, Schurholz T, Piepenbrock S.[Excessive blood loss after abdominal hysterectomy — use of re- combinant factor VIIa] Anasthesiol Intensivmed Notfallmed Schmerz- ther. 2004; 39(11):672-5.

Weinberg G. Paisanthasan C. Feinstein D. Hoffman W. The Effect of Bupivacaine on Myocardial Tissue Hypoxia and Acidosis duringVentricular Fibrillation. Anesth Analg. 2004; 98(3): 790-795.

Weinstein SA, G Weinstein, EL Weinstein, M GelB. Facial thermography, basis, protocol and clinical value. Cranio 9::201-211. 1991

Weinstein SA, Gelb M, Weinstein G, Weinstein EL. Thermophysiologic anthropometry of the face in Homo sapiens. Cranio 8 :252-257. 1990

Weisbach V. Riego W. Strasser E. Zingsem J. Ringwald J. Zimmer- mann R. EcksteinR. The in vitro quality of washed, prestorage leuco- cyte-depleted red blood cellconcentrates. Vox Sanguinis. 2004; 87(1): 19-26.

Weiss AP. Thermal regulatory testing for pain dysfunction syndromes. Lancet, 344 (8917) 209-210.1994

Weiss BP, Kirschvink JL, Baudenbacher FJ, Vali H, Peters NT, Macdonald FA, Wikswo JP. A low temperature transfer of ALH84001 from Mars to Earth Science 2000, 290(5492): 791-795

Weiss C, Antz M, Thuneke F, Meinertz T, Kuck K-H, Willems S Radiofrequency catheter ablation using long coiled electrodeS. Impact of irrigation on lesion dimensions and incidence of coagulum formation. PACE - Pacing and Clinical Electrophysiology 2001, 24(6): 933-938

Weiss FG. Implications of silicon monolithic RFICs for medical instrumentation and telemetry. IN. Kayali S, editor,1998 Topical Meeting on Silicon Monolithic Integrated Circuits in RF Systems. Digest of Papers, IEEE, New York, 1998, p. 195-204

Weiss JD. Using fiber optics to detect moisture intrusion into a landfill cap consisting of a vegetative soil barrier. J Air Waste Managt Assoc. 2003; 53(9):1130-1148.

Weiss ME, D Poeltler, I GockA. Infrared tympanic thermometry for neonatal temperature assessment. Journal Of Obstetric, Gynecologic, And Neonatal Nursing, 23: 798-804.1994

Weiss ME, Sitzer V, Clarke M, Haley K, Richards M, Sanchez A, Gocka I. A comparison of temperature measurements using three ear thermometers. Applied Nursing Research 1998. 11 (4): 158-66.

Weisshaar E. Dunker N. Rohl F-W. Gollnick H. Antipruritic effects of two different 5-HT3 receptor antagonists and an antihista- mine in haemodialysis patients. Exp Dermatol 2004; 13(5): 298-304.

Welch AJ, CP. CaIn. Combination sensor for measurement of light and temperature. Lasers in Surgery and Medicine 16:397-400. 1995

Weller MT, Hughes RW, Rooke J, Knee CS, Reading J. The pyrochlore family — a potential panacea for the frustrated perovskite chemist. Dalton Trans. 2004; (19):3032-41.

Welsh KT, Reinstein LE. The thermal characteristics of different diodes on in vivo patient dosimetry. Medical Physics 2001, 28(5): 844-849

Wen FL, Mou SC, Ouyang M. Design and construction of shaft-driving type piezoceramic ultrasonic motor. Ultrasonics. 2004; 43(1):35-47.

Wenck LS, Leu PW, D'Amato RC. Evaluating the efficacy of a biofeedback intervention to reducechildren's anxiety.Journal of Clinical Psychology 52(4) :469-473. 1996

Weng C-H, Lin D-F, Chiang P-C. Utilization of sludge as brick materials. Adv Environ Res. 2003; 7(3):679-685.

Weng Q, Yang S. Managing the adverse thermal effects of urban development in a densely populated Chinese city. J Environ Manage. 2004; 70(2):145-56

Wennemers H Combinatorial chemistrY. a tool for the discovery of new catalysts. Comb Chem High Throughput Screen 2001. 4 (3) 273-85

Wesley-Smith J, Walters C, Berjak P, Pammenter NW. Non- equilibrium cooling of Poncirus trifoliata (L.) embryonic axes at various water contents. Cryo Letters. 2004; 25(2):121-8.]

Wesley-Smith J, Walters C, Berjak P, Pammenter NW. The influence of water content, cooling and warming rate upon survival of embryonic axes of Poncirus trifoliata (L.). Cryo Letters. 2004; 25(2): 129-38.

Westphal M, Schumacher JC, Boschert S. High-Temperature Metamorphism and the Role of Magmatic Heat Sources at the Rogaland Anorthosite Complex in Southwestern Norway J Petrol, 2003; 44: 1145 - 1162.

Wetzel FT, LaRocca SH, Adinolfi M. The treatment of chronic extremity pain in failed lumbar surgery. The role of lumbar sympathectomy. Spine, 17:1462-1468. 1992

Weyhenmeyer CE, Burns SJ, Waber HN, Aeschbach-Hertig W, Kipfer R, Loosli HH, Matter A. Cool glacial temperatures and changes in moisture source recorded in Oman groundwaters. Science 2000, 287(5454): 842-845

Wharton DA, Mutch JS, Wilson PW, Marshall CJ, Lim M. A simple ice nucleation spectrometer. Cryo Letters. 2004; 25(5):335-40.

Whatmore RW, Molter O, Shaw CP. Electrical properties of Sb and Cr-doped PbZrO3–PbTiO3–PbMg1/3Nb2/3O3 ceramics, J Eur Ceramic Soc, 2003; 23 (5): 721-728.

Wheeler HB, FA. Anderson JR.Diagnostic methods for deep vein thrombosis. Haemostasis 25: 6-26.1995

Wheeler TJ. McCurdy JM. denDekker A. Chien S. Permeability of fructose-1,6-bisphosphate in liposomes and cardiac myocytes. Mol Cell Biochem. 2004; 259(1-2): 105-114.

Whetzel TP, Mathes SJ. Arterial anatomy of the facE. An analysis of vascular territories and perforating cutaneous vessels. Plastic and Reconstructive Surgery 89:591-603. 1992

White AG, Howell KJ The role of thermography in the diagnosis of reflex sympathetic dystrophy in clinical & forensic rheumatology. Thermol intern 2002. 12: 75-76

White JM, Gekelman D, Budd J. Lasers and dental soft t(s: reflections on our years of research, Int Congr Ser, 2003; 1248: 13-19.

White KP. Fibromyalgia: The Answer Is Blowin' in the Wind. J Rheumatol. 2004. 31(4)636-639.

White M, SH Yalkowsky : Studies in phlebitis III. Evaluation of diazepeam and phenytoIn. Pharm Res 8: 1341-1342. 1991

White P, Howell KJ, Smith RE , CM Black Control Factors Affecting the Quality and Reproducibility of Medical Thermal Imaging

White T, Butler N, Murphy R. An uncooled IR sensor with digital focal plane array. IEEE Engineering In Medicine And Biology Magazine 1998. 17 (4): 60-5.

White T, C.Marshal, N.ButleR. Uncooled Infrared Sensor With Digital Focal Plane for Medical Applications. (abstract) Thermol Österr 7(2): 83. 1997

White T, Leary A, Maschhoff K. Digital IR Imaging Capability with the Micro IRTM Uncooled Technology (abstract). Thermol intern 2000, 10 (1):33-4

White T., Ch. Marshall, N. ButleR. Uncooled Infrared Sensor with Digital Focal Plane Array for Medical Applications. Proc 1996 IEEE Engineering in Medicine & BiologY.1062-1063

White T; Leary A. Uncooled 640 x 480 IR Camera for Medical Applications. In Proceedings of The First Joint BMES/EMBS Conference Serving Humanity, Advancing Technology, Atlanta, 1999, pp.1105

Whorley JR, Alvarez-Castaneda ST, Kenagy GJ Genetic structure of desert ground squirrels over a 20-degree-latitude transect from Oregon through the Baja California peninsula. Mol Ecol. 2004; 13(9) :2709-20.

Whyte DG, Jernigan TC, Humphreys DA, Hyatt AW, Lasnier CJ, Parks PB, Evans TE, Taylor PL, Kellman AG, Gray DS, Hollmann EM. Disruption mitigation with high-pressure noble gas injection, J Nuc Mat, 2003; 313-316: 1239-1246.

Wichers LB, Nolan JP, Winsett DW, Ledbetter AD, Kodavanti UP, Schladweiler MC, Costa DL, Watkinson WP. Effects of instilled combustion-derived particles in spontaneously hypertensive rats. Part I: Cardiovascular responses. Inhal Toxicol. 2004; 16(6-7): 391-405.

Wichers LB, Nolan JP, Winsett DW, Ledbetter AD, Kodavanti UP, Schladweiler MC, Costa DL, Watkinson WP. Effects of instilled combustion-derived particles in spontaneously hypertensive rats. Part II: Pulmonary responses. Inhal Toxicol. 2004;16(6-7): 407-19.

Wideman CH, Murphy HM, Nadzam GR. Vasopressin deficiency provides evidence for separate circadian oscillators of activity and temperature. Peptides 2000, 21(6): 811-816

Wiecek B, Jung A, Zuber J. Emissivity - Bottleneck and Challenge for Thermography. Thermol intern 2000 , 10(1):15-9.

Wiecek B, Zwolenik S. Developments in Building Inspection (abstract). Thermol intern 2000, 10 (1): 42-4.

Wiecek B, DeBaetselier E, DeMey G. Active thermography application for solder thickness measurement in surface mounted device technology. Microelectronics Journal 29(4)-5: 223-228. 1998

Wiêcek B, Jung A, Zuber J. Emissivity - bottleneck and challenge for thermography. (abstract) Thermol intern 1999, 9(2):74.

Wiêcek B, Jung A, Zuber J. Emissivity - bottleneck and challenge for thermography. Thermol intern 1999, 9(4): 139-

Wiecek B, Zwolenik S, Jung A, Zuber J, Kalicki B. Metrological Aspects of Image Processsing for Medical Applications (abstract). Thermol intern 1999, 9(4):158

Wiecek B, Zwolenik S, Danych R. Thermal wave method and thermography - basis and applications. Thermol intern 2001. 11(2): 78

Więcek B, Zwolenik S, Jung A, Żuber J, Kalicki B.Thermal and radiological image processing in pneumonia monitoring. IN. Balageas D, Busse G, Carlomagno, C, Więcek B, editors, Quantitative InfraRed Thermography 4: Medical InfraRed Thermography, MIRT´98. Eurotherm Seminar 60 Proceedings, Łódź, 1999. p.57-60

Wiecek B, Zwolenik S, Jung A, Zuber J. Advanced thermal, visual and radiological image processing for clinical diagnosis. European Journal of Thermology 8: 139-144 , 1998

Wiecek B, Zwolenik S. The Thermal Wave Method – Fundamentals and Potential Applications in Medicine. Thermol intern 2002. 12: 61

Wiecek B, Zwolenik S., Jung A., Zuber J., Kalicki B.. Advanced Thermal And Radiological Image Processing For Clinical Diagnosis. (abstract). European Journal of Thermology 8: 182. 1998

Więcek B, Zwolenik Z Thermal Wave Method - Limits and Potentialities of Active Thermography in Biology and Medicine. Thermol intern 2002. 12: 155

Wiecek B. New trends in dynamic thermography (abstract). European Journal of Thermology 1998; 8: 71 ,

Wiecek B. New trends in dynamic thermography. European Journal of Thermology 1998; 8: 129 ,

Więcek B. Quantum Well and Thermal Detectors – New Trends in Infrared Technology. Thermol intern 2002. 12: 155

Wiecek B; Zwolenik S; Jung A; Zuber J. Advanced Thermal, Visual and Radiological Image Processing for Clinical Diagnostics. In Proceedings of The First Joint BMES/EMBS Conference Serving Humanity, Advancing Technology, Atlanta, 1999, pp.1108

Wiecek, B. Low-Cost Multichannel ThermalAnd Visual System (abstract). European Journal of Thermology 1998; 8: 107.

Wiesinger GF, Fialka V, Oder W. Die Wertigkeit der Thermographie in der Diagnose lumbosakraler Radikulopathien. Physikalische Medizin Rehabilitationsmedizin Kurortmedizin 7(3): 103-106. 1997

Wiksell H, Westermark S, Bohnsjo M, Sturesson C, Wagrell L, Andersson-Engels S, Mattiasson A. Optimizing transurethral microwave thermotherapY. A model for studying power, blood flow, temperature variations and tissue destruction. British Journal of Urology 1998, 82/6: 934-6.

Wikstrom E, Ryan S, Touati A, Gullett BK. Key parameters for de novo formation of polychlorinated dibenzo-p-dioxins and dibenzofurans. Environ Sci Tech. 2003; 37(9):1962-1970.

Wild W, Buscher KA, Wiggenhauser H. Amplitude sensitive modulation-thermography to measure moisture in building materials. IN. Snell JR, RN Wurzbach (eds): Thermosense XX. Proceedings of the Society of Photo-Optical Instrumentation Engineers (SPIE) Vol.3361. Bellingham, pp. 156-163. 1998

Wildman RD, Huntley JM. Novel method for measurement of granular temperature distributions in two-dimensional vibro-fluidised beds. Powder Technology 2000, 113(1-2): 14-22

Wildner W. Dermographismus-Seiten vergleich als Herdtest? Thermodiagnostik 2(1): 27. 1986

Wilen B-M. Keiding K. Nielsen PH. Flocculation of activated sludge flocs by stimulation of the aerobic biologicalactivity. Water Res. 2004; 38(18): 3909-3919.

Wilisch IL,CC. Muller-GoymanN. Colloidal structure of soya lecithin and its alteration by solubilization of isopropylmyristate, hexadecane, oleic acid and fenoprofen acids. European Journal of Pharmaceutics and Biopharmaceutics 40:364-369. 1994

Wilkins BW. Minson CT. Halliwill JR. Regional hemodynamics during postexercise hypotension. II. Cutaneouscirculation. J Appl Phy- siol. 2004; 97(6): 2071-2076.

Wilkins PA, Gleed RD, Krivitski NM, Dobson A.Extravascular lung water in the exercising horse J Appl Physiol 2001, 91: 2442 - 2450.

Will RK, EF Ring, AK Clarke, PJ MaddisoN. Infrared thermographY. what is its place in rheu-matology in 1990s? Br J Rheumatol 1992; 31:337-344.

Will RK, Ring EF. The use of infra-red thermography in a rheumatology unit (letter, comment). Br J.Rheumatol 1991; 30:71-72.

Willatt DJ. Continuous Infrared Thermometry of the Nasal Mucosa. Rhinology 1993, 31:63-67.

Willey DR, Timlin RE Jr, Ruggiero CD, Sulai IA. Low tem- perature pressure broadening of NH3 by D2. J Chem Phys. 2004; 120(1):129-32. P

Williams BA, L'Esperance DM, Fleming JW. Intermediate species profiles in low-pressure methane/oxygen flames inhibited by 2-H heptafluoropropanE. Comparison of experimental data with kinetic modelling. Combustion and Flame 2000, 120(1-2): 160-172

Williams GM, Roseborough GS, Webb TH, Perler BA, Krosnick T.Preoperative selective intercostal angiography in patients undergoing thoracoabdominal aneurysm repair. J Vasc Surg. 2004; 39(2): 314-21.

Williams KL, Phillips BH, Jones PA, Beaman SA, Fleming PJ. Thermography in screening for breast cancer. J Epidemiol Community Health 1990, 44 (2) 112-113.

Williams MR, Knaut M, Bérubé D, Oz MC. Application of microwave energy in cardiac tissue ablatioN. from in vitro analyses to clinical use Ann. Thorac. Surg. 2002, 74: 1500 - 1505.

Williams S, Borges A, Oshiro T, Sinha S, Sinha U, Lu D, DeBruhl N, Hall T, Curran J, Lufkin R. Magnetic resonance image-guided biopsieS. A review. Seminars in Interventional Radiology 1999, 16(1),71-84.

Williams TM, Fuiman LA, Horning M, Davis RW. The cost of foraging by a marine predator, the Weddell seal Leptonychotes wed- dellii: pricing by the stroke. J Exp Biol. 2004; 207(Pt 6):973-82.

Willis I. Cutaneous heat: A potential Environal factor in the development of melasma. Cosmetic Dermatol. 2004.17(6)387-390.

Willital G.H. Gegenwärtiger Stand experimenteller thermographischer Untersuchungen und mögliche klinische Anwendungen bei Kindern (abstract). ThermoMed 1989, 5: 54-55.

Wilson SB, Spence VA. Dynamic thermographic.imaging method for quantifying dermal perfusioN. potential and imitations.Med Biol Eng Comput 1989, 27 (5): 496-501,

Wilson TE, Carter III R, Cutler MJ, Cui J, Smith ML, Crandall CG. Active recovery attenuates the fall in sweat rate but not cutaneous vascular conductance after supine exercise. J Appl Physiol. 2004; 96(2)668-673. .

Wilson TE, Cui J, Crandall CG. Mean Body Temperature Does Not Modulate Eccrine Sweat Rate During Upright Tilt. J Appl Physiol. 2004; Epub ahead of print

Wilson TE, Kuipers NT, McHugh EA. Ray CA. Vestibular acti- vation does not influence skin sympathetic nerve responses during whole body heating. J Appl Physiol. 2004. 97(2)540-544.

Wilson TE, Monahan KD, Short DS, Ray CA. Effect of age on cutaneous vasoconstrictor responses to norepinephrine in humans. Am J Physiol Regul Integr Comp Physiol. 2004; 287(5):R1230-4.

Wilson-Rae I, Zoller P, Imamoglu A. Laser cooling of a nano- mechanical resonator mode to its quantum ground state. Phys Rev Lett. 2004; 92(7):075507.

Winkler A, Horbach J, Kob W, Binder K. Structure and diffusion in amorphous aluminum silicate: a molecular dynamics computer simu- lation. J Chem Phys. 2004; 120(1):384-93.

Winsor D, T Winsor, A MikaiL. Comparison of various noninvasive techniques for evaluating deep venous thrombosis. Angiology 42: 779-787. 1991

Wischmeier M, Coster D, Bonnin X, Eich T, Huber A, Ingesson C, S Jachmich, Kukushkin A, Loarte A, Matthews GF. et al.. Divertor detachment during pure helium plasmas in JET, J Nuc Mat, 2003; 313-316:, 980-985.

Wise JL. Kammer PK. Murray JA. Post-test calibration of single- use, antimony, 24-hour ambulatory esophageal pHprobes is necessary. Digestive Dis Sci. 49(4): 688-692. 2004;

Wise RA, Wigley FM, White B, Leatherman G, Zhong J, Krasa H, Kambayashi J, Orlandi C, Czerwiec FS. Efficacy and tolerability of a selective alpha(2C)-adrenergic receptor blocker in recovery from cold- induced vasospasm in scleroderma patients: a single-center, double- blind, placebo-controlled, randomized crossover study. Arthritis Rheum. 2004; 50(12):3994-4001. P

Wisniewski M. The use of infrared video thermography to study freezing in plants. IN. Li PH, Chen THH (eds): Plant Cold Hardiness Molecular Biology, Biochemistry, and Physiology, Plenum Press, New York 1997, pp. 311-316.

Wist AO, P.Moon, Z.Meiksin, SL.Herr, PP.FatouroS. High resolution light imaging system for teeth and tissues. Journal of Clinical Laser Medicine and Surgery 1993, 11:313-321.

Wittig I, H.KohlmanN. Statische und dynamische Thermometrie bei malignen Melanomen im Tiermodell. Thermol Österr 1994, 4: 109-113.

Wittig I, Kohlmann H, Lommatzsch PK, Krueger L, Herold H. Statische und dynamische Infrarotthermometrie und -thermographie beim malignen Melanom der Uvea und Konjunktiva. (Static and dynamic infrared thermometry and thermography in malignant melanoma of the uvea and conjunctiva). Klinische Monatblätter für Augenheilkunde 1992, 201: 317-321.

Witvrouw E, Mahieu N, Danneels L, McNair P. Stretching and injury prevention: an obscure relationship. Sports Med. 2004; 34(7): 443-9.

Wizorek JJ, Coopersmith CM, Laramie JM, Tong A, Stromberg PE, Hotchkiss RS, Buchman TG, Cobb JP.Sequence makes a dif- ference: paradoxical effects of stress in vivo. Shock. 2004; 22(3): 229-33.

Wlodarczyk W, Boroschewski R, Hentschel M, Wust P, Moenich G, Felix R. Three-dimensional monitoring of small temperature changes for therapeutic hyperthermia using MR. Journal of Magnetic Resonance Imaging 1998, 8(1): 165-174.

Wlodarczyk W, Hentschel M, Wust P, Felix, R. Magnetic resonance thermography in pelvis. In. Proceedings of The First Joint BMES/EMBS Conference Serving Humanity, Advancing Technology, Atlanta, 1999, pp.1069

Wlodarczyk W, Hentschel M, Wust P, Noeske R, Hosten N, Rinneberg H, Felix R. Comparison of four magnetic resonance methods for mapping small temperature changes. Physics In Medicine And Biology 1999. 44 (2): 607-24.

Woelders H, Chaveiro A. Theoretical prediction of 'optimal' freezing programmes. Cryobiology. 2004; 49(3):258-71.

Wohrl S, Hemmer W, Focke M, Rappersberger K, Jarisch R. Histamine intolerance-like symptoms in healthy volunteers after oral provocation with liquid histamine. Allergy Asthma Proc. 2004; 25(5): 305-11.

Wojaczynska — Stanek K, Marszal E, Wittchen W Thermographic examination of children with headache. (abstract) Thermol int 2003, 13: 81.

Wojaczynska – Stanek K, Marszal E, Koprowski R,. Wrobel Z,. Swietlinski J, Krawczyk R. Infrared in newborn temperature comfort evaluation. (abstract). Thermol int 2004, 14(2): 79-80.

Wojaczynska-Stanek K, B.Ubik, E.MarszaL. Thermal images of the lumbar area in children with urinary tract diseases (abstract). European Journal of Thermology 8: 76. 1998

Wojaczynska-Stanek K, E,Marzal, T.SzostoK. Significance of USG and THV Examinations in Evaluation of the Subdural Space in Children (abstract). Thermol Österr 6:65. 1996

Wojaczynska-Stanek K, E.MarszaL. Thermography in Pediatrics and Pediatric Neurology.(abstract). Thermol Österr 5: 78. 1995

Wojaczynska-Stanek K, J. Sypniewski, E. Marszal, K. MandaT. Thermographic examination of soft tissues and bones in children with fractures after non surgical treatment or fixation using the POLFIX system. (abstract.) European Journal of Thermology 8(4). 184. 1998

Wojaczyñska–Stanek K, Sypniewski J, Kalina-Faska B, Koehler B.Thermographic and ultrasound evaluation of testes in boys after orchidopexy (abstract). Thermol intern 2000, 10 (4): 210

Wojaczyńska-Stanek K, Sypniewski J, Bartosz Broen B, Mandat K. Thermography in pediatric surgery. (abstract) Thermol int 2003, 13: 81.

Wojaczynska-Stanek K, Sypniewski J, Broen B, Mandat K. Examples of evaluation of thermography in pediatric surgery, Thermol Int 2003; 13(4), 148-152.

Wojaczynska-Stanek K, Sypniewski S, Mandat K. Thermographic examination of testes in boys after orchidopexy (abstract). Thermol intern 1999, 9(4):

Wojaczynska-Stanek, E.Marszal, E.Emich-Widera, B. DermolinskA. Thermographic Images of Faces at Children with allergy. (abstract) Thermol Österr 7(2): 67. 1997

Wojda I, Alonso-Monge R, Bebelman J-P, Mager WH, Siderius M. Response to high osmotic conditions and elevated temperature in Saccharomyces cerevisiae is controlled by intracellular glycerol and in2003; ves coordinate activity of MAP kinase pathways. Microbiol. 2003; 149(5):1193-1204.

Wolberg AS, Meng ZH, Monroe DM 3rd, Hoffman M. A systematic evaluation of the effect of temperature on coagulation enzyme activity and platelet function. J Trauma. 2004; 56(6):1221-8.

Wolf DF, Husdan RS, Carson RL, Purohit RC. The effeet of unilateral orchiectomy on semen quality in bulls. J Am Vet Med Assoc., 186: 1291-1293. 1985

Wolf RK, Falk V. Intraoperative assessment of coronary artery bypass grafts, J Thor Cardiovas Surg, 2003; 126, (3): 634-637.

Wolfe DW, Schwartz MD, Lakso AN, Otsuki Y, Pool RM, Shaulis NJ. Climate change and shifts in spring phenology of three horticultural woody perennials in northeastern USA. Int J Biometeorol. 2004; Epub ahead of print

Wolfe F. Clinical, laboratory, and radiographic assessments. Current Opinion in Rheumatology 5:138-145.1993/

Wolff KD, T Telzrow, KH Rudolph, J Franke, E WartenberG. Isotope perfusion and infrared thermography of arterialised, venous flow-through and pedicled venous flaps. British Journal Of Plastic Surgery 48: 61-70. 1995

Wolk M, McGillicuddy RJ, Zurlinden JE. Conjugate cassegrain telescopes for thermal source FTIR spectral radiometric calibration. IN. Stepp LM, editor, Advanced Technology Optical/IR Telescopes VI, Proceedings of the Society of Photo-Optical Instrumentation Engineers (SPIE), Vol.3352. 1998, Bellingham, p. 819-32.

Wolstein JR, MH Reed, SS Seshia, P Kubrakovich, B Linsey, A SamueL. Contact thermography in the diagnosis of childhood migraine. Canadian Journal of Neurological Sciences. 20: 222-226. 1993

Wolter M, Prayitno S, Schuchardt F. Greenhouse gas emission during storage of pig manure on a pilot scale. Bioresour Technol. 2004; 95(3):235-44.

Won SY, Mahmood GI, Ligrani PM.Flow structure and local Nusselt number variations in a channel with angled crossed-rib turbulators, Int J Heat Mass Trans, 2003; 46, (17).3153-3166.

Wondrak GT, Varadarajan S, Butterfield DA, Jacobson MK Formation of a protein-bound pyrazinium free radical cation during glycation of histone H1. Free Radical Biology and Medicine 2000, 29(6): 557-567

Wong A, Walker S, Bradley M. Comparison of a radiant patient warming device with forced air warming during laparoscopic chole- cystectomy. Anaesth Intensive Care. 2004; 32(1):93-9.

Wong BJ, Lee J, Hashisaki GT, Berns MW, Neev J. Thermal imaging of the temporal bone in CO_2 laser surgerY. an experimental model. Otolaryngology - Head and Neck Surgery 117/6: 610-615. 1997

Wong BJ. Wilkins BW. Minson CT. H1 but not H2 histamine receptor activation contributes to the rise in skinblood flow during whole body heating in humans. J Physiol. 2004;; 560(3): 941-948.

Wong CYC. Severe acute respiratory syndrome and biology, air quality, physics, and mechanical engineering. Hong Kong Med J. 2003; 9(4):304-305.

Wong HJ. Stathopulos PB. Bonner JM. Sawyer M. Meiering EM. Non-linear effects of temperature and urea on the thermodynamics and kinetics offolding and unfolding of hisactophilin. J Molecular Biol. 2004;344(4): 1089-1107.

Wong TZ, Roberts DW, Strohbehn JW. Thermal clearance for CBF determination.J Neurosurg, 72 (2): 310-311. 1990

Woo SY, Anderson RL, Kapp DS, van Kersen I, Rice GC, Krag DN, Hahn G. Heterogeneity of heat response in murine, caninine and human tumorS. influence on predictive assays. Int J Radiat Oncol Biol Phys 20 :479-488. 1991

Woo WK, Jasim ZF, Handley JM. Evaluating the efficacy of treatment of resistant port-wine stains with variable-pulse 595-nm pulsed dye and 532-nm Nd:YAG lasers. Dermatol Surg. 2004; 30(2 Pt 1):158-62;

Woo YC, Park SS, Subieta AR, Brennan TJ. Changes in tissue pH and temperature after incision indicate acidosis may contribute to postoperative pain. Anesthesiology. 2004; 101(2):468-75.

Wood JA. Of asteroids and onions. Nature. 2003; 422: 479+481

Woodcock AH, Taylor PN, Ewins DJ. Long pulse biphasic electrical stimulation of denervated muscle. Artificial Organs 1999. 23/5: 457-9.

Woodward FI, Lomas MR. Vegetation dynamics—simulating responses to climatic change. Biol Rev Camb Philos Soc. 2004; 79(3): 643-70.

Woodwell GM. Mountains: top down. Ambio. 2004; Spec No 13(13):35-8.

Wöppel W. Spontanremission eines malignen Melanoms und Regulationsdiagnostik. ThermoMed, 1999. 15: 51-61

Worcester PF, Cornuelle BD, Dzieciuch MA, Munk WH, Howe BM, Mercer JA, Spindel RC, Colosi JA, Metzger K, Birdsall TG, Baggeroer AB A test of basin-scale acoustic thermometry using a large-aperture vertical array at 3250-km range in the eastern North Pacific Ocean. Journal of the Acoustical Society of America 1999, 105/6: 3185-201.

Worland MR, Wharton DA, Byars SG. Intracellular freezing and survival in the freeze tolerant alpine cockroach Celatoblatta quinque maculata. J Insect Physiol. 2004; 50(2-3):225-32.

Wren J, Eriksson O, Wardell K, Loyd D Analysis of temperature measurement for monitoring radio-frequency brain lesioning. Medical And Biological Engineering And Computing 2001. 39 (2) 255-62

Wren J, Sjodin J-G , Erlandson B-E, EliassonT, Loyal D.Accuracy of Temperature Measurement During Transurethral Hyperthermia Treatment of the Prostate. In. Proceedings of The First Joint BMES/EMBS Conference Serving Humanity, Advancing Technology, Atlanta, 1999, pp.1274

Wren J. Evaluation of three temperature measurement methods used during microwave thermotherapy of prostatic enlargement. Int J Hyperthermia. 2004; 20(3):300-16.

Wren J. Microwave thermotherapy of prostatic enlargement— analysis of radiometric thermometry using a hybrid bio-heat equation. Comput Methods Biomech Biomed Engin. 2004; 7(3):177-85.

Wright AS,. Lee FT jr, Mahvi DM Hepatic Microwave Ablation With Multiple Antennae Results in Synergistically Larger Zones of Coagulation Necrosis. Ann Surg Oncol, 2003; 10: 275 - 283.

Wright DL, Eroglu A, Toner M, Toth TL.Use of sugars in cryopreserving human oocytes. Reprod Biomed Online. 2004; 9(2): 179-86.

Wright JK, Kalns J, Wolf EA, Traweek F, Schwarz S, Loeffler CK, Snyder W, Yantis LD Jr, Eggers J. Thermal injury resulting from application of a granular mineral hemostatic agent. J Trauma. 2004; 57(2):224-30.

Wright RO, GD Jay, BM Becker, JG LinakiS. Use of infrared thermometry to measure lavage and intravenous fluid temperature. American Journal Of Emergency Medicine 13: 281-284. 1995

Wright T, McGechan A. Breast cancer : new technologies for risk assessment and diagnosis. Mol Diagn. 2003; 7(1):49-55.

Wu BM, Lam FK, Chan FH, Poon PW, Brugge JF, Chan JC, So AT. Computerised infrared imaging system for studying thermal activation on the skull following somatic stimulation in small animals. Medical and Biological Engineering and Computing 35/6: 587-594. 1997

Wu J-H. Lin C-Y. Biohydrogen production by mesophilic fer- mentation of food wastewater. Water Sci Technol. 2004; 49(5-6): 223-228.

Wu JR, BR.LentZ. Phospholipid-specific conformational changes in human prothrombin upon binding to procoagulant acidic lipid membranes. Thrombosis and HaemostasiS. 71:596-604.1994/

Wu Q. Wang N. Xiao Y-M. Lu D-S. Lin X-F. Regiospecific alkaline protease-catalyzed divinyl acyl transesterifications ofprimary hydroxyl groups of mono- and di-saccharides in pyridine. Carbohydrate Res. 2004; 339(12): 2059-2067.

Wu R-S. Liu W-C. Hsieh W-H. Eutrophication modeling in Shihmen Reservoir, Taiwan. J Environ Sci Health A-Toxic/Hazard Subst Environ Engin. 2004; 39(6): 1455-1477.

Wu S-C. Bai Y-P. Ren X-Y. Current situation home and abroad in the Reses of noninvasive temperatureestimation by ultrasound in cancer hyperthermia. Zhongguo Linchuang Kangfu. 2004; 8(17): 3424-3425.

Wu SJ. Davis CL. Investigation of the microstructure and meso- texture formed during thermomechanical controlled rolling in micro- alloyed steels. J Microscopy. 2004;213(3): 262-272.

Wu T, Kendell KR, Felmlee JP, Lewis BD, Ehman RL. Reliability of water proton chemical shift temperature calibration for focused ultrasound ablation therapy. Medical Physics 2000. 27 (1):221-4

Wu W, Wang J, Liu P, Chen W, Yin S, Hang S, Yan L, Zhan J, Chen X, Li J, Huang Z, Huang H. A hospital outbreak of severe acute respiratory syndrome in Guangzhou, China. Chin Medl J. 2003; 116(6):811-818.

Wu W. Wang J-F. Liu P-M. Jiang S-P. Chen Q-Y. Chen W-X. Yin S-M. Yan L. Zhan JChen X-L. Li J-G. Comparison of Clin course of patients with severe acute respiratory syndromeamong the multiple generations of nosocomial transmission. Chin Med J. 2004; 117(1): 14-18.

Wu WH, Bandilla E, Ciccone DS, Yang J, Cheng SC, Carner N, Wu Y, Shen R. Effects of qigong on late-stage complex regional pain syndrome. Alternative Therapies In Health And Medicine, 1999, 5(1): 45-54.

Wuister SF, de Mello Donega C, Meijerink A. Luminescence temperature antiquenching of water-soluble CdTe quantum dots: role of the solvent. J Am Chem Soc. 2004; 126(33):10397-402.

Wunderlich, C. A. Vorwort zu "Das Verhalten der Eigenwärme in Krankheiten. ThermoMed 7: 74. 1991

Wurm A, Schick C. Reversing and nonreversing contributions to polymer melting. Coll Polymer Sci. 2003; 281(2): 113-122.

Wurm S, Paar C, Sonnleitner A, Sonnleitner M, Hoglinger O, Romanin C, Wechselberger C.Co-localization of CD3 and prion protein in Jurkat lymphocytes after hypothermal stimulation. FEBS Lett. 2004; 566(1-3):121-5.

Wurzbach RN. Diagnostic monitoring by infrared imaging of avian embryos. IN. Snell JR, RN Wurzbach (eds): Thermosense XX. Proceedings of the Society of Photo-Optical Instrumentation Engineers (SPIE)Vol.3361. Bellingham,: pp. 49-54. 1998

Wurzbach RN. Infrared thermography of fan and compressor systems in a predictive maintenance program. IN. Snell JR, RN Wurzbach (eds): Thermosense XX. Proceedings of the Society of Photo-Optical Instrumentation Engineers (SPIE) Vol.3361. Bellingham,: pp. 118-124. 1998

Wust P, Gellermann J, Harder C, Tilly W, Rau B, Dinges S, Schlag P, Budach V, Felix R. Rationale for using invasive thermometry for regional hyperthermia of pelvic tumors. International Journal of Radiation Oncology Biology Physics 1998, 41/5: 1129-37.

Wust P, J. Nadobny, R. Felix, D. HuhN. Hyperthermie - Eine neue Therapiemodalität maligner Geschwülste. ThermoMed 5:3-13. 1989

Wust P. Gellermann J. Seebass M. Fahling H. Turner P. Wlodarczyk W. Nadobny JRau B. Hildebrandt B. Oppelt A. Schlag PM. Felix R. Part-Body Hyperthermia with a Radiofrequency Multiantenna Applicator

underOnline Control in a 1.5 T MR-Tomograph. RÖFO- Fortschr Rontgenstr Bildgebn Verf 2004;176(3): 363-374.

Wusteman M, Robinson M, Pegg D. Vitrification of large tissues with dielectric warming: biological problems and some approaches to their solution. Cryobiology. 2004; 48(2):179-89.

Wyplosz J [Thermometry] Rev Prat 2002, 52(2): 125-8.

Xia T, Sun Q, Shi X, Fan N, Hiraoka M Relationship between thermal parameters and tumor response in hyperthermia combined with radiation therapy. International Journal of Clinical Oncology 6(3): 138-142

Xia X, O'Gorman L. Innovations in fingerprint capture devices, Pattern Recog, 2003; 36 (29): 361-369

Xiang TX, Anderson BD. A molecular dynamics simulation of reactant mobility in an amorphous formulation of a peptide in poly- (vinylpyrrolidone). J Pharm Sci. 2004; 93(4):855-76.

Xiao HH, Hua TC, Li J, Gu XL, Wang X, Wu ZJ, Meng LR, Gao QR, Chen J, Gong ZP. Freeze-drying of mononuclear cells and whole blood of human cord blood. Cryo Letters. 2004; 25(2):111-20.

Xiao JH. Chen DX. Liu JW. Liu ZL. Wan WH. Fang N. Xiao Y. Qi Y. Liang ZQ. Optimization of submerged culture requirements for the production of mycelial growth and exopolysaccharide by Cordyceps jiangxiensis JXPJ 0109. J Appl Microbiol. 2004; . 96(5): 1105-1116.

Xiao Y, Hoefs J, Van Den Kerkhof Am, Simon K, Fiebig J, Zheng Y-F Fluid Evolution during HP and UHP Metamorphism in Dabie Shan, ChinA. Constraints from Mineral Chemistry, Fluid Inclusions and Stable Isotopes J. Petrology 2002, 43: 1505 - 1527.

Xiaowei L, Zhigang S, Guotai J Contour Pick-Up and Registration of Infrared Images of Palm. In: 23rd Annual Internationalö Conference of the IEEE Engineering in Medicine and Biology Society. EMBC 2001. Istanbul, Turkey, Abstract Book, abstract 5.5.2.3. p.155

Xie H, Zhong M, Lu D, Gao D. Measurement of thermal conductivity of biomaterials and cryopreservtion solutions. In. Proceedings of The First Joint BMES/EMBS Conference Serving Humanity, Advancing Technology, Atlanta, 1999, pp. 1286

Xie W, McCahon P, Jakobsen K, Parish C. Evaluation of the ability of digital infrared imaging to detect vascular changes in ex- perimental animal tumours. Int J Cancer. 2004;108(5):790-4.

Xin A.C, Y.D Choi. D.H Seong, H.K Choi. Penile DITI on premature ejaculation with SS-cream. (abstract). Thermol Österr 5: 160. 1995

Xing L, Casasnovas JM, Cheng RH. Structural analysis of human rhinovirus complexed with ICAM-1 reveals the dynamics of receptor-mediated virus uncoating. J Virol. 2003; 77(11): 6101-6107

Xu L, Zhao J, Huang YG, Luo AL. [The effect of intraoperative warming on patient core temperature] Zhonghua Wai Ke Za Zhi. 2004; 42(16):1010-3.

Xu M, KuG, Wang LV. Microwave-induced thermoacoustic tomography using multi-sector scanning. Med Phys 2001, 28(9): 1958-63.

Xu X, Berglund LG, Cheuvront SN, Endrusick TL, Kolka MA. Model of human thermoregulation for intermittent regional cooling. Aviat Space Environ Med. 2004; 75(12):1065-9.

Xu X, Mei S, Ferreira JM, Nishimura T, Hirosaki N. Tempera- ture-induced gelation of concentrated silicon carbide suspensions. J Colloid Interface Sci. 2004; 277(1):111-5.

Xu Y, Bruch RC, Soper SA. Microcapillary reactors using solid-phase DNA sequencing for direct sample introduction into slab gels. Biotechniques. 2000 May,28(5):904-8. 910. 912

Xu Y, Kashiwakura I, Takahashi TA.High sensitivity of mega- karyocytic progenitor cells contained in placental/umbilical cord blood to the stresses during cryopreservation. Bone Marrow Transplant. 2004; 34(6):537-43.

Xu Y, Wang LV, Ambartsoumian G, Kuchment P. Reconstructions in limited-view thermoacoustic tomography. Med Phys. 2004; 31(4): 724-33.

Xu Y, Wang LV. Effects of acoustic heterogeneity in breast thermoacoustic tomography. IEEE Trans Ultrason Ferroelectr Freq Control. 2003 Sep;50(9):1134-46.

Xuan X, Xu B, Sinton D, Li D. Electroosmotic flow with Joule heating effects. Lab Chip. 2004; 4(3):230-6.

Yabushita H, Bouma BE, Houser SL, Aretz HTg I-K, Schlendorf KH, Kauffman CR, Shishkov M, Kang D-H, Halpern EF, Tearney GJ. Characterization of Human Atherosclerosis by Optical Coherence Tomography Circulation 2002, 106: 1640 - 1645.

Yaftian MR. Taheri R. Zamani AA. Matt D. Thermodynamics of the solvent extraction of thorium and europium nitrates byneutral phosphorylated ligands. J Radioanalyt Nuclear Chem. 2004;262(2): 455-459.

Yager JY. Armstrong EA. Jaharus C. Saucier DM. Wirrell EC. Preventing hyperthermia decreases brain damage following neonatal hypoxic-ischemic seizures. Brain Res. 2004; 1011(1): 48-57.

Yagi H, Takahashi N, Yamaguchi Y, Kato K. Temperature- dependent isologous Fab-Fab interaction that mediates cryocrystalliza- tion of a monoclonal immunoglobulin G. Mol Immunol. 2004; 41(12): 1211-5.

Yahara T, Koga T, Yoshida S, Nakagawa S, Deguchi H, Shirouzu K. Relationship between microvessel density and thermographic hot areas in breast cancer. Surg Today. 2003; 33(4): 243-8.

Yahav S, Straschnow A, Luger D, Shinder D, Tanny J, Cohen S. Ventilation, sensible heat loss, broiler energy, and water balance under harsh Environal conditions. Poult Sci. 2004; 83(2):253-8.

Yamada M. Shintome Y. Shirai K. Yoshinari E. Okumura H. Keida T. Ohira H. SunamiH. Matsukawa S. Komatsubara M. Clin evaluation of a new hemostatic device (TR band) for use aftertransradial coronary angiography and intervention. Jap J Intervent Cardiol. 2004; 19(4): 353-357.

Yamada Y, Hossain M, Joe T, Kawanaka T, Kinoshita J, Matsumoto K. Removal effects of the ND.YAG laser and Carisolv(TM) on carious dentIn. Journal of Clinical Laser Medicine and Surgery 2000, 18(5): 241-245

Yamagishi H, Sankai Y, Yamane T, Jikuya T, Tsutsui T. Development of built-in type and noninvasive sensor systems for smart artificial heart. ASAIO J. 2003; 49(3):265-270.

Yamakage M. Namiki A. Deep temperature monitoring using zero-heat-flow method. J Anesth. 2003; 17(2):108-115.

Yamakage M. Sasaki H. Jeong S-W. Iwasaki S. Namiki A. Safety and beneficial effect on the body core temperature of a prewarmed plasmasubstitute - Hydroxyethyl starch - During anesthesia. J Anesth. 2004;18(3): 166-171.

Yamakoshi K. Current aspects of non-invasive physiological measurement. Japanese Journal of Artificial Organs 1999, 28(1): 16-23

Yamamoto M, Hibi H, Hirata Y, Miyake K, Ishigaki T. Effect of varicocelectomy on sperm parameters and pregnancy rate in patients with subclinical varicocelE. a randomized prospective controlled study (see comments). JOURNAL OF UROLOGY, 155: 1636-1638.1996

Yamamoto M, Tsuji Y, Hibi H, Miyake K. Should subclinical varicocele be repaired? Japanese Journal of Fertility and Sterility 40(2) (1-4),.1995

Yamamoto Y, Ohura T, Nohira K, Sugihara T, Minakawa H, Igawa H, Shintomi Y, Fujii H. LaserflowgraphY. a new visual blood flow meter utilizing a dynamic laser speckle effect. Plastic and Reconstructive Surgery, 91: 884-894. 1993

Yamaoka T. Tamura T. Seto Y. Tada T. Kunugi S. Tirrell DA. Mechanism for the phase transition of a genetically engineered elastin model peptide (VPGIG)40 in aqueous solution. Bio- macromol 2003; 4(6):1680-1685.

Yan J. Zhao S-F. Mao Y-F. Luo Y-H. Effects of lactose as an inducer on expression of Helicobacter pylori rUreB andrHpaA, and Escherichia coli rLTKA63 and rLTB. World J Gastroent. 2004; 10(12): 1755-1758.

Yanagisawa O, Kudo H, Takahashi N, Yoshioka H. Magnetic resonance imaging evaluation of cooling on blood flow and oedema in skeletal muscles after exercise. Eur J Appl Physiol. 2004; 91(5-6):737-40.

Yang H. Choi CA. Chung KH. Jun C-H. Kim YT. An Indepen- dent, Temperature-Controllable Microelectrode Array. Analyt Chem. 2004; 76(5): 1537-1543.

Yang H-C. Cho Y-J. Eun H-C. Yoo J-H. Kim J-H. Behavior of toxic metals and radionuclides during molten salt oxidation of chlori- nated plastics. J Environ Sci Health A-Toxic/Hazard Subst Environ Engin. 2004;39(6): 1601-1616.

Yang L. Tao T. Wang X. Du N. Chen W. Tao S. Wang Z. Wu L. Effects of dexamethasone on proliferation, differentiation and apoptosis of adult human osteoblasts in vitro. Chin Med J. 2003; 116(9):1357-1360.

Yang W. de Villiers MM. Aqueous solubilization of furosemide by supramolecular complexation with4-sulphonic calix[n]arenes 2004;. J Pharm Pharmacol. 56(6): 703-708.

Yang WH, Liao ST, Shen SY, Chang HC. The speed of ice growth as an important indicator in cryosurgery. J Urol. 2004; 172(1):345-8.

Yang WH, Peng HH, Chang HC, Shen SY, Wu CL, Chang CH. An in vitro monitoring system for simulated thermal process in cryosurgery. Cryobiology. 2000,40(2):159-70.

Yang W-J, Kuo C-H. Theory on tunneling effect of thermal shock waves through cell membrance. In. Proceedings of The First Joint BMES/EMBS Conference Serving Humanity, Advancing Technology, Atlanta, 1999, pp.25

Yang WJ, N.Zhang, PP.Yang, ZZ.LIn. Determination of uterine activity during labor by means of infrared thermography. Journal of Biomechanical Engineering 115: 254-256. 1993

Yang WJ, Yang PP, Literature survey on biomedical applications of thermography. Bio-Medical Materials and Engineering, 2: 7-18. 1992

Yang X. Thermodynamic modeling of solute adsorption equi- librium from near-criticalcarbon dioxide. J Coll Interface Sci. 2004; 273(2): 362-368.

Yang Y, Reuter MA, Voncken JH, Verwoerd J Understanding of hazardous waste incineration through computational fluid-dynamics simulation. J Environ Sci Health Part A Tox Hazard Subst Environ Eng 2002, 37(4): 693-705.

Yang Z-Y. Preparation of highly fluorinated cyclopro- panes and ring-opening reactions with halogens. J Org Chem. 2003; 68(11):4410-4416

Yao H, Sugimori H, Fukuda K, Takada J, Ooboshi H, Kitazono T, Ibayashi S, Iida M. Photothrombotic middle cerebral artery occlusion and reperfusion laser system in spontaneously hypertensive rats. Stroke. 2003 34(11):2716-21.

Yao M, Yasutake Y, Tanaka I. Flash-cooling of macromolecular crystals in a capillary to overcome increased mosaicity. Acta Crystallogr D Biol Crystallogr. 2004; 60(Pt 1): 39-45.

Yaron M, Lowenstein SR, Koziol-McLain J. Measuring the accuracy of the infrared tympanic thermometeR. correlation does not signify agreement. Journal Of Emergency Medicine, 13: 617-621. 1995

Yassin Z. Ortiz-Salmeron E. Garcia-Maroto F. Baron C. Garcia- Fuentes L. Implications of the ligandin binding site on the binding of non-substrateligands to Schistosoma japonicum-glutathione transfera- se. BiochimBiophys Acta-Proteins Proteomics.2004;. 1698(2): 227-237

Yasuda K, Naemura T, Harashima H. Thermo-key: human region segmentation from video. IEEE Comput Graph Appl. 2004; 24(1): 26-30.

Yates JH, John E. Chandler, Anita L. Canal and J. Braden Paul The effect of nocturnal sampling on semen quality and the efficiency of collection in bovine species, Theriogenol, 2003; ume 60, (9, December 2003, Pages 1665-1677

Yatomi Y, K Yasuda, H KodamA. Lymphatic sporotrichosis. A case with multiple nodules observed on the paretic arm of a diabetic patient with right hemiparesis. Nishinihon Journal of Dermatology 56:724-728. 1994

Yatsunyk LA, Walker FA. Structural, NMR, and EPR studies of S = (1)/(2) and S = (3)/(2) Fe(III) bis(4-cyanopyridine) complexes of dodecasubstituted porphyrins. Inorg Chem. 2004; 43(2):757-77.

Ye B. Zheng Y-Q. Wu W-H. Zhang J. Iron chelator daphnetin against Pneumocystis carinii in vitro. Chin Med J. 2004; 117(11): 1704-1708.

Ye J, Li Z, Yang Y, Yang L, Turner A, Jackson M, Deslauriers R. Use of a pH-stat strategy during retrograde cerebral perfusion improves cerebral perfusion and tissue oxygenation. Ann Thorac Surg. 2004; 77(5):1664-70

Ye Q. Roh Y. Carroll SL. Blair B. Zhou J. Zhang CL. Fields MW. Alkaline anaerobic respiration: Isolation and characterization of a novel alkaliphilic and metal-reducing bacterium. Appl Environ Microbiol. 2004;70(9): 5595-5602.

Yeager CJ, Shirron PJ, DiPirro MJ. High resolution thermometry using the magnetic penetration depth of superconducting films. IN. Kittel P, editor, Advances In Cryogenic Engineering, VOL 43 PTS A and B, Plenum Press, New York, 1998, p. 757-63

Yee Chin J, Matthews HR, Fraser JA, Skepper JN, Chawla S, Huang CL. Detubulation experiments localise delayed rectifier currents to the surface membrane of amphibian skeletal muscle fibres. J Muscle Res Cell Motil. 2004;25(4-5):389-95.

Yeo S, Hayashi RH, Wan JY, Dubler B. Tympanic versus rectal thermometry in pregnant women. Journal of Obstetric, Gynecologic, and Neonatal Nursing, 24: 719-724.1995

Yeo S, M.Shimcus, D.RossinI. Thermoregulatory adjustment during pregnancy protects from exposure of exercise-induced hyperthermia. (abstract) Thermol Österr 7(2): 88. 1997

Yeo SeonAe, Margaret Shimcus.D.RossinI. Thermoregulatory Adjustment During Pregnancy Protect Fetus From Exposure of Exercise-Induced Hyperthermia. European Journal of Thermology 7(3):119-126. 1997

Yeo TP. Heat stroke: a comprehensive review. AACN Clin Issues. 2004; 15(2):280-93.

Yeung QS, Briton-Jones CM, Tjer GC, Chiu TT, Haines C. The efficacy of test tube warming devices used during oocyte retrieval for IVF. J Assist Reprod Genet. 2004; 21(10):355-60.

Yi SX, Lee RE Jr. In vivo and in vitro rapid cold-hardening protects cells from cold-shock injury in the flesh fly. J Comp Physiol [B]. 2004; 174(8):611-5.

Yiannakopoulos CK. Carpal ligament decompression under local anaesthesia: the effect of lidocaine warming and alkalinisation on in- filtration pain. J Hand Surg [Br]. 2004; 29(1):32-4.

Yilbas BS, S. Z. Shuja and M. S. J. Hashmi. A numerical solution for laser heating of titanium and nitrogen diffusion in solid, J Mat Process Tech, 2003; 136 (1-3): 12-23.

Yildiz H. Akyilmaz E. Dinckaya E. Catalase immobilization in cellulose acetate beads and determination of itshydrogen peroxide decomposition level by using a catalase biosensor. Artif Cells Blood Subst Immobil Biotechnol. 2004; 32(3):443-452.

Yim JH, Cho SY, Seo YJ, Jang BZ. A study on material damping of 0° laminated composite sandwich cantilever beams with a viscoelastic layer, Compos Struc, 2003; 60 (4,) 367-374

Yip W-H. Chan-Liao M. Ooi S-J. Chen S-C. Chiang Y-Y. A survey for prevention and treatment of malignant hyperthermia in Taiwan. Ma Tsui Hsueh Tsa Chi Anaesth Sinica. 2004; 42(3): 147-151.

Yirong C. Puetpaiboon U. Performance of constructed wetland treating wastewater from seafood industry. Water Sci Technol. 2004; 49(5-6): 289-294.

Yock PG, Fitzgerald PJ. Intravascular ultrasounD. state of the art and future directions. American Journal of Cardiology 1998, 81(7A): 27E-32E,

Yoffe B. Sapojnikov S. Goldblum C. Gastric Wall Necrosis fol- lowing Late Prolapse after Laparoscopic Banding. Obesity Surg. 2004; 14(1): 142-144.

Yokoe T, Ishida T, Ogawa T, Iino Y, Kawai T, Izuo M. (Role of cancer thermography for detection of breast cancer). Gan No Rinsho 1990, 36 (8): 883-889.

Yokota S, T Kuriyama, Y Takahashi, M Mori, H Shike, M Ibe, T Mitsuda, Y AiharA. (Thermographic assessment of Raynaud's phenomenon in childhood mixed connective tissue disease). Ryumachi 1994, 34: 955-960.

Yoneyama K, Nomura R, Okuda Y. Dynamics and morphology of superfluid bubbles in 4He quantum crystals. Phys Rev E Stat Nonlin Soft Matter Phys. 2004; 70(2 Pt 1): 021606.

Yonezawa T, Onomura T, Kosaka R, Miyaji Y, Tanaka S, Watanabe H, Abe Y, Imachi K, Atumi K, Chinzei T et aL. The system and procedures of percutaneous intradiscal laser nucleotomy. Spine 1990, 15: 1175-1185.

Yonezawa T, T.Onumura, R.Kosaka, Y.Ichimura, Y.Kagawa, T.Maruyama, I,KishimotO. Usefulness of Thermographic Measurements Before and After Percutaneous Laser Disc Decompres-.sion. (abstract). Biomed Thermol 1995, 15:,7.

Yoo C, W-K.Lee, O.KemmotsU. Efficacy of polarized light therapy for musculoskeletal paIn. Laser Therapy 1994, 5:153-157.

Yoon J-H, Kim I-G, Kang KH, Oh T-K, Park Y-H. Alteromonas marina sp. nov., isolated from sea water of the East Sea in Korea. Int J Sys Evol Microbiol. 2003; 53(5): 1625-1630

Yoon J-H. Kim I-G. Oh T-K. Park Y-H. Microbulbifer maritimus sp. nov., isolated from an intertidal sediment from theYellow Sea, Korea. Int J Syst Evol Microbiol. 2004; 54(4):1111-1116.

Yoon M-Y. Shin P-K. Han Y-S. Lee S-H. Park J-K. Cheong C-S. Isolation of an Acinetobacter junii SY-01 strain producing and extra- cellularlipase enantioselectively hydrolyzing itraconazole precursor, and someproperties of the lipase. J Microbiol Biotechnol. 2004; 14(1): 97-104.

Yoon SW, Lee KS. The Study of Cold Hypersensitivity of Jupper Abdomen in Castrointestinal Patients Using D.I.T.I. J Korean Med Thermol 2002, 2(1):69

Yoon Y.S, Y.-S.KiM. The New Diagnostic Method For Hyperhidrosis - Using Digital Infrared Thermographic Imaging. (abstract) Thermol Österr 1997, 7(1):29.

Yoon YS, Samoilov VB, Kletsky SV. Dynamic response analysis of pyroelectric sensitive element for thermal imaging. IEEE Trans Ultrason Ferroelectr Freq Control. 2003;50(4):461-5.

Yorozu H, Komoto Y. The effect of crude drug extracts bathing. Journal of Japanese Association of Physical Medicine Balneology and Climatology 1992, 55:105-112.

Yorozu H, Okawa W, Sato H, Mori S, Sutou Y. Effects of octylphthalide bathing on peripheral blood circulation Journal of Japanese Association of Physical Medicine Balneology and Climatology 1994, 57:251-258.

Yoshiba K, Teramoto A, Nakamura N, Kikuchi K, Miyazaki Y, Sorai M. Static water structure detected by heat capacity measurements on aqueous solutions of a triple-helical poly- saccharide schizophyllan. Biomacromol. 2003; 4(5):1348-1356.

Yoshida A. Kato H. Kuroda M. Hanamoto K. Yoshimura K. Shibuya K. Kawasaki STsunoda M. Kanazawa S. Hiraki Y. Devel- opment of a phantom compatible for MRI and hyperthermia using carrageenangel - Relationship between T1 and T2 values and NaCl concentration. Int J Hyperther. 2004; 20(8): 803-814.

Yoshida H, Imafuku Y, Nagai T. Matrix effects in clinical immunoassays and the effect of preheating and cooling analytical samples. Clin Chem Lab Med. 2004; 42(1):51-6.

Yoshida H, Nozaki K, Hanashiro I, Yagi F, Ito H, Honma M, Matsui H. Takeda Y. Structure and physicochemical properties of starches from kidney bean seeds at immature, premature and mature stages of development. Carbohyd Res. 2003; 338(5): 463-469

Yoshida M, Akane A, Nishikawa M, Watabiki T, Tsuchihashi H. Extraction of thiamylal in serum using hydrophilic acetonitrile with subzero-temperature and salting-out methods. Anal Chem. 2004; 76 (16): 4672-5.

Yoshida M, Okamura I, Uematsu K.Involvement of the cere- bellum in classical fear conditioning in goldfish. Behav Brain Res. 2004; 153(1):143-8.

Yoshimura B, Kuriyama S, Ohuchi T, Takemura M, Honda Y, Hiraoka M. Hyperthermia reduces the occurence of proliferative vitreoretinopathy in rabbit models. Invest Ophtalmol Vis Sci1992, 33:404-409.

Yosipovitch G. Sackett-Lundeen L. Goon A. Huak CY. Goh CL. Haus E. Circadian and ultradian (12 h) variations of skin blood flow and barrier function in non-irritated and irritated skin - Effect of topical corticosteroids. J Invest Dermatol. 2004; 122(3): 824-829.

Yotsushima K, Sakaguchi M, Shimizu M, Okimura T, Izaike Y. Effects of fatty acid-free bovine serum albumin and fetal calf serum supplementing repair cultures on pre- and post-warm viability of biop- sied bovine embryos produced in vitro. J Reprod Dev. 2004; 50(4) :471-6.

Youn JI, Telenkov SA, Kim E, Bhavaraju NC, Wong BJ, Valvano JW, Milner TE. Optical and thermal properties of nasal septal cartilage. Lasers Surg Med. 2000,27(2):119-28.

Young JF. How the brain recognizes and responds to shock. Axone. 2004; 26(1): 20-3.

Young MA, Aarons L, Toon S. The pharmacokinetics of the enantiomers of flurbiprofen in patients with rheumatoid arthritis. Br J Clin Pharmacol 1991, 31: 102-104.

Young VL. Brandon HJ. The physics of suction-assisted lipo- plasty. Aesth Surg J. 2004; 24(3): 206-210.

Yu C-H, Lin L-C, Shi Y-W A comparison of aural and rectal temperature measurements in young infants. Tzu Chi Medical Journal 2001:13(2):81-85

Yu C-M. Chang G-G. Chang H-C. Chiou S-H. Cloning and characterization of a thermostable catfish aB-crystallin with chaperone- like activity at high temperatures. Exp Eye Res. 2004; 79(2): 249-261.

Yu D-G, Kimura Y, Tomita Y, Nakamura Y, Watanabe H, Matsumoto K. Study on removal effects of filling materials and broken files from root canals using pulsed ND.YAG laser. Journal of Clinical Laser Medicine and Surgery 2000, 18(1): 23-8

Yu GV, Hudson JR. Evaluation and Treatment of Stage 0 Charcot's Neuroarthropathy of the Foot and Ankle J Am Podiatr Med Assoc 2002, 92: 210 - 220. .

Yu HC, Li JQ, Bei YQ, Zhou YQ, Zhang J, Zhang WY, Shen BG. Superstructure in SmCo7 phase. J Electron Microsc (Tokyo). 2004; 53(1):37-42.

Yu J, Corripio AB, Harrison DP, Copeland RJ. Analysis of the sorbent energy transfer system (SETS) for power generation and CO2 capture. Adv Environ Res. 2003; 7(2):335-345.

Yu J, Holdcroft S Chemically amplified soft lithography of a low band gap polymer. Chemical Communications 2001, 7(14): 1274-1275

Yu K, Jiang M, Cheng Z, Chen T. [Latest forty two years' sea surface temperature change of Weizhou Island and its influence on coral reef ecosystem] Ying Yong Sheng Tai Xue Bao. 2004; 15(3):506-10.

Yu M, Ellis JE, Epstein HE. Regional analysis of climate, primary production, and livestock density in InnerMongolia. J Environ Quality. 2004; 33(5): 1675-1681.

Yu Q, Kaewsarn P, Van Duong L. Electron microscopy study of biosorbents from marine macro alga Durvillaea potatorum. Chemosphere. 2000,41(4):589-94.

Yu SX, Teng WP, Shen JH, Cai J. [Assessment on the impact of warming climate in winter on schistosomiasis epidemics] Zhonghua Liu Xing Bing Xue Za Zhi. 2004; 25(7):575-7.

Yu X-Z. A Comparison of crystal liquid thermography with other methods in diagnosis of breast mass. Chinese Journal of Clinical Oncology 1993, 20: 610-613.

Yuan J, Cord BJ, McCann UD, Callahan BT, Ricaurte GA. Effect of Glucoprivation on Serotonin Neurotoxicity Induced by Substituted Amphetamines J. Pharmacol. Exp. Ther. 2002, 303: 831 - 839.

Yuan ZX, Saniei N, Yan XT. Turbulent heat transfer on the stationary disk in a rotor–stator system, Int J HeatMass Trans, 2003; 46(12): 2207-2218.

Yue Y, Angell CA. Clarifying the glass-transition behaviour of water by comparison with hyperquenched inorganic glasses. Nature. 2004; 427(6976):717-20.

Yue Y, von der Ohe R, Jensen SL. Fictive temperature, cooling rate, and viscosity of glasses. J Chem Phys. 2004; 120(17):8053-9.

Yuen CHN, Martinez-Botas RF. Film cooling characteristics of a single round hole at various streamwise angles in a crossflow: Part I effectiveness, Int J Heat Mass Trans, 2003; 46(2) 221-235

Yuen CHN, Martinez-Botas RF. Film cooling characteristics of a single round hole at various streamwise angles in a crossflow: Part II: heat transfer coefficients, Int J Heat Mass Trans, 2003; 46(2): 237-249.

Yumoto I. Hirota K. Sogabe Y. Nodasaka Y. Yokota Y. Hoshino T. Psychrobacter okhotskensis sp. nov., a lipase-producing facultative psychrophile isolated from the coast of the Okhotsk Sea. Int J Sys Evol Microbiol. 2003; 53(6): 1985-1989.

Yuri Y, Okamoto H. Generating ultralow-emittance ion beams in a storage ring. Phys Rev Lett. 2004 ; 93(20):204801. E

Yuzurihara M, Ikarashi Y, Noguchi M, Kase Y, Takeda S, Aburada M. Prevention by 17beta-estradiol and progesterone of calcitonin gene-related peptide-induced elevation of skin temperature in castrated male rats. Urology. 2004; 64(5):1042-7.

Yuzurihara M. Ikarashi Y. Noguchi M. Kase Y. Takeda S. Aburada M. Prevention by 17beta-estradiol and progesterone of calcitonin gene- related peptide-induced elevation of skin temperature in castrated male rats. Urology. 2004. 64(5)1042-1047.

Zaar M, Larsen E, Wang T. Hysteresis of heart rate and heat exchange of fasting and postprandial savannah monitor lizards (Var- anus exanthematicus). Comp Biochem Physiol A Mol Integr Physiol. 2004;137(4):675-82.

Zabolotnyi Di, Rozenfel'd LG, Likhosherst EK, Borisenko ON, Kovalero L. An automated thermographic complex. new possibilities of the diagnosis of ORL disease. Vestn Otorinolaringol 1990, (4):3-8.

Zaborra G, Li Pera AM. Telethermography in diagnosis of craniomandibular dysfunction. Mondo Ortod 16: 1991, 331-335.

Zacny JP. Beckman NJ. The effects of a cold-water stimulus on butorphanol effects in males andfemales. Pharmacol Biochem Behav. 2004; 78(4): 653-659.

Zahou E, Jornvall H, Bergman T. Amino acid analysis by capillary electrophoresis after phenylthiocarbamylation. Analytical Biochemistry 2000, 281(1): 115-122

Zajaczkowski T, Zamann AP. Julius Bruck (1840-1902) and his influence on the endoscopy of today. World J Urol. 2004; 22(4):293-303.

Zakhartsev MV, Portner HO, Blust R. Environmentally low - temperature kinetic and thermodynamic study of lactate dehydrogenase from Atlantic cod (G. morhua) using a 96-well microplate technique. Anal Biochem. 2004; 330(1):10-20.

Zald DH, Pardo JV. Cortical activation induced by intraoral stimulation with water in humans. Chem Senses. 2000,25(3):267-75.

Zalewska A, Wiecek B. Dermatological applications of thermo- graphy (abstract). Thermol int 2004, 14(2): 79.

Zalewska A, Wiecek B, Zwolenik S, Lis M, Sysa-Jedrzejowska A. Thermography In Psoriatic Lesions Evaluation – Preliminary Results. (abstract) Thermol int 2003, 13: 81-82.

Zalewska A, Wiecek B, Lis M, Sysa-Jedrzejowska A. Thermographic data analysis of psoriatic skin lesions (abstract). Thermol int 2004, 14(2): 79.

Zalewska A, Wiecek B, Zwolenik S, Lis M, Sysa- Jedrzejowska A. Evaluation of psoriasis vulgaris lesions based on thermography. Thermol Int 2003, 13 (4): 140-147

Zalis S, Busby M, Kotrba T, Matousek P, Towrie M, Vlcek A Jr. Excited-state characters and dynamics of [W(CO)(5)(4-cyanopyridine)] and [W(CO)(5)(piperidine)] studied by picosecond time-resolved IR and resonance Raman spectroscopy and DFT calculations: roles of W —> L and W —> CO MLCT and LF excited states revised. Inorg Chem. 2004 ; 43(5):1723-34.

Zamani K., N. del Grande, M. Bonner, M.MarinO. Digital Dual Band Infrared Imaging in Assessment of Nitrogen Mustard Injury in SkIn. Proc 1996 IEEE Engineering in Medicine & Biology. 1996, p.1076-1077.

Zambacos GJ, Nguyen D, Morris RJ. Effect of povidone iodine on silicone gel breast implants in vitro: implications for clinical practice. Plast Reconstr Surg. 2004; 114(3):706-12-

Zancan A, B Gialanella, A Luisa, ME Della Marta, G D'Alessandro, R CasalE. (Telethermographic effects and a comparative clinical assessment of the treatment of shoulder periarthritis using ultrasound) Giornale Italiano Di Medicina Del Lavoro 1993, 15: 55-58.

Zancan A, G D'AlessandrO. Evaluation of the superficial thermic effects induced by low-power laser therapy. Riabilitazione 1994, 27: 177-184.

Zancan A. B Gialanella, A Luisa, M.E Della Marta, G D'AllesandrO. Correlations between superficial thermic variations and clinical management in patients treated with ultrasound therapy. Thermol Österr1992, 2:S36.

Zardi EM, Picardi A, Borzomati D, Coppola R, Caricato M, Galeotti T, Valeri S, Bianchi A, Brisinda D, Afeltra A, Fenici R. Radiofrequency ablation of hepatic tissue: a new experimental animal model. Hepatogastroenterol. 2004; 51(56):570-4.

Zaremba J. Hyperthermia in ischemic stroke. Med Sci Monit. 2004; 10(6):RA148-53.

Zarrabi A, Gul K, Willerson JT, Casscells W, Naghavi M Intravascular thermographY. a novel approach for detection of vulnerable plaque. Curr Opin Cardiol 2002, 17(6): 656-62.

Zasetsky AY, Khalizov AF, Sloan JJ. Local order and dynamics in supercooled water: a study by IR spectroscopy and molecular dynamic simulations. J Chem Phys. 2004;121(14):6941-7.

Zavaleta JO, Rossignol PA. Community-level analysis of risk of vector-borne disease. Trans R Soc Trop Med Hyg. 2004; 98(10): 610-8.

Závišek M, Drastich A, Dub P. Breast Cancer Diagnostics Using Infrared Camera. (abstract) Thermol int 2003, 13: 82.

Zazulevskaia LIa, Kogan GV. Physicoche-mical reasearch on the bone tissue of the alveolar process in experimental peridontitis. Stomatologiia(Mosk) 1991, 70:9-12.

Zeal J. Kambarami R. ThermoSpot in the detection of neonatal hypothermia (multiple letters). Ann Tropl Paediat. 2003; 23(1):87-88)

Zeal JD. Temperature charts. a time for change? Hospital Medicine 1998. 59 (1)0: 766-8.

Zeeb V, Suzuki M, Ishiwata S. A novel method of thermal activation and temperature measurement in the microscopic region around single living cells. J Neurosci Methods. 2004; 139(1):69-77.

Zehner WJ, TE.Terndrup Ear temperatures during rewarming from hypothermia (1). Annals of Emergency Medicine 1994,23:901-902.

Zeiner A, Holzer M, Sterz F, Behringer W, Schorkhuber W, Mullner M, Frass M, Siostrzonek P, Ratheiser K, Kaff A, Laggner AN. Mild resuscitative hypothermia to improve neurological outcome after cardiac arrest. A clinical feasibility trial. Hypothermia After Cardiac Arrest (HACA) Study Group. Stroke. 2000,31(1):86-94.

Zeitoun M, Wilk B, Matsuzaka A, KnOpfli BH, Wilson BA, Bar-Or O.Facial cooling enhances exercise-induced bronchoconstric- tion in asthmatic children. Med Sci Sports Exerc. 2004; 36(5):767-71.

Zelickson BD, Kist D, Bernstein E, Brown DB, Ksenzenko S, Burns J, Kilmer S, Mehregan D, Pope K. Histological and ultra- structural evaluation of the effects of a radiofrequency-based non ablative dermal remodeling device: a pilot study. Arch Dermatol. 2004; 140(2):204-9.

Zell R. Global climate change and the emergence/re-emergence of infectious diseases. Int J Med Microbiol. 2004; 293 Suppl 37:16-26.

Zeman P, Bene C. A tick-borne encephalitis ceiling in Central Europe has moved upwards during the last 30 years: possible impact of global warming? Int J Med Microbiol. 2004; 293 Suppl 37:48-54.

Zeng Ch, Hannsler L. Veränderungen des Laser-Doppler-Fluxes nach lokaler Erwärmung der Hand. Thermomed 1994,10: 9-13.

Zeng X. Xiao X. Wang P. Wang F. Screening and characterization of psychrotrophic, lipolytic bacteria fromdeep-sea sediments. J Micro- biol Biotechnol. 2004; 14(5): 952-958.

Zetterman E, Salmi A, Suominen S, Karonen A, Asko-Seljavaara S. Effect of cooling and warming on thermographic imaging of the perforating vessels of the abdomen. European Journal of Plastic Surgery 1999, 22(2)-3:58-61.

Zeyl A. Stocks JM. Taylor NAS. Jenkins AB. Interactions between temperature and human leptin physiology in vivo and invitro. Eur J Appl Physiol. 2004; 92(4-5): 571-578.

Zhai S, Hansen RK, Taylor R, Skepper JN, Sanches R, Slater NK. Effect of freezing rates and excipients on the infectivity of a live viral vaccine during lyophilization. Biotechnol Prog. 2004; 20(4):1113-20.

Zhang C, Matsumoto K, Kimura Y, Harashima T, Takeda FH, Zhou H. Effects of CO2 laser in treatment of cervical dentinal hypersensitivity. Journal Of Endodontics 1998. 24 /9: 595-7.

Zhang CQ, Wu YN, Xu L, Liu DY, Chen YS.Connecting hose's operating characteristics and its effect on the cooling performance of an 80 K Oxford split-Stirling-cycle cryocooler. Cryogenics, 2003; 43 (6): 335-344.

Zhang D, Chang C, Ono T, Esashi M. A piezodriven XY-microstage for multiprobe nanorecording, Sens Act A: Phys, 2003; 108 (1-3): 230-233

Zhang D, Fu W, Wang S, Wei Z, Wang F. (Displaying of infrared thermogram of temperature character on meridians). Chen Tzu Yen Chiu Acupuncture Research 1996, 21(3): 63-67.

Zhang D, Gao H, Wei Z, Wen B. (Preliminary observation of imaging of facial temperature along meridians) Chen Tzu Yen Chiu [Acupuncture Research] 1992, 17: 71-74.

Zhang D, Gao H, Wei Z, Wen B. The thermographic observation of the relationship between retention of acupuncture needles and the effect of nose temperatures. 1991, Chen Tzu Yen Chiu 16: 73-75.

Zhang D, Gao H, Wen B, Wei Z. Research on the acupunture principles and meridian phe-nomena by means of infrared thermography. Chen Tzu Yen Chiu 1990, 15:319-323.

Zhang D, Meng J, Gao h, Wen B, Xue L, Chen N. Effects of the heat-tonification method on the surface temperature of body observed by infra-red thermography. J Tradit Chin Med 1990,10 (1): 36-41.

Zhang D, Wang SY, Fu WX. [A preliminary study on effect of electro-acupuncture by the cortical infrared thermography] Chung-Kuo Chung Hsi I Chieh Ho Tsa Chih 1997, 17 (4): 224-6.

Zhang D, Wen B, Wei Z, Gao H, Peng Y, Mang J. The comparison of changes of the facial temperature after acupuncturing point of hand and foot-yangming meridians by the thermography. Chen Tzu Yen Chiu 1990,15:191-193.

Zhang D, Wen B, Wei Z, Gao H, Peng Y, Wang F. Clinical observations on acupuncture treatment on peripheral facial paralysis aided by infra-red-thermography - a preliminary report. J Tradit Chin Med 1991, 11:139-145.

Zhang D, Zhu YG, Wang SY, Ma HM, Ye YY, Fu WX, Hu WG Infrared thermoimages display of body surface temperature reaction in experimental cholecystitis. World J Gastroenterol 2002, 8(2): 323-7. .

Zhang D. (Application of infrared thermography for study of acupuncture and meridians). Chung-Kuo Chung Hsi I Chieh Ho Tsa Chih, 12: 551-554. 1992

Zhang H, Sekiguchi Y, Hanada S, Hugenholtz P, Kim H, Kamagata Y, Nakamura K. Gemmatimonas aurantiaca gen. nov., sp. nov., Gram-negative, aerobic, polyphosphate-accumulating micro-organism, the first cultured representative of the new bacterial phylum Gemmatimonadetes phyl. nov. Int J Sys Evol Microbiol. 2003; 53(4):1155-1163.

Zhang H. Huizenga C. Arenas E. Wang D. Thermal sensation and comfort in transient non-uniform thermal environments. Eur J Appl Physiol. 2004; 92(6): 728-733.

Zhang H. Oh M. Allen C. Kumacheva E. Monodisperse chitosan nanoparticles for mucosal drug delivery. Biomacromolecules. 5(6): 2461-2468. 2004;

Zhang H.-Y, Y.-S.KiM. Comparison Between EMG And D.I.T.I. In Cervical Disc Herniations. (abstract) Thermol Österr 7(1):34. 1997

Zhang H-X. Liu Y. Wei J. Cao X-M. Liu Y-Y. Li W-X. Ni D-H. Cao W. Biological mechanism of the effects of chemothermotherapy on vascular penetrability in VX-2 hepatocellular carcinoma in rabbit. Zhongguo Linchuang Kangfu. 2004; 8(14): 2778-2779.

Zhang H-Y, Chin D-K, Cho Y-E, Kim Y-S. Correlation between Pain Scale and Infrared Thermogram in Lumbar Disc Herniation. J Korean Med Thermol 2002, 2(1):1-7

Zhang H-Y, Kim Y-S, Cho Y-E. IR Thermographic Indication of Lumbar Chemonucleolysis. J Korean Med Thermol 2002, 2(1):72

Zhang H-Y, Kim Y-S, Cho Y-E. Thermatomal Changes in Cervical Disc Herniations. J Korean Med Thermol 2001, 1(1):16-28

Zhang HY, Kim YS, Cho YE. Thermatomal changes in cervical disc herniations. Yonsei Medical Journal, 1999. 40 (5) 401-12

Zhang J, Zhao Y. Formation of zirconium metallic glass. Nature. 2004; 430(6997):332-5.

Zhang L, Eckert H. Multinuclear NMR studies on the sol-gel preparation of sodium aluminophosphate glasses. Solid State Nucl Magn Reson. 2004; 26(3-4):132-46.

Zhang L, Shoji M. Nucleation site interaction in pool boiling on the artificial surface, Int J Heat Mass Trans, 2003; 46(3): 513-522

Zhang LY, Li YJ, Luo BD, Li YL, Lin N. [Skin temperature changes in Wistar rats with second-degree scald injury in hot and humid environment after cooling therapy.] Di Yi Jun Yi Da Xue Xue Bao. 2004; 24(10):1120-2.

Zhang SQ. Tongue temperature of healthy persons and patients with yin deficiency by using thermal video. Chung Hsi I Chieh Ho Tsa Chih 1990, 10 :732-733.

Zhang XH, Guimond Y, Bellec Y. Production of complex chalcogenide glass optics by molding for thermal imaging, J Non-Crystal Solids, 2003; 326-327: 519-523.

Zhang X-Z. Sun G-M. Wu D-Q. Chu C-C. Synthesis and char- acterization of partially biodegradable and thermosensitivehydrogel. J Mater Sci-Mater Med. 2004; 15(8): 865-875.

Zhang Z. Short RV. Meehan T. De Kretser DM. Renfree MB. Loveland KL. Functional Analysis of the Cooled Rat Testis. J Androl. 2004. 25(1)57-68.

Zhang Z-F. Liu F-L. Zhao J-W. Ge S-D. Jin Y. Role of nerve growth factor in the regulation of blood flow velocity and skin tem- perature of random pattern flap. Zhongguo Linchuang Kangfu. 2004; 8(14): 2686-2687.

Zhang ZH. The Characteristics of Infrared Thermogram of Acute Abdomen. J Korean Med Thermol 2002, 2(1):77-78

Zhao X. Fei D-Y. Doarn CR. Harnett B. Merrell R. A teleMed system for wireless home healthcare based on Bluetooth and the Internet. TeleMed J & E-Health. 2004; 10(SUPPL. 2.)

Zheng X, Walcott GP, Rollins DL, Hall JA, Smith WM, Kay GN, Ideker RE Comparison of the temperature profile and pathological effect at unipolar, bipolar and phased radiofrequency current configurations. J Interv Card Electrophysiol 2001, 5(4): 401-10.

Zhigang S, Guotai J. Dynamic Analysis of Inner Metabolizing Status Based on theSurface Temperature Distribution of Body. In: 23rd Annual Internationalö Conference of the IEEE Engineering in Medicine and Biology Society. EMBC 2001. Istanbul, Turkey, Abstract Book, abstract 5.5.2.1. p.156

Zhiyong Z, Bingjun L, Xiaoju L, Xinjian F, Ping F, Wenya W. Fever of unknown origin: A report from China of 208 cases. Int J Clin Pract. 2003; 57(7):592-596.

Zhong Q, Daubert CR, Velev OD. Cooling effects on a model rennet casein gel system: part I. Rheological characterization. Langmuir. 2004; 20(18):7399-405.

Zhong Q, Daubert CR, Velev OD. Cooling effects on a model rennet casein gel system: part II. Permeability and microscopy. Lang- muir. 2004 ; 20(18):7406-11.

Zhong Q, Daubert CR. Kinetics of rennet casein gelation at different cooling rates. J Colloid Interface Sci. 2004; 279(1):88-94.

Zhou G. Minakawa N. Githeko AK. Yan G. Ass between climate variability and malaria epidemics in the EastAfrician highlands. Proc e Nat Acad Sci USA 101(8): 2375-2380. 2004;

Zhou L, Dickinson RE, Tian Y, Fang J, Li Q, Kaufmann RK, Tucker CJ, Myneni RB. Evidence for a significant urbanization effect on climate in China. Proc Natl Acad Sci U S A. 2004; 101(26):9540-4.

Zhou Q, Tang X, Wu W, Yang Y, Sylvester R. Yu J. A risk factor analysis of municipal domestic refuse landfills using a reactor with high water input. Waste Manag & Res. 2003; 21(4):383-390.

Zhou S, Chen J, Feng J. The effects of amniotic membrane on polymorphonuclear cells. Chin Med J. 2003; 116(5): 788-790.

Zhou S, Reynolds P, Krause R, Buma T, O'Donnell M, Hossack JA. Finite-element analysis of material and parameter effects in laser-based thermoelastic ultrasound generation. IEEE Trans Ultrason Ferroelectr Freq Control. 2004; 51(9):1178-86.

Zhou XT, Li Y, Chen ZR, Wang JD. Combustion temperature measurement of solid propellant and the effect of organic compound on combustion temperature. Guang Pu Xue Yu Guang Pu Fen Xi. 2003 ;23(3):609-610.

Zhu DZ. [Treatment of intrahepatic cholestasis with integrated traditional Chinese and Western medicine] Zhong Xi Yi Jie He Xue Bao. 2004; 2(6):412-4.

Zhu L, Lemons DE, Weinbaum S. Microvascular thermal equilibration in rat cremaster muscle. Annals of Biomedical Engineering 1996, 24 (1) 109-12.

Zhu L, Xu LX, Weinbaum S.Theoretical predication of temperature variations along paired vessels from 200 to 1000pm diameter in skeletal muscle. In. Proceedings of The First Joint BMES/EMBS Conference Serving Humanity, Advancing Technology, Atlanta, 1999, pp.1262

Zhu SY, Schaefer G, Jones B. Thermal Med image retrieval by moment functions. (abstract). Thermol int 2004, 14(4): 147

Zhu W, Xue C, Ma W, Liu R, Wang J, Ye Y, Zhong F, Du X. (A study of the thermosensitivity determination for the normal value of the twelve well-point (or jing-point)). Chen Tzu Yen Chiu Acupuncture Research 1996, 21(1): 31-33.

Zhu WP, Xin XR. Study on the distribution pattern of skin temperature in normal Chinese and detection of the depth of early burn wound by infrared thermography. Annals of the New York Academy of Sciences, 1999, 888: 300-13

Zhuravlev LT. The surface chemistry of amorphous silica. Zhuravlev model. Colloids and Surfaces A. Physicochemical and Engineering Aspects 2000.173(1-3): 1-38

Ziaja W.Spitsbergen landscape under 20th century climate change: Sorkapp Land. Ambio. 2004 Aug;33(6):295-9.

Ziegler S, Gschwandtner M, Zoch C, Barth A, Minar E, Rudiger H, Osterode W. Laser Doppler anemometry distinguishes primary Raynaud phenomenon from VWF syndrome. Microvasc Res. 2004; 68(3):203-8.

Zieliński M, Milewski S, Gawlikowski J, Książek A. The Infrared thermography in the imaging diagnosis of inflammatory state of the epicondilitis of the bone of arm to application in surgery. In. Balageas D, Busse G, Carlomagno, C, Więcek B, editors, Quantitative InfraRed Thermography 4: Medical InfraRed Thermography, MIRT´98. Eurotherm Seminar 60 Proceedings, Łódź, 1999. p.46-51.

Zieniuk S, Stawarz B, Zieniuk K. Badania moszny termografia w podczerwieni u pacjentow z krotkimi powrozkami nasiennymi a wartosci cech morfologii nasienia.[Infra-red thermography testicular studies of patients with short spermatic cords and quality of sperm morphology] Ginekologia Polska 1998. 69 /6: 551-4.

Zilberstein V, Walrath K, Grundy D, Schlicker D, Goldfine N, Abramovici E, Yentzer T. MWM eddy-current arrays for crack initiation and growth monitoring, Int J Fatigue, 2003; 25 (9-11). 1147-1155.

Zimmer A, Valjent E, König M, Zimmer AM, Robledo P, Hahn H, Valverde O, Maldonado R. Absence of □-9-Tetrahydrocannabinol Dysphoric Effects in Dynorphin-Deficient Mice J. Neurosci. 2001, 21: 9499 - 9505.

Zimmer F, Fleischhauer M. Sagnac interferometry based on ultraslow polaritons in cold atomic vapors. Phys Rev Lett. 2004; 92(25 Pt 1):253201.

Zimmer MB, Milsom WK. Effect of hypothermia on respiratory rhythm generation in hamster brainstem-spinal cord preparations. Re- spir Physiol Neurobiol. 2004; 142(2-3):237-49.

Zimmermann M, Schorcht J, Andree W. Theoretical and experimental investigations of a newly developed intracavitary applicator system for the radiothermotherapy of gynaecological tumours. International Journal of Hyperthermia 1993, 9: 463-77.

Zimmermann MB, Wegmueller R, Zeder C, Chaouki N, Biebinger R, Hurrell RF, Windhab E. Triple fortification of salt with micro- capsules of iodine, iron, and vitamin A. Am J Clin Nutr. 2004; 80(5): 1283-90.

Zimmet SE, Min RJ. Temperature changes in perivenous tissue during endovenous laser treatment in swine model. J Vas Intervent Radiol. 2003; 14(7):911-915.

Zinman LH. Bril V. Perkins BA. Cooling detection thresholds in the assessment of diabetic sensory polyneuropathy: Comparison of CASE IV and Medoc instruments. Diabetes Care. 27(7)1674-1679. 2004.

Zinn M, Weilenmann H-U, Hany R, Schmid M, Egli Th. Tailored synthesis of poly([R]-3-hydroxybutyrate- co -3-hydroxy- valerate) (PHB/HV) in Ralstonia eutropha DSM 428. Acta Biotech. 2003; 23(2-3):309-316

Zmuda S, Ignatowicz E, Stolarek M, Dulski R, Dabrowski M. Infrared thermographic analysis of temperature distribution on the surface of human teeth during ND:YAG laser irradiation in dependence on the power and repetition rate of the laser - in vitro study (abstract). Thermol int 2004, 14(2): 78.

Zmuda S, Ignatowicz, Presikorn M, Stolarek M, Dabrowski M. Dulski R. Thermographic monitoring of temperature changes on the surface of titanium implant during CO2 laser irradiation- in vitro study. . (abstract) Thermol int 2003, 13: 82.

Zmuda S, Zaborowski P, Dabrowsky M, Dulski R. Thermography for the Evaluation of Thermal Effects During The Polymerisation Process of Dental Materials. (abstract). Thermol intern 2000, 10 (4): 210.

Zmuda S, Zaborowski P, Pogorzelski C, M. Dabrowski, R. Dulski. Representation Of Physiological And Pathological Conditions Of The Oral Cavity Mucous Membrane Using Infrared Imaging. (abstract). Thermol intern 2001, 11(4):204-205.

Zogg H., Alchalabi K, ZiminD, , Kellermann K, Buttle W.r Two-dimensional monolithic lead chalcogenide infrared sensor array on silicon read-out chip, Nuc Instrum Meth Phys Res Sect A: Accel, Spectro, Detect Assoc Equip, 2003; 512 (1-2)440-444

Zong MC, Ding TY, Xue SW, Tang HJ, vanderMeer TH. Quantitative detection of subsurface defects by pulse-heating infrared thermography. IN. Ye S, editor, Automated Optical Inspection for Industry. Theory, Technology, and Applications II, Proceedings of the Society of Photo-Optical Instrumentation Engineers (SPIE) Vol.3558. Bellingham, 1998: p. 402-6.

Zong MC, Zhang JX, Ding TY, Lin TS. The development of pulse-heating infrared thermography non-destructive testing system. IN. Zhu J, Zhang YY, Xiao HL, Jones MH (eds): Condition Monitoring 97. National Defence Industry Press, Beijing 1997, pp. 520-524.

Zontak A, Sideman S, Verbitsky O, Beyar R. Dynamic thermographY. analysis of hand temperature during exercise. Annals Of Biomedical Engineering 1998. 26/6: 988-93.

Zorn-Pauly K, Schaffer P, Pelzmann B, Bernhart E, Lang P, Zink M, Machler H, Rigler B, Koidl B. A hyperpolarization activated inward current (If) is present in infant ventricular myo- cytes. Basic Res Cardiol. 2003; 98(6):362-366).

Zou Y. Guo Z. A review of electrical impedance techniques for breast cancer detection, Med Eng Phys, 2003; 25 (2): 79-90.

Zu L, Liu J, Tarczay G, Dupre P, Miller TA. Jet-cooled laser spectroscopy of the cyclohexoxy radical. J Chem Phys. 2004; 120(22): 10579-93.

Zuber J, B. Kalicki, A. Jung, W. Perdzyñski, J . Rutka, M. Klewar, St J. KlosowicZ. Thermographic evaluation of selected cases of pathology of venous system in children. (abstract). European Journal of Thermology 1998, 8: 178.

Zuber J, Kruszewski J, Zmija J, Klosowicz S, Jung A. Zastosowanie metod termograficznych do oceny wynikow punktowych testow skornych. II. Ocena wynikow punktowych testow skornych z roztworami histaminy o roznych stezeniach przy uzyciu mieszanin cieklokrystalicznych. (Use of thermographic methods for estimation of skin prick test results. II. Evaluation of skin prick test results with histamine solutions of different concentration using liquid crystal mixtures). Pneumonologia I Alergologia Polska 1996, 64 :3-4. 123-31.

Zubkova SM, EN Strel'tsova, IaZ LiakhovetskiI. (The temperature reaction of rabbits to local microwave exposures) Voprosy Kurortologii, Fizioterapii I Lechebnoi Fizicheskoi Kultury 1994, (6): 29-34.

Zucker M, R. Ivron, , A. El-Ami. Dynamic Thermal Imaging A New -Approach for Non-Invasive Flow and Perfusion Measurements in CABG (abstract).European Journal of Thermology 1998,8 (2): 123.

Zuiderduin WCJ, Homminga DS, Huétink HJ, Gaymans RJ. Influence of molecular weight on the fracture properties of aliphatic polyketone terpolymers, Polymer 2003; 44 (20): 6361-6370.

Zuniga L. Niemeyer MI. Varela D. Catalan M. Cid LP. Sepulveda FV. The voltage-dependent ClC-2 chloride channel has a dual gating mechanism. J Physiol. 2004;; 555(3): 671-682.

Zuo CS, Mahmood A, Sherry AD TmDOTA-: a sensitive probe for MR thermometry in vivo. Journal Of Magnetic Resonance 2001, 151 (1) 101-6

Zuo R, Ornek D, Syrett BC, Green RM, Hsu CH, Mansfeld FB, Wood TK. Inhibiting mild steel corrosion from sulfate-reducing bac- teria using antimicrobial-producing biofilms in Three-Mile-Island pro- cess water. Appl Microbiol Biotechnol. 2004; 64(2):275-83.

Zurner TA. Thermography as an aid to the clinical lameness evaluation. Vet Clin North Am Equine Pract 1991, 7:311-318.

Zuzak KJ; Schaeberle MD; Levin IW; Lewis NE; Freeman J; McNeil JD.; Cancio LC. Visible and Infrared Hyperspectral Visualization of Normal and Ischemic Tissue. In. Proceedings of The First Joint BMES/EMBS Conference Serving Humanity, Advancing Technology, Atlanta, 1999, pp.1118

Zviman MM, Roguin A, Jacobs A, Rent K, Lardo A, Halperin HR. A new method for inducing hypothermia during cardiac arrest. Crit Care Med. 2004; 32(9 Suppl): S369-73.

Zweifler RM, Voorhees ME, Mahmood MA, Parnell M. Mag- nesium sulfate increases the rate of hypothermia via surface cooling and improves comfort. Stroke. 2004; 35(10):2331-4.

Zweifler RM, Voorhees ME, Mahmood MA, Parnell M. Rectal temperature reflects tympanic temperature during mild induced hypo- thermia in nonintubated subjects. J Neurosurg Anesthesiol. 2004; 16(3): 232-5.

Zwischenberger JB, Vertrees RA, Bedell EA, McQuitty CK, Cher- nin JM, Woodson LC. Percutaneous venovenous perfusion-induced systemic hyperthermia for lung cancer: a phase I safety study. Ann Thorac Surg. 2004; 77(6): 1916-25.

Zygmunt S, S Toksvig-Larsen, H Saeveland, U Rydholm, L RyD. Hyperthermia during occipito-cervical fusion with acrylic cement. Epidural thermometry in 23 cases. Acta Orthopaedica Scandinavica 1992, 63: 545-548.